

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)
Band12	1.4	23017	1	#0	QPSK	21.79
Band12	1.4	23017	1	#Mid	QPSK	22.76
Band12	1.4	23017	1	#Max	QPSK	22.49
Band12	1.4	23017	3	#0	QPSK	22.57
Band12	1.4	23017	3	#Mid	QPSK	22.56
Band12	1.4	23017	3	#Max	QPSK	22.54
Band12	1.4	23017	6	#0	QPSK	21.49
Band12	1.4	23017	1	#0	QAM16	21.43
Band12	1.4	23017	1	#Mid	QAM16	21.49
Band12	1.4	23017	1	#Max	QAM16	21.34
Band12	1.4	23017	3	#0	QAM16	21.64
Band12	1.4	23017	3	#Mid	QAM16	21.67
Band12	1.4	23017	3	#Max	QAM16	21.69
Band12	1.4	23017	6	#0	QAM16	20.68
Band12	1.4	23095	1	#0	QPSK	22.42
Band12	1.4	23095	1	#Mid	QPSK	22.58
Band12	1.4	23095	1	#Max	QPSK	22.40
Band12	1.4	23095	3	#0	QPSK	22.42
Band12	1.4	23095	3	#Mid	QPSK	22.47
Band12	1.4	23095	3	#Max	QPSK	22.43
Band12	1.4	23095	6	#0	QPSK	21.36
Band12	1.4	23095	1	#0	QAM16	21.51
Band12	1.4	23095	1	#Mid	QAM16	21.60
Band12	1.4	23095	1	#Max	QAM16	21.48
Band12	1.4	23095	3	#0	QAM16	21.55
Band12	1.4	23095	3	#Mid	QAM16	21.56
Band12	1.4	23095	3	#Max	QAM16	21.50
Band12	1.4	23095	6	#0	QAM16	20.52
Band12	1.4	23173	1	#0	QPSK	22.48
Band12	1.4	23173	1	#Mid	QPSK	22.57
Band12	1.4	23173	1	#Max	QPSK	22.45
Band12	1.4	23173	3	#0	QPSK	22.53
Band12	1.4	23173	3	#Mid	QPSK	22.50
Band12	1.4	23173	3	#Max	QPSK	22.46
Band12	1.4	23173	6	#0	QPSK	21.45
Band12	1.4	23173	1	#0	QAM16	21.61
Band12	1.4	23173	1	#Mid	QAM16	21.72
Band12	1.4	23173	1	#Max	QAM16	21.62
Band12	1.4	23173	3	#0	QAM16	21.68
Band12	1.4	23173	3	#Mid	QAM16	21.73
Band12	1.4	23173	3	#Max	QAM16	21.71

Band12	1.4	23173	6	#0	QAM16	20.60
Band12	3	23025	1	#0	QPSK	22.54
Band12	3	23025	1	#Mid	QPSK	22.78
Band12	3	23025	1	#Max	QPSK	22.49
Band12	3	23025	8	#0	QPSK	21.49
Band12	3	23025	8	#Mid	QPSK	21.48
Band12	3	23025	8	#Max	QPSK	21.46
Band12	3	23025	15	#0	QPSK	21.43
Band12	3	23025	1	#0	QAM16	21.68
Band12	3	23025	1	#Mid	QAM16	21.95
Band12	3	23025	1	#Max	QAM16	21.63
Band12	3	23025	8	#0	QAM16	20.49
Band12	3	23025	8	#Mid	QAM16	20.47
Band12	3	23025	8	#Max	QAM16	20.40
Band12	3	23025	15	#0	QAM16	20.37
Band12	3	23095	1	#0	QPSK	22.36
Band12	3	23095	1	#Mid	QPSK	22.60
Band12	3	23095	1	#Max	QPSK	22.39
Band12	3	23095	8	#0	QPSK	21.34
Band12	3	23095	8	#Mid	QPSK	21.37
Band12	3	23095	8	#Max	QPSK	21.35
Band12	3	23095	15	#0	QPSK	21.33
Band12	3	23095	1	#0	QAM16	21.25
Band12	3	23095	1	#Mid	QAM16	21.46
Band12	3	23095	1	#Max	QAM16	21.18
Band12	3	23095	8	#0	QAM16	20.28
Band12	3	23095	8	#Mid	QAM16	20.30
Band12	3	23095	8	#Max	QAM16	20.32
Band12	3	23095	15	#0	QAM16	20.38
Band12	3	23165	1	#0	QPSK	22.49
Band12	3	23165	1	#Mid	QPSK	22.73
Band12	3	23165	1	#Max	QPSK	22.42
Band12	3	23165	8	#0	QPSK	21.47
Band12	3	23165	8	#Mid	QPSK	21.47
Band12	3	23165	8	#Max	QPSK	21.47
Band12	3	23165	15	#0	QPSK	21.43
Band12	3	23165	1	#0	QAM16	21.84
Band12	3	23165	1	#Mid	QAM16	22.12
Band12	3	23165	1	#Max	QAM16	21.83
Band12	3	23165	8	#0	QAM16	20.49
Band12	3	23165	8	#Mid	QAM16	20.48
Band12	3	23165	8	#Max	QAM16	20.51
Band12	3	23165	15	#0	QAM16	20.46
Band12	5	23035	1	#0	QPSK	22.41

Band12	5	23035	1	#Mid	QPSK	22.74
Band12	5	23035	1	#Max	QPSK	22.34
Band12	5	23035	12	#0	QPSK	21.48
Band12	5	23035	12	#Mid	QPSK	21.45
Band12	5	23035	12	#Max	QPSK	21.39
Band12	5	23035	25	#0	QPSK	21.49
Band12	5	23035	1	#0	QAM16	21.73
Band12	5	23035	1	#Mid	QAM16	22.13
Band12	5	23035	1	#Max	QAM16	21.60
Band12	5	23035	12	#0	QAM16	20.41
Band12	5	23035	12	#Mid	QAM16	20.44
Band12	5	23035	12	#Max	QAM16	20.35
Band12	5	23035	25	#0	QAM16	20.47
Band12	5	23095	1	#0	QPSK	22.25
Band12	5	23095	1	#Mid	QPSK	22.69
Band12	5	23095	1	#Max	QPSK	22.26
Band12	5	23095	12	#0	QPSK	21.17
Band12	5	23095	12	#Mid	QPSK	21.35
Band12	5	23095	12	#Max	QPSK	21.23
Band12	5	23095	25	#0	QPSK	21.24
Band12	5	23095	1	#0	QAM16	21.56
Band12	5	23095	1	#Mid	QAM16	21.85
Band12	5	23095	1	#Max	QAM16	21.53
Band12	5	23095	12	#0	QAM16	20.23
Band12	5	23095	12	#Mid	QAM16	20.32
Band12	5	23095	12	#Max	QAM16	20.26
Band12	5	23095	25	#0	QAM16	20.22
Band12	5	23155	1	#0	QPSK	22.30
Band12	5	23155	1	#Mid	QPSK	22.81
Band12	5	23155	1	#Max	QPSK	22.40
Band12	5	23155	12	#0	QPSK	21.50
Band12	5	23155	12	#Mid	QPSK	21.46
Band12	5	23155	12	#Max	QPSK	21.48
Band12	5	23155	25	#0	QPSK	21.53
Band12	5	23155	1	#0	QAM16	21.77
Band12	5	23155	1	#Mid	QAM16	22.44
Band12	5	23155	1	#Max	QAM16	21.94
Band12	5	23155	12	#0	QAM16	20.48
Band12	5	23155	12	#Mid	QAM16	20.47
Band12	5	23155	12	#Max	QAM16	20.45
Band12	5	23155	25	#0	QAM16	20.49
Band12	10	23060	1	#0	QPSK	22.52
Band12	10	23060	1	#Mid	QPSK	22.53
Band12	10	23060	1	#Max	QPSK	22.47

Band12	10	23060	25	#0	QPSK	21.49
Band12	10	23060	25	#Mid	QPSK	21.37
Band12	10	23060	25	#Max	QPSK	21.53
Band12	10	23060	50	#0	QPSK	21.50
Band12	10	23060	1	#0	QAM16	21.34
Band12	10	23060	1	#Mid	QAM16	21.32
Band12	10	23060	1	#Max	QAM16	21.17
Band12	10	23060	25	#0	QAM16	20.47
Band12	10	23060	25	#Mid	QAM16	20.36
Band12	10	23060	25	#Max	QAM16	20.54
Band12	10	23060	50	#0	QAM16	20.47
Band12	10	23095	1	#0	QPSK	22.38
Band12	10	23095	1	#Mid	QPSK	22.42
Band12	10	23095	1	#Max	QPSK	22.41
Band12	10	23095	25	#0	QPSK	21.18
Band12	10	23095	25	#Mid	QPSK	21.32
Band12	10	23095	25	#Max	QPSK	21.15
Band12	10	23095	50	#0	QPSK	21.17
Band12	10	23095	1	#0	QAM16	21.78
Band12	10	23095	1	#Mid	QAM16	21.81
Band12	10	23095	1	#Max	QAM16	21.84
Band12	10	23095	25	#0	QAM16	20.16
Band12	10	23095	25	#Mid	QAM16	20.35
Band12	10	23095	25	#Max	QAM16	20.14
Band12	10	23095	50	#0	QAM16	20.15
Band12	10	23130	1	#0	QPSK	22.26
Band12	10	23130	1	#Mid	QPSK	22.45
Band12	10	23130	1	#Max	QPSK	22.46
Band12	10	23130	25	#0	QPSK	21.52
Band12	10	23130	25	#Mid	QPSK	21.39
Band12	10	23130	25	#Max	QPSK	21.37
Band12	10	23130	50	#0	QPSK	21.47
Band12	10	23130	1	#0	QAM16	21.42
Band12	10	23130	1	#Mid	QAM16	21.60
Band12	10	23130	1	#Max	QAM16	21.60
Band12	10	23130	25	#0	QAM16	20.49
Band12	10	23130	25	#Mid	QAM16	20.41
Band12	10	23130	25	#Max	QAM16	20.37
Band12	10	23130	50	#0	QAM16	20.49
Band13	5	23205	1	#0	QPSK	22.05
Band13	5	23205	1	#Mid	QPSK	22.36
Band13	5	23205	1	#Max	QPSK	21.88
Band13	5	23205	12	#0	QPSK	20.93
Band13	5	23205	12	#Mid	QPSK	21.09

Band13	5	23205	12	#Max	QPSK	21.16
Band13	5	23205	25	#0	QPSK	21.11
Band13	5	23205	1	#0	QAM16	21.52
Band13	5	23205	1	#Mid	QAM16	21.85
Band13	5	23205	1	#Max	QAM16	21.43
Band13	5	23205	12	#0	QAM16	20.00
Band13	5	23205	12	#Mid	QAM16	20.08
Band13	5	23205	12	#Max	QAM16	20.13
Band13	5	23205	25	#0	QAM16	20.05
Band13	5	23230	1	#0	QPSK	21.96
Band13	5	23230	1	#Mid	QPSK	22.29
Band13	5	23230	1	#Max	QPSK	21.82
Band13	5	23230	12	#0	QPSK	20.89
Band13	5	23230	12	#Mid	QPSK	21.00
Band13	5	23230	12	#Max	QPSK	20.86
Band13	5	23230	25	#0	QPSK	20.89
Band13	5	23230	1	#0	QAM16	21.23
Band13	5	23230	1	#Mid	QAM16	21.71
Band13	5	23230	1	#Max	QAM16	21.11
Band13	5	23230	12	#0	QAM16	19.75
Band13	5	23230	12	#Mid	QAM16	19.90
Band13	5	23230	12	#Max	QAM16	19.80
Band13	5	23230	25	#0	QAM16	19.86
Band13	5	23255	1	#0	QPSK	21.86
Band13	5	23255	1	#Mid	QPSK	22.14
Band13	5	23255	1	#Max	QPSK	21.78
Band13	5	23255	12	#0	QPSK	20.93
Band13	5	23255	12	#Mid	QPSK	20.95
Band13	5	23255	12	#Max	QPSK	20.87
Band13	5	23255	25	#0	QPSK	20.95
Band13	5	23255	1	#0	QAM16	21.11
Band13	5	23255	1	#Mid	QAM16	21.46
Band13	5	23255	1	#Max	QAM16	21.12
Band13	5	23255	12	#0	QAM16	19.94
Band13	5	23255	12	#Mid	QAM16	19.94
Band13	5	23255	12	#Max	QAM16	19.90
Band13	5	23255	25	#0	QAM16	19.87
Band13	10	23230	1	#0	QPSK	22.07
Band13	10	23230	1	#Mid	QPSK	22.08
Band13	10	23230	1	#Max	QPSK	21.91
Band13	10	23230	25	#0	QPSK	20.80
Band13	10	23230	25	#Mid	QPSK	20.96
Band13	10	23230	25	#Max	QPSK	20.88
Band13	10	23230	50	#0	QPSK	20.78

Band13	10	23230	1	#0	QAM16	21.42
Band13	10	23230	1	#Mid	QAM16	21.41
Band13	10	23230	1	#Max	QAM16	21.33
Band13	10	23230	25	#0	QAM16	19.82
Band13	10	23230	25	#Mid	QAM16	19.96
Band13	10	23230	25	#Max	QAM16	19.87
Band13	10	23230	50	#0	QAM16	19.81
Band17	5	23755	1	#0	QPSK	22.09
Band17	5	23755	1	#Mid	QPSK	22.54
Band17	5	23755	1	#Max	QPSK	22.13
Band17	5	23755	12	#0	QPSK	21.04
Band17	5	23755	12	#Mid	QPSK	21.21
Band17	5	23755	12	#Max	QPSK	21.20
Band17	5	23755	25	#0	QPSK	21.14
Band17	5	23755	1	#0	QAM16	21.40
Band17	5	23755	1	#Mid	QAM16	21.78
Band17	5	23755	1	#Max	QAM16	21.39
Band17	5	23755	12	#0	QAM16	19.99
Band17	5	23755	12	#Mid	QAM16	20.13
Band17	5	23755	12	#Max	QAM16	20.12
Band17	5	23755	25	#0	QAM16	20.13
Band17	5	23790	1	#0	QPSK	22.07
Band17	5	23790	1	#Mid	QPSK	22.48
Band17	5	23790	1	#Max	QPSK	22.10
Band17	5	23790	12	#0	QPSK	21.20
Band17	5	23790	12	#Mid	QPSK	21.23
Band17	5	23790	12	#Max	QPSK	20.98
Band17	5	23790	25	#0	QPSK	21.15
Band17	5	23790	1	#0	QAM16	21.34
Band17	5	23790	1	#Mid	QAM16	21.71
Band17	5	23790	1	#Max	QAM16	21.40
Band17	5	23790	12	#0	QAM16	20.17
Band17	5	23790	12	#Mid	QAM16	20.20
Band17	5	23790	12	#Max	QAM16	20.00
Band17	5	23790	25	#0	QAM16	20.09
Band17	5	23825	1	#0	QPSK	22.11
Band17	5	23825	1	#Mid	QPSK	22.61
Band17	5	23825	1	#Max	QPSK	22.23
Band17	5	23825	12	#0	QPSK	21.29
Band17	5	23825	12	#Mid	QPSK	21.27
Band17	5	23825	12	#Max	QPSK	21.29
Band17	5	23825	25	#0	QPSK	21.28
Band17	5	23825	1	#0	QAM16	21.60
Band17	5	23825	1	#Mid	QAM16	22.16

Band17	5	23825	1	#Max	QAM16	21.74
Band17	5	23825	12	#0	QAM16	20.25
Band17	5	23825	12	#Mid	QAM16	20.28
Band17	5	23825	12	#Max	QAM16	20.27
Band17	5	23825	25	#0	QAM16	20.25
Band17	10	23780	1	#0	QPSK	22.22
Band17	10	23780	1	#Mid	QPSK	22.28
Band17	10	23780	1	#Max	QPSK	22.31
Band17	10	23780	25	#0	QPSK	21.01
Band17	10	23780	25	#Mid	QPSK	21.11
Band17	10	23780	25	#Max	QPSK	20.95
Band17	10	23780	50	#0	QPSK	20.95
Band17	10	23780	1	#0	QAM16	21.00
Band17	10	23780	1	#Mid	QAM16	21.04
Band17	10	23780	1	#Max	QAM16	21.12
Band17	10	23780	25	#0	QAM16	20.02
Band17	10	23780	25	#Mid	QAM16	20.14
Band17	10	23780	25	#Max	QAM16	19.94
Band17	10	23780	50	#0	QAM16	19.93
Band17	10	23790	1	#0	QPSK	22.11
Band17	10	23790	1	#Mid	QPSK	22.29
Band17	10	23790	1	#Max	QPSK	22.32
Band17	10	23790	25	#0	QPSK	21.14
Band17	10	23790	25	#Mid	QPSK	21.17
Band17	10	23790	25	#Max	QPSK	21.02
Band17	10	23790	50	#0	QPSK	21.10
Band17	10	23790	1	#0	QAM16	21.56
Band17	10	23790	1	#Mid	QAM16	21.62
Band17	10	23790	1	#Max	QAM16	21.67
Band17	10	23790	25	#0	QAM16	20.12
Band17	10	23790	25	#Mid	QAM16	20.12
Band17	10	23790	25	#Max	QAM16	20.01
Band17	10	23790	50	#0	QAM16	20.03
Band17	10	23800	1	#0	QPSK	22.07
Band17	10	23800	1	#Mid	QPSK	22.24
Band17	10	23800	1	#Max	QPSK	22.27
Band17	10	23800	25	#0	QPSK	21.26
Band17	10	23800	25	#Mid	QPSK	21.16
Band17	10	23800	25	#Max	QPSK	21.17
Band17	10	23800	50	#0	QPSK	21.27
Band17	10	23800	1	#0	QAM16	21.20
Band17	10	23800	1	#Mid	QAM16	21.36
Band17	10	23800	1	#Max	QAM16	21.42
Band17	10	23800	25	#0	QAM16	20.21

Band17	10	23800	25	#Mid	QAM16	20.15
Band17	10	23800	25	#Max	QAM16	20.13
Band17	10	23800	50	#0	QAM16	20.24
Band2	1.4	18607	1	#0	QPSK	23.16
Band2	1.4	18607	1	#Mid	QPSK	23.32
Band2	1.4	18607	1	#Max	QPSK	23.17
Band2	1.4	18607	3	#0	QPSK	23.20
Band2	1.4	18607	3	#Mid	QPSK	23.22
Band2	1.4	18607	3	#Max	QPSK	23.20
Band2	1.4	18607	6	#0	QPSK	22.23
Band2	1.4	18607	1	#0	QAM16	22.26
Band2	1.4	18607	1	#Mid	QAM16	22.38
Band2	1.4	18607	1	#Max	QAM16	22.24
Band2	1.4	18607	3	#0	QAM16	22.29
Band2	1.4	18607	3	#Mid	QAM16	22.37
Band2	1.4	18607	3	#Max	QAM16	22.28
Band2	1.4	18607	6	#0	QAM16	21.38
Band2	1.4	18900	1	#0	QPSK	23.04
Band2	1.4	18900	1	#Mid	QPSK	23.14
Band2	1.4	18900	1	#Max	QPSK	23.01
Band2	1.4	18900	3	#0	QPSK	23.10
Band2	1.4	18900	3	#Mid	QPSK	23.13
Band2	1.4	18900	3	#Max	QPSK	23.12
Band2	1.4	18900	6	#0	QPSK	22.11
Band2	1.4	18900	1	#0	QAM16	22.19
Band2	1.4	18900	1	#Mid	QAM16	22.33
Band2	1.4	18900	1	#Max	QAM16	22.20
Band2	1.4	18900	3	#0	QAM16	22.31
Band2	1.4	18900	3	#Mid	QAM16	22.31
Band2	1.4	18900	3	#Max	QAM16	22.29
Band2	1.4	18900	6	#0	QAM16	21.28
Band2	1.4	19193	1	#0	QPSK	22.47
Band2	1.4	19193	1	#Mid	QPSK	22.59
Band2	1.4	19193	1	#Max	QPSK	22.46
Band2	1.4	19193	3	#0	QPSK	22.57
Band2	1.4	19193	3	#Mid	QPSK	22.54
Band2	1.4	19193	3	#Max	QPSK	22.50
Band2	1.4	19193	6	#0	QPSK	21.53
Band2	1.4	19193	1	#0	QAM16	21.30
Band2	1.4	19193	1	#Mid	QAM16	21.47
Band2	1.4	19193	1	#Max	QAM16	21.30
Band2	1.4	19193	3	#0	QAM16	21.66
Band2	1.4	19193	3	#Mid	QAM16	21.67
Band2	1.4	19193	3	#Max	QAM16	21.68

Band2	1.4	19193	6	#0	QAM16	20.74
Band2	3	18615	1	#0	QPSK	23.17
Band2	3	18615	1	#Mid	QPSK	23.44
Band2	3	18615	1	#Max	QPSK	23.20
Band2	3	18615	8	#0	QPSK	22.15
Band2	3	18615	8	#Mid	QPSK	22.16
Band2	3	18615	8	#Max	QPSK	22.20
Band2	3	18615	15	#0	QPSK	22.13
Band2	3	18615	1	#0	QAM16	22.01
Band2	3	18615	1	#Mid	QAM16	22.27
Band2	3	18615	1	#Max	QAM16	21.96
Band2	3	18615	8	#0	QAM16	21.18
Band2	3	18615	8	#Mid	QAM16	21.17
Band2	3	18615	8	#Max	QAM16	21.17
Band2	3	18615	15	#0	QAM16	21.19
Band2	3	18900	1	#0	QPSK	23.08
Band2	3	18900	1	#Mid	QPSK	23.31
Band2	3	18900	1	#Max	QPSK	23.00
Band2	3	18900	8	#0	QPSK	22.09
Band2	3	18900	8	#Mid	QPSK	22.09
Band2	3	18900	8	#Max	QPSK	22.06
Band2	3	18900	15	#0	QPSK	22.04
Band2	3	18900	1	#0	QAM16	22.45
Band2	3	18900	1	#Mid	QAM16	22.73
Band2	3	18900	1	#Max	QAM16	22.37
Band2	3	18900	8	#0	QAM16	21.10
Band2	3	18900	8	#Mid	QAM16	21.13
Band2	3	18900	8	#Max	QAM16	21.11
Band2	3	18900	15	#0	QAM16	21.06
Band2	3	19185	1	#0	QPSK	22.47
Band2	3	19185	1	#Mid	QPSK	22.69
Band2	3	19185	1	#Max	QPSK	22.45
Band2	3	19185	8	#0	QPSK	21.49
Band2	3	19185	8	#Mid	QPSK	21.53
Band2	3	19185	8	#Max	QPSK	21.48
Band2	3	19185	15	#0	QPSK	21.47
Band2	3	19185	1	#0	QAM16	21.68
Band2	3	19185	1	#Mid	QAM16	21.95
Band2	3	19185	1	#Max	QAM16	21.58
Band2	3	19185	8	#0	QAM16	20.54
Band2	3	19185	8	#Mid	QAM16	20.53
Band2	3	19185	8	#Max	QAM16	20.49
Band2	3	19185	15	#0	QAM16	20.46
Band2	5	18625	1	#0	QPSK	23.00

Band2	5	18625	1	#Mid	QPSK	23.26
Band2	5	18625	1	#Max	QPSK	23.01
Band2	5	18625	12	#0	QPSK	22.04
Band2	5	18625	12	#Mid	QPSK	22.20
Band2	5	18625	12	#Max	QPSK	22.15
Band2	5	18625	25	#0	QPSK	22.14
Band2	5	18625	1	#0	QAM16	22.32
Band2	5	18625	1	#Mid	QAM16	22.71
Band2	5	18625	1	#Max	QAM16	22.27
Band2	5	18625	12	#0	QAM16	21.11
Band2	5	18625	12	#Mid	QAM16	21.21
Band2	5	18625	12	#Max	QAM16	21.20
Band2	5	18625	25	#0	QAM16	21.12
Band2	5	18900	1	#0	QPSK	23.02
Band2	5	18900	1	#Mid	QPSK	23.41
Band2	5	18900	1	#Max	QPSK	22.93
Band2	5	18900	12	#0	QPSK	22.03
Band2	5	18900	12	#Mid	QPSK	22.08
Band2	5	18900	12	#Max	QPSK	22.03
Band2	5	18900	25	#0	QPSK	22.05
Band2	5	18900	1	#0	QAM16	22.44
Band2	5	18900	1	#Mid	QAM16	22.83
Band2	5	18900	1	#Max	QAM16	22.36
Band2	5	18900	12	#0	QAM16	21.06
Band2	5	18900	12	#Mid	QAM16	21.11
Band2	5	18900	12	#Max	QAM16	21.05
Band2	5	18900	25	#0	QAM16	21.05
Band2	5	19175	1	#0	QPSK	22.45
Band2	5	19175	1	#Mid	QPSK	22.82
Band2	5	19175	1	#Max	QPSK	22.40
Band2	5	19175	12	#0	QPSK	21.51
Band2	5	19175	12	#Mid	QPSK	21.54
Band2	5	19175	12	#Max	QPSK	21.46
Band2	5	19175	25	#0	QPSK	21.47
Band2	5	19175	1	#0	QAM16	21.74
Band2	5	19175	1	#Mid	QAM16	22.07
Band2	5	19175	1	#Max	QAM16	21.70
Band2	5	19175	12	#0	QAM16	20.49
Band2	5	19175	12	#Mid	QAM16	20.50
Band2	5	19175	12	#Max	QAM16	20.36
Band2	5	19175	25	#0	QAM16	20.55
Band2	10	18650	1	#0	QPSK	23.22
Band2	10	18650	1	#Mid	QPSK	23.33
Band2	10	18650	1	#Max	QPSK	23.23

Band2	10	18650	25	#0	QPSK	22.10
Band2	10	18650	25	#Mid	QPSK	22.15
Band2	10	18650	25	#Max	QPSK	22.24
Band2	10	18650	50	#0	QPSK	22.12
Band2	10	18650	1	#0	QAM16	21.98
Band2	10	18650	1	#Mid	QAM16	22.04
Band2	10	18650	1	#Max	QAM16	21.99
Band2	10	18650	25	#0	QAM16	21.08
Band2	10	18650	25	#Mid	QAM16	21.16
Band2	10	18650	25	#Max	QAM16	21.27
Band2	10	18650	50	#0	QAM16	21.14
Band2	10	18900	1	#0	QPSK	23.13
Band2	10	18900	1	#Mid	QPSK	23.16
Band2	10	18900	1	#Max	QPSK	23.00
Band2	10	18900	25	#0	QPSK	22.11
Band2	10	18900	25	#Mid	QPSK	22.07
Band2	10	18900	25	#Max	QPSK	22.12
Band2	10	18900	50	#0	QPSK	22.07
Band2	10	18900	1	#0	QAM16	22.48
Band2	10	18900	1	#Mid	QAM16	22.53
Band2	10	18900	1	#Max	QAM16	22.32
Band2	10	18900	25	#0	QAM16	21.16
Band2	10	18900	25	#Mid	QAM16	21.14
Band2	10	18900	25	#Max	QAM16	21.13
Band2	10	18900	50	#0	QAM16	21.09
Band2	10	19150	1	#0	QPSK	22.65
Band2	10	19150	1	#Mid	QPSK	22.63
Band2	10	19150	1	#Max	QPSK	22.42
Band2	10	19150	25	#0	QPSK	21.58
Band2	10	19150	25	#Mid	QPSK	21.56
Band2	10	19150	25	#Max	QPSK	21.42
Band2	10	19150	50	#0	QPSK	21.53
Band2	10	19150	1	#0	QAM16	21.76
Band2	10	19150	1	#Mid	QAM16	21.79
Band2	10	19150	1	#Max	QAM16	21.63
Band2	10	19150	25	#0	QAM16	20.61
Band2	10	19150	25	#Mid	QAM16	20.60
Band2	10	19150	25	#Max	QAM16	20.52
Band2	10	19150	50	#0	QAM16	20.54
Band2	15	18675	1	#0	QPSK	23.11
Band2	15	18675	1	#Mid	QPSK	23.34
Band2	15	18675	1	#Max	QPSK	22.97
Band2	15	18675	36	#0	QPSK	22.20
Band2	15	18675	36	#Mid	QPSK	22.30

Band2	15	18675	36	#Max	QPSK	22.26
Band2	15	18675	75	#0	QPSK	22.24
Band2	15	18675	1	#0	QAM16	22.21
Band2	15	18675	1	#Mid	QAM16	22.53
Band2	15	18675	1	#Max	QAM16	22.13
Band2	15	18675	36	#0	QAM16	21.12
Band2	15	18675	36	#Mid	QAM16	21.22
Band2	15	18675	36	#Max	QAM16	21.20
Band2	15	18675	75	#0	QAM16	21.24
Band2	15	18900	1	#0	QPSK	23.09
Band2	15	18900	1	#Mid	QPSK	23.22
Band2	15	18900	1	#Max	QPSK	22.81
Band2	15	18900	36	#0	QPSK	22.16
Band2	15	18900	36	#Mid	QPSK	22.17
Band2	15	18900	36	#Max	QPSK	22.14
Band2	15	18900	75	#0	QPSK	22.14
Band2	15	18900	1	#0	QAM16	22.41
Band2	15	18900	1	#Mid	QAM16	22.73
Band2	15	18900	1	#Max	QAM16	22.16
Band2	15	18900	36	#0	QAM16	21.15
Band2	15	18900	36	#Mid	QAM16	21.18
Band2	15	18900	36	#Max	QAM16	21.13
Band2	15	18900	75	#0	QAM16	21.13
Band2	15	19125	1	#0	QPSK	22.73
Band2	15	19125	1	#Mid	QPSK	22.83
Band2	15	19125	1	#Max	QPSK	22.34
Band2	15	19125	36	#0	QPSK	21.74
Band2	15	19125	36	#Mid	QPSK	21.69
Band2	15	19125	36	#Max	QPSK	21.59
Band2	15	19125	75	#0	QPSK	21.64
Band2	15	19125	1	#0	QAM16	21.95
Band2	15	19125	1	#Mid	QAM16	22.01
Band2	15	19125	1	#Max	QAM16	21.54
Band2	15	19125	36	#0	QAM16	20.86
Band2	15	19125	36	#Mid	QAM16	20.73
Band2	15	19125	36	#Max	QAM16	20.62
Band2	15	19125	75	#0	QAM16	20.63
Band2	20	18700	1	#0	QPSK	22.92
Band2	20	18700	1	#Mid	QPSK	23.27
Band2	20	18700	1	#Max	QPSK	22.89
Band2	20	18700	50	#0	QPSK	22.03
Band2	20	18700	50	#Mid	QPSK	22.18
Band2	20	18700	50	#Max	QPSK	22.10
Band2	20	18700	100	#0	QPSK	22.08

Band2	20	18700	1	#0	QAM16	22.12
Band2	20	18700	1	#Mid	QAM16	22.43
Band2	20	18700	1	#Max	QAM16	22.14
Band2	20	18700	50	#0	QAM16	20.99
Band2	20	18700	50	#Mid	QAM16	21.25
Band2	20	18700	50	#Max	QAM16	21.13
Band2	20	18700	100	#0	QAM16	21.12
Band2	20	18900	1	#0	QPSK	22.93
Band2	20	18900	1	#Mid	QPSK	23.22
Band2	20	18900	1	#Max	QPSK	22.71
Band2	20	18900	50	#0	QPSK	22.01
Band2	20	18900	50	#Mid	QPSK	22.09
Band2	20	18900	50	#Max	QPSK	22.03
Band2	20	18900	100	#0	QPSK	22.05
Band2	20	18900	1	#0	QAM16	22.11
Band2	20	18900	1	#Mid	QAM16	22.38
Band2	20	18900	1	#Max	QAM16	21.90
Band2	20	18900	50	#0	QAM16	21.10
Band2	20	18900	50	#Mid	QAM16	21.14
Band2	20	18900	50	#Max	QAM16	21.12
Band2	20	18900	100	#0	QAM16	21.11
Band2	20	19100	1	#0	QPSK	22.72
Band2	20	19100	1	#Mid	QPSK	22.82
Band2	20	19100	1	#Max	QPSK	22.21
Band2	20	19100	50	#0	QPSK	21.95
Band2	20	19100	50	#Mid	QPSK	21.74
Band2	20	19100	50	#Max	QPSK	21.63
Band2	20	19100	100	#0	QPSK	21.78
Band2	20	19100	1	#0	QAM16	21.99
Band2	20	19100	1	#Mid	QAM16	22.13
Band2	20	19100	1	#Max	QAM16	21.55
Band2	20	19100	50	#0	QAM16	20.98
Band2	20	19100	50	#Mid	QAM16	20.82
Band2	20	19100	50	#Max	QAM16	20.71
Band2	20	19100	100	#0	QAM16	20.82
Band25	1.4	26047	1	#0	QPSK	22.16
Band25	1.4	26047	1	#Mid	QPSK	23.29
Band25	1.4	26047	1	#Max	QPSK	23.11
Band25	1.4	26047	3	#0	QPSK	23.14
Band25	1.4	26047	3	#Mid	QPSK	23.14
Band25	1.4	26047	3	#Max	QPSK	23.11
Band25	1.4	26047	6	#0	QPSK	22.16
Band25	1.4	26047	1	#0	QAM16	21.92
Band25	1.4	26047	1	#Mid	QAM16	22.13

Band25	1.4	26047	1	#Max	QAM16	21.90
Band25	1.4	26047	3	#0	QAM16	22.19
Band25	1.4	26047	3	#Mid	QAM16	22.18
Band25	1.4	26047	3	#Max	QAM16	22.17
Band25	1.4	26047	6	#0	QAM16	21.32
Band25	1.4	26365	1	#0	QPSK	23.02
Band25	1.4	26365	1	#Mid	QPSK	23.17
Band25	1.4	26365	1	#Max	QPSK	22.98
Band25	1.4	26365	3	#0	QPSK	23.07
Band25	1.4	26365	3	#Mid	QPSK	23.01
Band25	1.4	26365	3	#Max	QPSK	23.08
Band25	1.4	26365	6	#0	QPSK	22.00
Band25	1.4	26365	1	#0	QAM16	22.08
Band25	1.4	26365	1	#Mid	QAM16	22.23
Band25	1.4	26365	1	#Max	QAM16	22.07
Band25	1.4	26365	3	#0	QAM16	22.15
Band25	1.4	26365	3	#Mid	QAM16	22.17
Band25	1.4	26365	3	#Max	QAM16	22.15
Band25	1.4	26365	6	#0	QAM16	21.19
Band25	1.4	26683	1	#0	QPSK	22.29
Band25	1.4	26683	1	#Mid	QPSK	22.41
Band25	1.4	26683	1	#Max	QPSK	22.28
Band25	1.4	26683	3	#0	QPSK	22.38
Band25	1.4	26683	3	#Mid	QPSK	22.42
Band25	1.4	26683	3	#Max	QPSK	22.34
Band25	1.4	26683	6	#0	QPSK	21.33
Band25	1.4	26683	1	#0	QAM16	21.49
Band25	1.4	26683	1	#Mid	QAM16	21.53
Band25	1.4	26683	1	#Max	QAM16	21.47
Band25	1.4	26683	3	#0	QAM16	21.58
Band25	1.4	26683	3	#Mid	QAM16	21.57
Band25	1.4	26683	3	#Max	QAM16	21.58
Band25	1.4	26683	6	#0	QAM16	20.53
Band25	3	26055	1	#0	QPSK	23.11
Band25	3	26055	1	#Mid	QPSK	23.43
Band25	3	26055	1	#Max	QPSK	23.17
Band25	3	26055	8	#0	QPSK	22.11
Band25	3	26055	8	#Mid	QPSK	22.12
Band25	3	26055	8	#Max	QPSK	22.15
Band25	3	26055	15	#0	QPSK	22.08
Band25	3	26055	1	#0	QAM16	22.27
Band25	3	26055	1	#Mid	QAM16	22.42
Band25	3	26055	1	#Max	QAM16	22.22
Band25	3	26055	8	#0	QAM16	21.12

Band25	3	26055	8	#Mid	QAM16	21.15
Band25	3	26055	8	#Max	QAM16	21.14
Band25	3	26055	15	#0	QAM16	21.01
Band25	3	26365	1	#0	QPSK	23.04
Band25	3	26365	1	#Mid	QPSK	23.41
Band25	3	26365	1	#Max	QPSK	23.00
Band25	3	26365	8	#0	QPSK	22.02
Band25	3	26365	8	#Mid	QPSK	22.06
Band25	3	26365	8	#Max	QPSK	22.00
Band25	3	26365	15	#0	QPSK	21.98
Band25	3	26365	1	#0	QAM16	21.87
Band25	3	26365	1	#Mid	QAM16	22.20
Band25	3	26365	1	#Max	QAM16	21.79
Band25	3	26365	8	#0	QAM16	21.05
Band25	3	26365	8	#Mid	QAM16	21.01
Band25	3	26365	8	#Max	QAM16	20.99
Band25	3	26365	15	#0	QAM16	21.06
Band25	3	26675	1	#0	QPSK	22.42
Band25	3	26675	1	#Mid	QPSK	22.62
Band25	3	26675	1	#Max	QPSK	22.29
Band25	3	26675	8	#0	QPSK	21.41
Band25	3	26675	8	#Mid	QPSK	21.35
Band25	3	26675	8	#Max	QPSK	21.33
Band25	3	26675	15	#0	QPSK	21.33
Band25	3	26675	1	#0	QAM16	21.78
Band25	3	26675	1	#Mid	QAM16	22.05
Band25	3	26675	1	#Max	QAM16	21.73
Band25	3	26675	8	#0	QAM16	20.46
Band25	3	26675	8	#Mid	QAM16	20.45
Band25	3	26675	8	#Max	QAM16	20.40
Band25	3	26675	15	#0	QAM16	20.40
Band25	5	26065	1	#0	QPSK	23.04
Band25	5	26065	1	#Mid	QPSK	23.38
Band25	5	26065	1	#Max	QPSK	23.05
Band25	5	26065	12	#0	QPSK	22.03
Band25	5	26065	12	#Mid	QPSK	22.15
Band25	5	26065	12	#Max	QPSK	22.14
Band25	5	26065	25	#0	QPSK	22.10
Band25	5	26065	1	#0	QAM16	22.28
Band25	5	26065	1	#Mid	QAM16	22.65
Band25	5	26065	1	#Max	QAM16	22.26
Band25	5	26065	12	#0	QAM16	20.99
Band25	5	26065	12	#Mid	QAM16	21.10
Band25	5	26065	12	#Max	QAM16	21.08

Band25	5	26065	25	#0	QAM16	21.10
Band25	5	26365	1	#0	QPSK	22.90
Band25	5	26365	1	#Mid	QPSK	23.34
Band25	5	26365	1	#Max	QPSK	22.84
Band25	5	26365	12	#0	QPSK	22.00
Band25	5	26365	12	#Mid	QPSK	22.02
Band25	5	26365	12	#Max	QPSK	21.94
Band25	5	26365	25	#0	QPSK	21.98
Band25	5	26365	1	#0	QAM16	22.19
Band25	5	26365	1	#Mid	QAM16	22.57
Band25	5	26365	1	#Max	QAM16	22.13
Band25	5	26365	12	#0	QAM16	21.01
Band25	5	26365	12	#Mid	QAM16	21.06
Band25	5	26365	12	#Max	QAM16	20.98
Band25	5	26365	25	#0	QAM16	20.97
Band25	5	26665	1	#0	QPSK	22.29
Band25	5	26665	1	#Mid	QPSK	22.74
Band25	5	26665	1	#Max	QPSK	22.27
Band25	5	26665	12	#0	QPSK	21.46
Band25	5	26665	12	#Mid	QPSK	21.41
Band25	5	26665	12	#Max	QPSK	21.28
Band25	5	26665	25	#0	QPSK	21.39
Band25	5	26665	1	#0	QAM16	21.77
Band25	5	26665	1	#Mid	QAM16	22.07
Band25	5	26665	1	#Max	QAM16	21.71
Band25	5	26665	12	#0	QAM16	20.55
Band25	5	26665	12	#Mid	QAM16	20.45
Band25	5	26665	12	#Max	QAM16	20.29
Band25	5	26665	25	#0	QAM16	20.42
Band25	10	26090	1	#0	QPSK	23.14
Band25	10	26090	1	#Mid	QPSK	23.32
Band25	10	26090	1	#Max	QPSK	23.14
Band25	10	26090	25	#0	QPSK	21.99
Band25	10	26090	25	#Mid	QPSK	22.10
Band25	10	26090	25	#Max	QPSK	22.13
Band25	10	26090	50	#0	QPSK	22.07
Band25	10	26090	1	#0	QAM16	22.20
Band25	10	26090	1	#Mid	QAM16	22.29
Band25	10	26090	1	#Max	QAM16	22.14
Band25	10	26090	25	#0	QAM16	21.01
Band25	10	26090	25	#Mid	QAM16	21.12
Band25	10	26090	25	#Max	QAM16	21.19
Band25	10	26090	50	#0	QAM16	21.12
Band25	10	26365	1	#0	QPSK	23.05

Band25	10	26365	1	#Mid	QPSK	23.14
Band25	10	26365	1	#Max	QPSK	22.90
Band25	10	26365	25	#0	QPSK	22.05
Band25	10	26365	25	#Mid	QPSK	22.01
Band25	10	26365	25	#Max	QPSK	22.06
Band25	10	26365	50	#0	QPSK	22.02
Band25	10	26365	1	#0	QAM16	21.90
Band25	10	26365	1	#Mid	QAM16	21.95
Band25	10	26365	1	#Max	QAM16	21.74
Band25	10	26365	25	#0	QAM16	21.03
Band25	10	26365	25	#Mid	QAM16	21.03
Band25	10	26365	25	#Max	QAM16	21.08
Band25	10	26365	50	#0	QAM16	21.01
Band25	10	26640	1	#0	QPSK	22.46
Band25	10	26640	1	#Mid	QPSK	22.47
Band25	10	26640	1	#Max	QPSK	22.28
Band25	10	26640	25	#0	QPSK	21.58
Band25	10	26640	25	#Mid	QPSK	21.44
Band25	10	26640	25	#Max	QPSK	21.22
Band25	10	26640	50	#0	QPSK	21.44
Band25	10	26640	1	#0	QAM16	21.82
Band25	10	26640	1	#Mid	QAM16	21.85
Band25	10	26640	1	#Max	QAM16	21.67
Band25	10	26640	25	#0	QAM16	20.66
Band25	10	26640	25	#Mid	QAM16	20.49
Band25	10	26640	25	#Max	QAM16	20.29
Band25	10	26640	50	#0	QAM16	20.47
Band25	15	26115	1	#0	QPSK	23.02
Band25	15	26115	1	#Mid	QPSK	23.28
Band25	15	26115	1	#Max	QPSK	22.89
Band25	15	26115	36	#0	QPSK	22.13
Band25	15	26115	36	#Mid	QPSK	22.22
Band25	15	26115	36	#Max	QPSK	22.18
Band25	15	26115	75	#0	QPSK	22.17
Band25	15	26115	1	#0	QAM16	22.40
Band25	15	26115	1	#Mid	QAM16	22.55
Band25	15	26115	1	#Max	QAM16	22.39
Band25	15	26115	36	#0	QAM16	21.09
Band25	15	26115	36	#Mid	QAM16	21.18
Band25	15	26115	36	#Max	QAM16	21.18
Band25	15	26115	75	#0	QAM16	21.11
Band25	15	26365	1	#0	QPSK	23.00
Band25	15	26365	1	#Mid	QPSK	23.25
Band25	15	26365	1	#Max	QPSK	22.76

Band25	15	26365	36	#0	QPSK	22.04
Band25	15	26365	36	#Mid	QPSK	22.08
Band25	15	26365	36	#Max	QPSK	22.06
Band25	15	26365	75	#0	QPSK	22.07
Band25	15	26365	1	#0	QAM16	22.14
Band25	15	26365	1	#Mid	QAM16	22.44
Band25	15	26365	1	#Max	QAM16	21.89
Band25	15	26365	36	#0	QAM16	21.12
Band25	15	26365	36	#Mid	QAM16	21.08
Band25	15	26365	36	#Max	QAM16	21.10
Band25	15	26365	75	#0	QAM16	21.06
Band25	15	26615	1	#0	QPSK	22.52
Band25	15	26615	1	#Mid	QPSK	22.48
Band25	15	26615	1	#Max	QPSK	22.14
Band25	15	26615	36	#0	QPSK	21.52
Band25	15	26615	36	#Mid	QPSK	21.53
Band25	15	26615	36	#Max	QPSK	21.28
Band25	15	26615	75	#0	QPSK	21.44
Band25	15	26615	1	#0	QAM16	21.62
Band25	15	26615	1	#Mid	QAM16	21.61
Band25	15	26615	1	#Max	QAM16	21.34
Band25	15	26615	36	#0	QAM16	20.46
Band25	15	26615	36	#Mid	QAM16	20.49
Band25	15	26615	36	#Max	QAM16	20.28
Band25	15	26615	75	#0	QAM16	20.45
Band25	20	26140	1	#0	QPSK	22.90
Band25	20	26140	1	#Mid	QPSK	23.18
Band25	20	26140	1	#Max	QPSK	22.82
Band25	20	26140	50	#0	QPSK	21.92
Band25	20	26140	50	#Mid	QPSK	22.06
Band25	20	26140	50	#Max	QPSK	22.04
Band25	20	26140	100	#0	QPSK	22.01
Band25	20	26140	1	#0	QAM16	22.04
Band25	20	26140	1	#Mid	QAM16	22.34
Band25	20	26140	1	#Max	QAM16	22.03
Band25	20	26140	50	#0	QAM16	21.00
Band25	20	26140	50	#Mid	QAM16	21.16
Band25	20	26140	50	#Max	QAM16	21.13
Band25	20	26140	100	#0	QAM16	21.02
Band25	20	26365	1	#0	QPSK	22.87
Band25	20	26365	1	#Mid	QPSK	23.09
Band25	20	26365	1	#Max	QPSK	22.55
Band25	20	26365	50	#0	QPSK	21.94
Band25	20	26365	50	#Mid	QPSK	22.04

Band25	20	26365	50	#Max	QPSK	21.90
Band25	20	26365	100	#0	QPSK	21.97
Band25	20	26365	1	#0	QAM16	22.13
Band25	20	26365	1	#Mid	QAM16	22.34
Band25	20	26365	1	#Max	QAM16	21.91
Band25	20	26365	50	#0	QAM16	21.05
Band25	20	26365	50	#Mid	QAM16	21.10
Band25	20	26365	50	#Max	QAM16	20.97
Band25	20	26365	100	#0	QAM16	20.98
Band25	20	26590	1	#0	QPSK	22.49
Band25	20	26590	1	#Mid	QPSK	22.57
Band25	20	26590	1	#Max	QPSK	22.08
Band25	20	26590	50	#0	QPSK	21.52
Band25	20	26590	50	#Mid	QPSK	21.49
Band25	20	26590	50	#Max	QPSK	21.14
Band25	20	26590	100	#0	QPSK	21.34
Band25	20	26590	1	#0	QAM16	21.76
Band25	20	26590	1	#Mid	QAM16	21.82
Band25	20	26590	1	#Max	QAM16	21.34
Band25	20	26590	50	#0	QAM16	20.54
Band25	20	26590	50	#Mid	QAM16	20.51
Band25	20	26590	50	#Max	QAM16	20.16
Band25	20	26590	100	#0	QAM16	20.35
Band26a	1.4	26697	1	#0	QPSK	23.63
Band26a	1.4	26697	1	#Mid	QPSK	23.76
Band26a	1.4	26697	1	#Max	QPSK	23.62
Band26a	1.4	26697	3	#0	QPSK	23.60
Band26a	1.4	26697	3	#Mid	QPSK	23.63
Band26a	1.4	26697	3	#Max	QPSK	23.65
Band26a	1.4	26697	6	#0	QPSK	22.66
Band26a	1.4	26697	1	#0	QAM16	22.63
Band26a	1.4	26697	1	#Mid	QAM16	22.79
Band26a	1.4	26697	1	#Max	QAM16	22.67
Band26a	1.4	26697	3	#0	QAM16	22.70
Band26a	1.4	26697	3	#Mid	QAM16	22.74
Band26a	1.4	26697	3	#Max	QAM16	22.70
Band26a	1.4	26697	6	#0	QAM16	21.76
Band26a	1.4	26740	1	#0	QPSK	23.54
Band26a	1.4	26740	1	#Mid	QPSK	23.65
Band26a	1.4	26740	1	#Max	QPSK	23.52
Band26a	1.4	26740	3	#0	QPSK	23.56
Band26a	1.4	26740	3	#Mid	QPSK	23.56
Band26a	1.4	26740	3	#Max	QPSK	23.56
Band26a	1.4	26740	6	#0	QPSK	22.60

Band26a	1.4	26740	1	#0	QAM16	22.65
Band26a	1.4	26740	1	#Mid	QAM16	22.73
Band26a	1.4	26740	1	#Max	QAM16	22.67
Band26a	1.4	26740	3	#0	QAM16	22.71
Band26a	1.4	26740	3	#Mid	QAM16	22.70
Band26a	1.4	26740	3	#Max	QAM16	22.72
Band26a	1.4	26740	6	#0	QAM16	21.67
Band26a	1.4	26783	1	#0	QPSK	23.53
Band26a	1.4	26783	1	#Mid	QPSK	23.65
Band26a	1.4	26783	1	#Max	QPSK	23.49
Band26a	1.4	26783	3	#0	QPSK	23.45
Band26a	1.4	26783	3	#Mid	QPSK	23.29
Band26a	1.4	26783	3	#Max	QPSK	23.19
Band26a	1.4	26783	6	#0	QPSK	22.30
Band26a	1.4	26783	1	#0	QAM16	21.82
Band26a	1.4	26783	1	#Mid	QAM16	21.91
Band26a	1.4	26783	1	#Max	QAM16	21.71
Band26a	1.4	26783	3	#0	QAM16	22.06
Band26a	1.4	26783	3	#Mid	QAM16	22.06
Band26a	1.4	26783	3	#Max	QAM16	22.08
Band26a	1.4	26783	6	#0	QAM16	21.13
Band26a	3	26705	1	#0	QPSK	23.52
Band26a	3	26705	1	#Mid	QPSK	23.41
Band26a	3	26705	1	#Max	QPSK	23.17
Band26a	3	26705	8	#0	QPSK	22.09
Band26a	3	26705	8	#Mid	QPSK	22.13
Band26a	3	26705	8	#Max	QPSK	22.15
Band26a	3	26705	15	#0	QPSK	22.05
Band26a	3	26705	1	#0	QAM16	21.95
Band26a	3	26705	1	#Mid	QAM16	22.15
Band26a	3	26705	1	#Max	QAM16	21.92
Band26a	3	26705	8	#0	QAM16	21.07
Band26a	3	26705	8	#Mid	QAM16	21.06
Band26a	3	26705	8	#Max	QAM16	21.10
Band26a	3	26705	15	#0	QAM16	21.12
Band26a	3	26740	1	#0	QPSK	23.11
Band26a	3	26740	1	#Mid	QPSK	23.45
Band26a	3	26740	1	#Max	QPSK	23.02
Band26a	3	26740	8	#0	QPSK	22.06
Band26a	3	26740	8	#Mid	QPSK	22.05
Band26a	3	26740	8	#Max	QPSK	22.02
Band26a	3	26740	15	#0	QPSK	21.98
Band26a	3	26740	1	#0	QAM16	22.42
Band26a	3	26740	1	#Mid	QAM16	22.62

Band26a	3	26740	1	#Max	QAM16	22.36
Band26a	3	26740	8	#0	QAM16	21.03
Band26a	3	26740	8	#Mid	QAM16	21.07
Band26a	3	26740	8	#Max	QAM16	21.02
Band26a	3	26740	15	#0	QAM16	20.99
Band26a	3	26775	1	#0	QPSK	23.02
Band26a	3	26775	1	#Mid	QPSK	23.29
Band26a	3	26775	1	#Max	QPSK	23.00
Band26a	3	26775	8	#0	QPSK	21.99
Band26a	3	26775	8	#Mid	QPSK	22.04
Band26a	3	26775	8	#Max	QPSK	21.97
Band26a	3	26775	15	#0	QPSK	21.95
Band26a	3	26775	1	#0	QAM16	22.11
Band26a	3	26775	1	#Mid	QAM16	22.34
Band26a	3	26775	1	#Max	QAM16	22.04
Band26a	3	26775	8	#0	QAM16	20.97
Band26a	3	26775	8	#Mid	QAM16	20.99
Band26a	3	26775	8	#Max	QAM16	20.91
Band26a	3	26775	15	#0	QAM16	20.86
Band26a	5	26715	1	#0	QPSK	23.49
Band26a	5	26715	1	#Mid	QPSK	23.97
Band26a	5	26715	1	#Max	QPSK	23.44
Band26a	5	26715	12	#0	QPSK	22.51
Band26a	5	26715	12	#Mid	QPSK	22.63
Band26a	5	26715	12	#Max	QPSK	22.58
Band26a	5	26715	25	#0	QPSK	22.58
Band26a	5	26715	1	#0	QAM16	22.73
Band26a	5	26715	1	#Mid	QAM16	23.15
Band26a	5	26715	1	#Max	QAM16	22.69
Band26a	5	26715	12	#0	QAM16	21.51
Band26a	5	26715	12	#Mid	QAM16	21.60
Band26a	5	26715	12	#Max	QAM16	21.49
Band26a	5	26715	25	#0	QAM16	21.46
Band26a	5	26740	1	#0	QPSK	23.01
Band26a	5	26740	1	#Mid	QPSK	23.45
Band26a	5	26740	1	#Max	QPSK	23.00
Band26a	5	26740	12	#0	QPSK	22.00
Band26a	5	26740	12	#Mid	QPSK	22.07
Band26a	5	26740	12	#Max	QPSK	21.99
Band26a	5	26740	25	#0	QPSK	22.03
Band26a	5	26740	1	#0	QAM16	22.47
Band26a	5	26740	1	#Mid	QAM16	22.75
Band26a	5	26740	1	#Max	QAM16	22.39
Band26a	5	26740	12	#0	QAM16	20.94

Band26a	5	26740	12	#Mid	QAM16	21.05
Band26a	5	26740	12	#Max	QAM16	20.95
Band26a	5	26740	25	#0	QAM16	20.99
Band26a	5	26765	1	#0	QPSK	22.96
Band26a	5	26765	1	#Mid	QPSK	23.27
Band26a	5	26765	1	#Max	QPSK	22.96
Band26a	5	26765	12	#0	QPSK	21.97
Band26a	5	26765	12	#Mid	QPSK	22.04
Band26a	5	26765	12	#Max	QPSK	21.95
Band26a	5	26765	25	#0	QPSK	21.99
Band26a	5	26765	1	#0	QAM16	22.18
Band26a	5	26765	1	#Mid	QAM16	22.58
Band26a	5	26765	1	#Max	QAM16	22.13
Band26a	5	26765	12	#0	QAM16	20.92
Band26a	5	26765	12	#Mid	QAM16	20.98
Band26a	5	26765	12	#Max	QAM16	20.85
Band26a	5	26765	25	#0	QAM16	20.97
Band26a	10	26740	1	#0	QPSK	23.07
Band26a	10	26740	1	#Mid	QPSK	23.81
Band26a	10	26740	1	#Max	QPSK	23.08
Band26a	10	26740	25	#0	QPSK	22.03
Band26a	10	26740	25	#Mid	QPSK	21.98
Band26a	10	26740	25	#Max	QPSK	22.02
Band26a	10	26740	50	#0	QPSK	21.97
Band26a	10	26740	1	#0	QAM16	22.39
Band26a	10	26740	1	#Mid	QAM16	22.51
Band26a	10	26740	1	#Max	QAM16	22.29
Band26a	10	26740	25	#0	QAM16	21.02
Band26a	10	26740	25	#Mid	QAM16	21.01
Band26a	10	26740	25	#Max	QAM16	20.99
Band26a	10	26740	50	#0	QAM16	20.97
Band26b	1.4	26797	1	#0	QPSK	22.96
Band26b	1.4	26797	1	#Mid	QPSK	23.08
Band26b	1.4	26797	1	#Max	QPSK	22.93
Band26b	1.4	26797	3	#0	QPSK	22.85
Band26b	1.4	26797	3	#Mid	QPSK	22.88
Band26b	1.4	26797	3	#Max	QPSK	22.81
Band26b	1.4	26797	6	#0	QPSK	21.91
Band26b	1.4	26797	1	#0	QAM16	21.94
Band26b	1.4	26797	1	#Mid	QAM16	22.05
Band26b	1.4	26797	1	#Max	QAM16	21.95
Band26b	1.4	26797	3	#0	QAM16	22.02
Band26b	1.4	26797	3	#Mid	QAM16	22.06
Band26b	1.4	26797	3	#Max	QAM16	22.04

Band26b	1.4	26797	6	#0	QAM16	20.99
Band26b	1.4	26915	1	#0	QPSK	22.78
Band26b	1.4	26915	1	#Mid	QPSK	22.88
Band26b	1.4	26915	1	#Max	QPSK	22.77
Band26b	1.4	26915	3	#0	QPSK	22.82
Band26b	1.4	26915	3	#Mid	QPSK	22.79
Band26b	1.4	26915	3	#Max	QPSK	22.80
Band26b	1.4	26915	6	#0	QPSK	21.82
Band26b	1.4	26915	1	#0	QAM16	21.61
Band26b	1.4	26915	1	#Mid	QAM16	21.75
Band26b	1.4	26915	1	#Max	QAM16	21.62
Band26b	1.4	26915	3	#0	QAM16	21.95
Band26b	1.4	26915	3	#Mid	QAM16	21.94
Band26b	1.4	26915	3	#Max	QAM16	21.94
Band26b	1.4	26915	6	#0	QAM16	20.97
Band26b	1.4	27033	1	#0	QPSK	22.91
Band26b	1.4	27033	1	#Mid	QPSK	23.07
Band26b	1.4	27033	1	#Max	QPSK	22.93
Band26b	1.4	27033	3	#0	QPSK	22.94
Band26b	1.4	27033	3	#Mid	QPSK	22.92
Band26b	1.4	27033	3	#Max	QPSK	22.87
Band26b	1.4	27033	6	#0	QPSK	21.88
Band26b	1.4	27033	1	#0	QAM16	22.03
Band26b	1.4	27033	1	#Mid	QAM16	22.01
Band26b	1.4	27033	1	#Max	QAM16	21.92
Band26b	1.4	27033	3	#0	QAM16	22.06
Band26b	1.4	27033	3	#Mid	QAM16	22.00
Band26b	1.4	27033	3	#Max	QAM16	21.99
Band26b	1.4	27033	6	#0	QAM16	21.04
Band26b	3	26805	1	#0	QPSK	22.96
Band26b	3	26805	1	#Mid	QPSK	23.29
Band26b	3	26805	1	#Max	QPSK	22.88
Band26b	3	26805	8	#0	QPSK	21.91
Band26b	3	26805	8	#Mid	QPSK	21.94
Band26b	3	26805	8	#Max	QPSK	21.89
Band26b	3	26805	15	#0	QPSK	21.85
Band26b	3	26805	1	#0	QAM16	22.20
Band26b	3	26805	1	#Mid	QAM16	22.42
Band26b	3	26805	1	#Max	QAM16	22.14
Band26b	3	26805	8	#0	QAM16	20.88
Band26b	3	26805	8	#Mid	QAM16	20.89
Band26b	3	26805	8	#Max	QAM16	20.84
Band26b	3	26805	15	#0	QAM16	20.82
Band26b	3	26915	1	#0	QPSK	22.79

Band26b	3	26915	1	#Mid	QPSK	23.07
Band26b	3	26915	1	#Max	QPSK	22.81
Band26b	3	26915	8	#0	QPSK	21.78
Band26b	3	26915	8	#Mid	QPSK	21.86
Band26b	3	26915	8	#Max	QPSK	21.82
Band26b	3	26915	15	#0	QPSK	21.80
Band26b	3	26915	1	#0	QAM16	22.01
Band26b	3	26915	1	#Mid	QAM16	22.30
Band26b	3	26915	1	#Max	QAM16	21.96
Band26b	3	26915	8	#0	QAM16	20.82
Band26b	3	26915	8	#Mid	QAM16	20.84
Band26b	3	26915	8	#Max	QAM16	20.82
Band26b	3	26915	15	#0	QAM16	20.76
Band26b	3	27025	1	#0	QPSK	22.85
Band26b	3	27025	1	#Mid	QPSK	23.27
Band26b	3	27025	1	#Max	QPSK	22.97
Band26b	3	27025	8	#0	QPSK	21.92
Band26b	3	27025	8	#Mid	QPSK	21.95
Band26b	3	27025	8	#Max	QPSK	21.85
Band26b	3	27025	15	#0	QPSK	21.88
Band26b	3	27025	1	#0	QAM16	21.80
Band26b	3	27025	1	#Mid	QAM16	22.09
Band26b	3	27025	1	#Max	QAM16	21.66
Band26b	3	27025	8	#0	QAM16	20.91
Band26b	3	27025	8	#Mid	QAM16	20.91
Band26b	3	27025	8	#Max	QAM16	20.83
Band26b	3	27025	15	#0	QAM16	20.95
Band26b	5	26815	1	#0	QPSK	22.73
Band26b	5	26815	1	#Mid	QPSK	23.12
Band26b	5	26815	1	#Max	QPSK	22.70
Band26b	5	26815	12	#0	QPSK	21.85
Band26b	5	26815	12	#Mid	QPSK	21.90
Band26b	5	26815	12	#Max	QPSK	21.78
Band26b	5	26815	25	#0	QPSK	21.82
Band26b	5	26815	1	#0	QAM16	22.00
Band26b	5	26815	1	#Mid	QAM16	22.24
Band26b	5	26815	1	#Max	QAM16	21.90
Band26b	5	26815	12	#0	QAM16	20.83
Band26b	5	26815	12	#Mid	QAM16	20.84
Band26b	5	26815	12	#Max	QAM16	20.74
Band26b	5	26815	25	#0	QAM16	20.79
Band26b	5	26915	1	#0	QPSK	22.71
Band26b	5	26915	1	#Mid	QPSK	23.16
Band26b	5	26915	1	#Max	QPSK	22.75

Band26b	5	26915	12	#0	QPSK	21.76
Band26b	5	26915	12	#Mid	QPSK	21.87
Band26b	5	26915	12	#Max	QPSK	21.82
Band26b	5	26915	25	#0	QPSK	21.82
Band26b	5	26915	1	#0	QAM16	22.21
Band26b	5	26915	1	#Mid	QAM16	22.71
Band26b	5	26915	1	#Max	QAM16	22.22
Band26b	5	26915	12	#0	QAM16	20.78
Band26b	5	26915	12	#Mid	QAM16	20.87
Band26b	5	26915	12	#Max	QAM16	20.82
Band26b	5	26915	25	#0	QAM16	20.79
Band26b	5	27015	1	#0	QPSK	22.80
Band26b	5	27015	1	#Mid	QPSK	23.25
Band26b	5	27015	1	#Max	QPSK	22.84
Band26b	5	27015	12	#0	QPSK	21.94
Band26b	5	27015	12	#Mid	QPSK	21.95
Band26b	5	27015	12	#Max	QPSK	21.89
Band26b	5	27015	25	#0	QPSK	21.92
Band26b	5	27015	1	#0	QAM16	22.06
Band26b	5	27015	1	#Mid	QAM16	22.47
Band26b	5	27015	1	#Max	QAM16	22.03
Band26b	5	27015	12	#0	QAM16	20.87
Band26b	5	27015	12	#Mid	QAM16	20.91
Band26b	5	27015	12	#Max	QAM16	20.78
Band26b	5	27015	25	#0	QAM16	20.94
Band26b	10	26840	1	#0	QPSK	22.98
Band26b	10	26840	1	#Mid	QPSK	23.07
Band26b	10	26840	1	#Max	QPSK	22.92
Band26b	10	26840	25	#0	QPSK	21.91
Band26b	10	26840	25	#Mid	QPSK	21.78
Band26b	10	26840	25	#Max	QPSK	21.83
Band26b	10	26840	50	#0	QPSK	21.82
Band26b	10	26840	1	#0	QAM16	21.95
Band26b	10	26840	1	#Mid	QAM16	22.01
Band26b	10	26840	1	#Max	QAM16	21.95
Band26b	10	26840	25	#0	QAM16	20.89
Band26b	10	26840	25	#Mid	QAM16	20.80
Band26b	10	26840	25	#Max	QAM16	20.79
Band26b	10	26840	50	#0	QAM16	20.85
Band26b	10	26915	1	#0	QPSK	22.82
Band26b	10	26915	1	#Mid	QPSK	22.96
Band26b	10	26915	1	#Max	QPSK	22.89
Band26b	10	26915	25	#0	QPSK	21.81
Band26b	10	26915	25	#Mid	QPSK	21.81

Band26b	10	26915	25	#Max	QPSK	21.80
Band26b	10	26915	50	#0	QPSK	21.82
Band26b	10	26915	1	#0	QAM16	21.61
Band26b	10	26915	1	#Mid	QAM16	21.74
Band26b	10	26915	1	#Max	QAM16	21.66
Band26b	10	26915	25	#0	QAM16	20.83
Band26b	10	26915	25	#Mid	QAM16	20.86
Band26b	10	26915	25	#Max	QAM16	20.79
Band26b	10	26915	50	#0	QAM16	20.80
Band26b	10	26990	1	#0	QPSK	22.82
Band26b	10	26990	1	#Mid	QPSK	23.02
Band26b	10	26990	1	#Max	QPSK	22.89
Band26b	10	26990	25	#0	QPSK	22.05
Band26b	10	26990	25	#Mid	QPSK	21.89
Band26b	10	26990	25	#Max	QPSK	21.90
Band26b	10	26990	50	#0	QPSK	22.00
Band26b	10	26990	1	#0	QAM16	22.15
Band26b	10	26990	1	#Mid	QAM16	22.37
Band26b	10	26990	1	#Max	QAM16	22.23
Band26b	10	26990	25	#0	QAM16	21.04
Band26b	10	26990	25	#Mid	QAM16	20.92
Band26b	10	26990	25	#Max	QAM16	20.94
Band26b	10	26990	50	#0	QAM16	21.01
Band26b	15	26865	1	#0	QPSK	22.90
Band26b	15	26865	1	#Mid	QPSK	23.07
Band26b	15	26865	1	#Max	QPSK	22.74
Band26b	15	26865	36	#0	QPSK	22.00
Band26b	15	26865	36	#Mid	QPSK	21.91
Band26b	15	26865	36	#Max	QPSK	21.88
Band26b	15	26865	75	#0	QPSK	21.94
Band26b	15	26865	1	#0	QAM16	21.90
Band26b	15	26865	1	#Mid	QAM16	22.12
Band26b	15	26865	1	#Max	QAM16	21.92
Band26b	15	26865	36	#0	QAM16	20.93
Band26b	15	26865	36	#Mid	QAM16	20.90
Band26b	15	26865	36	#Max	QAM16	20.91
Band26b	15	26865	75	#0	QAM16	20.87
Band26b	15	26915	1	#0	QPSK	22.72
Band26b	15	26915	1	#Mid	QPSK	23.07
Band26b	15	26915	1	#Max	QPSK	22.77
Band26b	15	26915	36	#0	QPSK	21.87
Band26b	15	26915	36	#Mid	QPSK	21.89
Band26b	15	26915	36	#Max	QPSK	21.83
Band26b	15	26915	75	#0	QPSK	21.92

Band26b	15	26915	1	#0	QAM16	21.77
Band26b	15	26915	1	#Mid	QAM16	22.14
Band26b	15	26915	1	#Max	QAM16	21.88
Band26b	15	26915	36	#0	QAM16	20.81
Band26b	15	26915	36	#Mid	QAM16	20.80
Band26b	15	26915	36	#Max	QAM16	20.75
Band26b	15	26915	75	#0	QAM16	20.87
Band26b	15	26965	1	#0	QPSK	22.73
Band26b	15	26965	1	#Mid	QPSK	23.08
Band26b	15	26965	1	#Max	QPSK	22.81
Band26b	15	26965	36	#0	QPSK	21.91
Band26b	15	26965	36	#Mid	QPSK	21.95
Band26b	15	26965	36	#Max	QPSK	21.90
Band26b	15	26965	75	#0	QPSK	21.89
Band26b	15	26965	1	#0	QAM16	22.09
Band26b	15	26965	1	#Mid	QAM16	22.30
Band26b	15	26965	1	#Max	QAM16	22.15
Band26b	15	26965	36	#0	QAM16	20.92
Band26b	15	26965	36	#Mid	QAM16	20.93
Band26b	15	26965	36	#Max	QAM16	20.85
Band26b	15	26965	75	#0	QAM16	20.84
Band4	1.4	19957	1	#0	QPSK	22.90
Band4	1.4	19957	1	#Mid	QPSK	24.00
Band4	1.4	19957	1	#Max	QPSK	23.87
Band4	1.4	19957	3	#0	QPSK	23.95
Band4	1.4	19957	3	#Mid	QPSK	23.96
Band4	1.4	19957	3	#Max	QPSK	23.95
Band4	1.4	19957	6	#0	QPSK	22.93
Band4	1.4	19957	1	#0	QAM16	22.65
Band4	1.4	19957	1	#Mid	QAM16	22.78
Band4	1.4	19957	1	#Max	QAM16	22.67
Band4	1.4	19957	3	#0	QAM16	22.59
Band4	1.4	19957	3	#Mid	QAM16	22.55
Band4	1.4	19957	3	#Max	QAM16	22.59
Band4	1.4	19957	6	#0	QAM16	21.64
Band4	1.4	20175	1	#0	QPSK	23.34
Band4	1.4	20175	1	#Mid	QPSK	23.52
Band4	1.4	20175	1	#Max	QPSK	23.34
Band4	1.4	20175	3	#0	QPSK	23.42
Band4	1.4	20175	3	#Mid	QPSK	23.44
Band4	1.4	20175	3	#Max	QPSK	23.42
Band4	1.4	20175	6	#0	QPSK	22.35
Band4	1.4	20175	1	#0	QAM16	22.46
Band4	1.4	20175	1	#Mid	QAM16	22.61

Band4	1.4	20175	1	#Max	QAM16	22.46
Band4	1.4	20175	3	#0	QAM16	22.51
Band4	1.4	20175	3	#Mid	QAM16	22.53
Band4	1.4	20175	3	#Max	QAM16	22.52
Band4	1.4	20175	6	#0	QAM16	21.59
Band4	1.4	20393	1	#0	QPSK	23.17
Band4	1.4	20393	1	#Mid	QPSK	23.29
Band4	1.4	20393	1	#Max	QPSK	23.17
Band4	1.4	20393	3	#0	QPSK	23.22
Band4	1.4	20393	3	#Mid	QPSK	23.28
Band4	1.4	20393	3	#Max	QPSK	23.28
Band4	1.4	20393	6	#0	QPSK	22.24
Band4	1.4	20393	1	#0	QAM16	22.36
Band4	1.4	20393	1	#Mid	QAM16	22.42
Band4	1.4	20393	1	#Max	QAM16	22.34
Band4	1.4	20393	3	#0	QAM16	22.44
Band4	1.4	20393	3	#Mid	QAM16	22.44
Band4	1.4	20393	3	#Max	QAM16	22.43
Band4	1.4	20393	6	#0	QAM16	21.42
Band4	3	19965	1	#0	QPSK	23.40
Band4	3	19965	1	#Mid	QPSK	23.72
Band4	3	19965	1	#Max	QPSK	23.43
Band4	3	19965	8	#0	QPSK	22.40
Band4	3	19965	8	#Mid	QPSK	22.43
Band4	3	19965	8	#Max	QPSK	22.39
Band4	3	19965	15	#0	QPSK	22.38
Band4	3	19965	1	#0	QAM16	22.23
Band4	3	19965	1	#Mid	QAM16	22.46
Band4	3	19965	1	#Max	QAM16	22.22
Band4	3	19965	8	#0	QAM16	21.39
Band4	3	19965	8	#Mid	QAM16	21.44
Band4	3	19965	8	#Max	QAM16	21.42
Band4	3	19965	15	#0	QAM16	21.45
Band4	3	20175	1	#0	QPSK	23.36
Band4	3	20175	1	#Mid	QPSK	23.46
Band4	3	20175	1	#Max	QPSK	23.28
Band4	3	20175	8	#0	QPSK	22.35
Band4	3	20175	8	#Mid	QPSK	22.38
Band4	3	20175	8	#Max	QPSK	22.34
Band4	3	20175	15	#0	QPSK	22.31
Band4	3	20175	1	#0	QAM16	22.71
Band4	3	20175	1	#Mid	QAM16	22.88
Band4	3	20175	1	#Max	QAM16	22.68
Band4	3	20175	8	#0	QAM16	21.39

Band4	3	20175	8	#Mid	QAM16	21.42
Band4	3	20175	8	#Max	QAM16	21.38
Band4	3	20175	15	#0	QAM16	21.36
Band4	3	20385	1	#0	QPSK	23.23
Band4	3	20385	1	#Mid	QPSK	23.46
Band4	3	20385	1	#Max	QPSK	23.20
Band4	3	20385	8	#0	QPSK	22.20
Band4	3	20385	8	#Mid	QPSK	22.23
Band4	3	20385	8	#Max	QPSK	22.23
Band4	3	20385	15	#0	QPSK	22.17
Band4	3	20385	1	#0	QAM16	22.41
Band4	3	20385	1	#Mid	QAM16	22.65
Band4	3	20385	1	#Max	QAM16	22.34
Band4	3	20385	8	#0	QAM16	21.24
Band4	3	20385	8	#Mid	QAM16	21.27
Band4	3	20385	8	#Max	QAM16	21.22
Band4	3	20385	15	#0	QAM16	21.18
Band4	5	19975	1	#0	QPSK	23.23
Band4	5	19975	1	#Mid	QPSK	23.56
Band4	5	19975	1	#Max	QPSK	23.21
Band4	5	19975	12	#0	QPSK	22.38
Band4	5	19975	12	#Mid	QPSK	22.42
Band4	5	19975	12	#Max	QPSK	22.36
Band4	5	19975	25	#0	QPSK	22.39
Band4	5	19975	1	#0	QAM16	22.51
Band4	5	19975	1	#Mid	QAM16	22.89
Band4	5	19975	1	#Max	QAM16	22.53
Band4	5	19975	12	#0	QAM16	21.40
Band4	5	19975	12	#Mid	QAM16	21.49
Band4	5	19975	12	#Max	QAM16	21.43
Band4	5	19975	25	#0	QAM16	21.41
Band4	5	20175	1	#0	QPSK	23.26
Band4	5	20175	1	#Mid	QPSK	23.41
Band4	5	20175	1	#Max	QPSK	23.23
Band4	5	20175	12	#0	QPSK	22.38
Band4	5	20175	12	#Mid	QPSK	22.35
Band4	5	20175	12	#Max	QPSK	22.32
Band4	5	20175	25	#0	QPSK	22.34
Band4	5	20175	1	#0	QAM16	22.68
Band4	5	20175	1	#Mid	QAM16	23.07
Band4	5	20175	1	#Max	QAM16	22.67
Band4	5	20175	12	#0	QAM16	21.35
Band4	5	20175	12	#Mid	QAM16	21.38
Band4	5	20175	12	#Max	QAM16	21.33

Band4	5	20175	25	#0	QAM16	21.33
Band4	5	20375	1	#0	QPSK	23.15
Band4	5	20375	1	#Mid	QPSK	23.48
Band4	5	20375	1	#Max	QPSK	23.14
Band4	5	20375	12	#0	QPSK	22.26
Band4	5	20375	12	#Mid	QPSK	22.27
Band4	5	20375	12	#Max	QPSK	22.18
Band4	5	20375	25	#0	QPSK	22.21
Band4	5	20375	1	#0	QAM16	22.42
Band4	5	20375	1	#Mid	QAM16	22.70
Band4	5	20375	1	#Max	QAM16	22.38
Band4	5	20375	12	#0	QAM16	21.19
Band4	5	20375	12	#Mid	QAM16	21.20
Band4	5	20375	12	#Max	QAM16	21.15
Band4	5	20375	25	#0	QAM16	21.22
Band4	10	20000	1	#0	QPSK	22.42
Band4	10	20000	1	#Mid	QPSK	23.49
Band4	10	20000	1	#Max	QPSK	24.00
Band4	10	20000	25	#0	QPSK	22.40
Band4	10	20000	25	#Mid	QPSK	22.42
Band4	10	20000	25	#Max	QPSK	22.45
Band4	10	20000	50	#0	QPSK	22.41
Band4	10	20000	1	#0	QAM16	22.19
Band4	10	20000	1	#Mid	QAM16	22.34
Band4	10	20000	1	#Max	QAM16	22.20
Band4	10	20000	25	#0	QAM16	21.46
Band4	10	20000	25	#Mid	QAM16	21.47
Band4	10	20000	25	#Max	QAM16	21.48
Band4	10	20000	50	#0	QAM16	21.45
Band4	10	20175	1	#0	QPSK	23.28
Band4	10	20175	1	#Mid	QPSK	23.44
Band4	10	20175	1	#Max	QPSK	23.31
Band4	10	20175	25	#0	QPSK	22.36
Band4	10	20175	25	#Mid	QPSK	22.36
Band4	10	20175	25	#Max	QPSK	22.36
Band4	10	20175	50	#0	QPSK	22.35
Band4	10	20175	1	#0	QAM16	22.67
Band4	10	20175	1	#Mid	QAM16	22.76
Band4	10	20175	1	#Max	QAM16	22.68
Band4	10	20175	25	#0	QAM16	21.39
Band4	10	20175	25	#Mid	QAM16	21.41
Band4	10	20175	25	#Max	QAM16	21.43
Band4	10	20175	50	#0	QAM16	21.38
Band4	10	20350	1	#0	QPSK	23.20

Band4	10	20350	1	#Mid	QPSK	23.28
Band4	10	20350	1	#Max	QPSK	23.18
Band4	10	20350	25	#0	QPSK	22.28
Band4	10	20350	25	#Mid	QPSK	22.21
Band4	10	20350	25	#Max	QPSK	22.25
Band4	10	20350	50	#0	QPSK	22.22
Band4	10	20350	1	#0	QAM16	22.36
Band4	10	20350	1	#Mid	QAM16	22.44
Band4	10	20350	1	#Max	QAM16	22.33
Band4	10	20350	25	#0	QAM16	21.32
Band4	10	20350	25	#Mid	QAM16	21.24
Band4	10	20350	25	#Max	QAM16	21.22
Band4	10	20350	50	#0	QAM16	21.28
Band4	15	20025	1	#0	QPSK	23.26
Band4	15	20025	1	#Mid	QPSK	23.57
Band4	15	20025	1	#Max	QPSK	23.23
Band4	15	20025	36	#0	QPSK	22.42
Band4	15	20025	36	#Mid	QPSK	22.47
Band4	15	20025	36	#Max	QPSK	22.43
Band4	15	20025	75	#0	QPSK	22.46
Band4	15	20025	1	#0	QAM16	22.34
Band4	15	20025	1	#Mid	QAM16	22.60
Band4	15	20025	1	#Max	QAM16	22.34
Band4	15	20025	36	#0	QAM16	21.38
Band4	15	20025	36	#Mid	QAM16	21.40
Band4	15	20025	36	#Max	QAM16	21.40
Band4	15	20025	75	#0	QAM16	21.47
Band4	15	20175	1	#0	QPSK	23.25
Band4	15	20175	1	#Mid	QPSK	23.63
Band4	15	20175	1	#Max	QPSK	23.19
Band4	15	20175	36	#0	QPSK	22.42
Band4	15	20175	36	#Mid	QPSK	22.43
Band4	15	20175	36	#Max	QPSK	22.34
Band4	15	20175	75	#0	QPSK	22.41
Band4	15	20175	1	#0	QAM16	22.60
Band4	15	20175	1	#Mid	QAM16	22.87
Band4	15	20175	1	#Max	QAM16	22.55
Band4	15	20175	36	#0	QAM16	21.39
Band4	15	20175	36	#Mid	QAM16	21.42
Band4	15	20175	36	#Max	QAM16	21.35
Band4	15	20175	75	#0	QAM16	21.38
Band4	15	20325	1	#0	QPSK	23.19
Band4	15	20325	1	#Mid	QPSK	23.36
Band4	15	20325	1	#Max	QPSK	23.09

Band4	15	20325	36	#0	QPSK	22.32
Band4	15	20325	36	#Mid	QPSK	22.27
Band4	15	20325	36	#Max	QPSK	22.28
Band4	15	20325	75	#0	QPSK	22.30
Band4	15	20325	1	#0	QAM16	22.33
Band4	15	20325	1	#Mid	QAM16	22.53
Band4	15	20325	1	#Max	QAM16	22.22
Band4	15	20325	36	#0	QAM16	21.39
Band4	15	20325	36	#Mid	QAM16	21.35
Band4	15	20325	36	#Max	QAM16	21.30
Band4	15	20325	75	#0	QAM16	21.25
Band4	20	20050	1	#0	QPSK	23.08
Band4	20	20050	1	#Mid	QPSK	23.40
Band4	20	20050	1	#Max	QPSK	23.10
Band4	20	20050	50	#0	QPSK	22.28
Band4	20	20050	50	#Mid	QPSK	22.34
Band4	20	20050	50	#Max	QPSK	22.36
Band4	20	20050	100	#0	QPSK	22.31
Band4	20	20050	1	#0	QAM16	22.30
Band4	20	20050	1	#Mid	QAM16	22.63
Band4	20	20050	1	#Max	QAM16	22.29
Band4	20	20050	50	#0	QAM16	21.32
Band4	20	20050	50	#Mid	QAM16	21.39
Band4	20	20050	50	#Max	QAM16	21.39
Band4	20	20050	100	#0	QAM16	21.35
Band4	20	20175	1	#0	QPSK	23.11
Band4	20	20175	1	#Mid	QPSK	24.00
Band4	20	20175	1	#Max	QPSK	23.07
Band4	20	20175	50	#0	QPSK	22.28
Band4	20	20175	50	#Mid	QPSK	22.34
Band4	20	20175	50	#Max	QPSK	22.24
Band4	20	20175	100	#0	QPSK	22.23
Band4	20	20175	1	#0	QAM16	22.25
Band4	20	20175	1	#Mid	QAM16	22.63
Band4	20	20175	1	#Max	QAM16	22.23
Band4	20	20175	50	#0	QAM16	21.34
Band4	20	20175	50	#Mid	QAM16	21.40
Band4	20	20175	50	#Max	QAM16	21.28
Band4	20	20175	100	#0	QAM16	21.30
Band4	20	20300	1	#0	QPSK	23.08
Band4	20	20300	1	#Mid	QPSK	23.36
Band4	20	20300	1	#Max	QPSK	22.97
Band4	20	20300	50	#0	QPSK	22.35
Band4	20	20300	50	#Mid	QPSK	22.28

Band4	20	20300	50	#Max	QPSK	22.16
Band4	20	20300	100	#0	QPSK	22.25
Band4	20	20300	1	#0	QAM16	22.34
Band4	20	20300	1	#Mid	QAM16	22.63
Band4	20	20300	1	#Max	QAM16	22.22
Band4	20	20300	50	#0	QAM16	21.39
Band4	20	20300	50	#Mid	QAM16	21.32
Band4	20	20300	50	#Max	QAM16	21.25
Band4	20	20300	100	#0	QAM16	21.28
Band41	5	40065	1	#0	QPSK	23.55
Band41	5	40065	1	#Mid	QPSK	23.86
Band41	5	40065	1	#Max	QPSK	23.50
Band41	5	40065	12	#0	QPSK	22.47
Band41	5	40065	12	#Mid	QPSK	22.59
Band41	5	40065	12	#Max	QPSK	22.54
Band41	5	40065	25	#0	QPSK	22.48
Band41	5	40065	1	#0	QAM16	22.78
Band41	5	40065	1	#Mid	QAM16	23.09
Band41	5	40065	1	#Max	QAM16	22.81
Band41	5	40065	12	#0	QAM16	21.41
Band41	5	40065	12	#Mid	QAM16	21.49
Band41	5	40065	12	#Max	QAM16	21.46
Band41	5	40065	25	#0	QAM16	21.42
Band41	5	40640	1	#0	QPSK	23.78
Band41	5	40640	1	#Mid	QPSK	24.12
Band41	5	40640	1	#Max	QPSK	23.82
Band41	5	40640	12	#0	QPSK	22.87
Band41	5	40640	12	#Mid	QPSK	22.90
Band41	5	40640	12	#Max	QPSK	22.92
Band41	5	40640	25	#0	QPSK	22.83
Band41	5	40640	1	#0	QAM16	22.98
Band41	5	40640	1	#Mid	QAM16	23.25
Band41	5	40640	1	#Max	QAM16	22.98
Band41	5	40640	12	#0	QAM16	21.74
Band41	5	40640	12	#Mid	QAM16	21.84
Band41	5	40640	12	#Max	QAM16	21.82
Band41	5	40640	25	#0	QAM16	21.82
Band41	5	41215	1	#0	QPSK	23.77
Band41	5	41215	1	#Mid	QPSK	24.17
Band41	5	41215	1	#Max	QPSK	23.78
Band41	5	41215	12	#0	QPSK	22.77
Band41	5	41215	12	#Mid	QPSK	22.84
Band41	5	41215	12	#Max	QPSK	22.69
Band41	5	41215	25	#0	QPSK	22.74

Band41	5	41215	1	#0	QAM16	22.83
Band41	5	41215	1	#Mid	QAM16	23.08
Band41	5	41215	1	#Max	QAM16	22.72
Band41	5	41215	12	#0	QAM16	21.73
Band41	5	41215	12	#Mid	QAM16	21.78
Band41	5	41215	12	#Max	QAM16	21.66
Band41	5	41215	25	#0	QAM16	21.65
Band41	10	40090	1	#0	QPSK	23.59
Band41	10	40090	1	#Mid	QPSK	23.66
Band41	10	40090	1	#Max	QPSK	23.52
Band41	10	40090	25	#0	QPSK	22.51
Band41	10	40090	25	#Mid	QPSK	22.50
Band41	10	40090	25	#Max	QPSK	22.47
Band41	10	40090	50	#0	QPSK	22.47
Band41	10	40090	1	#0	QAM16	22.79
Band41	10	40090	1	#Mid	QAM16	22.90
Band41	10	40090	1	#Max	QAM16	22.78
Band41	10	40090	25	#0	QAM16	21.48
Band41	10	40090	25	#Mid	QAM16	21.49
Band41	10	40090	25	#Max	QAM16	21.47
Band41	10	40090	50	#0	QAM16	21.44
Band41	10	40640	1	#0	QPSK	23.93
Band41	10	40640	1	#Mid	QPSK	24.04
Band41	10	40640	1	#Max	QPSK	23.93
Band41	10	40640	25	#0	QPSK	22.85
Band41	10	40640	25	#Mid	QPSK	22.88
Band41	10	40640	25	#Max	QPSK	22.99
Band41	10	40640	50	#0	QPSK	22.89
Band41	10	40640	1	#0	QAM16	22.96
Band41	10	40640	1	#Mid	QAM16	23.07
Band41	10	40640	1	#Max	QAM16	22.98
Band41	10	40640	25	#0	QAM16	21.82
Band41	10	40640	25	#Mid	QAM16	21.87
Band41	10	40640	25	#Max	QAM16	21.98
Band41	10	40640	50	#0	QAM16	21.88
Band41	10	41190	1	#0	QPSK	23.81
Band41	10	41190	1	#Mid	QPSK	23.96
Band41	10	41190	1	#Max	QPSK	23.84
Band41	10	41190	25	#0	QPSK	22.83
Band41	10	41190	25	#Mid	QPSK	22.82
Band41	10	41190	25	#Max	QPSK	22.77
Band41	10	41190	50	#0	QPSK	22.78
Band41	10	41190	1	#0	QAM16	22.71
Band41	10	41190	1	#Mid	QAM16	22.79

Band41	10	41190	1	#Max	QAM16	22.57
Band41	10	41190	25	#0	QAM16	21.78
Band41	10	41190	25	#Mid	QAM16	21.74
Band41	10	41190	25	#Max	QAM16	21.74
Band41	10	41190	50	#0	QAM16	21.72
Band41	15	40115	1	#0	QPSK	23.43
Band41	15	40115	1	#Mid	QPSK	23.72
Band41	15	40115	1	#Max	QPSK	23.40
Band41	15	40115	36	#0	QPSK	22.67
Band41	15	40115	36	#Mid	QPSK	22.63
Band41	15	40115	36	#Max	QPSK	22.58
Band41	15	40115	75	#0	QPSK	22.60
Band41	15	40115	1	#0	QAM16	22.72
Band41	15	40115	1	#Mid	QAM16	23.00
Band41	15	40115	1	#Max	QAM16	22.71
Band41	15	40115	36	#0	QAM16	21.55
Band41	15	40115	36	#Mid	QAM16	21.57
Band41	15	40115	36	#Max	QAM16	21.53
Band41	15	40115	75	#0	QAM16	21.51
Band41	15	40640	1	#0	QPSK	23.83
Band41	15	40640	1	#Mid	QPSK	24.19
Band41	15	40640	1	#Max	QPSK	23.88
Band41	15	40640	36	#0	QPSK	22.93
Band41	15	40640	36	#Mid	QPSK	22.98
Band41	15	40640	36	#Max	QPSK	23.00
Band41	15	40640	75	#0	QPSK	22.97
Band41	15	40640	1	#0	QAM16	22.86
Band41	15	40640	1	#Mid	QAM16	23.18
Band41	15	40640	1	#Max	QAM16	22.93
Band41	15	40640	36	#0	QAM16	21.89
Band41	15	40640	36	#Mid	QAM16	21.96
Band41	15	40640	36	#Max	QAM16	22.01
Band41	15	40640	75	#0	QAM16	21.91
Band41	15	41165	1	#0	QPSK	23.76
Band41	15	41165	1	#Mid	QPSK	24.02
Band41	15	41165	1	#Max	QPSK	23.67
Band41	15	41165	36	#0	QPSK	22.95
Band41	15	41165	36	#Mid	QPSK	22.99
Band41	15	41165	36	#Max	QPSK	22.91
Band41	15	41165	75	#0	QPSK	22.98
Band41	15	41165	1	#0	QAM16	22.95
Band41	15	41165	1	#Mid	QAM16	23.16
Band41	15	41165	1	#Max	QAM16	22.71
Band41	15	41165	36	#0	QAM16	21.82

Band41	15	41165	36	#Mid	QAM16	21.83
Band41	15	41165	36	#Max	QAM16	21.74
Band41	15	41165	75	#0	QAM16	21.88
Band41	20	40140	1	#0	QPSK	23.28
Band41	20	40140	1	#Mid	QPSK	23.60
Band41	20	40140	1	#Max	QPSK	23.28
Band41	20	40140	50	#0	QPSK	22.47
Band41	20	40140	50	#Mid	QPSK	22.46
Band41	20	40140	50	#Max	QPSK	22.38
Band41	20	40140	100	#0	QPSK	22.42
Band41	20	40140	1	#0	QAM16	22.35
Band41	20	40140	1	#Mid	QAM16	22.67
Band41	20	40140	1	#Max	QAM16	22.35
Band41	20	40140	50	#0	QAM16	21.42
Band41	20	40140	50	#Mid	QAM16	21.47
Band41	20	40140	50	#Max	QAM16	21.31
Band41	20	40140	100	#0	QAM16	21.37
Band41	20	40640	1	#0	QPSK	23.61
Band41	20	40640	1	#Mid	QPSK	24.03
Band41	20	40640	1	#Max	QPSK	23.70
Band41	20	40640	50	#0	QPSK	22.68
Band41	20	40640	50	#Mid	QPSK	22.88
Band41	20	40640	50	#Max	QPSK	22.96
Band41	20	40640	100	#0	QPSK	22.82
Band41	20	40640	1	#0	QAM16	22.73
Band41	20	40640	1	#Mid	QAM16	23.11
Band41	20	40640	1	#Max	QAM16	22.83
Band41	20	40640	50	#0	QAM16	21.71
Band41	20	40640	50	#Mid	QAM16	21.90
Band41	20	40640	50	#Max	QAM16	21.96
Band41	20	40640	100	#0	QAM16	21.83
Band41	20	41140	1	#0	QPSK	23.63
Band41	20	41140	1	#Mid	QPSK	24.00
Band41	20	41140	1	#Max	QPSK	23.57
Band41	20	41140	50	#0	QPSK	22.82
Band41	20	41140	50	#Mid	QPSK	22.83
Band41	20	41140	50	#Max	QPSK	22.74
Band41	20	41140	100	#0	QPSK	22.81
Band41	20	41140	1	#0	QAM16	22.78
Band41	20	41140	1	#Mid	QAM16	23.06
Band41	20	41140	1	#Max	QAM16	22.55
Band41	20	41140	50	#0	QAM16	21.78
Band41	20	41140	50	#Mid	QAM16	21.85
Band41	20	41140	50	#Max	QAM16	21.79

Band41	20	41140	100	#0	QAM16	21.80
Band5	1.4	20407	1	#0	QPSK	21.92
Band5	1.4	20407	1	#Mid	QPSK	23.09
Band5	1.4	20407	1	#Max	QPSK	22.86
Band5	1.4	20407	3	#0	QPSK	22.92
Band5	1.4	20407	3	#Mid	QPSK	22.87
Band5	1.4	20407	3	#Max	QPSK	22.85
Band5	1.4	20407	6	#0	QPSK	21.91
Band5	1.4	20407	1	#0	QAM16	21.62
Band5	1.4	20407	1	#Mid	QAM16	21.77
Band5	1.4	20407	1	#Max	QAM16	21.58
Band5	1.4	20407	3	#0	QAM16	21.88
Band5	1.4	20407	3	#Mid	QAM16	21.94
Band5	1.4	20407	3	#Max	QAM16	21.91
Band5	1.4	20407	6	#0	QAM16	21.01
Band5	1.4	20525	1	#0	QPSK	22.84
Band5	1.4	20525	1	#Mid	QPSK	22.95
Band5	1.4	20525	1	#Max	QPSK	22.83
Band5	1.4	20525	3	#0	QPSK	22.84
Band5	1.4	20525	3	#Mid	QPSK	22.85
Band5	1.4	20525	3	#Max	QPSK	22.84
Band5	1.4	20525	6	#0	QPSK	21.80
Band5	1.4	20525	1	#0	QAM16	21.91
Band5	1.4	20525	1	#Mid	QAM16	22.00
Band5	1.4	20525	1	#Max	QAM16	21.89
Band5	1.4	20525	3	#0	QAM16	21.99
Band5	1.4	20525	3	#Mid	QAM16	22.00
Band5	1.4	20525	3	#Max	QAM16	21.97
Band5	1.4	20525	6	#0	QAM16	20.95
Band5	1.4	20643	1	#0	QPSK	22.82
Band5	1.4	20643	1	#Mid	QPSK	22.98
Band5	1.4	20643	1	#Max	QPSK	22.90
Band5	1.4	20643	3	#0	QPSK	22.90
Band5	1.4	20643	3	#Mid	QPSK	22.94
Band5	1.4	20643	3	#Max	QPSK	22.95
Band5	1.4	20643	6	#0	QPSK	21.93
Band5	1.4	20643	1	#0	QAM16	22.03
Band5	1.4	20643	1	#Mid	QAM16	22.10
Band5	1.4	20643	1	#Max	QAM16	21.98
Band5	1.4	20643	3	#0	QAM16	22.08
Band5	1.4	20643	3	#Mid	QAM16	22.10
Band5	1.4	20643	3	#Max	QAM16	22.07
Band5	1.4	20643	6	#0	QAM16	21.02
Band5	3	20415	1	#0	QPSK	22.97

Band5	3	20415	1	#Mid	QPSK	23.28
Band5	3	20415	1	#Max	QPSK	22.97
Band5	3	20415	8	#0	QPSK	21.90
Band5	3	20415	8	#Mid	QPSK	21.89
Band5	3	20415	8	#Max	QPSK	21.87
Band5	3	20415	15	#0	QPSK	21.78
Band5	3	20415	1	#0	QAM16	21.65
Band5	3	20415	1	#Mid	QAM16	21.83
Band5	3	20415	1	#Max	QAM16	21.62
Band5	3	20415	8	#0	QAM16	20.82
Band5	3	20415	8	#Mid	QAM16	20.79
Band5	3	20415	8	#Max	QAM16	20.76
Band5	3	20415	15	#0	QAM16	20.86
Band5	3	20525	1	#0	QPSK	22.84
Band5	3	20525	1	#Mid	QPSK	23.06
Band5	3	20525	1	#Max	QPSK	22.73
Band5	3	20525	8	#0	QPSK	21.84
Band5	3	20525	8	#Mid	QPSK	21.84
Band5	3	20525	8	#Max	QPSK	21.80
Band5	3	20525	15	#0	QPSK	21.75
Band5	3	20525	1	#0	QAM16	22.25
Band5	3	20525	1	#Mid	QAM16	22.42
Band5	3	20525	1	#Max	QAM16	22.11
Band5	3	20525	8	#0	QAM16	20.78
Band5	3	20525	8	#Mid	QAM16	20.85
Band5	3	20525	8	#Max	QAM16	20.83
Band5	3	20525	15	#0	QAM16	20.80
Band5	3	20635	1	#0	QPSK	22.87
Band5	3	20635	1	#Mid	QPSK	23.20
Band5	3	20635	1	#Max	QPSK	22.97
Band5	3	20635	8	#0	QPSK	21.85
Band5	3	20635	8	#Mid	QPSK	21.91
Band5	3	20635	8	#Max	QPSK	21.86
Band5	3	20635	15	#0	QPSK	21.87
Band5	3	20635	1	#0	QAM16	22.04
Band5	3	20635	1	#Mid	QAM16	22.38
Band5	3	20635	1	#Max	QAM16	22.00
Band5	3	20635	8	#0	QAM16	20.87
Band5	3	20635	8	#Mid	QAM16	20.90
Band5	3	20635	8	#Max	QAM16	20.83
Band5	3	20635	15	#0	QAM16	20.84
Band5	5	20425	1	#0	QPSK	22.82
Band5	5	20425	1	#Mid	QPSK	23.27
Band5	5	20425	1	#Max	QPSK	22.84

Band5	5	20425	12	#0	QPSK	21.82
Band5	5	20425	12	#Mid	QPSK	21.87
Band5	5	20425	12	#Max	QPSK	21.75
Band5	5	20425	25	#0	QPSK	21.80
Band5	5	20425	1	#0	QAM16	22.00
Band5	5	20425	1	#Mid	QAM16	22.42
Band5	5	20425	1	#Max	QAM16	21.98
Band5	5	20425	12	#0	QAM16	20.78
Band5	5	20425	12	#Mid	QAM16	20.76
Band5	5	20425	12	#Max	QAM16	20.67
Band5	5	20425	25	#0	QAM16	20.77
Band5	5	20525	1	#0	QPSK	22.69
Band5	5	20525	1	#Mid	QPSK	23.07
Band5	5	20525	1	#Max	QPSK	22.72
Band5	5	20525	12	#0	QPSK	21.84
Band5	5	20525	12	#Mid	QPSK	21.84
Band5	5	20525	12	#Max	QPSK	21.79
Band5	5	20525	25	#0	QPSK	21.80
Band5	5	20525	1	#0	QAM16	22.00
Band5	5	20525	1	#Mid	QAM16	22.37
Band5	5	20525	1	#Max	QAM16	21.96
Band5	5	20525	12	#0	QAM16	20.81
Band5	5	20525	12	#Mid	QAM16	20.87
Band5	5	20525	12	#Max	QAM16	20.82
Band5	5	20525	25	#0	QAM16	20.78
Band5	5	20625	1	#0	QPSK	22.82
Band5	5	20625	1	#Mid	QPSK	23.19
Band5	5	20625	1	#Max	QPSK	22.90
Band5	5	20625	12	#0	QPSK	21.83
Band5	5	20625	12	#Mid	QPSK	21.92
Band5	5	20625	12	#Max	QPSK	21.86
Band5	5	20625	25	#0	QPSK	21.89
Band5	5	20625	1	#0	QAM16	22.23
Band5	5	20625	1	#Mid	QAM16	22.76
Band5	5	20625	1	#Max	QAM16	22.21
Band5	5	20625	12	#0	QAM16	20.80
Band5	5	20625	12	#Mid	QAM16	20.89
Band5	5	20625	12	#Max	QAM16	20.84
Band5	5	20625	25	#0	QAM16	20.87
Band5	10	20450	1	#0	QPSK	22.95
Band5	10	20450	1	#Mid	QPSK	23.03
Band5	10	20450	1	#Max	QPSK	22.92
Band5	10	20450	25	#0	QPSK	21.90
Band5	10	20450	25	#Mid	QPSK	21.81

Band5	10	20450	25	#Max	QPSK	21.83
Band5	10	20450	50	#0	QPSK	21.87
Band5	10	20450	1	#0	QAM16	21.93
Band5	10	20450	1	#Mid	QAM16	21.97
Band5	10	20450	1	#Max	QAM16	21.96
Band5	10	20450	25	#0	QAM16	20.84
Band5	10	20450	25	#Mid	QAM16	20.78
Band5	10	20450	25	#Max	QAM16	20.82
Band5	10	20450	50	#0	QAM16	20.84
Band5	10	20525	1	#0	QPSK	22.84
Band5	10	20525	1	#Mid	QPSK	22.95
Band5	10	20525	1	#Max	QPSK	22.90
Band5	10	20525	25	#0	QPSK	21.82
Band5	10	20525	25	#Mid	QPSK	21.86
Band5	10	20525	25	#Max	QPSK	21.84
Band5	10	20525	50	#0	QPSK	21.78
Band5	10	20525	1	#0	QAM16	21.60
Band5	10	20525	1	#Mid	QAM16	21.79
Band5	10	20525	1	#Max	QAM16	21.63
Band5	10	20525	25	#0	QAM16	20.82
Band5	10	20525	25	#Mid	QAM16	20.82
Band5	10	20525	25	#Max	QAM16	20.82
Band5	10	20525	50	#0	QAM16	20.80
Band5	10	20600	1	#0	QPSK	22.85
Band5	10	20600	1	#Mid	QPSK	22.99
Band5	10	20600	1	#Max	QPSK	22.95
Band5	10	20600	25	#0	QPSK	21.97
Band5	10	20600	25	#Mid	QPSK	21.89
Band5	10	20600	25	#Max	QPSK	21.88
Band5	10	20600	50	#0	QPSK	21.96
Band5	10	20600	1	#0	QAM16	22.18
Band5	10	20600	1	#Mid	QAM16	22.27
Band5	10	20600	1	#Max	QAM16	22.22
Band5	10	20600	25	#0	QAM16	20.98
Band5	10	20600	25	#Mid	QAM16	20.88
Band5	10	20600	25	#Max	QAM16	20.90
Band5	10	20600	50	#0	QAM16	20.96
Band66	1.4	131979	1	#0	QPSK	23.08
Band66	1.4	131979	1	#Mid	QPSK	23.21
Band66	1.4	131979	1	#Max	QPSK	23.44
Band66	1.4	131979	3	#0	QPSK	23.12
Band66	1.4	131979	3	#Mid	QPSK	23.17
Band66	1.4	131979	3	#Max	QPSK	23.18
Band66	1.4	131979	6	#0	QPSK	22.14

Band66	1.4	131979	1	#0	QAM16	22.11
Band66	1.4	131979	1	#Mid	QAM16	22.25
Band66	1.4	131979	1	#Max	QAM16	22.14
Band66	1.4	131979	3	#0	QAM16	22.24
Band66	1.4	131979	3	#Mid	QAM16	22.27
Band66	1.4	131979	3	#Max	QAM16	22.24
Band66	1.4	131979	6	#0	QAM16	21.30
Band66	1.4	132322	1	#0	QPSK	22.91
Band66	1.4	132322	1	#Mid	QPSK	23.00
Band66	1.4	132322	1	#Max	QPSK	22.88
Band66	1.4	132322	3	#0	QPSK	22.99
Band66	1.4	132322	3	#Mid	QPSK	23.07
Band66	1.4	132322	3	#Max	QPSK	22.99
Band66	1.4	132322	6	#0	QPSK	22.03
Band66	1.4	132322	1	#0	QAM16	22.09
Band66	1.4	132322	1	#Mid	QAM16	22.21
Band66	1.4	132322	1	#Max	QAM16	22.12
Band66	1.4	132322	3	#0	QAM16	22.21
Band66	1.4	132322	3	#Mid	QAM16	22.23
Band66	1.4	132322	3	#Max	QAM16	22.22
Band66	1.4	132322	6	#0	QAM16	21.17
Band66	1.4	132665	1	#0	QPSK	22.70
Band66	1.4	132665	1	#Mid	QPSK	22.81
Band66	1.4	132665	1	#Max	QPSK	22.71
Band66	1.4	132665	3	#0	QPSK	22.79
Band66	1.4	132665	3	#Mid	QPSK	22.77
Band66	1.4	132665	3	#Max	QPSK	22.73
Band66	1.4	132665	6	#0	QPSK	21.84
Band66	1.4	132665	1	#0	QAM16	21.54
Band66	1.4	132665	1	#Mid	QAM16	21.71
Band66	1.4	132665	1	#Max	QAM16	21.54
Band66	1.4	132665	3	#0	QAM16	21.85
Band66	1.4	132665	3	#Mid	QAM16	21.90
Band66	1.4	132665	3	#Max	QAM16	21.91
Band66	1.4	132665	6	#0	QAM16	20.96
Band66	3	131987	1	#0	QPSK	23.15
Band66	3	131987	1	#Mid	QPSK	23.34
Band66	3	131987	1	#Max	QPSK	23.09
Band66	3	131987	8	#0	QPSK	22.08
Band66	3	131987	8	#Mid	QPSK	22.11
Band66	3	131987	8	#Max	QPSK	22.09
Band66	3	131987	15	#0	QPSK	22.07
Band66	3	131987	1	#0	QAM16	22.44
Band66	3	131987	1	#Mid	QAM16	22.75

Band66	3	131987	1	#Max	QAM16	22.38
Band66	3	131987	8	#0	QAM16	21.16
Band66	3	131987	8	#Mid	QAM16	21.17
Band66	3	131987	8	#Max	QAM16	21.13
Band66	3	131987	15	#0	QAM16	21.10
Band66	3	132322	1	#0	QPSK	22.92
Band66	3	132322	1	#Mid	QPSK	23.24
Band66	3	132322	1	#Max	QPSK	22.95
Band66	3	132322	8	#0	QPSK	22.01
Band66	3	132322	8	#Mid	QPSK	22.02
Band66	3	132322	8	#Max	QPSK	21.98
Band66	3	132322	15	#0	QPSK	21.99
Band66	3	132322	1	#0	QAM16	22.13
Band66	3	132322	1	#Mid	QAM16	22.44
Band66	3	132322	1	#Max	QAM16	22.11
Band66	3	132322	8	#0	QAM16	21.01
Band66	3	132322	8	#Mid	QAM16	21.00
Band66	3	132322	8	#Max	QAM16	20.98
Band66	3	132322	15	#0	QAM16	20.90
Band66	3	132657	1	#0	QPSK	22.72
Band66	3	132657	1	#Mid	QPSK	23.09
Band66	3	132657	1	#Max	QPSK	22.73
Band66	3	132657	8	#0	QPSK	21.78
Band66	3	132657	8	#Mid	QPSK	21.82
Band66	3	132657	8	#Max	QPSK	21.77
Band66	3	132657	15	#0	QPSK	21.72
Band66	3	132657	1	#0	QAM16	21.60
Band66	3	132657	1	#Mid	QAM16	21.89
Band66	3	132657	1	#Max	QAM16	21.56
Band66	3	132657	8	#0	QAM16	20.73
Band66	3	132657	8	#Mid	QAM16	20.78
Band66	3	132657	8	#Max	QAM16	20.72
Band66	3	132657	15	#0	QAM16	20.76
Band66	5	131997	1	#0	QPSK	22.92
Band66	5	131997	1	#Mid	QPSK	23.22
Band66	5	131997	1	#Max	QPSK	22.92
Band66	5	131997	12	#0	QPSK	22.08
Band66	5	131997	12	#Mid	QPSK	22.13
Band66	5	131997	12	#Max	QPSK	22.11
Band66	5	131997	25	#0	QPSK	22.08
Band66	5	131997	1	#0	QAM16	22.20
Band66	5	131997	1	#Mid	QAM16	22.66
Band66	5	131997	1	#Max	QAM16	22.23
Band66	5	131997	12	#0	QAM16	21.15

Band66	5	131997	12	#Mid	QAM16	21.19
Band66	5	131997	12	#Max	QAM16	21.12
Band66	5	131997	25	#0	QAM16	21.11
Band66	5	132322	1	#0	QPSK	22.86
Band66	5	132322	1	#Mid	QPSK	23.22
Band66	5	132322	1	#Max	QPSK	22.85
Band66	5	132322	12	#0	QPSK	21.95
Band66	5	132322	12	#Mid	QPSK	22.03
Band66	5	132322	12	#Max	QPSK	21.94
Band66	5	132322	25	#0	QPSK	21.99
Band66	5	132322	1	#0	QAM16	22.34
Band66	5	132322	1	#Mid	QAM16	22.74
Band66	5	132322	1	#Max	QAM16	22.33
Band66	5	132322	12	#0	QAM16	20.99
Band66	5	132322	12	#Mid	QAM16	21.01
Band66	5	132322	12	#Max	QAM16	20.94
Band66	5	132322	25	#0	QAM16	20.95
Band66	5	132647	1	#0	QPSK	22.62
Band66	5	132647	1	#Mid	QPSK	23.11
Band66	5	132647	1	#Max	QPSK	22.63
Band66	5	132647	12	#0	QPSK	21.71
Band66	5	132647	12	#Mid	QPSK	21.80
Band66	5	132647	12	#Max	QPSK	21.75
Band66	5	132647	25	#0	QPSK	21.75
Band66	5	132647	1	#0	QAM16	21.89
Band66	5	132647	1	#Mid	QAM16	22.37
Band66	5	132647	1	#Max	QAM16	21.88
Band66	5	132647	12	#0	QAM16	20.64
Band66	5	132647	12	#Mid	QAM16	20.72
Band66	5	132647	12	#Max	QAM16	20.64
Band66	5	132647	25	#0	QAM16	20.71
Band66	10	132022	1	#0	QPSK	23.16
Band66	10	132022	1	#Mid	QPSK	23.24
Band66	10	132022	1	#Max	QPSK	23.11
Band66	10	132022	25	#0	QPSK	22.12
Band66	10	132022	25	#Mid	QPSK	22.12
Band66	10	132022	25	#Max	QPSK	22.13
Band66	10	132022	50	#0	QPSK	22.16
Band66	10	132022	1	#0	QAM16	22.11
Band66	10	132022	1	#Mid	QAM16	22.30
Band66	10	132022	1	#Max	QAM16	22.16
Band66	10	132022	25	#0	QAM16	21.16
Band66	10	132022	25	#Mid	QAM16	21.16
Band66	10	132022	25	#Max	QAM16	21.19

Band66	10	132022	50	#0	QAM16	21.18
Band66	10	132322	1	#0	QPSK	22.96
Band66	10	132322	1	#Mid	QPSK	23.10
Band66	10	132322	1	#Max	QPSK	22.94
Band66	10	132322	25	#0	QPSK	22.11
Band66	10	132322	25	#Mid	QPSK	22.03
Band66	10	132322	25	#Max	QPSK	21.96
Band66	10	132322	50	#0	QPSK	22.04
Band66	10	132322	1	#0	QAM16	21.88
Band66	10	132322	1	#Mid	QAM16	21.98
Band66	10	132322	1	#Max	QAM16	21.82
Band66	10	132322	25	#0	QAM16	21.12
Band66	10	132322	25	#Mid	QAM16	21.04
Band66	10	132322	25	#Max	QAM16	20.97
Band66	10	132322	50	#0	QAM16	21.01
Band66	10	132622	1	#0	QPSK	22.77
Band66	10	132622	1	#Mid	QPSK	22.82
Band66	10	132622	1	#Max	QPSK	22.68
Band66	10	132622	25	#0	QPSK	21.84
Band66	10	132622	25	#Mid	QPSK	21.82
Band66	10	132622	25	#Max	QPSK	21.80
Band66	10	132622	50	#0	QPSK	21.78
Band66	10	132622	1	#0	QAM16	22.12
Band66	10	132622	1	#Mid	QAM16	22.22
Band66	10	132622	1	#Max	QAM16	22.05
Band66	10	132622	25	#0	QAM16	20.81
Band66	10	132622	25	#Mid	QAM16	20.82
Band66	10	132622	25	#Max	QAM16	20.81
Band66	10	132622	50	#0	QAM16	20.80
Band66	15	132047	1	#0	QPSK	22.91
Band66	15	132047	1	#Mid	QPSK	23.21
Band66	15	132047	1	#Max	QPSK	22.83
Band66	15	132047	36	#0	QPSK	22.14
Band66	15	132047	36	#Mid	QPSK	22.14
Band66	15	132047	36	#Max	QPSK	22.17
Band66	15	132047	75	#0	QPSK	22.15
Band66	15	132047	1	#0	QAM16	22.30
Band66	15	132047	1	#Mid	QAM16	22.63
Band66	15	132047	1	#Max	QAM16	22.34
Band66	15	132047	36	#0	QAM16	21.10
Band66	15	132047	36	#Mid	QAM16	21.12
Band66	15	132047	36	#Max	QAM16	21.16
Band66	15	132047	75	#0	QAM16	21.13
Band66	15	132322	1	#0	QPSK	22.97

Band66	15	132322	1	#Mid	QPSK	23.11
Band66	15	132322	1	#Max	QPSK	22.83
Band66	15	132322	36	#0	QPSK	22.11
Band66	15	132322	36	#Mid	QPSK	22.05
Band66	15	132322	36	#Max	QPSK	22.03
Band66	15	132322	75	#0	QPSK	22.09
Band66	15	132322	1	#0	QAM16	22.09
Band66	15	132322	1	#Mid	QAM16	22.40
Band66	15	132322	1	#Max	QAM16	22.03
Band66	15	132322	36	#0	QAM16	21.14
Band66	15	132322	36	#Mid	QAM16	21.05
Band66	15	132322	36	#Max	QAM16	21.02
Band66	15	132322	75	#0	QAM16	21.00
Band66	15	132597	1	#0	QPSK	22.74
Band66	15	132597	1	#Mid	QPSK	22.82
Band66	15	132597	1	#Max	QPSK	22.57
Band66	15	132597	36	#0	QPSK	21.84
Band66	15	132597	36	#Mid	QPSK	21.91
Band66	15	132597	36	#Max	QPSK	21.86
Band66	15	132597	75	#0	QPSK	21.85
Band66	15	132597	1	#0	QAM16	21.87
Band66	15	132597	1	#Mid	QAM16	22.09
Band66	15	132597	1	#Max	QAM16	21.73
Band66	15	132597	36	#0	QAM16	20.74
Band66	15	132597	36	#Mid	QAM16	20.76
Band66	15	132597	36	#Max	QAM16	20.76
Band66	15	132597	75	#0	QAM16	20.80
Band66	20	132072	1	#0	QPSK	22.83
Band66	20	132072	1	#Mid	QPSK	23.11
Band66	20	132072	1	#Max	QPSK	22.83
Band66	20	132072	50	#0	QPSK	21.99
Band66	20	132072	50	#Mid	QPSK	22.05
Band66	20	132072	50	#Max	QPSK	22.09
Band66	20	132072	100	#0	QPSK	22.02
Band66	20	132072	1	#0	QAM16	22.00
Band66	20	132072	1	#Mid	QAM16	22.33
Band66	20	132072	1	#Max	QAM16	22.07
Band66	20	132072	50	#0	QAM16	21.07
Band66	20	132072	50	#Mid	QAM16	21.13
Band66	20	132072	50	#Max	QAM16	21.17
Band66	20	132072	100	#0	QAM16	21.08
Band66	20	132322	1	#0	QPSK	22.76
Band66	20	132322	1	#Mid	QPSK	23.06
Band66	20	132322	1	#Max	QPSK	22.69

Band66	20	132322	50	#0	QPSK	22.08
Band66	20	132322	50	#Mid	QPSK	22.03
Band66	20	132322	50	#Max	QPSK	21.94
Band66	20	132322	100	#0	QPSK	22.00
Band66	20	132322	1	#0	QAM16	22.10
Band66	20	132322	1	#Mid	QAM16	22.35
Band66	20	132322	1	#Max	QAM16	22.03
Band66	20	132322	50	#0	QAM16	21.07
Band66	20	132322	50	#Mid	QAM16	21.02
Band66	20	132322	50	#Max	QAM16	20.92
Band66	20	132322	100	#0	QAM16	20.99
Band66	20	132572	1	#0	QPSK	22.63
Band66	20	132572	1	#Mid	QPSK	22.86
Band66	20	132572	1	#Max	QPSK	22.48
Band66	20	132572	50	#0	QPSK	21.74
Band66	20	132572	50	#Mid	QPSK	21.79
Band66	20	132572	50	#Max	QPSK	21.76
Band66	20	132572	100	#0	QPSK	21.76
Band66	20	132572	1	#0	QAM16	21.88
Band66	20	132572	1	#Mid	QAM16	22.07
Band66	20	132572	1	#Max	QAM16	21.67
Band66	20	132572	50	#0	QAM16	20.68
Band66	20	132572	50	#Mid	QAM16	20.72
Band66	20	132572	50	#Max	QAM16	20.72
Band66	20	132572	100	#0	QAM16	20.73
Band7	5	20775	1	#0	QPSK	23.37
Band7	5	20775	1	#Mid	QPSK	23.65
Band7	5	20775	1	#Max	QPSK	23.28
Band7	5	20775	12	#0	QPSK	22.37
Band7	5	20775	12	#Mid	QPSK	22.45
Band7	5	20775	12	#Max	QPSK	22.41
Band7	5	20775	25	#0	QPSK	22.43
Band7	5	20775	1	#0	QAM16	22.77
Band7	5	20775	1	#Mid	QAM16	23.07
Band7	5	20775	1	#Max	QAM16	22.74
Band7	5	20775	12	#0	QAM16	21.36
Band7	5	20775	12	#Mid	QAM16	21.47
Band7	5	20775	12	#Max	QAM16	21.42
Band7	5	20775	25	#0	QAM16	21.40
Band7	5	21100	1	#0	QPSK	23.19
Band7	5	21100	1	#Mid	QPSK	23.55
Band7	5	21100	1	#Max	QPSK	23.18
Band7	5	21100	12	#0	QPSK	22.25
Band7	5	21100	12	#Mid	QPSK	22.31

Band7	5	21100	12	#Max	QPSK	22.27
Band7	5	21100	25	#0	QPSK	22.25
Band7	5	21100	1	#0	QAM16	22.43
Band7	5	21100	1	#Mid	QAM16	22.77
Band7	5	21100	1	#Max	QAM16	22.42
Band7	5	21100	12	#0	QAM16	21.17
Band7	5	21100	12	#Mid	QAM16	21.27
Band7	5	21100	12	#Max	QAM16	21.21
Band7	5	21100	25	#0	QAM16	21.31
Band7	5	21425	1	#0	QPSK	23.27
Band7	5	21425	1	#Mid	QPSK	23.77
Band7	5	21425	1	#Max	QPSK	23.38
Band7	5	21425	12	#0	QPSK	22.37
Band7	5	21425	12	#Mid	QPSK	22.45
Band7	5	21425	12	#Max	QPSK	22.33
Band7	5	21425	25	#0	QPSK	22.39
Band7	5	21425	1	#0	QAM16	22.47
Band7	5	21425	1	#Mid	QAM16	22.84
Band7	5	21425	1	#Max	QAM16	22.53
Band7	5	21425	12	#0	QAM16	21.37
Band7	5	21425	12	#Mid	QAM16	21.47
Band7	5	21425	12	#Max	QAM16	21.38
Band7	5	21425	25	#0	QAM16	21.33
Band7	10	20800	1	#0	QPSK	23.51
Band7	10	20800	1	#Mid	QPSK	23.63
Band7	10	20800	1	#Max	QPSK	23.43
Band7	10	20800	25	#0	QPSK	22.42
Band7	10	20800	25	#Mid	QPSK	22.47
Band7	10	20800	25	#Max	QPSK	22.41
Band7	10	20800	50	#0	QPSK	22.38
Band7	10	20800	1	#0	QAM16	22.55
Band7	10	20800	1	#Mid	QAM16	22.65
Band7	10	20800	1	#Max	QAM16	22.46
Band7	10	20800	25	#0	QAM16	21.47
Band7	10	20800	25	#Mid	QAM16	21.46
Band7	10	20800	25	#Max	QAM16	21.44
Band7	10	20800	50	#0	QAM16	21.45
Band7	10	21100	1	#0	QPSK	23.30
Band7	10	21100	1	#Mid	QPSK	23.44
Band7	10	21100	1	#Max	QPSK	23.31
Band7	10	21100	25	#0	QPSK	22.27
Band7	10	21100	25	#Mid	QPSK	22.31
Band7	10	21100	25	#Max	QPSK	22.33
Band7	10	21100	50	#0	QPSK	22.28

Band7	10	21100	1	#0	QAM16	22.13
Band7	10	21100	1	#Mid	QAM16	22.23
Band7	10	21100	1	#Max	QAM16	22.10
Band7	10	21100	25	#0	QAM16	21.29
Band7	10	21100	25	#Mid	QAM16	21.31
Band7	10	21100	25	#Max	QAM16	21.39
Band7	10	21100	50	#0	QAM16	21.30
Band7	10	21400	1	#0	QPSK	23.27
Band7	10	21400	1	#Mid	QPSK	23.47
Band7	10	21400	1	#Max	QPSK	23.44
Band7	10	21400	25	#0	QPSK	22.29
Band7	10	21400	25	#Mid	QPSK	22.37
Band7	10	21400	25	#Max	QPSK	22.37
Band7	10	21400	50	#0	QPSK	22.33
Band7	10	21400	1	#0	QAM16	22.61
Band7	10	21400	1	#Mid	QAM16	22.82
Band7	10	21400	1	#Max	QAM16	22.71
Band7	10	21400	25	#0	QAM16	21.35
Band7	10	21400	25	#Mid	QAM16	21.44
Band7	10	21400	25	#Max	QAM16	21.43
Band7	10	21400	50	#0	QAM16	21.37
Band7	15	20825	1	#0	QPSK	23.49
Band7	15	20825	1	#Mid	QPSK	23.69
Band7	15	20825	1	#Max	QPSK	23.25
Band7	15	20825	36	#0	QPSK	22.49
Band7	15	20825	36	#Mid	QPSK	22.47
Band7	15	20825	36	#Max	QPSK	22.41
Band7	15	20825	75	#0	QPSK	22.44
Band7	15	20825	1	#0	QAM16	22.52
Band7	15	20825	1	#Mid	QAM16	22.75
Band7	15	20825	1	#Max	QAM16	22.38
Band7	15	20825	36	#0	QAM16	21.51
Band7	15	20825	36	#Mid	QAM16	21.53
Band7	15	20825	36	#Max	QAM16	21.44
Band7	15	20825	75	#0	QAM16	21.42
Band7	15	21100	1	#0	QPSK	23.18
Band7	15	21100	1	#Mid	QPSK	23.43
Band7	15	21100	1	#Max	QPSK	23.12
Band7	15	21100	36	#0	QPSK	22.34
Band7	15	21100	36	#Mid	QPSK	22.37
Band7	15	21100	36	#Max	QPSK	22.34
Band7	15	21100	75	#0	QPSK	22.34
Band7	15	21100	1	#0	QAM16	22.30
Band7	15	21100	1	#Mid	QAM16	22.63

Band7	15	21100	1	#Max	QAM16	22.24
Band7	15	21100	36	#0	QAM16	21.29
Band7	15	21100	36	#Mid	QAM16	21.33
Band7	15	21100	36	#Max	QAM16	21.32
Band7	15	21100	75	#0	QAM16	21.36
Band7	15	21375	1	#0	QPSK	23.21
Band7	15	21375	1	#Mid	QPSK	23.60
Band7	15	21375	1	#Max	QPSK	23.35
Band7	15	21375	36	#0	QPSK	22.38
Band7	15	21375	36	#Mid	QPSK	22.46
Band7	15	21375	36	#Max	QPSK	22.49
Band7	15	21375	75	#0	QPSK	22.39
Band7	15	21375	1	#0	QAM16	22.55
Band7	15	21375	1	#Mid	QAM16	22.92
Band7	15	21375	1	#Max	QAM16	22.64
Band7	15	21375	36	#0	QAM16	21.35
Band7	15	21375	36	#Mid	QAM16	21.46
Band7	15	21375	36	#Max	QAM16	21.50
Band7	15	21375	75	#0	QAM16	21.41
Band7	20	20850	1	#0	QPSK	23.24
Band7	20	20850	1	#Mid	QPSK	24.00
Band7	20	20850	1	#Max	QPSK	23.07
Band7	20	20850	50	#0	QPSK	22.36
Band7	20	20850	50	#Mid	QPSK	22.37
Band7	20	20850	50	#Max	QPSK	22.23
Band7	20	20850	100	#0	QPSK	22.26
Band7	20	20850	1	#0	QAM16	22.41
Band7	20	20850	1	#Mid	QAM16	22.67
Band7	20	20850	1	#Max	QAM16	22.25
Band7	20	20850	50	#0	QAM16	21.40
Band7	20	20850	50	#Mid	QAM16	21.42
Band7	20	20850	50	#Max	QAM16	21.29
Band7	20	20850	100	#0	QAM16	21.33
Band7	20	21100	1	#0	QPSK	23.06
Band7	20	21100	1	#Mid	QPSK	23.40
Band7	20	21100	1	#Max	QPSK	23.11
Band7	20	21100	50	#0	QPSK	22.18
Band7	20	21100	50	#Mid	QPSK	22.30
Band7	20	21100	50	#Max	QPSK	22.22
Band7	20	21100	100	#0	QPSK	22.22
Band7	20	21100	1	#0	QAM16	22.31
Band7	20	21100	1	#Mid	QAM16	22.62
Band7	20	21100	1	#Max	QAM16	22.36
Band7	20	21100	50	#0	QAM16	21.20

Band7	20	21100	50	#Mid	QAM16	21.33
Band7	20	21100	50	#Max	QAM16	21.30
Band7	20	21100	100	#0	QAM16	21.25
Band7	20	21350	1	#0	QPSK	23.03
Band7	20	21350	1	#Mid	QPSK	23.44
Band7	20	21350	1	#Max	QPSK	23.30
Band7	20	21350	50	#0	QPSK	22.25
Band7	20	21350	50	#Mid	QPSK	22.38
Band7	20	21350	50	#Max	QPSK	22.39
Band7	20	21350	100	#0	QPSK	22.35
Band7	20	21350	1	#0	QAM16	22.21
Band7	20	21350	1	#Mid	QAM16	22.59
Band7	20	21350	1	#Max	QAM16	22.41
Band7	20	21350	50	#0	QAM16	21.28
Band7	20	21350	50	#Mid	QAM16	21.37
Band7	20	21350	50	#Max	QAM16	21.39
Band7	20	21350	100	#0	QAM16	21.30


2 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band12	1.4	23095	1	#0	QPSK	4.75	13	PASS
Band12	1.4	23095	1	#0	QAM16	5.73	13	PASS
Band12	3	23095	1	#0	QPSK	4.80	13	PASS
Band12	3	23095	1	#0	QAM16	5.80	13	PASS
Band12	5	23095	1	#0	QPSK	5.03	13	PASS
Band12	5	23095	1	#0	QAM16	5.34	13	PASS
Band12	10	23095	1	#0	QPSK	5.74	13	PASS
Band12	10	23095	1	#0	QAM16	6.81	13	PASS
Band13	5	23230	1	#0	QPSK	5.08	13	PASS
Band13	5	23230	1	#0	QAM16	5.73	13	PASS
Band13	10	23230	1	#0	QPSK	4.18	13	PASS
Band13	10	23230	1	#0	QAM16	5.05	13	PASS
Band17	5	23790	1	#0	QPSK	4.51	13	PASS
Band17	5	23790	1	#0	QAM16	5.07	13	PASS
Band17	10	23790	1	#0	QPSK	5.30	13	PASS
Band17	10	23790	1	#0	QAM16	6.14	13	PASS
Band2	1.4	18900	1	#0	QPSK	4.38	13	PASS
Band2	1.4	18900	1	#0	QAM16	5.52	13	PASS
Band2	3	18900	1	#0	QPSK	4.52	13	PASS
Band2	3	18900	1	#0	QAM16	5.43	13	PASS
Band2	5	18900	1	#0	QPSK	4.64	13	PASS
Band2	5	18900	1	#0	QAM16	5.36	13	PASS
Band2	10	18900	1	#0	QPSK	4.81	13	PASS
Band2	10	18900	1	#0	QAM16	5.71	13	PASS


Band2	15	18900	1	#0	QPSK	5.10	13	PASS
Band2	15	18900	1	#0	QAM16	6.00	13	PASS
Band2	20	18900	1	#0	QPSK	5.01	13	PASS
Band2	20	18900	1	#0	QAM16	5.45	13	PASS
Band25	1.4	26365	1	#0	QPSK	4.08	13	PASS
Band25	1.4	26365	1	#0	QAM16	5.10	13	PASS
Band25	3	26365	1	#0	QPSK	4.45	13	PASS
Band25	3	26365	1	#0	QAM16	5.33	13	PASS
Band25	5	26365	1	#0	QPSK	4.34	13	PASS
Band25	5	26365	1	#0	QAM16	5.37	13	PASS
Band25	10	26365	1	#0	QPSK	4.58	13	PASS
Band25	10	26365	1	#0	QAM16	5.44	13	PASS
Band25	15	26365	1	#0	QPSK	4.83	13	PASS
Band25	15	26365	1	#0	QAM16	5.80	13	PASS
Band25	20	26365	1	#0	QPSK	5.08	13	PASS
Band25	20	26365	1	#0	QAM16	5.61	13	PASS
Band26a	1.4	26740	1	#0	QPSK	4.32	13	PASS
Band26a	1.4	26740	1	#0	QAM16	5.72	13	PASS
Band26a	3	26740	1	#0	QPSK	4.38	13	PASS
Band26a	3	26740	1	#0	QAM16	5.12	13	PASS
Band26a	5	26740	1	#0	QPSK	4.69	13	PASS
Band26a	5	26740	1	#0	QAM16	5.09	13	PASS
Band26a	10	26740	1	#0	QPSK	3.95	13	PASS
Band26a	10	26740	1	#0	QAM16	4.80	13	PASS
Band26b	1.4	26915	1	#0	QPSK	4.51	13	PASS
Band26b	1.4	26915	1	#0	QAM16	5.12	13	PASS
Band26b	3	26915	1	#0	QPSK	4.58	13	PASS
Band26b	3	26915	1	#0	QAM16	5.56	13	PASS
Band26b	5	26915	1	#0	QPSK	4.66	13	PASS
Band26b	5	26915	1	#0	QAM16	5.33	13	PASS
Band26b	10	26915	1	#0	QPSK	4.03	13	PASS
Band26b	10	26915	1	#0	QAM16	4.95	13	PASS
Band26b	15	26915	1	#0	QPSK	3.89	13	PASS
Band26b	15	26915	1	#0	QAM16	4.73	13	PASS
Band4	1.4	20175	1	#0	QPSK	3.68	13	PASS
Band4	1.4	20175	1	#0	QAM16	4.96	13	PASS
Band4	3	20175	1	#0	QPSK	3.89	13	PASS
Band4	3	20175	1	#0	QAM16	4.90	13	PASS
Band4	5	20175	1	#0	QPSK	3.94	13	PASS
Band4	5	20175	1	#0	QAM16	4.90	13	PASS
Band4	10	20175	1	#0	QPSK	3.95	13	PASS
Band4	10	20175	1	#0	QAM16	4.99	13	PASS
Band4	15	20175	1	#0	QPSK	4.00	13	PASS
Band4	15	20175	1	#0	QAM16	4.88	13	PASS

Band4	20	20175	1	#0	QPSK	4.12	13	PASS
Band4	20	20175	1	#0	QAM16	5.15	13	PASS
Band41	5	40640	1	#0	QPSK	6.54	13	PASS
Band41	5	40640	1	#0	QAM16	9.14	13	PASS
Band41	10	40640	1	#0	QPSK	7.81	13	PASS
Band41	10	40640	1	#0	QAM16	8.27	13	PASS
Band41	15	40640	1	#0	QPSK	6.83	13	PASS
Band41	15	40640	1	#0	QAM16	9.35	13	PASS
Band41	20	40640	1	#0	QPSK	9.31	13	PASS
Band41	20	40640	1	#0	QAM16	8.43	13	PASS
Band5	1.4	20525	1	#0	QPSK	4.40	13	PASS
Band5	1.4	20525	1	#0	QAM16	5.44	13	PASS
Band5	3	20525	1	#0	QPSK	4.48	13	PASS
Band5	3	20525	1	#0	QAM16	5.04	13	PASS
Band5	5	20525	1	#0	QPSK	4.46	13	PASS
Band5	5	20525	1	#0	QAM16	4.97	13	PASS
Band5	10	20525	1	#0	QPSK	4.18	13	PASS
Band5	10	20525	1	#0	QAM16	4.92	13	PASS
Band66	1.4	132322	1	#0	QPSK	4.00	13	PASS
Band66	1.4	132322	1	#0	QAM16	4.94	13	PASS
Band66	3	132322	1	#0	QPSK	4.07	13	PASS
Band66	3	132322	1	#0	QAM16	5.03	13	PASS
Band66	5	132322	1	#0	QPSK	4.22	13	PASS
Band66	5	132322	1	#0	QAM16	4.81	13	PASS
Band66	10	132322	1	#0	QPSK	4.10	13	PASS
Band66	10	132322	1	#0	QAM16	5.08	13	PASS
Band66	15	132322	1	#0	QPSK	4.25	13	PASS
Band66	15	132322	1	#0	QAM16	5.02	13	PASS
Band66	20	132322	1	#0	QPSK	4.33	13	PASS
Band66	20	132322	1	#0	QAM16	5.22	13	PASS
Band7	5	21100	1	#0	QPSK	4.10	13	PASS
Band7	5	21100	1	#0	QAM16	5.03	13	PASS
Band7	10	21100	1	#0	QPSK	3.94	13	PASS
Band7	10	21100	1	#0	QAM16	4.73	13	PASS
Band7	15	21100	1	#0	QPSK	4.17	13	PASS
Band7	15	21100	1	#0	QAM16	4.92	13	PASS
Band7	20	21100	1	#0	QPSK	4.20	13	PASS
Band7	20	21100	1	#0	QAM16	4.91	13	PASS


Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=1 Position=#0



Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0




Band12 QAM16 BW=3MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0




Band12 QAM16 BW=5MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0




Band12 QAM16 BW=10MHz Channel=23095 RB Size=1 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=1 Position=#0




Band13 QAM16 BW=5MHz Channel=23230 RB Size=1 Position=#0




Band13 QAM16 BW=10MHz Channel=23230 RB Size=1 Position=#0




Band13 QPSK BW=10MHz Channel=23230 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=1 Position=#0




Band17 QAM16 BW=5MHz Channel=23790 RB Size=1 Position=#0




Band17 QAM16 BW=10MHz Channel=23790 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0




Band25 QPSK BW=1.4MHz Channel=26365 RB Size=1 Position=#0




Band25 QPSK BW=3MHz Channel=26365 RB Size=1 Position=#0




Band25 QAM16 BW=1.4MHz Channel=26365 RB Size=1 Position=#0




Band25 QAM16 BW=3MHz Channel=26365 RB Size=1 Position=#0




Band25 QPSK BW=5MHz Channel=26365 RB Size=1 Position=#0




Band25 QAM16 BW=5MHz Channel=26365 RB Size=1 Position=#0




Band25 QPSK BW=10MHz Channel=26365 RB Size=1 Position=#0




Band25 QAM16 BW=10MHz Channel=26365 RB Size=1 Position=#0




Band25 QPSK BW=15MHz Channel=26365 RB Size=1 Position=#0




Band25 QAM16 BW=15MHz Channel=26365 RB Size=1 Position=#0




Band25 QPSK BW=20MHz Channel=26365 RB Size=1 Position=#0




Band25 QAM16 BW=20MHz Channel=26365 RB Size=1 Position=#0




Band26a QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26a QAM16 BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Band26a QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0




Band26a QAM16 BW=3MHz Channel=26740 RB Size=1 Position=#0



Band26a QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26a QAM16 BW=5MHz Channel=26740 RB Size=1 Position=#0




Band26a QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26a QAM16 BW=10MHz Channel=26740 RB Size=1 Position=#0




Band26b QPSK BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Band26b QAM16 BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Band26b QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0




Band26b QAM16 BW=3MHz Channel=26915 RB Size=1 Position=#0




Band26b QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0




Band26b QAM16 BW=5MHz Channel=26915 RB Size=1 Position=#0




Band26b QPSK BW=10MHz Channel=26915 RB Size=1 Position=#0




Band26b QAM16 BW=10MHz Channel=26915 RB Size=1 Position=#0




Band26b QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0




Band26b QAM16 BW=15MHz Channel=26915 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=40640 RB Size=1 Position=#0



Band41 QAM16 BW=5MHz Channel=40640 RB Size=1 Position=#0



Band41 QPSK BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41 QAM16 BW=10MHz Channel=40640 RB Size=1 Position=#0



Band41 QPSK BW=15MHz Channel=40640 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40640 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=40640 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=40640 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=15MHz Channel=132322 RB Size=1 Position=#0



Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=20MHz Channel=132322 RB Size=1 Position=#0



Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0




3 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band12	1.4	23095	6	#0	QPSK	1.104	1.275	PASS
Band12	1.4	23095	6	#0	QAM16	1.099	1.277	PASS
Band12	3	23095	15	#0	QPSK	2.695	2.913	PASS
Band12	3	23095	15	#0	QAM16	2.688	2.942	PASS
Band12	5	23095	25	#0	QPSK	4.508	5.108	PASS
Band12	5	23095	25	#0	QAM16	4.518	5.075	PASS
Band12	10	23095	50	#0	QPSK	8.993	9.910	PASS
Band12	10	23095	50	#0	QAM16	8.955	9.829	PASS
Band13	5	23230	25	#0	QPSK	4.514	5.181	PASS
Band13	5	23230	25	#0	QAM16	4.513	5.019	PASS
Band13	10	23230	50	#0	QPSK	8.992	9.935	PASS
Band13	10	23230	50	#0	QAM16	8.976	9.933	PASS
Band17	5	23790	25	#0	QPSK	4.514	5.021	PASS
Band17	5	23790	25	#0	QAM16	4.542	5.067	PASS
Band17	10	23790	50	#0	QPSK	8.999	9.979	PASS
Band17	10	23790	50	#0	QAM16	8.984	9.820	PASS
Band2	1.4	18900	6	#0	QPSK	1.092	1.278	PASS
Band2	1.4	18900	6	#0	QAM16	1.089	1.274	PASS
Band2	3	18900	15	#0	QPSK	2.690	2.941	PASS
Band2	3	18900	15	#0	QAM16	2.687	2.943	PASS
Band2	5	18900	25	#0	QPSK	4.516	4.863	PASS
Band2	5	18900	25	#0	QAM16	4.500	4.895	PASS
Band2	10	18900	50	#0	QPSK	8.989	9.671	PASS
Band2	10	18900	50	#0	QAM16	9.003	9.633	PASS
Band2	15	18900	75	#0	QPSK	13.495	14.588	PASS
Band2	15	18900	75	#0	QAM16	13.452	14.605	PASS
Band2	20	18900	100	#0	QPSK	18.019	19.386	PASS
Band2	20	18900	100	#0	QAM16	17.973	19.102	PASS
Band25	1.4	26365	6	#0	QPSK	1.100	1.283	PASS
Band25	1.4	26365	6	#0	QAM16	1.094	1.277	PASS
Band25	3	26365	15	#0	QPSK	2.690	2.918	PASS
Band25	3	26365	15	#0	QAM16	2.690	2.933	PASS
Band25	5	26365	25	#0	QPSK	4.522	5.143	PASS
Band25	5	26365	25	#0	QAM16	4.539	5.113	PASS
Band25	10	26365	50	#0	QPSK	8.992	9.893	PASS
Band25	10	26365	50	#0	QAM16	9.008	10.006	PASS
Band25	15	26365	75	#0	QPSK	13.486	14.827	PASS
Band25	15	26365	75	#0	QAM16	13.492	14.597	PASS
Band25	20	26365	100	#0	QPSK	17.982	19.418	PASS
Band25	20	26365	100	#0	QAM16	17.919	19.769	PASS
Band26a	1.4	26740	6	#0	QPSK	1.092	1.297	PASS
Band26a	1.4	26740	6	#0	QAM16	1.090	1.266	PASS


Band26a	3	26740	15	#0	QPSK	2.692	2.930	PASS
Band26a	3	26740	15	#0	QAM16	2.688	2.930	PASS
Band26a	5	26740	25	#0	QPSK	4.507	4.903	PASS
Band26a	5	26740	25	#0	QAM16	4.514	4.955	PASS
Band26a	10	26740	50	#0	QPSK	8.989	9.755	PASS
Band26a	10	26740	50	#0	QAM16	8.993	9.720	PASS
Band26b	1.4	26915	6	#0	QPSK	1.092	1.288	PASS
Band26b	1.4	26915	6	#0	QAM16	1.096	1.303	PASS
Band26b	3	26915	15	#0	QPSK	2.693	2.920	PASS
Band26b	3	26915	15	#0	QAM16	2.679	2.922	PASS
Band26b	5	26915	25	#0	QPSK	4.522	4.895	PASS
Band26b	5	26915	25	#0	QAM16	4.498	4.894	PASS
Band26b	10	26915	50	#0	QPSK	8.961	9.677	PASS
Band26b	10	26915	50	#0	QAM16	8.958	9.652	PASS
Band26b	15	26915	75	#0	QPSK	13.424	14.481	PASS
Band26b	15	26915	75	#0	QAM16	13.397	14.402	PASS
Band4	1.4	20175	6	#0	QPSK	1.098	1.283	PASS
Band4	1.4	20175	6	#0	QAM16	1.097	1.284	PASS
Band4	3	20175	15	#0	QPSK	2.697	2.920	PASS
Band4	3	20175	15	#0	QAM16	2.688	2.927	PASS
Band4	5	20175	25	#0	QPSK	4.510	4.889	PASS
Band4	5	20175	25	#0	QAM16	4.494	4.933	PASS
Band4	10	20175	50	#0	QPSK	8.987	9.758	PASS
Band4	10	20175	50	#0	QAM16	8.983	9.711	PASS
Band4	15	20175	75	#0	QPSK	13.462	14.481	PASS
Band4	15	20175	75	#0	QAM16	13.441	14.518	PASS
Band4	20	20175	100	#0	QPSK	17.918	19.362	PASS
Band4	20	20175	100	#0	QAM16	17.926	19.151	PASS
Band41	5	40640	25	#0	QPSK	4.495	4.891	PASS
Band41	5	40640	25	#0	QAM16	4.508	5.187	PASS
Band41	10	40640	50	#0	QPSK	9.005	9.679	PASS
Band41	10	40640	50	#0	QAM16	9.000	9.649	PASS
Band41	15	40640	75	#0	QPSK	13.440	14.585	PASS
Band41	15	40640	75	#0	QAM16	13.463	14.634	PASS
Band41	20	40640	100	#0	QPSK	18.013	20.092	PASS
Band41	20	40640	100	#0	QAM16	17.916	19.180	PASS
Band5	1.4	20525	6	#0	QPSK	1.094	1.285	PASS
Band5	1.4	20525	6	#0	QAM16	1.090	1.268	PASS
Band5	3	20525	15	#0	QPSK	2.689	2.924	PASS
Band5	3	20525	15	#0	QAM16	2.688	2.942	PASS
Band5	5	20525	25	#0	QPSK	4.527	4.907	PASS
Band5	5	20525	25	#0	QAM16	4.504	4.899	PASS
Band5	10	20525	50	#0	QPSK	8.955	9.727	PASS
Band5	10	20525	50	#0	QAM16	8.959	9.726	PASS

Band66	1.4	132322	6	#0	QPSK	1.104	1.270	PASS
Band66	1.4	132322	6	#0	QAM16	1.095	1.292	PASS
Band66	3	132322	15	#0	QPSK	2.698	2.927	PASS
Band66	3	132322	15	#0	QAM16	2.684	2.939	PASS
Band66	5	132322	25	#0	QPSK	4.517	5.088	PASS
Band66	5	132322	25	#0	QAM16	4.514	5.107	PASS
Band66	10	132322	50	#0	QPSK	9.001	9.979	PASS
Band66	10	132322	50	#0	QAM16	9.018	9.791	PASS
Band66	15	132322	75	#0	QPSK	13.518	14.676	PASS
Band66	15	132322	75	#0	QAM16	13.507	14.957	PASS
Band66	20	132322	100	#0	QPSK	17.949	19.588	PASS
Band66	20	132322	100	#0	QAM16	17.989	19.686	PASS
Band7	5	21100	25	#0	QPSK	4.510	4.891	PASS
Band7	5	21100	25	#0	QAM16	4.499	4.895	PASS
Band7	10	21100	50	#0	QPSK	8.988	9.763	PASS
Band7	10	21100	50	#0	QAM16	8.987	9.701	PASS
Band7	15	21100	75	#0	QPSK	13.465	14.610	PASS
Band7	15	21100	75	#0	QAM16	13.449	14.576	PASS
Band7	20	21100	100	#0	QPSK	17.922	19.240	PASS
Band7	20	21100	100	#0	QAM16	17.890	19.147	PASS


Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QAM16 BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 QAM16 BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 QAM16 BW=10MHz Channel=23095 RB Size=50 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=25 Position=#0




Band13 QAM16 BW=5MHz Channel=23230 RB Size=25 Position=#0




Band13 QAM16 BW=10MHz Channel=23230 RB Size=50 Position=#0




Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QAM16 BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QAM16 BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




Band25 QPSK BW=1.4MHz Channel=26365 RB Size=6 Position=#0




Band25 QPSK BW=3MHz Channel=26365 RB Size=15 Position=#0




Band25 QAM16 BW=1.4MHz Channel=26365 RB Size=6 Position=#0




Band25 QAM16 BW=3MHz Channel=26365 RB Size=15 Position=#0




Band25 QPSK BW=5MHz Channel=26365 RB Size=25 Position=#0




Band25 QAM16 BW=5MHz Channel=26365 RB Size=25 Position=#0




Band25 QPSK BW=10MHz Channel=26365 RB Size=50 Position=#0




Band25 QAM16 BW=10MHz Channel=26365 RB Size=50 Position=#0




Band25 QPSK BW=15MHz Channel=26365 RB Size=75 Position=#0




Band25 QAM16 BW=15MHz Channel=26365 RB Size=75 Position=#0




Band25 QPSK BW=20MHz Channel=26365 RB Size=100 Position=#0




Band25 QAM16 BW=20MHz Channel=26365 RB Size=100 Position=#0




Band26a QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26a QAM16 BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Band26a QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26a QAM16 BW=3MHz Channel=26740 RB Size=15 Position=#0




Band26a QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26a QAM16 BW=5MHz Channel=26740 RB Size=25 Position=#0




Band26a QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26a QAM16 BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26b QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26b QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26b QAM16 BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Band26b QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26b QAM16 BW=3MHz Channel=26915 RB Size=15 Position=#0




Band26b QAM16 BW=5MHz Channel=26915 RB Size=25 Position=#0




Band26b QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26b QAM16 BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26b QAM16 BW=15MHz Channel=26915 RB Size=75 Position=#0




Band26b QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QAM16 BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QAM16 BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QAM16 BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=100 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41 QAM16 BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0




Band41 QAM16 BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=40640 RB Size=100 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QAM16 BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QAM16 BW=20MHz Channel=132322 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



4 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	699.00	-21.22	-13	PASS
Band12	1.4	23017	1	#Max	QPSK	698.39	-31.72	-13	PASS
Band12	1.4	23017	6	#0	QPSK	699.00	-29.40	-13	PASS
Band12	1.4	23017	1	#0	QAM16	699.00	-21.44	-13	PASS
Band12	1.4	23017	1	#Max	QAM16	698.35	-32.40	-13	PASS
Band12	1.4	23017	6	#0	QAM16	699.00	-29.92	-13	PASS
Band12	1.4	23173	1	#0	QPSK	716.60	-31.73	-13	PASS
Band12	1.4	23173	1	#Max	QPSK	716.00	-21.12	-13	PASS
Band12	1.4	23173	6	#0	QPSK	716.14	-28.56	-13	PASS
Band12	1.4	23173	1	#0	QAM16	716.65	-33.07	-13	PASS
Band12	1.4	23173	1	#Max	QAM16	716.01	-21.70	-13	PASS
Band12	1.4	23173	6	#0	QAM16	716.01	-30.57	-13	PASS
Band12	3	23025	1	#0	QPSK	699.00	-22.11	-13	PASS
Band12	3	23025	1	#Max	QPSK	696.71	-31.77	-13	PASS
Band12	3	23025	15	#0	QPSK	699.00	-34.38	-13	PASS
Band12	3	23025	1	#0	QAM16	699.00	-23.47	-13	PASS
Band12	3	23025	1	#Max	QAM16	696.69	-32.78	-13	PASS
Band12	3	23025	15	#0	QAM16	698.64	-34.53	-13	PASS
Band12	3	23165	1	#0	QPSK	718.28	-31.39	-13	PASS
Band12	3	23165	1	#Max	QPSK	716.00	-22.18	-13	PASS

Band12	3	23165	15	#0	QPSK	716.20	-33.67	-13	PASS
Band12	3	23165	1	#0	QAM16	718.24	-32.16	-13	PASS
Band12	3	23165	1	#Max	QAM16	716.01	-23.62	-13	PASS
Band12	3	23165	15	#0	QAM16	716.18	-33.92	-13	PASS
Band12	5	23035	1	#0	QPSK	699.00	-15.70	-13	PASS
Band12	5	23035	1	#Max	QPSK	695.06	-35.74	-13	PASS
Band12	5	23035	25	#0	QPSK	698.89	-26.25	-13	PASS
Band12	5	23035	1	#0	QAM16	698.99	-16.19	-13	PASS
Band12	5	23035	1	#Max	QAM16	694.98	-35.78	-13	PASS
Band12	5	23035	25	#0	QAM16	698.97	-29.84	-13	PASS
Band12	5	23155	1	#0	QPSK	719.99	-33.39	-13	PASS
Band12	5	23155	1	#Max	QPSK	716.02	-16.10	-13	PASS
Band12	5	23155	25	#0	QPSK	716.00	-27.77	-13	PASS
Band12	5	23155	1	#0	QAM16	720.06	-34.97	-13	PASS
Band12	5	23155	1	#Max	QAM16	716.00	-16.08	-13	PASS
Band12	5	23155	25	#0	QAM16	716.00	-29.56	-13	PASS
Band12	10	23060	1	#0	QPSK	698.99	-22.22	-13	PASS
Band12	10	23060	1	#Max	QPSK	690.80	-45.87	-13	PASS
Band12	10	23060	50	#0	QPSK	698.83	-32.51	-13	PASS
Band12	10	23060	1	#0	QAM16	698.86	-20.39	-13	PASS
Band12	10	23060	1	#Max	QAM16	690.82	-46.60	-13	PASS
Band12	10	23060	50	#0	QAM16	698.90	-33.05	-13	PASS
Band12	10	23130	1	#0	QPSK	716.21	-50.04	-13	PASS
Band12	10	23130	1	#Max	QPSK	716.14	-18.01	-13	PASS
Band12	10	23130	50	#0	QPSK	716.12	-32.47	-13	PASS
Band12	10	23130	1	#0	QAM16	716.22	-50.18	-13	PASS
Band12	10	23130	1	#Max	QAM16	716.11	-21.78	-13	PASS
Band12	10	23130	50	#0	QAM16	716.20	-35.54	-13	PASS
Band13	5	23205	1	#0	QPSK	776.89	-14.41	-13	PASS
Band13	5	23205	1	#Max	QPSK	804.72	-66.90	-35	PASS
Band13	5	23205	25	#0	QPSK	777.00	-28.39	-13	PASS
Band13	5	23205	1	#0	QAM16	776.86	-14.75	-13	PASS
Band13	5	23205	1	#Max	QAM16	801.57	-66.86	-35	PASS
Band13	5	23205	25	#0	QAM16	776.89	-27.39	-13	PASS
Band13	5	23255	1	#0	QPSK	793.55	-66.28	-35	PASS
Band13	5	23255	1	#Max	QPSK	787.11	-13.93	-13	PASS
Band13	5	23255	25	#0	QPSK	787.12	-26.65	-13	PASS
Band13	5	23255	1	#0	QAM16	793.85	-66.62	-35	PASS
Band13	5	23255	1	#Max	QAM16	787.00	-16.11	-13	PASS
Band13	5	23255	25	#0	QAM16	787.11	-26.48	-13	PASS
Band13	10	23230	1	#0	QPSK	776.90	-17.30	-13	PASS
Band13	10	23230	1	#Max	QPSK	787.11	-19.76	-13	PASS
Band13	10	23230	50	#0	QPSK	793.19	-51.94	-35	PASS
Band13	10	23230	1	#0	QAM16	776.90	-19.61	-13	PASS

Band13	10	23230	1	#Max	QAM16	787.16	-18.40	-13	PASS
Band13	10	23230	50	#0	QAM16	793.37	-53.02	-35	PASS
Band17	5	23755	1	#0	QPSK	704.00	-15.27	-13	PASS
Band17	5	23755	1	#Max	QPSK	700.04	-37.74	-13	PASS
Band17	5	23755	25	#0	QPSK	704.00	-28.22	-13	PASS
Band17	5	23755	1	#0	QAM16	703.95	-15.73	-13	PASS
Band17	5	23755	1	#Max	QAM16	700.00	-39.02	-13	PASS
Band17	5	23755	25	#0	QAM16	703.98	-29.61	-13	PASS
Band17	5	23825	1	#0	QPSK	720.02	-37.21	-13	PASS
Band17	5	23825	1	#Max	QPSK	716.00	-14.99	-13	PASS
Band17	5	23825	25	#0	QPSK	716.00	-27.02	-13	PASS
Band17	5	23825	1	#0	QAM16	719.95	-37.82	-13	PASS
Band17	5	23825	1	#Max	QAM16	716.01	-13.68	-13	PASS
Band17	5	23825	25	#0	QAM16	716.00	-28.79	-13	PASS
Band17	10	23780	1	#0	QPSK	704.00	-17.23	-13	PASS
Band17	10	23780	1	#Max	QPSK	695.80	-36.22	-13	PASS
Band17	10	23780	50	#0	QPSK	703.94	-33.20	-13	PASS
Band17	10	23780	1	#0	QAM16	704.00	-18.15	-13	PASS
Band17	10	23780	1	#Max	QAM16	695.80	-37.02	-13	PASS
Band17	10	23780	50	#0	QAM16	703.96	-30.58	-13	PASS
Band17	10	23800	1	#0	QPSK	716.12	-49.27	-13	PASS
Band17	10	23800	1	#Max	QPSK	716.04	-18.08	-13	PASS
Band17	10	23800	50	#0	QPSK	716.00	-30.61	-13	PASS
Band17	10	23800	1	#0	QAM16	716.08	-49.74	-13	PASS
Band17	10	23800	1	#Max	QAM16	716.04	-19.85	-13	PASS
Band17	10	23800	50	#0	QAM16	716.00	-31.45	-13	PASS
Band2	1.4	18607	1	#0	QPSK	1850.00	-22.25	-13	PASS
Band2	1.4	18607	1	#Max	QPSK	1849.32	-37.20	-13	PASS
Band2	1.4	18607	6	#0	QPSK	1850.00	-28.43	-13	PASS
Band2	1.4	18607	1	#0	QAM16	1850.00	-25.10	-13	PASS
Band2	1.4	18607	1	#Max	QAM16	1849.36	-39.54	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1850.00	-29.88	-13	PASS
Band2	1.4	19193	1	#0	QPSK	1910.69	-38.06	-13	PASS
Band2	1.4	19193	1	#Max	QPSK	1910.00	-22.02	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.01	-31.83	-13	PASS
Band2	1.4	19193	1	#0	QAM16	1910.61	-40.04	-13	PASS
Band2	1.4	19193	1	#Max	QAM16	1910.00	-22.72	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.02	-32.10	-13	PASS
Band2	3	18615	1	#0	QPSK	1850.00	-20.55	-13	PASS
Band2	3	18615	1	#Max	QPSK	1847.69	-36.27	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-27.72	-13	PASS
Band2	3	18615	1	#0	QAM16	1850.00	-20.80	-13	PASS
Band2	3	18615	1	#Max	QAM16	1847.70	-37.14	-13	PASS
Band2	3	18615	15	#0	QAM16	1849.98	-30.90	-13	PASS

Band2	3	19185	1	#0	QPSK	1912.25	-35.91	-13	PASS
Band2	3	19185	1	#Max	QPSK	1910.00	-19.38	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-33.26	-13	PASS
Band2	3	19185	1	#0	QAM16	1912.25	-37.63	-13	PASS
Band2	3	19185	1	#Max	QAM16	1910.00	-21.34	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.00	-33.47	-13	PASS
Band2	5	18625	1	#0	QPSK	1850.00	-18.40	-13	PASS
Band2	5	18625	1	#Max	QPSK	1846.04	-35.45	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-28.17	-13	PASS
Band2	5	18625	1	#0	QAM16	1850.00	-22.42	-13	PASS
Band2	5	18625	1	#Max	QAM16	1846.02	-36.87	-13	PASS
Band2	5	18625	25	#0	QAM16	1850.00	-30.94	-13	PASS
Band2	5	19175	1	#0	QPSK	1914.00	-34.41	-13	PASS
Band2	5	19175	1	#Max	QPSK	1910.00	-19.31	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.03	-33.03	-13	PASS
Band2	5	19175	1	#0	QAM16	1914.01	-36.05	-13	PASS
Band2	5	19175	1	#Max	QAM16	1910.00	-20.89	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.00	-33.69	-13	PASS
Band2	10	18650	1	#0	QPSK	1850.00	-22.16	-13	PASS
Band2	10	18650	1	#Max	QPSK	1841.80	-36.38	-13	PASS
Band2	10	18650	50	#0	QPSK	1849.82	-31.17	-13	PASS
Band2	10	18650	1	#0	QAM16	1850.00	-20.83	-13	PASS
Band2	10	18650	1	#Max	QAM16	1841.78	-38.13	-13	PASS
Band2	10	18650	50	#0	QAM16	1849.96	-32.45	-13	PASS
Band2	10	19150	1	#0	QPSK	1918.20	-32.31	-13	PASS
Band2	10	19150	1	#Max	QPSK	1910.06	-22.97	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.08	-36.53	-13	PASS
Band2	10	19150	1	#0	QAM16	1918.30	-34.77	-13	PASS
Band2	10	19150	1	#Max	QAM16	1910.00	-21.26	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.00	-35.37	-13	PASS
Band2	15	18675	1	#0	QPSK	1849.94	-23.36	-13	PASS
Band2	15	18675	1	#Max	QPSK	1837.55	-38.11	-13	PASS
Band2	15	18675	75	#0	QPSK	1849.40	-32.03	-13	PASS
Band2	15	18675	1	#0	QAM16	1849.97	-22.75	-13	PASS
Band2	15	18675	1	#Max	QAM16	1837.52	-39.71	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.79	-34.05	-13	PASS
Band2	15	19125	1	#0	QPSK	1918.88	-43.27	-13	PASS
Band2	15	19125	1	#Max	QPSK	1910.00	-26.35	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.00	-35.37	-13	PASS
Band2	15	19125	1	#0	QAM16	1918.85	-43.43	-13	PASS
Band2	15	19125	1	#Max	QAM16	1910.00	-27.73	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.06	-35.94	-13	PASS
Band2	20	18700	1	#0	QPSK	1849.96	-24.94	-13	PASS
Band2	20	18700	1	#Max	QPSK	1838.24	-46.34	-13	PASS

Band2	20	18700	100	#0	QPSK	1849.92	-35.51	-13	PASS
Band2	20	18700	1	#0	QAM16	1849.96	-26.58	-13	PASS
Band2	20	18700	1	#Max	QAM16	1838.24	-46.62	-13	PASS
Band2	20	18700	100	#0	QAM16	1850.00	-35.42	-13	PASS
Band2	20	19100	1	#0	QPSK	1910.12	-47.07	-13	PASS
Band2	20	19100	1	#Max	QPSK	1910.08	-27.50	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.08	-34.62	-13	PASS
Band2	20	19100	1	#0	QAM16	1910.36	-47.46	-13	PASS
Band2	20	19100	1	#Max	QAM16	1910.00	-26.51	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.12	-34.65	-13	PASS
Band25	1.4	26047	1	#0	QPSK	1850.00	-22.02	-13	PASS
Band25	1.4	26047	1	#Max	QPSK	1849.37	-37.18	-13	PASS
Band25	1.4	26047	6	#0	QPSK	1850.00	-28.54	-13	PASS
Band25	1.4	26047	1	#0	QAM16	1850.00	-24.14	-13	PASS
Band25	1.4	26047	1	#Max	QAM16	1849.32	-39.73	-13	PASS
Band25	1.4	26047	6	#0	QAM16	1849.98	-30.42	-13	PASS
Band25	1.4	26683	1	#0	QPSK	1915.69	-38.01	-13	PASS
Band25	1.4	26683	1	#Max	QPSK	1915.01	-23.76	-13	PASS
Band25	1.4	26683	6	#0	QPSK	1915.00	-33.24	-13	PASS
Band25	1.4	26683	1	#0	QAM16	1915.59	-39.13	-13	PASS
Band25	1.4	26683	1	#Max	QAM16	1915.00	-26.23	-13	PASS
Band25	1.4	26683	6	#0	QAM16	1915.01	-34.56	-13	PASS
Band25	3	26055	1	#0	QPSK	1850.00	-20.25	-13	PASS
Band25	3	26055	1	#Max	QPSK	1847.72	-36.37	-13	PASS
Band25	3	26055	15	#0	QPSK	1850.00	-27.45	-13	PASS
Band25	3	26055	1	#0	QAM16	1850.00	-20.48	-13	PASS
Band25	3	26055	1	#Max	QAM16	1847.70	-37.59	-13	PASS
Band25	3	26055	15	#0	QAM16	1849.99	-31.29	-13	PASS
Band25	3	26675	1	#0	QPSK	1917.30	-35.65	-13	PASS
Band25	3	26675	1	#Max	QPSK	1915.00	-19.14	-13	PASS
Band25	3	26675	15	#0	QPSK	1915.00	-35.63	-13	PASS
Band25	3	26675	1	#0	QAM16	1917.32	-36.84	-13	PASS
Band25	3	26675	1	#Max	QAM16	1915.00	-22.98	-13	PASS
Band25	3	26675	15	#0	QAM16	1915.00	-35.99	-13	PASS
Band25	5	26065	1	#0	QPSK	1850.00	-14.08	-13	PASS
Band25	5	26065	1	#Max	QPSK	1846.04	-35.55	-13	PASS
Band25	5	26065	25	#0	QPSK	1850.00	-24.97	-13	PASS
Band25	5	26065	1	#0	QAM16	1849.99	-13.07	-13	PASS
Band25	5	26065	1	#Max	QAM16	1846.03	-36.97	-13	PASS
Band25	5	26065	25	#0	QAM16	1849.98	-26.67	-13	PASS
Band25	5	26665	1	#0	QPSK	1918.95	-36.58	-13	PASS
Band25	5	26665	1	#Max	QPSK	1915.00	-14.60	-13	PASS
Band25	5	26665	25	#0	QPSK	1915.01	-25.51	-13	PASS
Band25	5	26665	1	#0	QAM16	1918.94	-36.86	-13	PASS

Band25	5	26665	1	#Max	QAM16	1915.01	-14.12	-13	PASS
Band25	5	26665	25	#0	QAM16	1915.00	-27.59	-13	PASS
Band25	10	26090	1	#0	QPSK	1849.94	-16.61	-13	PASS
Band25	10	26090	1	#Max	QPSK	1841.74	-34.89	-13	PASS
Band25	10	26090	50	#0	QPSK	1850.00	-29.69	-13	PASS
Band25	10	26090	1	#0	QAM16	1849.98	-16.74	-13	PASS
Band25	10	26090	1	#Max	QAM16	1841.72	-35.67	-13	PASS
Band25	10	26090	50	#0	QAM16	1850.00	-28.89	-13	PASS
Band25	10	26640	1	#0	QPSK	1918.84	-49.09	-13	PASS
Band25	10	26640	1	#Max	QPSK	1915.04	-14.93	-13	PASS
Band25	10	26640	50	#0	QPSK	1915.00	-33.86	-13	PASS
Band25	10	26640	1	#0	QAM16	1918.84	-49.19	-13	PASS
Band25	10	26640	1	#Max	QAM16	1915.02	-14.10	-13	PASS
Band25	10	26640	50	#0	QAM16	1915.02	-32.12	-13	PASS
Band25	15	26115	1	#0	QPSK	1850.00	-16.57	-13	PASS
Band25	15	26115	1	#Max	QPSK	1837.55	-36.96	-13	PASS
Band25	15	26115	75	#0	QPSK	1849.94	-31.25	-13	PASS
Band25	15	26115	1	#0	QAM16	1849.97	-17.33	-13	PASS
Band25	15	26115	1	#Max	QAM16	1837.58	-37.75	-13	PASS
Band25	15	26115	75	#0	QAM16	1849.97	-32.23	-13	PASS
Band25	15	26615	1	#0	QPSK	1915.21	-47.71	-13	PASS
Band25	15	26615	1	#Max	QPSK	1915.12	-19.25	-13	PASS
Band25	15	26615	75	#0	QPSK	1915.24	-34.50	-13	PASS
Band25	15	26615	1	#0	QAM16	1915.15	-48.11	-13	PASS
Band25	15	26615	1	#Max	QAM16	1915.18	-20.78	-13	PASS
Band25	15	26615	75	#0	QAM16	1915.00	-32.78	-13	PASS
Band25	20	26140	1	#0	QPSK	1849.92	-20.89	-13	PASS
Band25	20	26140	1	#Max	QPSK	1833.32	-46.93	-13	PASS
Band25	20	26140	100	#0	QPSK	1850.00	-34.67	-13	PASS
Band25	20	26140	1	#0	QAM16	1849.84	-21.20	-13	PASS
Band25	20	26140	1	#Max	QAM16	1850.00	-46.34	-13	PASS
Band25	20	26140	100	#0	QAM16	1850.00	-33.01	-13	PASS
Band25	20	26590	1	#0	QPSK	1915.00	-47.34	-13	PASS
Band25	20	26590	1	#Max	QPSK	1915.04	-23.10	-13	PASS
Band25	20	26590	100	#0	QPSK	1915.00	-36.72	-13	PASS
Band25	20	26590	1	#0	QAM16	1915.08	-47.39	-13	PASS
Band25	20	26590	1	#Max	QAM16	1915.00	-21.37	-13	PASS
Band25	20	26590	100	#0	QAM16	1915.04	-34.70	-13	PASS
Band26a	1.4	26697	1	#0	QPSK	813.95	-17.64	-13	PASS
Band26a	1.4	26697	1	#Max	QPSK	815.44	-17.10	-13	PASS
Band26a	1.4	26697	6	#0	QPSK	813.95	-22.63	-13	PASS
Band26a	1.4	26697	1	#0	QAM16	813.96	-15.75	-13	PASS
Band26a	1.4	26697	1	#Max	QAM16	815.44	-18.83	-13	PASS
Band26a	1.4	26697	6	#0	QAM16	813.96	-22.08	-13	PASS

Band26a	1.4	26783	1	#0	QPSK	822.56	-16.53	-13	PASS
Band26a	1.4	26783	1	#Max	QPSK	824.04	-15.75	-13	PASS
Band26a	1.4	26783	6	#0	QPSK	822.56	-18.13	-13	PASS
Band26a	1.4	26783	1	#0	QAM16	822.56	-18.31	-13	PASS
Band26a	1.4	26783	1	#Max	QAM16	824.04	-16.00	-13	PASS
Band26a	1.4	26783	6	#0	QAM16	822.56	-20.35	-13	PASS
Band26a	3	26705	1	#0	QPSK	813.96	-17.74	-13	PASS
Band26a	3	26705	1	#Max	QPSK	817.05	-18.41	-13	PASS
Band26a	3	26705	15	#0	QPSK	813.96	-28.16	-13	PASS
Band26a	3	26705	1	#0	QAM16	813.96	-18.55	-13	PASS
Band26a	3	26705	1	#Max	QAM16	817.04	-18.51	-13	PASS
Band26a	3	26705	15	#0	QAM16	817.04	-29.22	-13	PASS
Band26a	3	26775	1	#0	QPSK	820.95	-17.15	-13	PASS
Band26a	3	26775	1	#Max	QPSK	824.04	-13.36	-13	PASS
Band26a	3	26775	15	#0	QPSK	820.96	-23.57	-13	PASS
Band26a	3	26775	1	#0	QAM16	820.96	-18.47	-13	PASS
Band26a	3	26775	1	#Max	QAM16	824.04	-18.43	-13	PASS
Band26a	3	26775	15	#0	QAM16	820.96	-25.88	-13	PASS
Band26a	5	26715	1	#0	QPSK	813.95	-18.04	-13	PASS
Band26a	5	26715	1	#Max	QPSK	819.04	-19.80	-13	PASS
Band26a	5	26715	25	#0	QPSK	819.04	-29.28	-13	PASS
Band26a	5	26715	1	#0	QAM16	813.96	-17.81	-13	PASS
Band26a	5	26715	1	#Max	QAM16	819.04	-18.16	-13	PASS
Band26a	5	26715	25	#0	QAM16	813.94	-31.19	-13	PASS
Band26a	5	26765	1	#0	QPSK	818.96	-17.48	-13	PASS
Band26a	5	26765	1	#Max	QPSK	824.07	-19.03	-13	PASS
Band26a	5	26765	25	#0	QPSK	818.96	-26.47	-13	PASS
Band26a	5	26765	1	#0	QAM16	818.94	-20.75	-13	PASS
Band26a	5	26765	1	#Max	QAM16	824.05	-21.05	-13	PASS
Band26a	5	26765	25	#0	QAM16	824.09	-29.29	-13	PASS
Band26a	10	26740	1	#0	QPSK	813.95	-21.69	-13	PASS
Band26a	10	26740	1	#Max	QPSK	824.09	-23.41	-13	PASS
Band26a	10	26740	50	#0	QPSK	824.16	-32.46	-13	PASS
Band26a	10	26740	1	#0	QAM16	813.94	-25.48	-13	PASS
Band26a	10	26740	1	#Max	QAM16	824.10	-25.85	-13	PASS
Band26a	10	26740	50	#0	QAM16	813.96	-34.73	-13	PASS
Band26b	1.4	26797	1	#0	QPSK	824.00	-22.80	-13	PASS
Band26b	1.4	26797	1	#Max	QPSK	823.79	-48.91	-13	PASS
Band26b	1.4	26797	6	#0	QPSK	823.98	-25.87	-13	PASS
Band26b	1.4	26797	1	#0	QAM16	824.00	-24.66	-13	PASS
Band26b	1.4	26797	1	#Max	QAM16	823.83	-49.47	-13	PASS
Band26b	1.4	26797	6	#0	QAM16	824.00	-29.07	-13	PASS
Band26b	1.4	27033	1	#0	QPSK	849.03	-50.89	-13	PASS
Band26b	1.4	27033	1	#Max	QPSK	849.00	-22.20	-13	PASS

Band26b	1.4	27033	6	#0	QPSK	849.01	-29.74	-13	PASS
Band26b	1.4	27033	1	#0	QAM16	849.00	-50.90	-13	PASS
Band26b	1.4	27033	1	#Max	QAM16	849.00	-25.13	-13	PASS
Band26b	1.4	27033	6	#0	QAM16	849.00	-31.95	-13	PASS
Band26b	3	26805	1	#0	QPSK	824.00	-20.05	-13	PASS
Band26b	3	26805	1	#Max	QPSK	824.00	-49.49	-13	PASS
Band26b	3	26805	15	#0	QPSK	823.97	-26.54	-13	PASS
Band26b	3	26805	1	#0	QAM16	824.00	-21.21	-13	PASS
Band26b	3	26805	1	#Max	QAM16	823.98	-50.33	-13	PASS
Band26b	3	26805	15	#0	QAM16	824.00	-29.62	-13	PASS
Band26b	3	27025	1	#0	QPSK	849.04	-51.49	-13	PASS
Band26b	3	27025	1	#Max	QPSK	849.00	-17.78	-13	PASS
Band26b	3	27025	15	#0	QPSK	849.01	-32.98	-13	PASS
Band26b	3	27025	1	#0	QAM16	849.03	-51.34	-13	PASS
Band26b	3	27025	1	#Max	QAM16	849.00	-20.70	-13	PASS
Band26b	3	27025	15	#0	QAM16	849.00	-33.94	-13	PASS
Band26b	5	26815	1	#0	QPSK	824.00	-20.18	-13	PASS
Band26b	5	26815	1	#Max	QPSK	821.05	-46.67	-13	PASS
Band26b	5	26815	25	#0	QPSK	824.00	-27.14	-13	PASS
Band26b	5	26815	1	#0	QAM16	824.00	-20.39	-13	PASS
Band26b	5	26815	1	#Max	QAM16	821.07	-47.74	-13	PASS
Band26b	5	26815	25	#0	QAM16	824.00	-29.75	-13	PASS
Band26b	5	27015	1	#0	QPSK	849.00	-49.94	-13	PASS
Band26b	5	27015	1	#Max	QPSK	849.02	-21.02	-13	PASS
Band26b	5	27015	25	#0	QPSK	849.02	-32.71	-13	PASS
Band26b	5	27015	1	#0	QAM16	849.00	-50.11	-13	PASS
Band26b	5	27015	1	#Max	QAM16	849.01	-20.42	-13	PASS
Band26b	5	27015	25	#0	QAM16	849.00	-33.89	-13	PASS
Band26b	10	26840	1	#0	QPSK	824.00	-22.73	-13	PASS
Band26b	10	26840	1	#Max	QPSK	818.10	-44.47	-13	PASS
Band26b	10	26840	50	#0	QPSK	823.92	-28.37	-13	PASS
Band26b	10	26840	1	#0	QAM16	824.00	-22.30	-13	PASS
Band26b	10	26840	1	#Max	QAM16	818.10	-45.13	-13	PASS
Band26b	10	26840	50	#0	QAM16	823.58	-31.68	-13	PASS
Band26b	10	26990	1	#0	QPSK	849.10	-50.50	-13	PASS
Band26b	10	26990	1	#Max	QPSK	849.00	-22.58	-13	PASS
Band26b	10	26990	50	#0	QPSK	849.10	-32.08	-13	PASS
Band26b	10	26990	1	#0	QAM16	849.00	-50.66	-13	PASS
Band26b	10	26990	1	#Max	QAM16	849.02	-21.37	-13	PASS
Band26b	10	26990	50	#0	QAM16	849.04	-34.10	-13	PASS
Band26b	15	26865	1	#0	QPSK	824.00	-19.90	-13	PASS
Band26b	15	26865	1	#Max	QPSK	815.15	-38.65	-13	PASS
Band26b	15	26865	75	#0	QPSK	823.28	-28.17	-13	PASS
Band26b	15	26865	1	#0	QAM16	824.00	-22.91	-13	PASS

Band26b	15	26865	1	#Max	QAM16	815.18	-39.30	-13	PASS
Band26b	15	26865	75	#0	QAM16	823.43	-31.98	-13	PASS
Band26b	15	26965	1	#0	QPSK	849.03	-49.78	-13	PASS
Band26b	15	26965	1	#Max	QPSK	849.00	-23.14	-13	PASS
Band26b	15	26965	75	#0	QPSK	849.00	-33.37	-13	PASS
Band26b	15	26965	1	#0	QAM16	849.12	-49.76	-13	PASS
Band26b	15	26965	1	#Max	QAM16	849.03	-23.45	-13	PASS
Band26b	15	26965	75	#0	QAM16	849.00	-34.98	-13	PASS
Band4	1.4	19957	1	#0	QPSK	1710.00	-20.91	-13	PASS
Band4	1.4	19957	1	#Max	QPSK	1709.39	-37.00	-13	PASS
Band4	1.4	19957	6	#0	QPSK	1710.00	-28.36	-13	PASS
Band4	1.4	19957	1	#0	QAM16	1710.00	-22.36	-13	PASS
Band4	1.4	19957	1	#Max	QAM16	1709.38	-38.44	-13	PASS
Band4	1.4	19957	6	#0	QAM16	1710.00	-29.60	-13	PASS
Band4	1.4	20393	1	#0	QPSK	1755.63	-37.00	-13	PASS
Band4	1.4	20393	1	#Max	QPSK	1755.00	-23.59	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1755.01	-28.56	-13	PASS
Band4	1.4	20393	1	#0	QAM16	1755.60	-38.16	-13	PASS
Band4	1.4	20393	1	#Max	QAM16	1755.01	-25.52	-13	PASS
Band4	1.4	20393	6	#0	QAM16	1755.00	-30.36	-13	PASS
Band4	3	19965	1	#0	QPSK	1710.00	-16.18	-13	PASS
Band4	3	19965	1	#Max	QPSK	1707.67	-34.71	-13	PASS
Band4	3	19965	15	#0	QPSK	1710.00	-28.90	-13	PASS
Band4	3	19965	1	#0	QAM16	1710.00	-18.51	-13	PASS
Band4	3	19965	1	#Max	QAM16	1707.70	-35.61	-13	PASS
Band4	3	19965	15	#0	QAM16	1710.00	-31.66	-13	PASS
Band4	3	20385	1	#0	QPSK	1757.27	-33.09	-13	PASS
Band4	3	20385	1	#Max	QPSK	1755.00	-20.44	-13	PASS
Band4	3	20385	15	#0	QPSK	1755.00	-29.24	-13	PASS
Band4	3	20385	1	#0	QAM16	1757.27	-34.93	-13	PASS
Band4	3	20385	1	#Max	QAM16	1755.00	-22.30	-13	PASS
Band4	3	20385	15	#0	QAM16	1755.02	-30.82	-13	PASS
Band4	5	19975	1	#0	QPSK	1710.00	-19.17	-13	PASS
Band4	5	19975	1	#Max	QPSK	1706.04	-32.39	-13	PASS
Band4	5	19975	25	#0	QPSK	1709.77	-29.45	-13	PASS
Band4	5	19975	1	#0	QAM16	1710.00	-19.78	-13	PASS
Band4	5	19975	1	#Max	QAM16	1706.04	-33.25	-13	PASS
Band4	5	19975	25	#0	QAM16	1710.00	-30.27	-13	PASS
Band4	5	20375	1	#0	QPSK	1759.02	-32.25	-13	PASS
Band4	5	20375	1	#Max	QPSK	1755.02	-21.12	-13	PASS
Band4	5	20375	25	#0	QPSK	1755.00	-27.27	-13	PASS
Band4	5	20375	1	#0	QAM16	1758.94	-33.77	-13	PASS
Band4	5	20375	1	#Max	QAM16	1755.00	-19.08	-13	PASS
Band4	5	20375	25	#0	QAM16	1755.01	-29.78	-13	PASS

Band4	10	20000	1	#0	QPSK	1709.98	-25.50	-13	PASS
Band4	10	20000	1	#Max	QPSK	1701.74	-31.19	-13	PASS
Band4	10	20000	50	#0	QPSK	1709.96	-30.29	-13	PASS
Band4	10	20000	1	#0	QAM16	1709.96	-28.12	-13	PASS
Band4	10	20000	1	#Max	QAM16	1701.80	-33.02	-13	PASS
Band4	10	20000	50	#0	QAM16	1709.92	-32.48	-13	PASS
Band4	10	20350	1	#0	QPSK	1763.18	-29.70	-13	PASS
Band4	10	20350	1	#Max	QPSK	1755.00	-21.62	-13	PASS
Band4	10	20350	50	#0	QPSK	1755.06	-30.63	-13	PASS
Band4	10	20350	1	#0	QAM16	1763.22	-31.51	-13	PASS
Band4	10	20350	1	#Max	QAM16	1755.00	-21.43	-13	PASS
Band4	10	20350	50	#0	QAM16	1755.10	-31.92	-13	PASS
Band4	15	20025	1	#0	QPSK	1709.94	-23.27	-13	PASS
Band4	15	20025	1	#Max	QPSK	1697.55	-29.28	-13	PASS
Band4	15	20025	75	#0	QPSK	1709.61	-29.08	-13	PASS
Band4	15	20025	1	#0	QAM16	1710.00	-23.46	-13	PASS
Band4	15	20025	1	#Max	QAM16	1697.55	-30.72	-13	PASS
Band4	15	20025	75	#0	QAM16	1709.52	-32.34	-13	PASS
Band4	15	20325	1	#0	QPSK	1767.48	-27.72	-13	PASS
Band4	15	20325	1	#Max	QPSK	1755.00	-26.39	-13	PASS
Band4	15	20325	75	#0	QPSK	1755.54	-29.63	-13	PASS
Band4	15	20325	1	#0	QAM16	1767.54	-29.49	-13	PASS
Band4	15	20325	1	#Max	QAM16	1755.00	-20.57	-13	PASS
Band4	15	20325	75	#0	QAM16	1755.18	-32.37	-13	PASS
Band4	20	20050	1	#0	QPSK	1710.00	-21.83	-13	PASS
Band4	20	20050	1	#Max	QPSK	1693.24	-33.39	-13	PASS
Band4	20	20050	100	#0	QPSK	1709.84	-31.56	-13	PASS
Band4	20	20050	1	#0	QAM16	1710.00	-25.85	-13	PASS
Band4	20	20050	1	#Max	QAM16	1693.36	-36.50	-13	PASS
Band4	20	20050	100	#0	QAM16	1709.72	-33.62	-13	PASS
Band4	20	20300	1	#0	QPSK	1771.80	-27.55	-13	PASS
Band4	20	20300	1	#Max	QPSK	1755.00	-26.87	-13	PASS
Band4	20	20300	100	#0	QPSK	1755.04	-30.97	-13	PASS
Band4	20	20300	1	#0	QAM16	1771.80	-28.31	-13	PASS
Band4	20	20300	1	#Max	QAM16	1755.16	-28.59	-13	PASS
Band4	20	20300	100	#0	QAM16	1755.12	-33.76	-13	PASS
Band41	5	40065	1	#0	QPSK	2533.99	-11.18	-10	PASS
Band41	5	40065	1	#Max	QPSK	2528.28	-40.17	-25	PASS
Band41	5	40065	25	#0	QPSK	2533.99	-22.75	-10	PASS
Band41	5	40065	1	#0	QAM16	2534.00	-11.18	-10	PASS
Band41	5	40065	1	#Max	QAM16	2526.18	-40.27	-25	PASS
Band41	5	40065	25	#0	QAM16	2534.00	-24.07	-10	PASS
Band41	5	41215	1	#0	QPSK	2662.19	-39.68	-25	PASS
Band41	5	41215	1	#Max	QPSK	2656.01	-11.41	-10	PASS

Band41	5	41215	25	#0	QPSK	2656.10	-21.65	-10	PASS
Band41	5	41215	1	#0	QAM16	2661.35	-39.56	-25	PASS
Band41	5	41215	1	#Max	QAM16	2656.02	-11.58	-10	PASS
Band41	5	41215	25	#0	QAM16	2661.12	-38.39	-25	PASS
Band41	10	40090	1	#0	QPSK	2534.00	-22.00	-10	PASS
Band41	10	40090	1	#Max	QPSK	2524.05	-40.29	-25	PASS
Band41	10	40090	50	#0	QPSK	2524.73	-40.03	-25	PASS
Band41	10	40090	1	#0	QAM16	2533.99	-20.54	-10	PASS
Band41	10	40090	1	#Max	QAM16	2523.70	-40.45	-25	PASS
Band41	10	40090	50	#0	QAM16	2524.86	-39.66	-25	PASS
Band41	10	41190	1	#0	QPSK	2665.81	-39.58	-25	PASS
Band41	10	41190	1	#Max	QPSK	2656.00	-20.66	-10	PASS
Band41	10	41190	50	#0	QPSK	2665.44	-39.16	-25	PASS
Band41	10	41190	1	#0	QAM16	2665.16	-39.67	-25	PASS
Band41	10	41190	1	#Max	QAM16	2656.01	-22.19	-10	PASS
Band41	10	41190	50	#0	QAM16	2667.19	-39.16	-25	PASS
Band41	15	40115	1	#0	QPSK	2533.35	-25.29	-10	PASS
Band41	15	40115	1	#Max	QPSK	2517.83	-40.26	-25	PASS
Band41	15	40115	75	#0	QPSK	2519.74	-40.12	-25	PASS
Band41	15	40115	1	#0	QAM16	2516.79	-40.42	-25	PASS
Band41	15	40115	1	#Max	QAM16	2519.90	-40.47	-25	PASS
Band41	15	40115	75	#0	QAM16	2519.94	-40.04	-25	PASS
Band41	15	41165	1	#0	QPSK	2671.70	-39.72	-25	PASS
Band41	15	41165	1	#Max	QPSK	2655.03	-23.42	-10	PASS
Band41	15	41165	75	#0	QPSK	2670.52	-39.22	-25	PASS
Band41	15	41165	1	#0	QAM16	2671.24	-39.56	-25	PASS
Band41	15	41165	1	#Max	QAM16	2672.84	-39.52	-25	PASS
Band41	15	41165	75	#0	QAM16	2671.43	-39.41	-25	PASS
Band41	20	40140	1	#0	QPSK	2534.93	-22.95	-10	PASS
Band41	20	40140	1	#Max	QPSK	2512.51	-40.39	-25	PASS
Band41	20	40140	100	#0	QPSK	2511.94	-40.29	-25	PASS
Band41	20	40140	1	#0	QAM16	2534.68	-23.37	-10	PASS
Band41	20	40140	1	#Max	QAM16	2513.81	-40.32	-25	PASS
Band41	20	40140	100	#0	QAM16	2513.93	-40.35	-25	PASS
Band41	20	41140	1	#0	QPSK	2678.63	-39.70	-25	PASS
Band41	20	41140	1	#Max	QPSK	2655.08	-24.43	-10	PASS
Band41	20	41140	100	#0	QPSK	2676.81	-39.73	-25	PASS
Band41	20	41140	1	#0	QAM16	2675.61	-39.55	-25	PASS
Band41	20	41140	1	#Max	QAM16	2677.12	-39.68	-25	PASS
Band41	20	41140	100	#0	QAM16	2679.58	-39.39	-25	PASS
Band5	1.4	20407	1	#0	QPSK	824.00	-23.10	-13	PASS
Band5	1.4	20407	1	#Max	QPSK	823.31	-38.72	-13	PASS
Band5	1.4	20407	6	#0	QPSK	823.97	-25.67	-13	PASS
Band5	1.4	20407	1	#0	QAM16	824.00	-24.07	-13	PASS


Band5	1.4	20407	1	#Max	QAM16	823.33	-41.04	-13	PASS
Band5	1.4	20407	6	#0	QAM16	823.99	-28.89	-13	PASS
Band5	1.4	20643	1	#0	QPSK	849.64	-39.01	-13	PASS
Band5	1.4	20643	1	#Max	QPSK	849.00	-23.24	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.01	-28.86	-13	PASS
Band5	1.4	20643	1	#0	QAM16	849.65	-40.49	-13	PASS
Band5	1.4	20643	1	#Max	QAM16	849.00	-25.53	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.00	-30.96	-13	PASS
Band5	3	20415	1	#0	QPSK	824.00	-20.38	-13	PASS
Band5	3	20415	1	#Max	QPSK	821.71	-37.08	-13	PASS
Band5	3	20415	15	#0	QPSK	823.99	-26.06	-13	PASS
Band5	3	20415	1	#0	QAM16	824.00	-22.42	-13	PASS
Band5	3	20415	1	#Max	QAM16	821.74	-37.59	-13	PASS
Band5	3	20415	15	#0	QAM16	823.99	-29.43	-13	PASS
Band5	3	20635	1	#0	QPSK	851.23	-38.54	-13	PASS
Band5	3	20635	1	#Max	QPSK	849.00	-18.41	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-33.05	-13	PASS
Band5	3	20635	1	#0	QAM16	851.29	-39.47	-13	PASS
Band5	3	20635	1	#Max	QAM16	849.00	-21.39	-13	PASS
Band5	3	20635	15	#0	QAM16	849.01	-34.18	-13	PASS
Band5	5	20425	1	#0	QPSK	823.95	-21.52	-13	PASS
Band5	5	20425	1	#Max	QPSK	820.01	-34.49	-13	PASS
Band5	5	20425	25	#0	QPSK	823.96	-26.55	-13	PASS
Band5	5	20425	1	#0	QAM16	824.00	-20.72	-13	PASS
Band5	5	20425	1	#Max	QAM16	820.00	-36.02	-13	PASS
Band5	5	20425	25	#0	QAM16	823.95	-29.01	-13	PASS
Band5	5	20625	1	#0	QPSK	852.92	-40.42	-13	PASS
Band5	5	20625	1	#Max	QPSK	849.00	-18.80	-13	PASS
Band5	5	20625	25	#0	QPSK	849.02	-32.62	-13	PASS
Band5	5	20625	1	#0	QAM16	853.01	-41.62	-13	PASS
Band5	5	20625	1	#Max	QAM16	849.00	-21.86	-13	PASS
Band5	5	20625	25	#0	QAM16	849.00	-31.75	-13	PASS
Band5	10	20450	1	#0	QPSK	824.00	-20.45	-13	PASS
Band5	10	20450	1	#Max	QPSK	815.80	-34.17	-13	PASS
Band5	10	20450	50	#0	QPSK	824.00	-27.59	-13	PASS
Band5	10	20450	1	#0	QAM16	823.92	-25.63	-13	PASS
Band5	10	20450	1	#Max	QAM16	815.76	-35.14	-13	PASS
Band5	10	20450	50	#0	QAM16	823.54	-30.91	-13	PASS
Band5	10	20600	1	#0	QPSK	849.06	-49.96	-13	PASS
Band5	10	20600	1	#Max	QPSK	849.00	-22.93	-13	PASS
Band5	10	20600	50	#0	QPSK	849.14	-31.80	-13	PASS
Band5	10	20600	1	#0	QAM16	849.06	-50.19	-13	PASS
Band5	10	20600	1	#Max	QAM16	849.00	-21.20	-13	PASS
Band5	10	20600	50	#0	QAM16	849.02	-34.39	-13	PASS

Band66	1.4	131979	1	#0	QPSK	1710.00	-21.18	-13	PASS
Band66	1.4	131979	1	#Max	QPSK	1709.38	-37.21	-13	PASS
Band66	1.4	131979	6	#0	QPSK	1709.99	-27.61	-13	PASS
Band66	1.4	131979	1	#0	QAM16	1710.00	-23.97	-13	PASS
Band66	1.4	131979	1	#Max	QAM16	1709.39	-38.02	-13	PASS
Band66	1.4	131979	6	#0	QAM16	1709.95	-29.06	-13	PASS
Band66	1.4	132665	1	#0	QPSK	1780.63	-37.86	-13	PASS
Band66	1.4	132665	1	#Max	QPSK	1780.00	-22.78	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.02	-29.03	-13	PASS
Band66	1.4	132665	1	#0	QAM16	1780.66	-40.22	-13	PASS
Band66	1.4	132665	1	#Max	QAM16	1780.00	-25.91	-13	PASS
Band66	1.4	132665	6	#0	QAM16	1780.01	-30.87	-13	PASS
Band66	3	131987	1	#0	QPSK	1710.00	-17.94	-13	PASS
Band66	3	131987	1	#Max	QPSK	1707.70	-34.32	-13	PASS
Band66	3	131987	15	#0	QPSK	1709.98	-29.28	-13	PASS
Band66	3	131987	1	#0	QAM16	1710.00	-18.42	-13	PASS
Band66	3	131987	1	#Max	QAM16	1707.72	-34.75	-13	PASS
Band66	3	131987	15	#0	QAM16	1709.94	-31.40	-13	PASS
Band66	3	132657	1	#0	QPSK	1782.30	-35.65	-13	PASS
Band66	3	132657	1	#Max	QPSK	1780.00	-18.01	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-31.38	-13	PASS
Band66	3	132657	1	#0	QAM16	1782.24	-36.22	-13	PASS
Band66	3	132657	1	#Max	QAM16	1780.00	-22.79	-13	PASS
Band66	3	132657	15	#0	QAM16	1780.00	-32.94	-13	PASS
Band66	5	131997	1	#0	QPSK	1709.99	-13.55	-13	PASS
Band66	5	131997	1	#Max	QPSK	1706.02	-33.19	-13	PASS
Band66	5	131997	25	#0	QPSK	1710.00	-26.05	-13	PASS
Band66	5	131997	1	#0	QAM16	1710.00	-13.02	-13	PASS
Band66	5	131997	1	#Max	QAM16	1706.04	-34.70	-13	PASS
Band66	5	131997	25	#0	QAM16	1709.99	-24.80	-13	PASS
Band66	5	132647	1	#0	QPSK	1783.95	-34.44	-13	PASS
Band66	5	132647	1	#Max	QPSK	1780.01	-13.34	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.01	-25.53	-13	PASS
Band66	5	132647	1	#0	QAM16	1784.02	-35.37	-13	PASS
Band66	5	132647	1	#Max	QAM16	1780.03	-14.86	-13	PASS
Band66	5	132647	25	#0	QAM16	1780.01	-26.58	-13	PASS
Band66	10	132022	1	#0	QPSK	1710.00	-13.84	-13	PASS
Band66	10	132022	1	#Max	QPSK	1701.74	-31.47	-13	PASS
Band66	10	132022	50	#0	QPSK	1710.00	-28.52	-13	PASS
Band66	10	132022	1	#0	QAM16	1710.00	-17.24	-13	PASS
Band66	10	132022	1	#Max	QAM16	1701.76	-32.08	-13	PASS
Band66	10	132022	50	#0	QAM16	1709.94	-30.66	-13	PASS
Band66	10	132622	1	#0	QPSK	1788.24	-32.35	-13	PASS
Band66	10	132622	1	#Max	QPSK	1780.00	-17.44	-13	PASS


Band66	10	132622	50	#0	QPSK	1780.02	-28.74	-13	PASS
Band66	10	132622	1	#0	QAM16	1788.18	-33.61	-13	PASS
Band66	10	132622	1	#Max	QAM16	1780.02	-17.27	-13	PASS
Band66	10	132622	50	#0	QAM16	1780.12	-30.33	-13	PASS
Band66	15	132047	1	#0	QPSK	1710.00	-16.03	-13	PASS
Band66	15	132047	1	#Max	QPSK	1697.58	-31.03	-13	PASS
Band66	15	132047	75	#0	QPSK	1709.43	-29.36	-13	PASS
Band66	15	132047	1	#0	QAM16	1709.88	-18.75	-13	PASS
Band66	15	132047	1	#Max	QAM16	1697.58	-31.38	-13	PASS
Band66	15	132047	75	#0	QAM16	1710.00	-31.90	-13	PASS
Band66	15	132597	1	#0	QPSK	1792.48	-30.41	-13	PASS
Band66	15	132597	1	#Max	QPSK	1780.06	-18.47	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.06	-27.25	-13	PASS
Band66	15	132597	1	#0	QAM16	1792.57	-31.60	-13	PASS
Band66	15	132597	1	#Max	QAM16	1780.00	-16.27	-13	PASS
Band66	15	132597	75	#0	QAM16	1780.00	-29.86	-13	PASS
Band66	20	132072	1	#0	QPSK	1709.96	-18.02	-13	PASS
Band66	20	132072	1	#Max	QPSK	1693.20	-35.23	-13	PASS
Band66	20	132072	100	#0	QPSK	1709.84	-31.60	-13	PASS
Band66	20	132072	1	#0	QAM16	1710.00	-20.55	-13	PASS
Band66	20	132072	1	#Max	QAM16	1693.32	-35.64	-13	PASS
Band66	20	132072	100	#0	QAM16	1709.92	-33.28	-13	PASS
Band66	20	132572	1	#0	QPSK	1796.80	-30.64	-13	PASS
Band66	20	132572	1	#Max	QPSK	1780.12	-19.34	-13	PASS
Band66	20	132572	100	#0	QPSK	1780.00	-29.37	-13	PASS
Band66	20	132572	1	#0	QAM16	1796.68	-31.61	-13	PASS
Band66	20	132572	1	#Max	QAM16	1780.04	-20.12	-13	PASS
Band66	20	132572	100	#0	QAM16	1780.00	-31.14	-13	PASS
Band7	5	20775	1	#0	QPSK	2499.00	-11.02	-10	PASS
Band7	5	20775	1	#Max	QPSK	2490.10	-39.64	-25	PASS
Band7	5	20775	25	#0	QPSK	2499.00	-24.09	-10	PASS
Band7	5	20775	1	#0	QAM16	2499.00	-11.92	-10	PASS
Band7	5	20775	1	#Max	QAM16	2490.42	-40.73	-25	PASS
Band7	5	20775	25	#0	QAM16	2490.37	-40.66	-25	PASS
Band7	5	21425	1	#0	QPSK	2576.05	-40.45	-25	PASS
Band7	5	21425	1	#Max	QPSK	2571.01	-11.27	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-24.36	-10	PASS
Band7	5	21425	1	#0	QAM16	2576.28	-40.26	-25	PASS
Band7	5	21425	1	#Max	QAM16	2571.02	-12.70	-10	PASS
Band7	5	21425	25	#0	QAM16	2576.36	-40.05	-25	PASS
Band7	10	20800	1	#0	QPSK	2499.00	-21.19	-10	PASS
Band7	10	20800	1	#Max	QPSK	2489.09	-40.70	-25	PASS
Band7	10	20800	50	#0	QPSK	2489.81	-40.11	-25	PASS
Band7	10	20800	1	#0	QAM16	2499.00	-22.61	-10	PASS

Band7	10	20800	1	#Max	QAM16	2488.14	-40.59	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.80	-40.17	-25	PASS
Band7	10	21400	1	#0	QPSK	2581.29	-40.30	-25	PASS
Band7	10	21400	1	#Max	QPSK	2571.00	-22.02	-10	PASS
Band7	10	21400	50	#0	QPSK	2582.38	-40.00	-25	PASS
Band7	10	21400	1	#0	QAM16	2581.11	-40.17	-25	PASS
Band7	10	21400	1	#Max	QAM16	2571.00	-22.30	-10	PASS
Band7	10	21400	50	#0	QAM16	2580.92	-40.08	-25	PASS
Band7	15	20825	1	#0	QPSK	2481.97	-40.71	-25	PASS
Band7	15	20825	1	#Max	QPSK	2482.43	-40.65	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.45	-40.32	-25	PASS
Band7	15	20825	1	#0	QAM16	2482.65	-40.82	-25	PASS
Band7	15	20825	1	#Max	QAM16	2481.92	-40.69	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.97	-40.20	-25	PASS
Band7	15	21375	1	#0	QPSK	2586.30	-40.44	-25	PASS
Band7	15	21375	1	#Max	QPSK	2588.02	-40.46	-25	PASS
Band7	15	21375	75	#0	QPSK	2586.60	-40.01	-25	PASS
Band7	15	21375	1	#0	QAM16	2587.94	-40.50	-25	PASS
Band7	15	21375	1	#Max	QAM16	2587.69	-40.29	-25	PASS
Band7	15	21375	75	#0	QAM16	2585.22	-40.06	-25	PASS
Band7	20	20850	1	#0	QPSK	2476.53	-40.63	-25	PASS
Band7	20	20850	1	#Max	QPSK	2476.07	-40.81	-25	PASS
Band7	20	20850	100	#0	QPSK	2475.84	-40.77	-25	PASS
Band7	20	20850	1	#0	QAM16	2477.09	-40.78	-25	PASS
Band7	20	20850	1	#Max	QAM16	2477.49	-40.53	-25	PASS
Band7	20	20850	100	#0	QAM16	2477.61	-40.77	-25	PASS
Band7	20	21350	1	#0	QPSK	2592.20	-40.17	-25	PASS
Band7	20	21350	1	#Max	QPSK	2591.12	-40.34	-25	PASS
Band7	20	21350	100	#0	QPSK	2593.58	-40.42	-25	PASS
Band7	20	21350	1	#0	QAM16	2593.60	-40.33	-25	PASS
Band7	20	21350	1	#Max	QAM16	2593.40	-40.23	-25	PASS
Band7	20	21350	100	#0	QAM16	2590.25	-40.26	-25	PASS


Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#Max




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#Max




Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0




Band12 QAM16 BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#Max




Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0



Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#0




Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	716	716.1	30	716.0071	-23.62	-13
3	716.1	726	100	716.1099	-28.9	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	698.8703	-15.9	-13
2	698.9	699	30	699	-15.7	-13

Band12 QAM16 BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	716	716.1	30	716.0024	-35.55	-13
3	716.1	726	100	716.1792	-33.92	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	689	698.9	100	695.0588	-35.74	-13
2	698.9	699	30	698.9882	-50.14	-13


Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#0




Band12 QAM16 BW=5MHz Channel=23035 RB Size=25 Position=#0



Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#Max




Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	716	716.1	30	716.0198	-50.64	-13
3	716.1	726	100	719.9907	-33.39	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	716	716.1	30	716.0192	-16.1	-13
3	716.1	726	100	716.1099	-17.47	-13


Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#Max




Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#0




Band12 QAM16 BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0



Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#Max




Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	686.5	698.9	100	698.8256	-32.51	-13
2	698.9	699	30	698.9742	-35.4	-13

Band12 QAM16 BW=10MHz Channel=23060 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	686.5	698.9	100	690.8152	-46.6	-13
2	698.9	699	30	698.967	-53.91	-13


Band12 QAM16 BW=10MHz Channel=23060 RB Size=1 Position=#0




Band12 QAM16 BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#0



Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#Max




Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	716	716.1	30	716.0269	-36.3	-13
3	716.1	728.5	100	716.1248	-32.47	-13

Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	716	716.1	30	716.0464	-54.72	-13
3	716.1	728.5	100	716.224	-50.18	-13


Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#Max




Band12 QAM16 BW=10MHz Channel=23130 RB Size=50 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=1 Position=#0



Band13 QPSK BW=5MHz Channel=23205 RB Size=1 Position=#Max



Band13 QAM16 BW=5MHz Channel=23205 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.556	-66.95	-35
2	775	776.9	100	776.8601	-14.75	-13
3	776.9	777	30	776.9924	-15.43	-13
5	787	787.1	30	787.0727	-58.24	-13
6	787.1	793	100	787.1413	-53.69	-13
7	793	805	6.8	799.444	-66.78	-35

Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.976	-61.74	-35
2	775	776.9	100	776.8753	-28.52	-13
3	776.9	777	30	777	-28.39	-13
5	787	787.1	30	787.0129	-47.6	-13
6	787.1	793	100	787.336	-42.87	-13
7	793	805	6.8	793.468	-63.05	-35

Band13 QAM16 BW=5MHz Channel=23205 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	766.936	-67.02	-35
2	775	776.9	100	776.8316	-47.27	-13
3	776.9	777	30	776.9688	-51.57	-13
5	787	787.1	30	787.0241	-58.21	-13
6	787.1	793	100	787.1236	-53.77	-13
7	793	805	6.8	801.568	-66.86	-35

Band13 QPSK BW=5MHz Channel=23255 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	770.74	-67.15	-35
2	775	776.9	100	776.5276	-53.91	-13
3	776.9	777	30	776.9879	-58.7	-13
5	787	787.1	30	787.0342	-50.04	-13
6	787.1	793	100	787.1059	-46.42	-13
7	793	805	6.8	793.552	-66.28	-35

Band13 QAM16 BW=5MHz Channel=23205 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	775	-62.53	-35
2	775	776.9	100	776.8924	-27.39	-13
3	776.9	777	30	776.9978	-28.7	-13
5	787	787.1	30	787.0333	-47.65	-13
6	787.1	793	100	787.4245	-42.81	-13
7	793	805	6.8	793.456	-63.74	-35

Band13 QPSK BW=5MHz Channel=23255 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	767.764	-67.13	-35
2	775	776.9	100	776.5124	-53.87	-13
3	776.9	777	30	776.9261	-58.44	-13
5	787	787.1	30	787.0085	-14.98	-13
6	787.1	793	100	787.1059	-13.93	-13
7	793	805	6.8	793.072	-66.21	-35

Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	767.728	-67.02	-35
2	775	776.9	100	776.7803	-46.16	-13
3	776.9	777	30	776.9913	-50.39	-13
5	787	787.1	30	787.0001	-27.76	-13
6	787.1	793	100	787.1236	-26.65	-13
7	793	805	6.8	793.264	-56.7	-35

Band13 QAM16 BW=5MHz Channel=23255 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	769.348	-66.95	-35
2	775	776.9	100	776.8525	-53.86	-13
3	776.9	777	30	776.9021	-58.69	-13
5	787	787.1	30	787.006	-50.73	-13
6	787.1	793	100	787.1059	-45.8	-13
7	793	805	6.8	793.852	-66.62	-35

Band13 QAM16 BW=5MHz Channel=23255 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	770.476	-67	-35
2	775	776.9	100	776.8772	-53.82	-13
3	776.9	777	30	776.9087	-58.81	-13
5	787	787.1	30	787.0008	-16.11	-13
6	787.1	793	100	787.1059	-17	-13
7	793	805	6.8	793.084	-66.56	-35

Band13 QAM16 BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	765.868	-67.14	-35
2	775	776.9	100	776.7138	-46.37	-13
3	776.9	777	30	776.9976	-50.71	-13
5	787	787.1	30	787.0125	-28.62	-13
6	787.1	793	100	787.1059	-26.48	-13
7	793	805	6.8	793.18	-57.34	-35

Band13 QPSK BW=10MHz Channel=23230 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	772.264	-67.12	-35
2	775	776.9	100	776.8981	-17.3	-13
3	776.9	777	30	776.9922	-21.28	-13
5	787	787.1	30	787.0149	-51.67	-13
6	787.1	793	100	790.8583	-45.82	-13
7	793	805	6.8	793.024	-58.19	-35

Band13 QPSK BW=10MHz Channel=23230 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.688	-67.02	-35
2	775	776.9	100	776.843	-48.78	-13
3	776.9	777	30	776.9651	-53.57	-13
5	787	787.1	30	787.0109	-20.33	-13
6	787.1	793	100	787.1059	-19.76	-13
7	793	805	6.8	795.22	-62.18	-35

Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.436	-65.15	-35
2	775	776.9	100	776.8867	-31.65	-13
3	776.9	777	30	776.9768	-36.37	-13
5	787	787.1	30	787.0281	-35.63	-13
6	787.1	793	100	787.2298	-33.2	-13
7	793	805	6.8	793.192	-51.94	-35

Band13 QAM16 BW=10MHz Channel=23230 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	771.112	-67	-35
2	775	776.9	100	776.8981	-19.61	-13
3	776.9	777	30	777	-20.89	-13
5	787	787.1	30	787.0308	-51.83	-13
6	787.1	793	100	787.5602	-44.47	-13
7	793	805	6.8	793.012	-58.51	-35

Band13 QAM16 BW=10MHz Channel=23230 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.844	-65.35	-35
2	775	776.9	100	776.7955	-34.09	-13
3	776.9	777	30	776.967	-37.52	-13
5	787	787.1	30	787.014	-36.03	-13
6	787.1	793	100	787.1059	-34	-13
7	793	805	6.8	793.372	-53.02	-35

Band13 QAM16 BW=10MHz Channel=23230 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	763	775	6.8	774.604	-66.9	-35
2	775	776.9	100	776.8905	-48.79	-13
3	776.9	777	30	776.9729	-53.41	-13
5	787	787.1	30	787.0131	-20.69	-13
6	787.1	793	100	787.159	-18.4	-13
7	793	805	6.8	795.268	-62.51	-35


Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#Max




Band17 QAM16 BW=5MHz Channel=23755 RB Size=1 Position=#0




Band17 QAM16 BW=5MHz Channel=23755 RB Size=1 Position=#Max




Band17 QAM16 BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#Max




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QAM16 BW=5MHz Channel=23825 RB Size=1 Position=#Max




Band17 QAM16 BW=5MHz Channel=23825 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0




Band17 QAM16 BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#Max




Band17 QAM16 BW=10MHz Channel=23780 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QAM16 BW=10MHz Channel=23780 RB Size=1 Position=#Max




Band17 QAM16 BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#Max




Band17 QAM16 BW=10MHz Channel=23800 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 QAM16 BW=10MHz Channel=23800 RB Size=1 Position=#Max




Band17 QAM16 BW=10MHz Channel=23800 RB Size=50 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#Max




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#Max




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#Max




Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#0



Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0



Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0



Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band25 QPSK BW=1.4MHz Channel=26047 RB Size=1 Position=#0




Band25 QPSK BW=1.4MHz Channel=26047 RB Size=1 Position=#Max




Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0




Band25 QAM16 BW=1.4MHz Channel=26047 RB Size=1 Position=#0




Band25 QAM16 BW=1.4MHz Channel=26047 RB Size=6 Position=#0



Band25 QAM16 BW=1.4MHz Channel=26047 RB Size=1 Position=#Max



Band25 QPSK BW=1.4MHz Channel=26683 RB Size=1 Position=#0



Band25 QPSK BW=1.4MHz Channel=26683 RB Size=1 Position=#Max




Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0



Band25 QAM16 BW=1.4MHz Channel=26683 RB Size=1 Position=#0




Band25 QAM16 BW=1.4MHz Channel=26683 RB Size=1 Position=#Max




Band25 QAM16 BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Band25 QPSK BW=3MHz Channel=26055 RB Size=1 Position=#Max




Band25 QPSK BW=3MHz Channel=26055 RB Size=1 Position=#0




Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0



Band25 QAM16 BW=3MHz Channel=26055 RB Size=1 Position=#0




Band25 QAM16 BW=3MHz Channel=26055 RB Size=1 Position=#Max




Band25 QPSK BW=3MHz Channel=26675 RB Size=1 Position=#0




Band25 QAM16 BW=3MHz Channel=26055 RB Size=15 Position=#0



Band25 QPSK BW=3MHz Channel=26675 RB Size=1 Position=#Max




Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0




Band25 QAM16 BW=3MHz Channel=26675 RB Size=1 Position=#0




Band25 QAM16 BW=3MHz Channel=26675 RB Size=1 Position=#Max




Band25 QAM16 BW=3MHz Channel=26675 RB Size=15 Position=#0




Band25 QPSK BW=5MHz Channel=26065 RB Size=1 Position=#0




Band25 QPSK BW=5MHz Channel=26065 RB Size=1 Position=#Max




Band25 QAM16 BW=5MHz Channel=26065 RB Size=1 Position=#0




Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0




Band25 QAM16 BW=5MHz Channel=26065 RB Size=1 Position=#Max




Band25 QAM16 BW=5MHz Channel=26065 RB Size=25 Position=#0




Band25 QPSK BW=5MHz Channel=26665 RB Size=1 Position=#0




Band25 QPSK BW=5MHz Channel=26665 RB Size=25 Position=#0




Band25 QPSK BW=5MHz Channel=26665 RB Size=1 Position=#Max




Band25 QAM16 BW=5MHz Channel=26665 RB Size=1 Position=#0




Band25 QAM16 BW=5MHz Channel=26665 RB Size=1 Position=#Max



Band25 QPSK BW=10MHz Channel=26090 RB Size=1 Position=#0




Band25 QAM16 BW=5MHz Channel=26665 RB Size=25 Position=#0




Band25 QPSK BW=10MHz Channel=26090 RB Size=1 Position=#Max




Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0



Band25 QAM16 BW=10MHz Channel=26090 RB Size=1 Position=#0




Band25 QAM16 BW=10MHz Channel=26090 RB Size=50 Position=#0




Band25 QAM16 BW=10MHz Channel=26090 RB Size=1 Position=#Max




Band25 QPSK BW=10MHz Channel=26640 RB Size=1 Position=#0




Band25 QPSK BW=10MHz Channel=26640 RB Size=1 Position=#Max




Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0




Band25 QAM16 BW=10MHz Channel=26640 RB Size=1 Position=#0




Band25 QAM16 BW=10MHz Channel=26640 RB Size=50 Position=#0




Band25 QAM16 BW=10MHz Channel=26640 RB Size=1 Position=#Max




Band25 QPSK BW=15MHz Channel=26115 RB Size=1 Position=#Max




Band25 QPSK BW=15MHz Channel=26115 RB Size=1 Position=#0




Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0




Band25 QAM16 BW=15MHz Channel=26115 RB Size=1 Position=#0




Band25 QAM16 BW=15MHz Channel=26115 RB Size=1 Position=#Max




Band25 QAM16 BW=15MHz Channel=26115 RB Size=75 Position=#0




Band25 QPSK BW=15MHz Channel=26615 RB Size=1 Position=#0




Band25 QPSK BW=15MHz Channel=26615 RB Size=1 Position=#Max




Band25 QAM16 BW=15MHz Channel=26615 RB Size=1 Position=#0




Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0




Band25 QAM16 BW=15MHz Channel=26615 RB Size=1 Position=#Max




Band25 QPSK BW=20MHz Channel=26140 RB Size=1 Position=#0




Band25 QAM16 BW=15MHz Channel=26615 RB Size=75 Position=#0




Band25 QPSK BW=20MHz Channel=26140 RB Size=1 Position=#Max




Band25 QAM16 BW=20MHz Channel=26140 RB Size=1 Position=#0




Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0




Band25 QAM16 BW=20MHz Channel=26140 RB Size=1 Position=#Max




Band25 QAM16 BW=20MHz Channel=26140 RB Size=100 Position=#0




Band25 QPSK BW=20MHz Channel=26590 RB Size=1 Position=#0




Band25 QPSK BW=20MHz Channel=26590 RB Size=100 Position=#0




Band25 QPSK BW=20MHz Channel=26590 RB Size=1 Position=#Max




Band25 QAM16 BW=20MHz Channel=26590 RB Size=1 Position=#0




Band25 QAM16 BW=20MHz Channel=26590 RB Size=100 Position=#0



Band25 QAM16 BW=20MHz Channel=26590 RB Size=1 Position=#Max




Band26a QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.950575	-17.64	-13
2	813.9625	814	0.3	813.99955	-35.98	-20
4	815.4	815.4375	0.3	815.4035625	-64.31	-20
5	815.4375	816.1	100	815.4567125	-42.26	-13

Band26a QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.9446125	-42.91	-13
2	813.9625	814	0.3	813.99205	-65.04	-20
4	815.4	815.4375	0.3	815.402025	-36.27	-20
5	815.4375	816.1	100	815.441475	-17.1	-13


Band26a QAM16 BW=1.4MHz Channel=26697 RB Size=1 Position=#0



Band26a QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Band26a QAM16 BW=1.4MHz Channel=26697 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.9625	-42.81	-13
2	813.9625	814	0.3	813.9899875	-63.95	-20
4	815.4	815.4375	0.3	815.406075	-37.5	-20
5	815.4375	816.1	100	815.4381625	-18.83	-13

Band26a QAM16 BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.9625	-22.08	-13
2	813.9625	814	0.3	813.9940375	-45.69	-20
4	815.4	815.4375	0.3	815.4055875	-46.91	-20
5	815.4375	816.1	100	815.454725	-25.01	-13

Band26a QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5605125	-16.53	-13
2	822.5625	822.6	0.3	822.5835375	-36.28	-20
4	824	824.0375	0.3	824.0220125	-65.04	-20
5	824.0375	824.7	100	824.0408125	-42.7	-13

Band26a QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5625	-41.82	-13
2	822.5625	822.6	0.3	822.5686875	-64.95	-20
4	824	824.0375	0.3	824.0033375	-35.59	-20
5	824.0375	824.7	100	824.0381625	-15.75	-13

Band26a QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5625	-18.13	-13
2	822.5625	822.6	0.3	822.58605	-40.1	-20
4	824	824.0375	0.3	824.0320625	-38.87	-20
5	824.0375	824.7	100	824.0381625	-18.26	-13

Band26a QAM16 BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5552125	-18.31	-13
2	822.5625	822.6	0.3	822.5970375	-35.82	-20
4	824	824.0375	0.3	824.0037875	-65.7	-20
5	824.0375	824.7	100	824.0593625	-42.94	-13

Band26a QAM16 BW=1.4MHz Channel=26783 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5572	-43.17	-13
2	822.5625	822.6	0.3	822.5821875	-64.63	-20
4	824	824.0375	0.3	824.001725	-38.78	-20
5	824.0375	824.7	100	824.0381625	-16	-13

Band26a QAM16 BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.555875	-20.35	-13
2	822.5625	822.6	0.3	822.59805	-41.84	-20
4	824	824.0375	0.3	824.0100125	-41.48	-20
5	824.0375	824.7	100	824.038825	-21.54	-13

Band26a QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9625	-17.74	-13
2	813.9625	814	0.3	813.987475	-36.61	-20
4	817	817.0375	0.3	817.0220875	-68.99	-20
5	817.0375	818.5	100	818.02615	-45.56	-13

Band26a QPSK BW=3MHz Channel=26705 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9259375	-45.87	-13
2	813.9625	814	0.3	813.990025	-68.1	-20
4	817	817.0375	0.3	817.01005	-36.44	-20
5	817.0375	818.5	100	817.0506625	-18.41	-13

Band26a QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9625	-28.16	-13
2	813.9625	814	0.3	813.9880375	-49.81	-20
4	817	817.0375	0.3	817.0030375	-50.51	-20
5	817.0375	818.5	100	817.04335	-28.29	-13

Band26a QAM16 BW=3MHz Channel=26705 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9581125	-18.55	-13
2	813.9625	814	0.3	814	-39.29	-20
4	817	817.0375	0.3	817.0134625	-68.76	-20
5	817.0375	818.5	100	817.0535875	-45.32	-13

Band26a QAM16 BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9625	-30.92	-13
2	813.9625	814	0.3	814	-50.3	-20
4	817	817.0375	0.3	817.00015	-49.98	-20
5	817.0375	818.5	100	817.0389625	-29.22	-13

Band26a QAM16 BW=3MHz Channel=26705 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9610375	-45.23	-13
2	813.9625	814	0.3	813.9927625	-68.56	-20
4	817	817.0375	0.3	817.0008625	-39.65	-20
5	817.0375	818.5	100	817.0389625	-18.51	-13

Band26a QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9508	-17.15	-13
2	820.9625	821	0.3	820.9984625	-37.31	-20
4	824	824.0375	0.3	824.0180375	-69.04	-20
5	824.0375	825.5	100	824.05505	-46.37	-13

Band26a QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9625	-23.57	-13
2	820.9625	821	0.3	820.98305	-44.07	-20
4	824	824.0375	0.3	824.0348	-45.4	-20
5	824.0375	825.5	100	824.145725	-24.25	-13

Band26a QPSK BW=3MHz Channel=26775 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9405625	-45.74	-13
2	820.9625	821	0.3	820.9945625	-68.12	-20
4	824	824.0375	0.3	824.0081	-35.63	-20
5	824.0375	825.5	100	824.0389625	-13.36	-13

Band26a QAM16 BW=3MHz Channel=26775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9625	-18.47	-13
2	820.9625	821	0.3	820.993325	-39.32	-20
4	824	824.0375	0.3	824.00045	-69.15	-20
5	824.0375	825.5	100	824.0652875	-46.55	-13

Band26a QAM16 BW=3MHz Channel=26775 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9508	-44.97	-13
2	820.9625	821	0.3	820.992725	-68.62	-20
4	824	824.0375	0.3	824.012	-35.1	-20
5	824.0375	825.5	100	824.0418875	-18.43	-13

Band26a QAM16 BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9551875	-25.88	-13
2	820.9625	821	0.3	820.9650125	-47.98	-20
4	824	824.0375	0.3	824.0100125	-48.37	-20
5	824.0375	825.5	100	824.1545	-26.65	-13

Band26a QPSK BW=5MHz Channel=26715 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.8713875	-46.55	-13
2	813.9625	814	0.3	813.9701875	-70.26	-20
4	819	819.0375	0.3	819.0120375	-38.33	-20
5	819.0375	821.5	100	819.042425	-19.8	-13

Band26a QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.9501875	-18.04	-13
2	813.9625	814	0.3	813.990025	-38.31	-20
4	819	819.0375	0.3	819.0159375	-68.26	-20
5	819.0375	821.5	100	819.1039875	-46.01	-13

Band26a QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.9625	-29.49	-13
2	813.9625	814	0.3	813.9999625	-49.77	-20
4	819	819.0375	0.3	819.010275	-50.16	-20
5	819.0375	821.5	100	819.0399625	-29.28	-13

Band26a QAM16 BW=5MHz Channel=26715 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.928025	-46.82	-13
2	813.9625	814	0.3	813.9731125	-69.56	-20
4	819	819.0375	0.3	819.008025	-39.95	-20
5	819.0375	821.5	100	819.0399625	-18.16	-13

Band26a QAM16 BW=5MHz Channel=26715 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.9625	-17.81	-13
2	813.9625	814	0.3	813.990025	-37.32	-20
4	819	819.0375	0.3	819.0260625	-68.92	-20
5	819.0375	821.5	100	819.0399625	-45.97	-13

Band26a QAM16 BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.937875	-31.19	-13
2	813.9625	814	0.3	813.983725	-51.71	-20
4	819	819.0375	0.3	819.0114	-51.32	-20
5	819.0375	821.5	100	819.062125	-31.37	-13

Band26a QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9625	-17.48	-13
2	818.9625	819	0.3	818.99805	-36.64	-20
4	824	824.0375	0.3	824.03585	-69.98	-20
5	824.0375	826.5	100	824.0399625	-46.72	-13

Band26a QPSK BW=5MHz Channel=26765 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.947725	-46.49	-13
2	818.9625	819	0.3	818.9928	-69.82	-20
4	824	824.0375	0.3	824.0014625	-39.48	-20
5	824.0375	826.5	100	824.06705	-19.03	-13

Band26a QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.957575	-26.47	-13
2	818.9625	819	0.3	818.9990625	-47.07	-20
4	824	824.0375	0.3	824.016125	-48.17	-20
5	824.0375	826.5	100	824.0399625	-26.8	-13

Band26a QAM16 BW=5MHz Channel=26765 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9354125	-20.75	-13
2	818.9625	819	0.3	818.9960625	-40.17	-20
4	824	824.0375	0.3	824.01425	-69.35	-20
5	824.0375	826.5	100	824.042425	-46.7	-13

Band26a QAM16 BW=5MHz Channel=26765 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.95265	-46.5	-13
2	818.9625	819	0.3	818.98995	-69.34	-20
4	824	824.0375	0.3	824.00195	-39.16	-20
5	824.0375	826.5	100	824.0547375	-21.05	-13

Band26a QAM16 BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9452625	-29.56	-13
2	818.9625	819	0.3	818.9860875	-49.5	-20
4	824	824.0375	0.3	824.0139875	-50.15	-20
5	824.0375	826.5	100	824.08675	-29.29	-13

Band26a QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.952575	-21.69	-13
2	813.9625	814	0.3	813.99955	-43.97	-20
4	824	824.0375	0.3	824.006225	-71.67	-20
5	824.0375	829	100	824.0722375	-48.43	-13

Band26a QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.9625	-32.48	-13
2	813.9625	814	0.3	813.9698875	-53.03	-20
4	824	824.0375	0.3	824.020925	-52.49	-20
5	824.0375	829	100	824.1615625	-32.46	-13

Band26a QPSK BW=10MHz Channel=26740 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.7987375	-49.21	-13
2	813.9625	814	0.3	813.972025	-72.57	-20
4	824	824.0375	0.3	824.012	-44.23	-20
5	824.0375	829	100	824.087125	-23.41	-13

Band26a QAM16 BW=10MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.94265	-25.48	-13
2	813.9625	814	0.3	813.99805	-45.35	-20
4	824	824.0375	0.3	824.0348375	-71.99	-20
5	824.0375	829	100	824.0523875	-48.48	-13

Band26a QAM16 BW=10MHz Channel=26740 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.9625	-34.73	-13
2	813.9625	814	0.3	813.972025	-56.91	-20
4	824	824.0375	0.3	824.0141375	-55.93	-20
5	824.0375	829	100	824.265775	-35.18	-13

Band26a QAM16 BW=10MHz Channel=26740 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	809	813.9625	100	813.8582875	-49.12	-13
2	813.9625	814	0.3	813.9998875	-71.88	-20
4	824	824.0375	0.3	824.00105	-42.64	-20
5	824.0375	829	100	824.1020125	-25.85	-13


Band26b QPSK BW=1.4MHz Channel=26797 RB Size=1 Position=#0




Band26b QPSK BW=1.4MHz Channel=26797 RB Size=1 Position=#Max




Band26b QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26b QAM16 BW=1.4MHz Channel=26797 RB Size=1 Position=#0




Band26b QAM16 BW=1.4MHz Channel=26797 RB Size=1 Position=#Max



Band26b QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26b QPSK BW=1.4MHz Channel=27033 RB Size=1 Position=#Max




Band26b QPSK BW=1.4MHz Channel=27033 RB Size=1 Position=#0




Band26b QAM16 BW=1.4MHz Channel=27033 RB Size=1 Position=#0



Band26b QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26b QAM16 BW=1.4MHz Channel=27033 RB Size=1 Position=#Max



Band26b QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26b QPSK BW=3MHz Channel=26805 RB Size=1 Position=#0




Band26b QPSK BW=3MHz Channel=26805 RB Size=1 Position=#Max



Band26b QAM16 BW=3MHz Channel=26805 RB Size=1 Position=#0




Band26b QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0




Band26b QAM16 BW=3MHz Channel=26805 RB Size=1 Position=#Max




Band26b QPSK BW=3MHz Channel=27025 RB Size=1 Position=#0




Band26b QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26b QPSK BW=3MHz Channel=27025 RB Size=1 Position=#Max




Band26b QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26b QAM16 BW=3MHz Channel=27025 RB Size=1 Position=#0




Band26b QAM16 BW=3MHz Channel=27025 RB Size=1 Position=#Max




Band26b QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26b QPSK BW=5MHz Channel=26815 RB Size=1 Position=#0




Band26b QPSK BW=5MHz Channel=26815 RB Size=1 Position=#Max




Band26b QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0




Band26b QAM16 BW=5MHz Channel=26815 RB Size=1 Position=#0




Band26b QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0




Band26b QAM16 BW=5MHz Channel=26815 RB Size=1 Position=#Max




Band26b QPSK BW=5MHz Channel=27015 RB Size=1 Position=#0




Band26b QPSK BW=5MHz Channel=27015 RB Size=1 Position=#Max




Band26b QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0




Band26b QAM16 BW=5MHz Channel=27015 RB Size=1 Position=#0




Band26b QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0




Band26b QAM16 BW=5MHz Channel=27015 RB Size=1 Position=#Max




Band26b QPSK BW=10MHz Channel=26840 RB Size=1 Position=#0




Band26b QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26b QPSK BW=10MHz Channel=26840 RB Size=1 Position=#Max




Band26b QAM16 BW=10MHz Channel=26840 RB Size=1 Position=#Max




Band26b QAM16 BW=10MHz Channel=26840 RB Size=1 Position=#0




Band26b QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26b QPSK BW=10MHz Channel=26990 RB Size=1 Position=#0




Band26b QPSK BW=10MHz Channel=26990 RB Size=1 Position=#Max




Band26b QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0



Band26b QAM16 BW=10MHz Channel=26990 RB Size=1 Position=#Max




Band26b QAM16 BW=10MHz Channel=26990 RB Size=1 Position=#0




Band26b QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26b QPSK BW=15MHz Channel=26865 RB Size=1 Position=#Max




Band26b QPSK BW=15MHz Channel=26865 RB Size=1 Position=#0




Band26b QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26b QAM16 BW=15MHz Channel=26865 RB Size=1 Position=#0




Band26b QAM16 BW=15MHz Channel=26865 RB Size=1 Position=#Max




Band26b QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26b QPSK BW=15MHz Channel=26965 RB Size=1 Position=#0




Band26b QPSK BW=15MHz Channel=26965 RB Size=1 Position=#Max




Band26b QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0




Band26b QAM16 BW=15MHz Channel=26965 RB Size=1 Position=#Max




Band26b QAM16 BW=15MHz Channel=26965 RB Size=1 Position=#0



Band26b QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#Max




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#0



Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#Max



Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#Max



Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#Max




Band4 QAM16 BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#0



Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#Max




Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#0




Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#Max



Band4 QAM16 BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#Max



Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=19975 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=19975 RB Size=1 Position=#Max




Band4 QAM16 BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#Max




Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 QAM16 BW=5MHz Channel=20375 RB Size=1 Position=#Max




Band4 QAM16 BW=5MHz Channel=20375 RB Size=1 Position=#0




Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#Max



Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0



Band4 QAM16 BW=10MHz Channel=20000 RB Size=1 Position=#0




Band4 QAM16 BW=10MHz Channel=20000 RB Size=1 Position=#Max




Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0




Band4 QAM16 BW=10MHz Channel=20000 RB Size=50 Position=#0




Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#Max




Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 QAM16 BW=10MHz Channel=20350 RB Size=1 Position=#0




Band4 QAM16 BW=10MHz Channel=20350 RB Size=1 Position=#Max




Band4 QAM16 BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#Max




Band4 QAM16 BW=15MHz Channel=20025 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20025 RB Size=75 Position=#0




Band4 QAM16 BW=15MHz Channel=20025 RB Size=1 Position=#Max




Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#Max




Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 QAM16 BW=15MHz Channel=20325 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20325 RB Size=1 Position=#Max




Band4 QAM16 BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#Max




Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#0




Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#Max




Band4 QAM16 BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#Max




Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#0




Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 QAM16 BW=20MHz Channel=20300 RB Size=100 Position=#0




Band41 QPSK BW=5MHz Channel=40065 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2526.78	-38.47	-25
2	2529	2530	1000	2529.918	-35.16	-13
3	2530	2534	1000	2533.992	-11.18	-10
4	2534	2535	100	2534.987	-20.88	-10

Band41 QPSK BW=5MHz Channel=40065 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.276	-40.17	-25
2	2529	2530	1000	2529.972	-38.31	-13
3	2530	2534	1000	2533.948	-33.17	-10
4	2534	2535	100	2534.036	-45.92	-10

Band41 QAM16 BW=5MHz Channel=40065 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.928	-38.52	-25
2	2529	2530	1000	2529.06	-38.33	-13
3	2530	2534	1000	2534	-11.18	-10
4	2534	2535	100	2534.967	-26.64	-10

Band41 QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.452	-38.13	-25
2	2529	2530	1000	2529.87	-34	-13
3	2530	2534	1000	2533.988	-22.75	-10
4	2534	2535	100	2534.965	-32.72	-10

Band41 QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.972	-39.16	-25
2	2529	2530	1000	2529.591	-36.94	-13
3	2530	2534	1000	2534	-24.07	-10
4	2534	2535	100	2534.924	-35.06	-10

Band41 QAM16 BW=5MHz Channel=40065 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2526.18	-40.27	-25
2	2529	2530	1000	2529.956	-36.43	-13
3	2530	2534	1000	2531.092	-33.76	-10
4	2534	2535	100	2534.639	-47.17	-10

Band41 QPSK BW=5MHz Channel=41215 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.59	-44.43	-10
3	2656	2660	1000	2658.708	-31.27	-10
4	2660	2661	1000	2660.096	-36.68	-13
5	2661	2665	1000	2662.188	-39.68	-25

Band41 QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.131	-30.79	-10
3	2656	2660	1000	2656.096	-21.65	-10
4	2660	2661	1000	2660.242	-36.58	-13
5	2661	2665	1000	2662.096	-38.84	-25

Band41 QPSK BW=5MHz Channel=41215 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.004	-22.25	-10
3	2656	2660	1000	2656.012	-11.41	-10
4	2660	2661	1000	2660.042	-34.54	-13
5	2661	2665	1000	2663.072	-34.98	-25

Band41 QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.533	-46.01	-10
3	2656	2660	1000	2658.972	-32.53	-10
4	2660	2661	1000	2660.034	-37.92	-13
5	2661	2665	1000	2661.352	-39.56	-25

Band41 QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.009	-21.7	-10
3	2656	2660	1000	2656.024	-11.58	-10
4	2660	2661	1000	2660.067	-34.89	-13
5	2661	2665	1000	2663.232	-37.63	-25

Band41 QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	100	2655.007	-34.21	-10
3	2656	2660	1000	2656.032	-24.38	-10
4	2660	2661	1000	2660.128	-36.3	-13
5	2661	2665	1000	2661.12	-38.39	-25

Band41 QPSK BW=10MHz Channel=40090 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.765	-40.25	-25
2	2525	2530	1000	2528.735	-35.75	-13
3	2530	2534	1000	2534	-22	-10
4	2534	2535	200	2534.933	-24.51	-10

Band41 QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.725	-40.03	-25
2	2525	2530	1000	2530	-32.43	-13
3	2530	2534	1000	2533.66	-27.01	-10
4	2534	2535	200	2534.409	-32.98	-10

Band41 QPSK BW=10MHz Channel=40090 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.0475	-40.29	-25
2	2525	2530	1000	2526.6	-33.36	-13
3	2530	2534	1000	2532.708	-37.36	-10
4	2534	2535	200	2534.591	-44.44	-10

Band41 QAM16 BW=10MHz Channel=40090 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.0925	-40.42	-25
2	2525	2530	1000	2528.98	-37.86	-13
3	2530	2534	1000	2533.988	-20.54	-10
4	2534	2535	200	2534.986	-25.83	-10

Band41 QAM16 BW=10MHz Channel=40090 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2523.6975	-40.45	-25
2	2525	2530	1000	2526.665	-33.97	-13
3	2530	2534	1000	2531.04	-38.7	-10
4	2534	2535	200	2534.768	-45.67	-10

Band41 QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.86	-39.66	-25
2	2525	2530	1000	2529.935	-34.65	-13
3	2530	2534	1000	2533.156	-29.3	-10
4	2534	2535	200	2535	-34.92	-10

Band41 QPSK BW=10MHz Channel=41190 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.047	-25.04	-10
3	2656	2660	1000	2656.004	-20.66	-10
4	2660	2665	1000	2660.19	-34.04	-13
5	2665	2667.5	1000	2666.8125	-39.54	-25

Band41 QPSK BW=10MHz Channel=41190 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.335	-44.2	-10
3	2656	2660	1000	2657.972	-37.24	-10
4	2660	2665	1000	2663.085	-30.79	-13
5	2665	2667.5	1000	2665.8075	-39.58	-25

Band41 QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.036	-30.59	-10
3	2656	2660	1000	2656.036	-25.28	-10
4	2660	2665	1000	2660.13	-29.54	-13
5	2665	2667.5	1000	2665.435	-39.16	-25

Band41 QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	200	2655.252	-44.77	-10
3	2656	2660	1000	2656.168	-37.22	-10
4	2660	2665	1000	2663.22	-33.17	-13
5	2665	2667.5	1000	2665.16	-39.67	-25


Band41 QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#Max



Band41 QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0



Band41 QPSK BW=15MHz Channel=40115 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2517.82875	-40.26	-25
2	2520	2530	1000	2522.5	-32.71	-13
3	2530	2534	1000	2532.2	-39.41	-10
4	2534	2535	300	2534.887	-43.58	-10

Band41 QPSK BW=15MHz Channel=40115 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2517.4425	-40.36	-25
2	2520	2530	1000	2526.67	-37.08	-13
3	2530	2534	1000	2533.348	-25.29	-10
4	2534	2535	300	2534.996	-25.65	-10

Band41 QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.74125	-40.12	-25
2	2520	2530	1000	2529.89	-31.15	-13
3	2530	2534	1000	2533.972	-27.1	-10
4	2534	2535	300	2534.781	-30.78	-10

Band41 QAM16 BW=15MHz Channel=40115 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2516.78625	-40.42	-25
2	2520	2530	1000	2529.13	-36.98	-13
3	2530	2534	1000	2533.276	-28.31	-10
4	2534	2535	300	2534.973	-25.67	-10

Band41 QAM16 BW=15MHz Channel=40115 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.895	-40.47	-25
2	2520	2530	1000	2522.35	-34.51	-13
3	2530	2534	1000	2533.592	-38.78	-10
4	2534	2535	300	2534.788	-44.37	-10

Band41 QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.94375	-40.04	-25
2	2520	2530	1000	2529.87	-34.51	-13
3	2530	2534	1000	2533.9	-30.16	-10
4	2534	2535	300	2534.325	-34.11	-10

Band41 QPSK BW=15MHz Channel=41165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	300	2655.173	-43.29	-10
3	2656	2660	1000	2656.388	-38.29	-10
4	2660	2670	1000	2667.38	-31.12	-13
5	2670	2673.75	1000	2671.7025	-39.72	-25

Band41 QPSK BW=15MHz Channel=41165 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2655	2656	300	2655.032	-23.42	-10
3	2656	2660	1000	2656.248	-26.73	-10
4	2660	2670	1000	2660.73	-35.22	-13
5	2670	2673.75	1000	2671.89375	-39.77	-25


Band41 QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#Max



Band41 QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=40140 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2512.505	-40.39	-25
2	2515	2530	1000	2518.375	-33.4	-13
3	2530	2534	1000	2532.896	-38.65	-10
4	2534	2535	430	2534.93	-42.37	-10

Band41 QPSK BW=20MHz Channel=40140 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2512.96	-40.39	-25
2	2515	2530	1000	2529.025	-36.06	-13
3	2530	2534	1000	2533.976	-25.43	-10
4	2534	2535	430	2534.934	-22.95	-10

Band41 QAM16 BW=20MHz Channel=40140 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2514.165	-40.32	-25
2	2515	2530	1000	2527.435	-34.88	-13
3	2530	2534	1000	2533.3	-26.1	-10
4	2534	2535	430	2534.676	-23.37	-10

Band41 QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2511.94	-40.29	-25
2	2515	2530	1000	2529.895	-32.41	-13
3	2530	2534	1000	2533.784	-29.28	-10
4	2534	2535	430	2534.942	-31.19	-10


Band41 QAM16 BW=20MHz Channel=40140 RB Size=1 Position=#Max




Band41 QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41140 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=41140 RB Size=1 Position=#Max




Band41 QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#Max




Band41 QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#Max




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#Max




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max




Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#Max



Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#Max



Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#Max




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#Max




Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#Max




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#Max




Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#Max




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#Max




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#Max




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#Max




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#Max




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=1 Position=#Max




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#Max




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0



Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=1 Position=#0



Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=1 Position=#Max




Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#Max




Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0



Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QAM16 BW=3MHz Channel=131987 RB Size=1 Position=#0



Band66 QAM16 BW=3MHz Channel=131987 RB Size=1 Position=#Max




Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0



Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#Max




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QAM16 BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 QAM16 BW=3MHz Channel=132657 RB Size=1 Position=#Max




Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#Max




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0



Band66 QAM16 BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=1 Position=#Max




Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#Max




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=1 Position=#Max




Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#Max




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=1 Position=#Max




Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#Max




Band66 QAM16 BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 QAM16 BW=10MHz Channel=132622 RB Size=1 Position=#Max




Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#Max




Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=1 Position=#Max




Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#Max




Band66 QAM16 BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=1 Position=#Max




Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#Max




Band66 QAM16 BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QAM16 BW=20MHz Channel=132072 RB Size=1 Position=#Max




Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#Max




Band66 QAM16 BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 QAM16 BW=20MHz Channel=132572 RB Size=1 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.0905	-40.68	-25
2	2490.5	2496	1000	2495.9285	-37.11	-13
3	2496	2499	1000	2499	-11.02	-10
4	2499	2500	100	2499.987	-25.38	-10

Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.097	-39.64	-25
2	2490.5	2496	1000	2495.868	-35.07	-13
3	2496	2499	1000	2496.123	-34.49	-10
4	2499	2500	100	2499.451	-49.9	-10

Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.2055	-40.58	-25
2	2490.5	2496	1000	2495.868	-36.84	-13
3	2496	2499	1000	2499	-24.09	-10
4	2499	2500	100	2500	-36.06	-10

Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.415	-40.73	-25
2	2490.5	2496	1000	2495.9395	-35.2	-13
3	2496	2499	1000	2496.066	-35.3	-10
4	2499	2500	100	2499.515	-49.9	-10

Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.276	-40.48	-25
2	2490.5	2496	1000	2495.989	-37.33	-13
3	2496	2499	1000	2499	-11.92	-10
4	2499	2500	100	2500	-26.19	-10

Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2490	2490.5	1000	2490.3735	-40.66	-25
2	2490.5	2496	1000	2495.7525	-37.88	-13
3	2496	2499	1000	2498.976	-25.87	-10
4	2499	2500	100	2499.979	-38.03	-10

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.005	-25.83	-10
3	2571	2575	1000	2571.012	-11.27	-10
4	2575	2576	1000	2575.328	-40.13	-13
5	2576	2580	1000	2578.436	-39.66	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.54	-49.74	-10
3	2571	2575	1000	2573.952	-33.93	-10
4	2575	2576	1000	2575.008	-40.03	-13
5	2576	2580	1000	2576.048	-40.45	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.222	-49.47	-10
3	2571	2575	1000	2574.12	-35.1	-10
4	2575	2576	1000	2575.076	-40.17	-13
5	2576	2580	1000	2576.276	-40.26	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.004	-35.67	-10
3	2571	2575	1000	2571.004	-24.36	-10
4	2575	2576	1000	2575.042	-39.15	-13
5	2576	2580	1000	2576.996	-40.14	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.001	-26.47	-10
3	2571	2575	1000	2571.016	-12.7	-10
4	2575	2576	1000	2575.518	-40.27	-13
5	2576	2580	1000	2577.76	-39.97	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2487.5	2490	1000	2489.3175	-40.76	-25
2	2490	2496	1000	2491.638	-39.24	-13
3	2496	2499	1000	2499	-21.19	-10
4	2499	2500	200	2499.96	-26.35	-10

Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	100	2570.006	-37.41	-10
3	2571	2575	1000	2571.004	-26.06	-10
4	2575	2576	1000	2575.115	-38.87	-13
5	2576	2580	1000	2576.356	-40.05	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2487.5	2490	1000	2489.09	-40.7	-25
2	2490	2496	1000	2491.776	-34.94	-13
3	2496	2499	1000	2498.583	-40.32	-10
4	2499	2500	200	2500	-47.24	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2487.5	2490	1000	2487.7475	-40.85	-25
2	2490	2496	1000	2491.698	-39.67	-13
3	2496	2499	1000	2499	-22.61	-10
4	2499	2500	200	2499.995	-26.86	-10

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2487.5	2490	1000	2489.81	-40.11	-25
2	2490	2496	1000	2495.802	-35.35	-13
3	2496	2499	1000	2499	-32.58	-10
4	2499	2500	200	2499.994	-37.91	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2487.5	2490	1000	2489.795	-40.17	-25
2	2490	2496	1000	2495.46	-36.93	-13
3	2496	2499	1000	2498.985	-33.61	-10
4	2499	2500	200	2499.958	-39.95	-10

Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2487.5	2490	1000	2488.14	-40.59	-25
2	2490	2496	1000	2491.722	-35.58	-13
3	2496	2499	1000	2498.244	-40.33	-10
4	2499	2500	200	2499.938	-46.93	-10


Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	200	2570.003	-27.61	-10
3	2571	2575	1000	2571.004	-22.02	-10
4	2575	2580	1000	2578.175	-39.11	-13
5	2580	2582.5	1000	2582.3	-40.5	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	200	2570.018	-46.99	-10
3	2571	2575	1000	2574.412	-40.13	-10
4	2575	2580	1000	2578.365	-35.29	-13
5	2580	2582.5	1000	2581.105	-40.17	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	200	2570.007	-27.88	-10
3	2571	2575	1000	2571.004	-22.3	-10
4	2575	2580	1000	2578.03	-39.88	-13
5	2580	2582.5	1000	2580.375	-40.22	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	200	2570.088	-38.66	-10
3	2571	2575	1000	2571.032	-32.38	-10
4	2575	2580	1000	2575.29	-37.57	-13
5	2580	2582.5	1000	2580.915	-40.08	-25

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2481.25	2485	1000	2482.4275	-40.65	-25
2	2485	2496	1000	2487.431	-33.42	-13
3	2496	2499	1000	2498.775	-40.29	-10
4	2499	2500	300	2499.186	-45.19	-10

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2481.25	2485	1000	2481.96625	-40.71	-25
2	2485	2496	1000	2487.816	-40.15	-13
3	2496	2499	1000	2499	-33.6	-10
4	2499	2500	300	2499.952	-26.41	-10


Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0



Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#0



Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2481.25	2485	1000	2481.92125	-40.69	-25
2	2485	2496	1000	2487.343	-35.03	-13
3	2496	2499	1000	2497.803	-40.37	-10
4	2499	2500	300	2499.934	-45.43	-10

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	300	2570.544	-45.16	-10
3	2571	2575	1000	2572.14	-40.13	-10
4	2575	2585	1000	2582.37	-33.52	-13
5	2585	2588.75	1000	2586.30125	-40.44	-25

Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2481.25	2485	1000	2484.97375	-40.2	-25
2	2485	2496	1000	2496	-37.03	-13
3	2496	2499	1000	2498.892	-35.22	-10
4	2499	2500	300	2499.975	-39.06	-10

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	300	2570.004	-26.86	-10
3	2571	2575	1000	2571.012	-33.46	-10
4	2575	2585	1000	2582.19	-39.72	-13
5	2585	2588.75	1000	2588.015	-40.46	-25


Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0



Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#Max



Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
2	2570	2571	300	2570.037	-37.32	-10
3	2571	2575	1000	2571.144	-32.72	-10
4	2575	2585	1000	2575.06	-36.08	-13
5	2585	2588.75	1000	2585.22125	-40.06	-25

Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2475.84	-40.77	-25
2	2480	2496	1000	2494.48	-36.93	-13
3	2496	2499	1000	2498.946	-35.56	-10
4	2499	2500	430	2499.973	-37.98	-10

Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2476.07	-40.81	-25
2	2480	2496	1000	2483.344	-35.15	-13
3	2496	2499	1000	2497.818	-40.21	-10
4	2499	2500	430	2499.064	-43.78	-10

Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2477.09	-40.78	-25
2	2480	2496	1000	2489.232	-40.7	-13
3	2496	2499	1000	2498.772	-37.12	-10
4	2499	2500	430	2499.99	-27.97	-10

Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2477.605	-40.77	-25
2	2480	2496	1000	2495.824	-37.75	-13
3	2496	2499	1000	2498.889	-36.73	-10
4	2499	2500	430	2499.875	-39.43	-10

Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2480	1000	2477.49	-40.53	-25
2	2480	2496	1000	2483.232	-36.24	-13
3	2496	2499	1000	2497.161	-40.44	-10
4	2499	2500	430	2499.454	-43.73	-10


Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#Max



Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#0



Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0



5 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	2098.00	-37.72	-13	PASS
Band12	1.4	23017	6	#0	QPSK	2099.80	-38.73	-13	PASS
Band12	1.4	23017	1	#0	QAM16	691.64	-35.63	-13	PASS
Band12	1.4	23017	6	#0	QAM16	1399.60	-42.90	-13	PASS
Band12	1.4	23095	1	#0	QPSK	1414.00	-32.67	-13	PASS
Band12	1.4	23095	6	#0	QPSK	1414.90	-37.12	-13	PASS
Band12	1.4	23095	1	#0	QAM16	1414.00	-34.73	-13	PASS
Band12	1.4	23095	6	#0	QAM16	1415.80	-36.05	-13	PASS
Band12	1.4	23173	1	#0	QPSK	1429.30	-34.05	-13	PASS
Band12	1.4	23173	6	#0	QPSK	1431.10	-34.26	-13	PASS
Band12	1.4	23173	1	#0	QAM16	1429.30	-34.41	-13	PASS
Band12	1.4	23173	6	#0	QAM16	1430.20	-35.17	-13	PASS
Band12	3	23025	1	#0	QPSK	2098.00	-39.15	-13	PASS
Band12	3	23025	15	#0	QPSK	1402.30	-42.12	-13	PASS
Band12	3	23025	1	#0	QAM16	2098.90	-41.88	-13	PASS
Band12	3	23025	15	#0	QAM16	1401.40	-41.06	-13	PASS
Band12	3	23095	1	#0	QPSK	1412.20	-33.19	-13	PASS
Band12	3	23095	15	#0	QPSK	1413.10	-40.29	-13	PASS
Band12	3	23095	1	#0	QAM16	1413.10	-32.15	-13	PASS
Band12	3	23095	15	#0	QAM16	1414.90	-39.61	-13	PASS
Band12	3	23165	1	#0	QPSK	1426.60	-37.57	-13	PASS
Band12	3	23165	15	#0	QPSK	1431.10	-38.48	-13	PASS
Band12	3	23165	1	#0	QAM16	1426.60	-36.05	-13	PASS
Band12	3	23165	15	#0	QAM16	1430.20	-38.76	-13	PASS
Band12	5	23035	1	#0	QPSK	2098.90	-39.03	-13	PASS
Band12	5	23035	25	#0	QPSK	1405.90	-41.34	-13	PASS
Band12	5	23035	1	#0	QAM16	2098.90	-40.40	-13	PASS
Band12	5	23035	25	#0	QAM16	1405.00	-40.43	-13	PASS
Band12	5	23095	1	#0	QPSK	1411.30	-32.27	-13	PASS
Band12	5	23095	25	#0	QPSK	1412.20	-41.69	-13	PASS
Band12	5	23095	1	#0	QAM16	1411.30	-36.82	-13	PASS
Band12	5	23095	25	#0	QAM16	1412.20	-39.87	-13	PASS
Band12	5	23155	1	#0	QPSK	1423.00	-38.11	-13	PASS
Band12	5	23155	25	#0	QPSK	1430.20	-39.94	-13	PASS
Band12	5	23155	1	#0	QAM16	2134.00	-38.70	-13	PASS
Band12	5	23155	25	#0	QAM16	1430.20	-42.37	-13	PASS
Band12	10	23060	1	#0	QPSK	1399.60	-37.56	-13	PASS
Band12	10	23060	50	#0	QPSK	1414.00	-42.65	-13	PASS
Band12	10	23060	1	#0	QAM16	1399.60	-40.63	-13	PASS
Band12	10	23060	50	#0	QAM16	1407.70	-42.94	-13	PASS
Band12	10	23095	1	#0	QPSK	1405.90	-34.65	-13	PASS
Band12	10	23095	50	#0	QPSK	1411.30	-43.31	-13	PASS

Band12	10	23095	1	#0	QAM16	1405.90	-35.87	-13	PASS
Band12	10	23095	50	#0	QAM16	1410.40	-42.98	-13	PASS
Band12	10	23130	1	#0	QPSK	1413.10	-33.98	-13	PASS
Band12	10	23130	50	#0	QPSK	1415.80	-44.55	-13	PASS
Band12	10	23130	1	#0	QAM16	1413.10	-35.06	-13	PASS
Band12	10	23130	50	#0	QAM16	7612.30	-44.03	-13	PASS
Band13	5	23205	1	#0	QPSK	1606.40	-56.98	-40	PASS
Band13	5	23205	25	#0	QPSK	1560.46	-49.93	-40	PASS
Band13	5	23205	1	#0	QAM16	1584.64	-56.60	-40	PASS
Band13	5	23205	25	#0	QAM16	1561.01	-48.98	-40	PASS
Band13	5	23230	1	#0	QPSK	1560.13	-42.12	-40	PASS
Band13	5	23230	25	#0	QPSK	1563.85	-49.64	-40	PASS
Band13	5	23230	1	#0	QAM16	1559.56	-42.19	-40	PASS
Band13	5	23230	25	#0	QAM16	1564.25	-50.44	-40	PASS
Band13	5	23255	1	#0	QPSK	1564.52	-41.42	-40	PASS
Band13	5	23255	25	#0	QPSK	1567.80	-49.67	-40	PASS
Band13	5	23255	1	#0	QAM16	1564.94	-43.08	-40	PASS
Band13	5	23255	25	#0	QAM16	1569.66	-50.52	-40	PASS
Band13	10	23230	1	#0	QPSK	1608.58	-56.60	-40	PASS
Band13	10	23230	50	#0	QPSK	1566.01	-51.71	-40	PASS
Band13	10	23230	1	#0	QAM16	1564.05	-56.83	-40	PASS
Band13	10	23230	50	#0	QAM16	1565.58	-51.65	-40	PASS
Band17	5	23755	1	#0	QPSK	1408.60	-32.75	-13	PASS
Band17	5	23755	25	#0	QPSK	1414.90	-41.78	-13	PASS
Band17	5	23755	1	#0	QAM16	1408.60	-37.17	-13	PASS
Band17	5	23755	25	#0	QAM16	1413.10	-42.49	-13	PASS
Band17	5	23790	1	#0	QPSK	1415.80	-31.12	-13	PASS
Band17	5	23790	25	#0	QPSK	1416.70	-41.32	-13	PASS
Band17	5	23790	1	#0	QAM16	1415.80	-34.34	-13	PASS
Band17	5	23790	25	#0	QAM16	1417.60	-43.70	-13	PASS
Band17	5	23825	1	#0	QPSK	1423.00	-36.97	-13	PASS
Band17	5	23825	25	#0	QPSK	1430.20	-40.42	-13	PASS
Band17	5	23825	1	#0	QAM16	1423.00	-38.23	-13	PASS
Band17	5	23825	25	#0	QAM16	1429.30	-41.03	-13	PASS
Band17	10	23780	1	#0	QPSK	1409.50	-36.38	-13	PASS
Band17	10	23780	50	#0	QPSK	1413.10	-42.79	-13	PASS
Band17	10	23780	1	#0	QAM16	1409.50	-35.91	-13	PASS
Band17	10	23780	50	#0	QAM16	1414.90	-42.75	-13	PASS
Band17	10	23790	1	#0	QPSK	1411.30	-37.69	-13	PASS
Band17	10	23790	50	#0	QPSK	1414.00	-43.71	-13	PASS
Band17	10	23790	1	#0	QAM16	1411.30	-34.37	-13	PASS
Band17	10	23790	50	#0	QAM16	1412.20	-42.68	-13	PASS
Band17	10	23800	1	#0	QPSK	1413.10	-35.77	-13	PASS
Band17	10	23800	50	#0	QPSK	7646.50	-44.50	-13	PASS

Band17	10	23800	1	#0	QAM16	1413.10	-34.17	-13	PASS
Band17	10	23800	50	#0	QAM16	1415.80	-44.58	-13	PASS
Band2	1.4	18607	1	#0	QPSK	7696.00	-42.16	-13	PASS
Band2	1.4	18607	6	#0	QPSK	7688.80	-42.51	-13	PASS
Band2	1.4	18607	1	#0	QAM16	9570.70	-42.92	-13	PASS
Band2	1.4	18607	6	#0	QAM16	6324.40	-43.14	-13	PASS
Band2	1.4	18900	1	#0	QPSK	6139.90	-42.28	-13	PASS
Band2	1.4	18900	6	#0	QPSK	2526.40	-42.99	-13	PASS
Band2	1.4	18900	1	#0	QAM16	6410.80	-42.60	-13	PASS
Band2	1.4	18900	6	#0	QAM16	6209.20	-42.76	-13	PASS
Band2	1.4	19193	1	#0	QPSK	0.01	-42.54	-13	PASS
Band2	1.4	19193	6	#0	QPSK	8084.80	-43.20	-13	PASS
Band2	1.4	19193	1	#0	QAM16	7584.40	-43.02	-13	PASS
Band2	1.4	19193	6	#0	QAM16	6153.40	-42.68	-13	PASS
Band2	3	18615	1	#0	QPSK	8038.00	-42.09	-13	PASS
Band2	3	18615	15	#0	QPSK	0.01	-42.95	-13	PASS
Band2	3	18615	1	#0	QAM16	6115.60	-42.86	-13	PASS
Band2	3	18615	15	#0	QAM16	5797.90	-43.05	-13	PASS
Band2	3	18900	1	#0	QPSK	8153.20	-43.10	-13	PASS
Band2	3	18900	15	#0	QPSK	7922.80	-43.22	-13	PASS
Band2	3	18900	1	#0	QAM16	9155.80	-43.24	-13	PASS
Band2	3	18900	15	#0	QAM16	7665.40	-42.76	-13	PASS
Band2	3	19185	1	#0	QPSK	2579.50	-42.80	-13	PASS
Band2	3	19185	15	#0	QPSK	7064.20	-42.65	-13	PASS
Band2	3	19185	1	#0	QAM16	7830.10	-42.70	-13	PASS
Band2	3	19185	15	#0	QAM16	3306.70	-43.03	-13	PASS
Band2	5	18625	1	#0	QPSK	5752.00	-43.23	-13	PASS
Band2	5	18625	25	#0	QPSK	7720.30	-42.95	-13	PASS
Band2	5	18625	1	#0	QAM16	0.01	-41.97	-13	PASS
Band2	5	18625	25	#0	QAM16	7624.00	-43.02	-13	PASS
Band2	5	18900	1	#0	QPSK	7514.20	-42.47	-13	PASS
Band2	5	18900	25	#0	QPSK	6647.50	-43.09	-13	PASS
Band2	5	18900	1	#0	QAM16	5739.40	-41.77	-13	PASS
Band2	5	18900	25	#0	QAM16	9675.10	-42.47	-13	PASS
Band2	5	19175	1	#0	QPSK	7428.70	-42.58	-13	PASS
Band2	5	19175	25	#0	QPSK	5602.60	-43.20	-13	PASS
Band2	5	19175	1	#0	QAM16	7603.30	-42.55	-13	PASS
Band2	5	19175	25	#0	QAM16	7056.10	-42.93	-13	PASS
Band2	10	18650	1	#0	QPSK	7568.20	-42.43	-13	PASS
Band2	10	18650	50	#0	QPSK	9638.20	-42.98	-13	PASS
Band2	10	18650	1	#0	QAM16	7365.70	-43.03	-13	PASS
Band2	10	18650	50	#0	QAM16	6591.70	-43.06	-13	PASS
Band2	10	18900	1	#0	QPSK	5825.80	-42.72	-13	PASS
Band2	10	18900	50	#0	QPSK	5248.00	-42.43	-13	PASS

Band2	10	18900	1	#0	QAM16	7562.80	-42.76	-13	PASS
Band2	10	18900	50	#0	QAM16	7636.60	-41.12	-13	PASS
Band2	10	19150	1	#0	QPSK	7699.60	-42.75	-13	PASS
Band2	10	19150	50	#0	QPSK	7090.30	-42.43	-13	PASS
Band2	10	19150	1	#0	QAM16	7039.90	-43.43	-13	PASS
Band2	10	19150	50	#0	QAM16	5976.10	-42.74	-13	PASS
Band2	15	18675	1	#0	QPSK	9018.10	-43.01	-13	PASS
Band2	15	18675	75	#0	QPSK	3120.40	-42.44	-13	PASS
Band2	15	18675	1	#0	QAM16	6551.20	-43.03	-13	PASS
Band2	15	18675	75	#0	QAM16	7124.50	-43.27	-13	PASS
Band2	15	18900	1	#0	QPSK	3170.80	-43.13	-13	PASS
Band2	15	18900	75	#0	QPSK	7087.60	-42.90	-13	PASS
Band2	15	18900	1	#0	QAM16	7596.10	-43.08	-13	PASS
Band2	15	18900	75	#0	QAM16	7587.10	-42.21	-13	PASS
Band2	15	19125	1	#0	QPSK	7096.60	-42.38	-13	PASS
Band2	15	19125	75	#0	QPSK	7097.50	-42.91	-13	PASS
Band2	15	19125	1	#0	QAM16	7631.20	-41.65	-13	PASS
Band2	15	19125	75	#0	QAM16	7102.90	-42.23	-13	PASS
Band2	20	18700	1	#0	QPSK	7612.30	-42.68	-13	PASS
Band2	20	18700	100	#0	QPSK	6144.40	-41.26	-13	PASS
Band2	20	18700	1	#0	QAM16	5870.80	-42.98	-13	PASS
Band2	20	18700	100	#0	QAM16	7594.30	-42.68	-13	PASS
Band2	20	18900	1	#0	QPSK	5585.50	-42.96	-13	PASS
Band2	20	18900	100	#0	QPSK	7637.50	-42.30	-13	PASS
Band2	20	18900	1	#0	QAM16	7595.20	-42.43	-13	PASS
Band2	20	18900	100	#0	QAM16	7634.80	-43.00	-13	PASS
Band2	20	19100	1	#0	QPSK	7211.80	-42.93	-13	PASS
Band2	20	19100	100	#0	QPSK	5875.30	-43.20	-13	PASS
Band2	20	19100	1	#0	QAM16	5470.30	-42.48	-13	PASS
Band2	20	19100	100	#0	QAM16	6767.20	-42.89	-13	PASS
Band25	1.4	26047	1	#0	QPSK	6999.40	-42.18	-13	PASS
Band25	1.4	26047	6	#0	QPSK	7184.80	-42.83	-13	PASS
Band25	1.4	26047	1	#0	QAM16	7625.80	-42.87	-13	PASS
Band25	1.4	26047	6	#0	QAM16	5811.40	-43.27	-13	PASS
Band25	1.4	26365	1	#0	QPSK	7519.60	-42.68	-13	PASS
Band25	1.4	26365	6	#0	QPSK	4879.00	-43.43	-13	PASS
Band25	1.4	26365	1	#0	QAM16	7564.60	-42.83	-13	PASS
Band25	1.4	26365	6	#0	QAM16	5334.40	-43.20	-13	PASS
Band25	1.4	26683	1	#0	QPSK	7222.60	-42.92	-13	PASS
Band25	1.4	26683	6	#0	QPSK	7120.90	-42.00	-13	PASS
Band25	1.4	26683	1	#0	QAM16	8056.90	-42.97	-13	PASS
Band25	1.4	26683	6	#0	QAM16	7511.50	-42.16	-13	PASS
Band25	3	26055	1	#0	QPSK	0.01	-42.56	-13	PASS
Band25	3	26055	15	#0	QPSK	7663.60	-42.86	-13	PASS

Band25	3	26055	1	#0	QAM16	6402.70	-43.20	-13	PASS
Band25	3	26055	15	#0	QAM16	7678.90	-43.04	-13	PASS
Band25	3	26365	1	#0	QPSK	7650.10	-43.21	-13	PASS
Band25	3	26365	15	#0	QPSK	7619.50	-42.58	-13	PASS
Band25	3	26365	1	#0	QAM16	5876.20	-42.95	-13	PASS
Band25	3	26365	15	#0	QAM16	5980.60	-42.50	-13	PASS
Band25	3	26675	1	#0	QPSK	7387.30	-42.67	-13	PASS
Band25	3	26675	15	#0	QPSK	7668.10	-42.39	-13	PASS
Band25	3	26675	1	#0	QAM16	7587.10	-42.24	-13	PASS
Band25	3	26675	15	#0	QAM16	3568.60	-42.89	-13	PASS
Band25	5	26065	1	#0	QPSK	5280.40	-43.14	-13	PASS
Band25	5	26065	25	#0	QPSK	3206.80	-42.75	-13	PASS
Band25	5	26065	1	#0	QAM16	6307.30	-43.51	-13	PASS
Band25	5	26065	25	#0	QAM16	5830.30	-42.39	-13	PASS
Band25	5	26365	1	#0	QPSK	3043.90	-43.53	-13	PASS
Band25	5	26365	25	#0	QPSK	8119.00	-42.28	-13	PASS
Band25	5	26365	1	#0	QAM16	5320.90	-42.78	-13	PASS
Band25	5	26365	25	#0	QAM16	6193.90	-43.06	-13	PASS
Band25	5	26665	1	#0	QPSK	3146.50	-42.21	-13	PASS
Band25	5	26665	25	#0	QPSK	0.01	-42.27	-13	PASS
Band25	5	26665	1	#0	QAM16	0.01	-42.80	-13	PASS
Band25	5	26665	25	#0	QAM16	7000.30	-42.07	-13	PASS
Band25	10	26090	1	#0	QPSK	9679.60	-43.38	-13	PASS
Band25	10	26090	50	#0	QPSK	8031.70	-43.19	-13	PASS
Band25	10	26090	1	#0	QAM16	5836.60	-43.01	-13	PASS
Band25	10	26090	50	#0	QAM16	6724.00	-42.62	-13	PASS
Band25	10	26365	1	#0	QPSK	5751.10	-42.23	-13	PASS
Band25	10	26365	50	#0	QPSK	3161.80	-42.33	-13	PASS
Band25	10	26365	1	#0	QAM16	7640.20	-43.27	-13	PASS
Band25	10	26365	50	#0	QAM16	8020.90	-43.22	-13	PASS
Band25	10	26640	1	#0	QPSK	2671.30	-43.03	-13	PASS
Band25	10	26640	50	#0	QPSK	6136.30	-42.67	-13	PASS
Band25	10	26640	1	#0	QAM16	6638.50	-42.32	-13	PASS
Band25	10	26640	50	#0	QAM16	6060.70	-42.86	-13	PASS
Band25	15	26115	1	#0	QPSK	8108.20	-43.17	-13	PASS
Band25	15	26115	75	#0	QPSK	6208.30	-42.78	-13	PASS
Band25	15	26115	1	#0	QAM16	6121.90	-43.30	-13	PASS
Band25	15	26115	75	#0	QAM16	7581.70	-42.73	-13	PASS
Band25	15	26365	1	#0	QPSK	7643.80	-43.05	-13	PASS
Band25	15	26365	75	#0	QPSK	7354.00	-42.77	-13	PASS
Band25	15	26365	1	#0	QAM16	6115.60	-43.05	-13	PASS
Band25	15	26365	75	#0	QAM16	5842.00	-42.27	-13	PASS
Band25	15	26615	1	#0	QPSK	0.01	-42.96	-13	PASS
Band25	15	26615	75	#0	QPSK	7730.20	-42.62	-13	PASS

Band25	15	26615	1	#0	QAM16	5796.10	-42.74	-13	PASS
Band25	15	26615	75	#0	QAM16	7715.80	-42.76	-13	PASS
Band25	20	26140	1	#0	QPSK	7624.00	-41.69	-13	PASS
Band25	20	26140	100	#0	QPSK	6209.20	-42.93	-13	PASS
Band25	20	26140	1	#0	QAM16	7362.10	-43.10	-13	PASS
Band25	20	26140	100	#0	QAM16	7558.30	-42.41	-13	PASS
Band25	20	26365	1	#0	QPSK	7590.70	-42.78	-13	PASS
Band25	20	26365	100	#0	QPSK	7681.60	-43.33	-13	PASS
Band25	20	26365	1	#0	QAM16	7557.40	-43.01	-13	PASS
Band25	20	26365	100	#0	QAM16	6472.90	-41.94	-13	PASS
Band25	20	26590	1	#0	QPSK	5554.90	-41.98	-13	PASS
Band25	20	26590	100	#0	QPSK	5792.50	-42.53	-13	PASS
Band25	20	26590	1	#0	QAM16	9104.50	-42.53	-13	PASS
Band25	20	26590	100	#0	QAM16	7589.80	-43.15	-13	PASS
Band26a	1.4	26697	1	#0	QPSK	1628.20	-35.63	-13	PASS
Band26a	1.4	26697	6	#0	QPSK	1630.00	-35.71	-13	PASS
Band26a	1.4	26697	1	#0	QAM16	1629.10	-35.22	-13	PASS
Band26a	1.4	26697	6	#0	QAM16	1629.10	-37.42	-13	PASS
Band26a	1.4	26740	1	#0	QPSK	1637.20	-36.53	-13	PASS
Band26a	1.4	26740	6	#0	QPSK	1639.00	-37.19	-13	PASS
Band26a	1.4	26740	1	#0	QAM16	1637.20	-38.42	-13	PASS
Band26a	1.4	26740	6	#0	QAM16	1638.10	-38.81	-13	PASS
Band26a	1.4	26783	1	#0	QPSK	1646.20	-36.33	-13	PASS
Band26a	1.4	26783	6	#0	QPSK	1647.10	-36.83	-13	PASS
Band26a	1.4	26783	1	#0	QAM16	1646.20	-35.74	-13	PASS
Band26a	1.4	26783	6	#0	QAM16	1647.10	-36.64	-13	PASS
Band26a	3	26705	1	#0	QPSK	1629.10	-34.12	-13	PASS
Band26a	3	26705	15	#0	QPSK	1630.90	-36.90	-13	PASS
Band26a	3	26705	1	#0	QAM16	1629.10	-33.81	-13	PASS
Band26a	3	26705	15	#0	QAM16	836.85	-35.57	-13	PASS
Band26a	3	26740	1	#0	QPSK	1635.40	-33.92	-13	PASS
Band26a	3	26740	15	#0	QPSK	1637.20	-42.15	-13	PASS
Band26a	3	26740	1	#0	QAM16	1635.40	-31.72	-13	PASS
Band26a	3	26740	15	#0	QAM16	1639.90	-39.55	-13	PASS
Band26a	3	26775	1	#0	QPSK	1642.60	-34.73	-13	PASS
Band26a	3	26775	15	#0	QPSK	1646.20	-38.67	-13	PASS
Band26a	3	26775	1	#0	QAM16	1642.60	-35.69	-13	PASS
Band26a	3	26775	15	#0	QAM16	1644.40	-39.27	-13	PASS
Band26a	5	26715	1	#0	QPSK	1629.10	-34.26	-13	PASS
Band26a	5	26715	25	#0	QPSK	1633.60	-42.03	-13	PASS
Band26a	5	26715	1	#0	QAM16	1629.10	-36.30	-13	PASS
Band26a	5	26715	25	#0	QAM16	1637.20	-42.18	-13	PASS
Band26a	5	26740	1	#0	QPSK	1633.60	-32.87	-13	PASS
Band26a	5	26740	25	#0	QPSK	1638.10	-41.58	-13	PASS

Band26a	5	26740	1	#0	QAM16	1633.60	-36.88	-13	PASS
Band26a	5	26740	25	#0	QAM16	849.46	-39.40	-13	PASS
Band26a	5	26765	1	#0	QPSK	1639.00	-34.72	-13	PASS
Band26a	5	26765	25	#0	QPSK	845.58	-34.19	-13	PASS
Band26a	5	26765	1	#0	QAM16	1639.00	-35.48	-13	PASS
Band26a	5	26765	25	#0	QAM16	1643.50	-42.09	-13	PASS
Band26a	10	26740	1	#0	QPSK	1629.10	-31.88	-13	PASS
Band26a	10	26740	50	#0	QPSK	1640.80	-43.82	-13	PASS
Band26a	10	26740	1	#0	QAM16	1629.10	-36.08	-13	PASS
Band26a	10	26740	50	#0	QAM16	1638.10	-44.25	-13	PASS
Band26b	1.4	26797	1	#0	QPSK	1648.90	-36.41	-13	PASS
Band26b	1.4	26797	6	#0	QPSK	1649.80	-37.26	-13	PASS
Band26b	1.4	26797	1	#0	QAM16	1648.90	-34.76	-13	PASS
Band26b	1.4	26797	6	#0	QAM16	1649.80	-38.07	-13	PASS
Band26b	1.4	26915	1	#0	QPSK	1672.30	-32.44	-13	PASS
Band26b	1.4	26915	6	#0	QPSK	1673.20	-35.55	-13	PASS
Band26b	1.4	26915	1	#0	QAM16	1672.30	-36.46	-13	PASS
Band26b	1.4	26915	6	#0	QAM16	813.57	-33.06	-13	PASS
Band26b	1.4	27033	1	#0	QPSK	1695.70	-32.92	-13	PASS
Band26b	1.4	27033	6	#0	QPSK	1697.50	-36.23	-13	PASS
Band26b	1.4	27033	1	#0	QAM16	1695.70	-34.36	-13	PASS
Band26b	1.4	27033	6	#0	QAM16	1696.60	-37.37	-13	PASS
Band26b	3	26805	1	#0	QPSK	1648.90	-35.54	-13	PASS
Band26b	3	26805	15	#0	QPSK	1650.70	-39.50	-13	PASS
Band26b	3	26805	1	#0	QAM16	1648.90	-36.70	-13	PASS
Band26b	3	26805	15	#0	QAM16	1652.50	-37.56	-13	PASS
Band26b	3	26915	1	#0	QPSK	1670.50	-32.96	-13	PASS
Band26b	3	26915	15	#0	QPSK	1673.20	-39.03	-13	PASS
Band26b	3	26915	1	#0	QAM16	1670.50	-32.75	-13	PASS
Band26b	3	26915	15	#0	QAM16	1672.30	-40.04	-13	PASS
Band26b	3	27025	1	#0	QPSK	1692.10	-31.59	-13	PASS
Band26b	3	27025	15	#0	QPSK	1693.90	-38.83	-13	PASS
Band26b	3	27025	1	#0	QAM16	1693.00	-35.20	-13	PASS
Band26b	3	27025	15	#0	QAM16	1695.70	-39.44	-13	PASS
Band26b	5	26815	1	#0	QPSK	1648.90	-36.77	-13	PASS
Band26b	5	26815	25	#0	QPSK	1655.20	-40.61	-13	PASS
Band26b	5	26815	1	#0	QAM16	1648.90	-35.19	-13	PASS
Band26b	5	26815	25	#0	QAM16	1655.20	-39.43	-13	PASS
Band26b	5	26915	1	#0	QPSK	1668.70	-31.47	-13	PASS
Band26b	5	26915	25	#0	QPSK	1672.30	-41.78	-13	PASS
Band26b	5	26915	1	#0	QAM16	1668.70	-32.19	-13	PASS
Band26b	5	26915	25	#0	QAM16	1673.20	-41.90	-13	PASS
Band26b	5	27015	1	#0	QPSK	1688.50	-34.14	-13	PASS
Band26b	5	27015	25	#0	QPSK	1692.10	-40.16	-13	PASS

Band26b	5	27015	1	#0	QAM16	1688.50	-34.03	-13	PASS
Band26b	5	27015	25	#0	QAM16	1690.30	-41.34	-13	PASS
Band26b	10	26840	1	#0	QPSK	1649.80	-34.19	-13	PASS
Band26b	10	26840	50	#0	QPSK	1657.90	-42.69	-13	PASS
Band26b	10	26840	1	#0	QAM16	1649.80	-34.39	-13	PASS
Band26b	10	26840	50	#0	QAM16	1657.90	-43.68	-13	PASS
Band26b	10	26915	1	#0	QPSK	1664.20	-31.73	-13	PASS
Band26b	10	26915	50	#0	QPSK	1678.60	-43.26	-13	PASS
Band26b	10	26915	1	#0	QAM16	1664.20	-36.64	-13	PASS
Band26b	10	26915	50	#0	QAM16	1672.30	-43.36	-13	PASS
Band26b	10	26990	1	#0	QPSK	1679.50	-35.11	-13	PASS
Band26b	10	26990	50	#0	QPSK	1684.00	-40.42	-13	PASS
Band26b	10	26990	1	#0	QAM16	1679.50	-35.39	-13	PASS
Band26b	10	26990	50	#0	QAM16	1683.10	-40.58	-13	PASS
Band26b	15	26865	1	#0	QPSK	1649.80	-34.21	-13	PASS
Band26b	15	26865	75	#0	QPSK	1658.80	-41.22	-13	PASS
Band26b	15	26865	1	#0	QAM16	1649.80	-35.86	-13	PASS
Band26b	15	26865	75	#0	QAM16	1659.70	-44.64	-13	PASS
Band26b	15	26915	1	#0	QPSK	1659.70	-33.96	-13	PASS
Band26b	15	26915	75	#0	QPSK	1679.50	-42.88	-13	PASS
Band26b	15	26915	1	#0	QAM16	1659.70	-36.38	-13	PASS
Band26b	15	26915	75	#0	QAM16	0.01	-43.04	-13	PASS
Band26b	15	26965	1	#0	QPSK	1669.60	-35.71	-13	PASS
Band26b	15	26965	75	#0	QPSK	1683.10	-41.98	-13	PASS
Band26b	15	26965	1	#0	QAM16	1669.60	-36.35	-13	PASS
Band26b	15	26965	75	#0	QAM16	1683.10	-43.78	-13	PASS
Band4	1.4	19957	1	#0	QPSK	3421.00	-37.45	-13	PASS
Band4	1.4	19957	6	#0	QPSK	3421.90	-40.91	-13	PASS
Band4	1.4	19957	1	#0	QAM16	3421.00	-39.05	-13	PASS
Band4	1.4	19957	6	#0	QAM16	3421.90	-40.84	-13	PASS
Band4	1.4	20175	1	#0	QPSK	7098.40	-42.73	-13	PASS
Band4	1.4	20175	6	#0	QPSK	7660.90	-42.07	-13	PASS
Band4	1.4	20175	1	#0	QAM16	8284.60	-43.42	-13	PASS
Band4	1.4	20175	6	#0	QAM16	7112.80	-43.38	-13	PASS
Band4	1.4	20393	1	#0	QPSK	3507.40	-39.38	-13	PASS
Band4	1.4	20393	6	#0	QPSK	3508.30	-40.43	-13	PASS
Band4	1.4	20393	1	#0	QAM16	1785.70	-35.70	-13	PASS
Band4	1.4	20393	6	#0	QAM16	3509.20	-42.36	-13	PASS
Band4	3	19965	1	#0	QPSK	3421.00	-38.96	-13	PASS
Band4	3	19965	15	#0	QPSK	3423.70	-41.66	-13	PASS
Band4	3	19965	1	#0	QAM16	3420.10	-37.45	-13	PASS
Band4	3	19965	15	#0	QAM16	3422.80	-41.55	-13	PASS
Band4	3	20175	1	#0	QPSK	3462.40	-43.50	-13	PASS
Band4	3	20175	15	#0	QPSK	5666.50	-43.36	-13	PASS

Band4	3	20175	1	#0	QAM16	7618.60	-42.73	-13	PASS
Band4	3	20175	15	#0	QAM16	6948.10	-42.06	-13	PASS
Band4	3	20385	1	#0	QPSK	3504.70	-38.88	-13	PASS
Band4	3	20385	15	#0	QPSK	1767.70	-41.69	-13	PASS
Band4	3	20385	1	#0	QAM16	3504.70	-40.32	-13	PASS
Band4	3	20385	15	#0	QAM16	7556.50	-42.93	-13	PASS
Band4	5	19975	1	#0	QPSK	3421.00	-38.26	-13	PASS
Band4	5	19975	25	#0	QPSK	7469.20	-43.72	-13	PASS
Band4	5	19975	1	#0	QAM16	3421.00	-39.08	-13	PASS
Band4	5	19975	25	#0	QAM16	7632.10	-42.70	-13	PASS
Band4	5	20175	1	#0	QPSK	3460.60	-43.29	-13	PASS
Band4	5	20175	25	#0	QPSK	5739.40	-43.54	-13	PASS
Band4	5	20175	1	#0	QAM16	5810.50	-43.19	-13	PASS
Band4	5	20175	25	#0	QAM16	7626.70	-42.72	-13	PASS
Band4	5	20375	1	#0	QPSK	3500.20	-40.61	-13	PASS
Band4	5	20375	25	#0	QPSK	3175.30	-43.44	-13	PASS
Band4	5	20375	1	#0	QAM16	3501.10	-39.86	-13	PASS
Band4	5	20375	25	#0	QAM16	7600.60	-43.34	-13	PASS
Band4	10	20000	1	#0	QPSK	3421.90	-40.34	-13	PASS
Band4	10	20000	50	#0	QPSK	7569.10	-43.03	-13	PASS
Band4	10	20000	1	#0	QAM16	3421.00	-40.95	-13	PASS
Band4	10	20000	50	#0	QAM16	7144.30	-43.66	-13	PASS
Band4	10	20175	1	#0	QPSK	7661.80	-42.82	-13	PASS
Band4	10	20175	50	#0	QPSK	6780.70	-43.59	-13	PASS
Band4	10	20175	1	#0	QAM16	3456.10	-41.17	-13	PASS
Band4	10	20175	50	#0	QAM16	7599.70	-42.87	-13	PASS
Band4	10	20350	1	#0	QPSK	3491.20	-40.44	-13	PASS
Band4	10	20350	50	#0	QPSK	6570.10	-42.90	-13	PASS
Band4	10	20350	1	#0	QAM16	3491.20	-40.57	-13	PASS
Band4	10	20350	50	#0	QAM16	5437.00	-42.21	-13	PASS
Band4	15	20025	1	#0	QPSK	3421.90	-38.56	-13	PASS
Band4	15	20025	75	#0	QPSK	7714.00	-43.49	-13	PASS
Band4	15	20025	1	#0	QAM16	3421.90	-40.68	-13	PASS
Band4	15	20025	75	#0	QAM16	8375.50	-43.60	-13	PASS
Band4	15	20175	1	#0	QPSK	3451.60	-42.79	-13	PASS
Band4	15	20175	75	#0	QPSK	7639.30	-43.44	-13	PASS
Band4	15	20175	1	#0	QAM16	5449.60	-42.35	-13	PASS
Band4	15	20175	75	#0	QAM16	5837.50	-42.69	-13	PASS
Band4	15	20325	1	#0	QPSK	3482.20	-41.48	-13	PASS
Band4	15	20325	75	#0	QPSK	7601.50	-42.82	-13	PASS
Band4	15	20325	1	#0	QAM16	6838.30	-43.22	-13	PASS
Band4	15	20325	75	#0	QAM16	6199.30	-42.74	-13	PASS
Band4	20	20050	1	#0	QPSK	3422.80	-37.80	-13	PASS
Band4	20	20050	100	#0	QPSK	7531.30	-42.97	-13	PASS

Band4	20	20050	1	#0	QAM16	3422.80	-40.45	-13	PASS
Band4	20	20050	100	#0	QAM16	7669.00	-43.55	-13	PASS
Band4	20	20175	1	#0	QPSK	3447.10	-42.21	-13	PASS
Band4	20	20175	100	#0	QPSK	0.01	-43.01	-13	PASS
Band4	20	20175	1	#0	QAM16	3447.10	-43.71	-13	PASS
Band4	20	20175	100	#0	QAM16	7481.80	-42.91	-13	PASS
Band4	20	20300	1	#0	QPSK	8083.00	-42.55	-13	PASS
Band4	20	20300	100	#0	QPSK	9624.70	-42.60	-13	PASS
Band4	20	20300	1	#0	QAM16	5925.70	-43.05	-13	PASS
Band4	20	20300	100	#0	QAM16	8125.30	-43.48	-13	PASS
Band41	5	40065	1	#0	QPSK	7111.90	-41.29	-25	PASS
Band41	5	40065	25	#0	QPSK	2513.80	-38.68	-25	PASS
Band41	5	40065	1	#0	QAM16	7603.30	-42.03	-25	PASS
Band41	5	40065	25	#0	QAM16	0.01	-41.32	-25	PASS
Band41	5	40640	1	#0	QPSK	8088.40	-41.85	-25	PASS
Band41	5	40640	25	#0	QPSK	5563.90	-41.75	-25	PASS
Band41	5	40640	1	#0	QAM16	7673.50	-42.02	-25	PASS
Band41	5	40640	25	#0	QAM16	5851.90	-42.19	-25	PASS
Band41	5	41215	1	#0	QPSK	5300.20	-40.65	-25	PASS
Band41	5	41215	25	#0	QPSK	3113.20	-41.10	-25	PASS
Band41	5	41215	1	#0	QAM16	5301.10	-42.03	-25	PASS
Band41	5	41215	25	#0	QAM16	6175.00	-42.60	-25	PASS
Band41	10	40090	1	#0	QPSK	6606.10	-42.06	-25	PASS
Band41	10	40090	50	#0	QPSK	3206.80	-42.60	-25	PASS
Band41	10	40090	1	#0	QAM16	3161.80	-41.00	-25	PASS
Band41	10	40090	50	#0	QAM16	7677.10	-42.06	-25	PASS
Band41	10	40640	1	#0	QPSK	6211.00	-42.44	-25	PASS
Band41	10	40640	50	#0	QPSK	7547.50	-41.87	-25	PASS
Band41	10	40640	1	#0	QAM16	3071.80	-41.48	-25	PASS
Band41	10	40640	50	#0	QAM16	6491.80	-42.31	-25	PASS
Band41	10	41190	1	#0	QPSK	5291.20	-41.22	-25	PASS
Band41	10	41190	50	#0	QPSK	5276.80	-42.32	-25	PASS
Band41	10	41190	1	#0	QAM16	5291.20	-41.41	-25	PASS
Band41	10	41190	50	#0	QAM16	8020.90	-41.13	-25	PASS
Band41	15	40115	1	#0	QPSK	5333.50	-42.00	-25	PASS
Band41	15	40115	75	#0	QPSK	7535.80	-41.79	-25	PASS
Band41	15	40115	1	#0	QAM16	7113.70	-42.11	-25	PASS
Band41	15	40115	75	#0	QAM16	7611.40	-41.86	-25	PASS
Band41	15	40640	1	#0	QPSK	5363.20	-42.17	-25	PASS
Band41	15	40640	75	#0	QPSK	5349.70	-41.74	-25	PASS
Band41	15	40640	1	#0	QAM16	6896.80	-42.54	-25	PASS
Band41	15	40640	75	#0	QAM16	5328.10	-42.39	-25	PASS
Band41	15	41165	1	#0	QPSK	5282.20	-41.85	-25	PASS
Band41	15	41165	75	#0	QPSK	6076.00	-41.89	-25	PASS

Band41	15	41165	1	#0	QAM16	7629.40	-40.58	-25	PASS
Band41	15	41165	75	#0	QAM16	7677.10	-41.98	-25	PASS
Band41	20	40140	1	#0	QPSK	7304.50	-41.95	-25	PASS
Band41	20	40140	100	#0	QPSK	3102.40	-42.22	-25	PASS
Band41	20	40140	1	#0	QAM16	7554.70	-42.01	-25	PASS
Band41	20	40140	100	#0	QAM16	5337.10	-42.14	-25	PASS
Band41	20	40640	1	#0	QPSK	3133.00	-41.66	-25	PASS
Band41	20	40640	100	#0	QPSK	7637.50	-41.62	-25	PASS
Band41	20	40640	1	#0	QAM16	6711.40	-42.59	-25	PASS
Band41	20	40640	100	#0	QAM16	0.01	-41.74	-25	PASS
Band41	20	41140	1	#0	QPSK	5272.30	-40.23	-25	PASS
Band41	20	41140	100	#0	QPSK	7561.90	-41.66	-25	PASS
Band41	20	41140	1	#0	QAM16	5272.30	-41.09	-25	PASS
Band41	20	41140	100	#0	QAM16	6809.50	-41.89	-25	PASS
Band5	1.4	20407	1	#0	QPSK	0.01	-29.74	-13	PASS
Band5	1.4	20407	6	#0	QPSK	3315.70	-30.88	-13	PASS
Band5	1.4	20407	1	#0	QAM16	5843.80	-30.82	-13	PASS
Band5	1.4	20407	6	#0	QAM16	7607.80	-30.86	-13	PASS
Band5	1.4	20525	1	#0	QPSK	7459.30	-31.07	-13	PASS
Band5	1.4	20525	6	#0	QPSK	6262.30	-30.43	-13	PASS
Band5	1.4	20525	1	#0	QAM16	7549.30	-30.48	-13	PASS
Band5	1.4	20525	6	#0	QAM16	6848.20	-30.64	-13	PASS
Band5	1.4	20643	1	#0	QPSK	7147.00	-31.40	-13	PASS
Band5	1.4	20643	6	#0	QPSK	5051.80	-30.57	-13	PASS
Band5	1.4	20643	1	#0	QAM16	7587.10	-30.83	-13	PASS
Band5	1.4	20643	6	#0	QAM16	5970.70	-30.82	-13	PASS
Band5	3	20415	1	#0	QPSK	0.01	-30.51	-13	PASS
Band5	3	20415	15	#0	QPSK	5454.10	-30.34	-13	PASS
Band5	3	20415	1	#0	QAM16	7599.70	-30.35	-13	PASS
Band5	3	20415	15	#0	QAM16	6079.60	-31.30	-13	PASS
Band5	3	20525	1	#0	QPSK	7211.80	-30.27	-13	PASS
Band5	3	20525	15	#0	QPSK	7611.40	-31.04	-13	PASS
Band5	3	20525	1	#0	QAM16	5573.80	-31.12	-13	PASS
Band5	3	20525	15	#0	QAM16	7621.30	-30.90	-13	PASS
Band5	3	20635	1	#0	QPSK	7635.70	-30.52	-13	PASS
Band5	3	20635	15	#0	QPSK	6272.20	-30.53	-13	PASS
Band5	3	20635	1	#0	QAM16	6276.70	-30.88	-13	PASS
Band5	3	20635	15	#0	QAM16	7195.60	-30.38	-13	PASS
Band5	5	20425	1	#0	QPSK	7115.50	-31.05	-13	PASS
Band5	5	20425	25	#0	QPSK	7187.50	-30.42	-13	PASS
Band5	5	20425	1	#0	QAM16	7011.10	-30.74	-13	PASS
Band5	5	20425	25	#0	QAM16	0.01	-31.03	-13	PASS
Band5	5	20525	1	#0	QPSK	7675.30	-30.54	-13	PASS
Band5	5	20525	25	#0	QPSK	7631.20	-30.35	-13	PASS


Band5	5	20525	1	#0	QAM16	6228.10	-29.63	-13	PASS
Band5	5	20525	25	#0	QAM16	3071.80	-31.21	-13	PASS
Band5	5	20625	1	#0	QPSK	3178.00	-30.98	-13	PASS
Band5	5	20625	25	#0	QPSK	7602.40	-30.50	-13	PASS
Band5	5	20625	1	#0	QAM16	7633.90	-30.58	-13	PASS
Band5	5	20625	25	#0	QAM16	5653.90	-30.65	-13	PASS
Band5	10	20450	1	#0	QPSK	7518.70	-29.84	-13	PASS
Band5	10	20450	50	#0	QPSK	7353.10	-31.03	-13	PASS
Band5	10	20450	1	#0	QAM16	7090.30	-30.72	-13	PASS
Band5	10	20450	50	#0	QAM16	7525.00	-30.92	-13	PASS
Band5	10	20525	1	#0	QPSK	6175.90	-31.14	-13	PASS
Band5	10	20525	50	#0	QPSK	6964.30	-31.26	-13	PASS
Band5	10	20525	1	#0	QAM16	6890.50	-30.40	-13	PASS
Band5	10	20525	50	#0	QAM16	9541.00	-31.08	-13	PASS
Band5	10	20600	1	#0	QPSK	6820.30	-31.15	-13	PASS
Band5	10	20600	50	#0	QPSK	5925.70	-30.53	-13	PASS
Band5	10	20600	1	#0	QAM16	5265.10	-30.81	-13	PASS
Band5	10	20600	50	#0	QAM16	7583.50	-30.18	-13	PASS
Band66	1.4	131979	1	#0	QPSK	3421.00	-38.98	-13	PASS
Band66	1.4	131979	6	#0	QPSK	3421.90	-41.54	-13	PASS
Band66	1.4	131979	1	#0	QAM16	3420.10	-39.78	-13	PASS
Band66	1.4	131979	6	#0	QAM16	3421.00	-40.43	-13	PASS
Band66	1.4	132322	1	#0	QPSK	3489.40	-41.62	-13	PASS
Band66	1.4	132322	6	#0	QPSK	6203.80	-43.26	-13	PASS
Band66	1.4	132322	1	#0	QAM16	3489.40	-42.41	-13	PASS
Band66	1.4	132322	6	#0	QAM16	7571.80	-43.34	-13	PASS
Band66	1.4	132665	1	#0	QPSK	7129.00	-43.37	-13	PASS
Band66	1.4	132665	6	#0	QPSK	5818.60	-43.10	-13	PASS
Band66	1.4	132665	1	#0	QAM16	7437.70	-42.67	-13	PASS
Band66	1.4	132665	6	#0	QAM16	7696.00	-43.35	-13	PASS
Band66	3	131987	1	#0	QPSK	3421.00	-39.90	-13	PASS
Band66	3	131987	15	#0	QPSK	3421.00	-39.33	-13	PASS
Band66	3	131987	1	#0	QAM16	3421.00	-39.41	-13	PASS
Band66	3	131987	15	#0	QAM16	3423.70	-42.78	-13	PASS
Band66	3	132322	1	#0	QPSK	3487.60	-42.30	-13	PASS
Band66	3	132322	15	#0	QPSK	3278.80	-43.29	-13	PASS
Band66	3	132322	1	#0	QAM16	3487.60	-43.29	-13	PASS
Band66	3	132322	15	#0	QAM16	7627.60	-43.41	-13	PASS
Band66	3	132657	1	#0	QPSK	7438.60	-43.11	-13	PASS
Band66	3	132657	15	#0	QPSK	3290.50	-43.52	-13	PASS
Band66	3	132657	1	#0	QAM16	4930.30	-43.60	-13	PASS
Band66	3	132657	15	#0	QAM16	3143.80	-43.57	-13	PASS
Band66	5	131997	1	#0	QPSK	3421.00	-40.00	-13	PASS
Band66	5	131997	25	#0	QPSK	3424.60	-43.21	-13	PASS

Band66	5	131997	1	#0	QAM16	3421.00	-39.84	-13	PASS
Band66	5	131997	25	#0	QAM16	8073.10	-43.79	-13	PASS
Band66	5	132322	1	#0	QPSK	3485.80	-40.69	-13	PASS
Band66	5	132322	25	#0	QPSK	7568.20	-43.52	-13	PASS
Band66	5	132322	1	#0	QAM16	3485.80	-43.02	-13	PASS
Band66	5	132322	25	#0	QAM16	7590.70	-43.40	-13	PASS
Band66	5	132647	1	#0	QPSK	3551.50	-43.21	-13	PASS
Band66	5	132647	25	#0	QPSK	7566.40	-43.38	-13	PASS
Band66	5	132647	1	#0	QAM16	6192.10	-42.90	-13	PASS
Band66	5	132647	25	#0	QAM16	6255.10	-43.47	-13	PASS
Band66	10	132022	1	#0	QPSK	3421.00	-39.09	-13	PASS
Band66	10	132022	50	#0	QPSK	7593.40	-43.01	-13	PASS
Band66	10	132022	1	#0	QAM16	3421.00	-38.30	-13	PASS
Band66	10	132022	50	#0	QAM16	0.01	-43.41	-13	PASS
Band66	10	132322	1	#0	QPSK	3482.20	-42.07	-13	PASS
Band66	10	132322	50	#0	QPSK	7587.10	-43.59	-13	PASS
Band66	10	132322	1	#0	QAM16	3481.30	-42.03	-13	PASS
Band66	10	132322	50	#0	QAM16	2673.10	-43.77	-13	PASS
Band66	10	132622	1	#0	QPSK	3541.60	-42.63	-13	PASS
Band66	10	132622	50	#0	QPSK	2554.30	-43.52	-13	PASS
Band66	10	132622	1	#0	QAM16	3541.60	-39.43	-13	PASS
Band66	10	132622	50	#0	QAM16	0.01	-42.57	-13	PASS
Band66	15	132047	1	#0	QPSK	3421.90	-38.62	-13	PASS
Band66	15	132047	75	#0	QPSK	8082.10	-43.26	-13	PASS
Band66	15	132047	1	#0	QAM16	3421.90	-39.66	-13	PASS
Band66	15	132047	75	#0	QAM16	7603.30	-42.89	-13	PASS
Band66	15	132322	1	#0	QPSK	3476.80	-42.59	-13	PASS
Band66	15	132322	75	#0	QPSK	6739.30	-43.78	-13	PASS
Band66	15	132322	1	#0	QAM16	3476.80	-43.04	-13	PASS
Band66	15	132322	75	#0	QAM16	7638.40	-43.58	-13	PASS
Band66	15	132597	1	#0	QPSK	3531.70	-39.17	-13	PASS
Band66	15	132597	75	#0	QPSK	4949.20	-43.27	-13	PASS
Band66	15	132597	1	#0	QAM16	3531.70	-39.41	-13	PASS
Band66	15	132597	75	#0	QAM16	7624.00	-42.73	-13	PASS
Band66	20	132072	1	#0	QPSK	3421.90	-39.99	-13	PASS
Band66	20	132072	100	#0	QPSK	7521.40	-43.37	-13	PASS
Band66	20	132072	1	#0	QAM16	3422.80	-39.66	-13	PASS
Band66	20	132072	100	#0	QAM16	7469.20	-43.54	-13	PASS
Band66	20	132322	1	#0	QPSK	5491.00	-43.21	-13	PASS
Band66	20	132322	100	#0	QPSK	7504.30	-43.05	-13	PASS
Band66	20	132322	1	#0	QAM16	5988.70	-43.38	-13	PASS
Band66	20	132322	100	#0	QAM16	6659.20	-43.52	-13	PASS
Band66	20	132572	1	#0	QPSK	3522.70	-38.82	-13	PASS
Band66	20	132572	100	#0	QPSK	3274.30	-43.62	-13	PASS


Band66	20	132572	1	#0	QAM16	3522.70	-39.99	-13	PASS
Band66	20	132572	100	#0	QAM16	7560.10	-42.32	-13	PASS
Band7	5	20775	1	#0	QPSK	14239.80	-38.97	-25	PASS
Band7	5	20775	25	#0	QPSK	14994.40	-39.63	-25	PASS
Band7	5	20775	1	#0	QAM16	14311.20	-40.16	-25	PASS
Band7	5	20775	25	#0	QAM16	14878.20	-39.73	-25	PASS
Band7	5	21100	1	#0	QPSK	14815.20	-38.87	-25	PASS
Band7	5	21100	25	#0	QPSK	14860.00	-39.05	-25	PASS
Band7	5	21100	1	#0	QAM16	14830.60	-39.50	-25	PASS
Band7	5	21100	25	#0	QAM16	14214.60	-39.08	-25	PASS
Band7	5	21425	1	#0	QPSK	14238.40	-39.77	-25	PASS
Band7	5	21425	25	#0	QPSK	12596.20	-39.89	-25	PASS
Band7	5	21425	1	#0	QAM16	14906.20	-39.72	-25	PASS
Band7	5	21425	25	#0	QAM16	14830.60	-39.34	-25	PASS
Band7	10	20800	1	#0	QPSK	14165.60	-38.66	-25	PASS
Band7	10	20800	50	#0	QPSK	14745.20	-38.40	-25	PASS
Band7	10	20800	1	#0	QAM16	14801.20	-39.39	-25	PASS
Band7	10	20800	50	#0	QAM16	13303.20	-38.72	-25	PASS
Band7	10	21100	1	#0	QPSK	14203.40	-38.64	-25	PASS
Band7	10	21100	50	#0	QPSK	14785.80	-38.48	-25	PASS
Band7	10	21100	1	#0	QAM16	14659.80	-39.60	-25	PASS
Band7	10	21100	50	#0	QAM16	14816.60	-39.24	-25	PASS
Band7	10	21400	1	#0	QPSK	14203.40	-39.56	-25	PASS
Band7	10	21400	50	#0	QPSK	14995.80	-39.42	-25	PASS
Band7	10	21400	1	#0	QAM16	14839.00	-39.25	-25	PASS
Band7	10	21400	50	#0	QAM16	14762.00	-38.19	-25	PASS
Band7	15	20825	1	#0	QPSK	14794.20	-39.37	-25	PASS
Band7	15	20825	75	#0	QPSK	14764.80	-39.22	-25	PASS
Band7	15	20825	1	#0	QAM16	14826.40	-39.44	-25	PASS
Band7	15	20825	75	#0	QAM16	14830.60	-39.49	-25	PASS
Band7	15	21100	1	#0	QPSK	14756.40	-39.28	-25	PASS
Band7	15	21100	75	#0	QPSK	13507.60	-38.84	-25	PASS
Band7	15	21100	1	#0	QAM16	14994.40	-39.70	-25	PASS
Band7	15	21100	75	#0	QAM16	13387.20	-38.88	-25	PASS
Band7	15	21375	1	#0	QPSK	14885.20	-38.92	-25	PASS
Band7	15	21375	75	#0	QPSK	14785.80	-38.22	-25	PASS
Band7	15	21375	1	#0	QAM16	14904.80	-39.61	-25	PASS
Band7	15	21375	75	#0	QAM16	13244.40	-38.90	-25	PASS
Band7	20	20850	1	#0	QPSK	14918.80	-38.76	-25	PASS
Band7	20	20850	100	#0	QPSK	14231.40	-38.92	-25	PASS
Band7	20	20850	1	#0	QAM16	14857.20	-39.00	-25	PASS
Band7	20	20850	100	#0	QAM16	14787.20	-38.91	-25	PASS
Band7	20	21100	1	#0	QPSK	14748.00	-38.39	-25	PASS
Band7	20	21100	100	#0	QPSK	14104.00	-39.59	-25	PASS

Band7	20	21100	1	#0	QAM16	14913.20	-39.46	-25	PASS
Band7	20	21100	100	#0	QAM16	14790.00	-39.25	-25	PASS
Band7	20	21350	1	#0	QPSK	14815.20	-39.32	-25	PASS
Band7	20	21350	100	#0	QPSK	14190.80	-39.48	-25	PASS
Band7	20	21350	1	#0	QAM16	14784.40	-39.73	-25	PASS
Band7	20	21350	100	#0	QAM16	14895.00	-39.36	-25	PASS

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099447	-45.46	-13
2	0.15	30	10	0.15	-48.26	-13
3	30	1000	100	692.607	-51.7	-13
4	1000	10000	1000	2098	-37.72	-13

Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096627	-46.38	-13
2	0.15	30	10	0.170895	-49.46	-13
3	30	1000	100	691.637	-35.63	-13
4	1000	10000	1000	1398.7	-41.62	-13


Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101985	-47.28	-13
2	0.15	30	10	0.15597	-49.07	-13
3	30	1000	100	472.417	-56.05	-13
4	1000	10000	1000	1414.9	-37.12	-13

Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0138504	-47.97	-13
2	0.15	30	10	0.15	-49.73	-13
3	30	1000	100	922.303	-56.48	-13
4	1000	10000	1000	1414	-34.73	-13

Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-45.72	-13
2	0.15	30	10	0.15	-48.74	-13
3	30	1000	100	910.76	-57.1	-13
4	1000	10000	1000	1415.8	-36.05	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.13	-13
2	0.15	30	10	0.15	-49.27	-13
3	30	1000	100	916.968	-56.04	-13
4	1000	10000	1000	1429.3	-34.05	-13

Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107202	-46.75	-13
2	0.15	30	10	0.15597	-49.43	-13
3	30	1000	100	480.662	-56.52	-13
4	1000	10000	1000	1429.3	-34.41	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011115	-46.96	-13
2	0.15	30	10	0.16194	-49.35	-13
3	30	1000	100	910.178	-56.64	-13
4	1000	10000	1000	1431.1	-34.26	-13

Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009705	-47.17	-13
2	0.15	30	10	0.152985	-49.04	-13
3	30	1000	100	510.635	-56.22	-13
4	1000	10000	1000	1430.2	-35.17	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096486	-45.8	-13
2	0.15	30	10	0.158955	-48.14	-13
3	30	1000	100	883.212	-56.69	-13
4	1000	10000	1000	2098	-39.15	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093243	-45.05	-13
2	0.15	30	10	0.164925	-48.82	-13
3	30	1000	100	469.313	-56.58	-13
4	1000	10000	1000	1402.3	-42.12	-13

Band12 QAM16 BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0120174	-47.19	-13
2	0.15	30	10	0.15	-48.37	-13
3	30	1000	100	882.921	-56.73	-13
4	1000	10000	1000	1401.4	-41.06	-13

Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.29	-13
2	0.15	30	10	0.152985	-50.4	-13
3	30	1000	100	899.023	-55.91	-13
4	1000	10000	1000	2098.9	-41.88	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092397	-47.25	-13
2	0.15	30	10	0.16194	-48.37	-13
3	30	1000	100	824.43	-57.01	-13
4	1000	10000	1000	1412.2	-33.19	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095781	-45.71	-13
2	0.15	30	10	0.16194	-48.26	-13
3	30	1000	100	471.641	-56.06	-13
4	1000	10000	1000	1413.1	-40.29	-13

Band12 QAM16 BW=3MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095922	-46.96	-13
2	0.15	30	10	0.15	-49.07	-13
3	30	1000	100	858.477	-56.81	-13
4	1000	10000	1000	1413.1	-32.15	-13

Band12 QAM16 BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0119046	-48.43	-13
2	0.15	30	10	0.15	-46.35	-13
3	30	1000	100	446.809	-56.97	-13
4	1000	10000	1000	1414.9	-39.61	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098178	-46.27	-13
2	0.15	30	10	0.152985	-46.95	-13
3	30	1000	100	806.582	-56.66	-13
4	1000	10000	1000	1426.6	-37.57	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011679	-47.98	-13
2	0.15	30	10	0.158955	-50.06	-13
3	30	1000	100	928.899	-56.44	-13
4	1000	10000	1000	1431.1	-38.48	-13

Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092538	-46.86	-13
2	0.15	30	10	0.158955	-47.05	-13
3	30	1000	100	914.834	-56.18	-13
4	1000	10000	1000	1426.6	-36.05	-13

Band12 QAM16 BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009423	-46.33	-13
2	0.15	30	10	0.15	-50.36	-13
3	30	1000	100	934.137	-56.54	-13
4	1000	10000	1000	1430.2	-38.76	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.18	-13
2	0.15	30	10	0.15	-48.35	-13
3	30	1000	100	826.661	-55.61	-13
4	1000	10000	1000	2098.9	-39.03	-13

Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.02	-13
2	0.15	30	10	0.15	-49.45	-13
3	30	1000	100	860.999	-56.1	-13
4	1000	10000	1000	2098.9	-40.4	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012102	-46.71	-13
2	0.15	30	10	0.158955	-48.99	-13
3	30	1000	100	538.668	-56.49	-13
4	1000	10000	1000	1405.9	-41.34	-13

Band12 QAM16 BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093384	-45.17	-13
2	0.15	30	10	0.152985	-50.11	-13
3	30	1000	100	377.745	-56.41	-13
4	1000	10000	1000	1405	-40.43	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096063	-47.58	-13
2	0.15	30	10	0.16194	-48.81	-13
3	30	1000	100	907.85	-56.4	-13
4	1000	10000	1000	1412.2	-41.69	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101703	-47.06	-13
2	0.15	30	10	0.15	-47.29	-13
3	30	1000	100	298.884	-56.91	-13
4	1000	10000	1000	1411.3	-32.27	-13

Band12 QAM16 BW=5MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.81	-13
2	0.15	30	10	0.15597	-48.02	-13
3	30	1000	100	826.176	-56.44	-13
4	1000	10000	1000	1411.3	-36.82	-13

Band12 QAM16 BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091692	-46.77	-13
2	0.15	30	10	0.152985	-49.14	-13
3	30	1000	100	960.133	-56.67	-13
4	1000	10000	1000	1412.2	-39.87	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0120597	-45.95	-13
2	0.15	30	10	0.158955	-48.59	-13
3	30	1000	100	919.587	-56.25	-13
4	1000	10000	1000	1423	-38.11	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009705	-45.32	-13
2	0.15	30	10	0.152985	-49.19	-13
3	30	1000	100	968.281	-56.63	-13
4	1000	10000	1000	1430.2	-39.94	-13

Band12 QAM16 BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096627	-45.05	-13
2	0.15	30	10	0.15	-50.42	-13
3	30	1000	100	788.928	-56.19	-13
4	1000	10000	1000	1430.2	-42.37	-13

Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0114675	-45.92	-13
2	0.15	30	10	0.15	-50.73	-13
3	30	1000	100	617.626	-56.65	-13
4	1000	10000	1000	2134	-38.7	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0120597	-47.19	-13
2	0.15	30	10	0.158955	-49.97	-13
3	30	1000	100	509.762	-56.79	-13
4	1000	10000	1000	1414	-42.65	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110304	-47.35	-13
2	0.15	30	10	0.15	-48.61	-13
3	30	1000	100	935.204	-55.69	-13
4	1000	10000	1000	1399.6	-37.56	-13

Band12 QAM16 BW=10MHz Channel=23060 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097614	-44.77	-13
2	0.15	30	10	0.15597	-48.76	-13
3	30	1000	100	807.746	-56.28	-13
4	1000	10000	1000	1399.6	-40.63	-13

Band12 QAM16 BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0113124	-46.63	-13
2	0.15	30	10	0.188805	-48.26	-13
3	30	1000	100	850.62	-56.62	-13
4	1000	10000	1000	1407.7	-42.94	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0124827	-46.54	-13
2	0.15	30	10	0.15597	-50.34	-13
3	30	1000	100	327.499	-56.52	-13
4	1000	10000	1000	1405.9	-34.65	-13


Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0



Band12 QAM16 BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 QAM16 BW=10MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102267	-46.91	-13
2	0.15	30	10	0.15	-48.28	-13
3	30	1000	100	796.397	-56.23	-13
4	1000	10000	1000	1405.9	-35.87	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095499	-45.13	-13
2	0.15	30	10	0.15597	-49.82	-13
3	30	1000	100	493.66	-56.18	-13
4	1000	10000	1000	1413.1	-33.98	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094935	-47.48	-13
2	0.15	30	10	0.15	-48.91	-13
3	30	1000	100	904.746	-56.73	-13
4	1000	10000	1000	1415.8	-44.55	-13

Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095781	-46.04	-13
2	0.15	30	10	0.176865	-50.89	-13
3	30	1000	100	793.681	-57.06	-13
4	1000	10000	1000	1413.1	-35.06	-13

Band12 QAM16 BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092679	-47.04	-13
2	0.15	30	10	0.164925	-49.68	-13
3	30	1000	100	906.783	-56.76	-13
4	1000	10000	1000	7612.3	-44.03	-13

Band13 QAM16 BW=5MHz Channel=23230 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095922	-54.75	-13
2	0.15	30	10	0.164925	-56	-13
3	30	1000	100	947.135	-66.14	-13
4	1000	1559	1000	1414.0513	-56.32	-13
5	1559	1610	1000	1564.253	-50.44	-40
6	1610	10000	1000	7660.029	-54.21	-13

Band13 QAM16 BW=5MHz Channel=23230 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096204	-54	-13
2	0.15	30	10	0.15	-55.66	-13
3	30	1000	100	912.021	-66.09	-13
4	1000	1559	1000	1559	-51.96	-13
5	1559	1610	1000	1559.561	-42.19	-40
6	1610	10000	1000	7582.002	-54.03	-13

Band13 QAM16 BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-52.49	-13
2	0.15	30	10	0.15597	-56.27	-13
3	30	1000	100	811.917	-65.99	-13
4	1000	1559	1000	1484.1499	-56.62	-13
5	1559	1610	1000	1569.659	-50.52	-40
6	1610	10000	1000	7109.645	-53.83	-13


Band13 QAM16 BW=5MHz Channel=23255 RB Size=1 Position=#0




Band13 QAM16 BW=10MHz Channel=23230 RB Size=50 Position=#0




Band13 QAM16 BW=10MHz Channel=23230 RB Size=1 Position=#0




Band13 QAM16 BW=5MHz Channel=23205 RB Size=25 Position=#0




Band13 QAM16 BW=5MHz Channel=23205 RB Size=1 Position=#0



Band13 QPSK BW=5MHz Channel=23230 RB Size=25 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096063	-53.41	-13
2	0.15	30	10	0.15597	-56.32	-13
3	30	1000	100	928.026	-65.55	-13
4	1000	1559	1000	1559	-52.01	-13
5	1559	1610	1000	1560.1271	-42.12	-40
6	1610	10000	1000	2339.091	-53.63	-13

Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-52.72	-13
2	0.15	30	10	0.15	-56.52	-13
3	30	1000	100	859.253	-66.02	-13
4	1000	1559	1000	1292.4129	-56.53	-13
5	1559	1610	1000	1567.7975	-49.67	-40
6	1610	10000	1000	5850.306	-54.14	-13


Band13 QPSK BW=5MHz Channel=23255 RB Size=1 Position=#0




Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Band13 QPSK BW=10MHz Channel=23230 RB Size=1 Position=#0



Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092679	-53.57	-13
2	0.15	30	10	0.152985	-55.36	-13
3	30	1000	100	923.661	-65.86	-13
4	1000	1559	1000	1554.8075	-42.44	-13
5	1559	1610	1000	1606.3994	-56.98	-40
6	1610	10000	1000	7576.129	-54.08	-13

Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092679	-46.17	-13
2	0.15	30	10	0.15597	-49.29	-13
3	30	1000	100	909.111	-56.14	-13
4	1000	10000	1000	1408.6	-32.75	-13


Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0



Band17 QAM16 BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QAM16 BW=5MHz Channel=23755 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090141	-47.43	-13
2	0.15	30	10	0.152985	-47.88	-13
3	30	1000	100	922.206	-55.79	-13
4	1000	10000	1000	1408.6	-37.17	-13

Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.35	-13
2	0.15	30	10	0.16194	-48.91	-13
3	30	1000	100	191.214	-57.08	-13
4	1000	10000	1000	1416.7	-41.32	-13

Band17 QPSK BW=5MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100998	-46.66	-13
2	0.15	30	10	0.158955	-49.79	-13
3	30	1000	100	759.44	-56.66	-13
4	1000	10000	1000	1415.8	-31.12	-13

Band17 QAM16 BW=5MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097896	-45.68	-13
2	0.15	30	10	0.158955	-48.31	-13
3	30	1000	100	904.261	-56.63	-13
4	1000	10000	1000	1415.8	-34.34	-13

Band17 QAM16 BW=5MHz Channel=23790 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0128634	-47.11	-13
2	0.15	30	10	0.15	-48.36	-13
3	30	1000	100	502.778	-57.31	-13
4	1000	10000	1000	1417.6	-43.7	-13

Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090564	-47.13	-13
2	0.15	30	10	0.15	-46.01	-13
3	30	1000	100	959.648	-56.27	-13
4	1000	10000	1000	1423	-36.97	-13

Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094935	-46.13	-13
2	0.15	30	10	0.15597	-49.82	-13
3	30	1000	100	508.889	-56.61	-13
4	1000	10000	1000	1430.2	-40.42	-13

Band17 QAM16 BW=5MHz Channel=23825 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009423	-47.1	-13
2	0.15	30	10	0.158955	-50.85	-13
3	30	1000	100	919.393	-56.92	-13
4	1000	10000	1000	1429.3	-41.03	-13

Band17 QAM16 BW=5MHz Channel=23825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098601	-45.78	-13
2	0.15	30	10	0.15	-48.91	-13
3	30	1000	100	537.116	-56.43	-13
4	1000	10000	1000	1423	-38.23	-13

Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090705	-45.3	-13
2	0.15	30	10	0.164925	-50.94	-13
3	30	1000	100	875.84	-57.03	-13
4	1000	10000	1000	1413.1	-42.79	-13

Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.98	-13
2	0.15	30	10	0.152985	-47.69	-13
3	30	1000	100	430.998	-56.15	-13
4	1000	10000	1000	1409.5	-36.38	-13

Band17 QAM16 BW=10MHz Channel=23780 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009306	-46.35	-13
2	0.15	30	10	0.17388	-49.54	-13
3	30	1000	100	502.293	-56.22	-13
4	1000	10000	1000	1409.5	-35.91	-13

Band17 QAM16 BW=10MHz Channel=23780 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100434	-47.72	-13
2	0.15	30	10	0.15597	-48.46	-13
3	30	1000	100	902.03	-56.86	-13
4	1000	10000	1000	1414.9	-42.75	-13

Band17 QPSK BW=10MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093102	-46.09	-13
2	0.15	30	10	0.15	-50.58	-13
3	30	1000	100	941.8	-56.28	-13
4	1000	10000	1000	1411.3	-37.69	-13

Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093666	-46.51	-13
2	0.15	30	10	0.15	-47.06	-13
3	30	1000	100	833.645	-56.42	-13
4	1000	10000	1000	1414	-43.71	-13

Band17 QAM16 BW=10MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102831	-46.88	-13
2	0.15	30	10	0.182835	-49.89	-13
3	30	1000	100	901.448	-56.78	-13
4	1000	10000	1000	1411.3	-34.37	-13

Band17 QAM16 BW=10MHz Channel=23790 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100575	-48.23	-13
2	0.15	30	10	0.158955	-47.48	-13
3	30	1000	100	977.496	-56.27	-13
4	1000	10000	1000	1412.2	-42.68	-13

Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107625	-47.29	-13
2	0.15	30	10	0.15597	-49.37	-13
3	30	1000	100	504.33	-56.11	-13
4	1000	10000	1000	1413.1	-35.77	-13

Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098742	-45.55	-13
2	0.15	30	10	0.170895	-50.07	-13
3	30	1000	100	920.46	-56.5	-13
4	1000	10000	1000	7646.5	-44.5	-13

Band17 QAM16 BW=10MHz Channel=23800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0109458	-48.13	-13
2	0.15	30	10	0.15597	-48.62	-13
3	30	1000	100	927.832	-56.7	-13
4	1000	10000	1000	1413.1	-34.17	-13

Band17 QAM16 BW=10MHz Channel=23800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099306	-46.82	-13
2	0.15	30	10	0.15	-48.8	-13
3	30	1000	100	649.248	-56.88	-13
4	1000	10000	1000	1415.8	-44.58	-13

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0116931	-45.04	-13
2	0.15	30	10	0.152985	-48.23	-13
3	30	1000	100	891.554	-55.59	-13
4	1000	10000	1000	7696	-42.16	-13

Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098037	-44.86	-13
2	0.15	30	10	0.15	-48.12	-13
3	30	1000	100	335.938	-55.26	-13
4	1000	10000	1000	9570.7	-42.92	-13

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103818	-44.81	-13
2	0.15	30	10	0.15	-48.57	-13
3	30	1000	100	970.609	-54.71	-13
4	1000	10000	1000	7688.8	-42.51	-13

Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.27	-13
2	0.15	30	10	0.152985	-47.58	-13
3	30	1000	100	520.141	-55.35	-13
4	1000	10000	1000	6324.4	-43.14	-13

Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095922	-44.27	-13
2	0.15	30	10	0.15	-47.54	-13
3	30	1000	100	548.659	-54.86	-13
4	1000	10000	1000	6139.9	-42.28	-13


Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-42.54	-13
2	0.15	30	10	0.15	-47.84	-13
3	30	1000	100	977.981	-55.07	-13
4	1000	10000	1000	9013.6	-42.66	-13

Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097614	-44.19	-13
2	0.15	30	10	0.158955	-47.81	-13
3	30	1000	100	308.39	-55.38	-13
4	1000	10000	1000	6209.2	-42.76	-13


Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092538	-44.94	-13
2	0.15	30	10	0.16194	-48.17	-13
3	30	1000	100	815.312	-54.93	-13
4	1000	10000	1000	6153.4	-42.68	-13

Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090564	-46.41	-13
2	0.15	30	10	0.164925	-47.36	-13
3	30	1000	100	984.092	-55.46	-13
4	1000	10000	1000	8038	-42.09	-13

Band2 QAM16 BW=3MHz Channel=18615 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090564	-44.84	-13
2	0.15	30	10	0.15	-46.43	-13
3	30	1000	100	751.292	-55.05	-13
4	1000	10000	1000	6115.6	-42.86	-13

Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100716	-42.95	-13
2	0.15	30	10	0.152985	-47.07	-13
3	30	1000	100	237.483	-55.65	-13
4	1000	10000	1000	7598.8	-43.5	-13

Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-45.15	-13
2	0.15	30	10	0.152985	-46.34	-13
3	30	1000	100	396.078	-54.96	-13
4	1000	10000	1000	5797.9	-43.05	-13

Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-44.4	-13
2	0.15	30	10	0.15597	-47.68	-13
3	30	1000	100	374.641	-55.14	-13
4	1000	10000	1000	8153.2	-43.1	-13

Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0148938	-45.66	-13
2	0.15	30	10	0.17985	-48.58	-13
3	30	1000	100	889.129	-54.89	-13
4	1000	10000	1000	7922.8	-43.22	-13

Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090423	-45.02	-13
2	0.15	30	10	0.152985	-46.18	-13
3	30	1000	100	972.646	-55.04	-13
4	1000	10000	1000	9155.8	-43.24	-13

Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093525	-45.86	-13
2	0.15	30	10	0.15	-47.88	-13
3	30	1000	100	466.985	-54.77	-13
4	1000	10000	1000	7665.4	-42.76	-13

Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103536	-45.43	-13
2	0.15	30	10	0.15	-45.79	-13
3	30	1000	100	210.129	-54.79	-13
4	1000	10000	1000	2579.5	-42.8	-13

Band2 QAM16 BW=3MHz Channel=19185 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090141	-43.31	-13
2	0.15	30	10	0.15	-46.12	-13
3	30	1000	100	922.109	-54.7	-13
4	1000	10000	1000	7830.1	-42.7	-13

Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.73	-13
2	0.15	30	10	0.16194	-47.12	-13
3	30	1000	100	828.019	-54.96	-13
4	1000	10000	1000	7064.2	-42.65	-13

Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096768	-43.54	-13
2	0.15	30	10	0.15	-47.41	-13
3	30	1000	100	788.152	-55.23	-13
4	1000	10000	1000	3306.7	-43.03	-13

Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012102	-44.16	-13
2	0.15	30	10	0.152985	-47.08	-13
3	30	1000	100	493.466	-54.95	-13
4	1000	10000	1000	5752	-43.23	-13

Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094935	-46.41	-13
2	0.15	30	10	0.15	-44.02	-13
3	30	1000	100	806.097	-55.33	-13
4	1000	10000	1000	7720.3	-42.95	-13

Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-41.97	-13
2	0.15	30	10	0.15	-47.77	-13
3	30	1000	100	918.617	-55.31	-13
4	1000	10000	1000	6265.9	-43.36	-13

Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105651	-45.53	-13
2	0.15	30	10	0.170895	-45.81	-13
3	30	1000	100	777.191	-55	-13
4	1000	10000	1000	7624	-43.02	-13

Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.4	-13
2	0.15	30	10	0.15	-45.58	-13
3	30	1000	100	971.967	-54.35	-13
4	1000	10000	1000	7514.2	-42.47	-13


Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0



Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096345	-45.77	-13
2	0.15	30	10	0.15597	-47.29	-13
3	30	1000	100	775.542	-53.89	-13
4	1000	10000	1000	9675.1	-42.47	-13

Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096909	-44.64	-13
2	0.15	30	10	0.152985	-46.84	-13
3	30	1000	100	801.441	-54.9	-13
4	1000	10000	1000	5602.6	-43.2	-13

Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-42.95	-13
2	0.15	30	10	0.16194	-48.13	-13
3	30	1000	100	890.681	-54.81	-13
4	1000	10000	1000	7428.7	-42.58	-13

Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-44.39	-13
2	0.15	30	10	0.15597	-48.03	-13
3	30	1000	100	534.788	-54.58	-13
4	1000	10000	1000	7603.3	-42.55	-13

Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094512	-44.37	-13
2	0.15	30	10	0.152985	-47.21	-13
3	30	1000	100	818.125	-54.81	-13
4	1000	10000	1000	7056.1	-42.93	-13

Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0117495	-45.98	-13
2	0.15	30	10	0.15	-46.93	-13
3	30	1000	100	234.088	-55.1	-13
4	1000	10000	1000	9638.2	-42.98	-13

Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0109599	-44.67	-13
2	0.15	30	10	0.16194	-48.52	-13
3	30	1000	100	865.849	-55.22	-13
4	1000	10000	1000	7568.2	-42.43	-13

Band2 QAM16 BW=10MHz Channel=18650 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0104241	-46.73	-13
2	0.15	30	10	0.152985	-44.61	-13
3	30	1000	100	903.776	-54.85	-13
4	1000	10000	1000	7365.7	-43.03	-13


Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-46.39	-13
2	0.15	30	10	0.15	-48.01	-13
3	30	1000	100	809.298	-54.32	-13
4	1000	10000	1000	5248	-42.43	-13

Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095217	-47.14	-13
2	0.15	30	10	0.152985	-45.88	-13
3	30	1000	100	942.382	-55.25	-13
4	1000	10000	1000	7562.8	-42.76	-13

Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.13	-13
2	0.15	30	10	0.15	-47.12	-13
3	30	1000	100	788.055	-54.48	-13
4	1000	10000	1000	7636.6	-41.12	-13

Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093948	-44.86	-13
2	0.15	30	10	0.152985	-45.43	-13
3	30	1000	100	878.168	-55.42	-13
4	1000	10000	1000	7699.6	-42.75	-13

Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090987	-45.25	-13
2	0.15	30	10	0.164925	-46.97	-13
3	30	1000	100	800.762	-54.17	-13
4	1000	10000	1000	7090.3	-42.43	-13

Band2 QAM16 BW=10MHz Channel=19150 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0117354	-45.23	-13
2	0.15	30	10	0.16194	-46.69	-13
3	30	1000	100	916.192	-55.12	-13
4	1000	10000	1000	7039.9	-43.43	-13

Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102126	-43.59	-13
2	0.15	30	10	0.15	-46.94	-13
3	30	1000	100	310.136	-55.11	-13
4	1000	10000	1000	5976.1	-42.74	-13

Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099588	-44.9	-13
2	0.15	30	10	0.170895	-48.56	-13
3	30	1000	100	788.443	-54.59	-13
4	1000	10000	1000	9018.1	-43.01	-13

Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093948	-43.63	-13
2	0.15	30	10	0.15	-47.02	-13
3	30	1000	100	899.411	-54.98	-13
4	1000	10000	1000	3120.4	-42.44	-13

Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093102	-44.13	-13
2	0.15	30	10	0.152985	-46.81	-13
3	30	1000	100	769.528	-55.37	-13
4	1000	10000	1000	7124.5	-43.27	-13

Band2 QAM16 BW=15MHz Channel=18675 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009564	-46.44	-13
2	0.15	30	10	0.17388	-46.46	-13
3	30	1000	100	785.242	-55.01	-13
4	1000	10000	1000	6551.2	-43.03	-13

Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-44.26	-13
2	0.15	30	10	0.158955	-46.83	-13
3	30	1000	100	482.99	-55.18	-13
4	1000	10000	1000	3170.8	-43.13	-13

Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096768	-44.43	-13
2	0.15	30	10	0.158955	-45.52	-13
3	30	1000	100	805.224	-54.91	-13
4	1000	10000	1000	7596.1	-43.08	-13

Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101421	-44.13	-13
2	0.15	30	10	0.15	-45.28	-13
3	30	1000	100	543.809	-54.78	-13
4	1000	10000	1000	7087.6	-42.9	-13

Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009987	-44.44	-13
2	0.15	30	10	0.15	-46.68	-13
3	30	1000	100	905.716	-54.81	-13
4	1000	10000	1000	7587.1	-42.21	-13

Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093102	-43.87	-13
2	0.15	30	10	0.158955	-46.89	-13
3	30	1000	100	890.002	-54.86	-13
4	1000	10000	1000	7096.6	-42.38	-13

Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-46.24	-13
2	0.15	30	10	0.164925	-46.25	-13
3	30	1000	100	970.706	-54.01	-13
4	1000	10000	1000	7097.5	-42.91	-13

Band2 QAM16 BW=15MHz Channel=19125 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-43.95	-13
2	0.15	30	10	0.17388	-46.06	-13
3	30	1000	100	225.261	-55.36	-13
4	1000	10000	1000	7631.2	-41.65	-13

Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.8	-13
2	0.15	30	10	0.17388	-46.85	-13
3	30	1000	100	516.649	-55.36	-13
4	1000	10000	1000	7102.9	-42.23	-13

Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0111996	-45.57	-13
2	0.15	30	10	0.152985	-48.16	-13
3	30	1000	100	292.579	-55.01	-13
4	1000	10000	1000	7612.3	-42.68	-13


Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QAM16 BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0119328	-45.3	-13
2	0.15	30	10	0.15	-47.51	-13
3	30	1000	100	802.12	-54.87	-13
4	1000	10000	1000	7594.3	-42.68	-13

Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112419	-45.43	-13
2	0.15	30	10	0.15597	-47.68	-13
3	30	1000	100	879.041	-54.38	-13
4	1000	10000	1000	7637.5	-42.3	-13

Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0131031	-46.95	-13
2	0.15	30	10	0.164925	-49.16	-13
3	30	1000	100	729.758	-54.87	-13
4	1000	10000	1000	5585.5	-42.96	-13

Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112983	-45.78	-13
2	0.15	30	10	0.164925	-47.38	-13
3	30	1000	100	870.214	-55.12	-13
4	1000	10000	1000	7595.2	-42.43	-13

Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0117072	-46.46	-13
2	0.15	30	10	0.152985	-48.14	-13
3	30	1000	100	725.102	-55.33	-13
4	1000	10000	1000	7634.8	-43	-13

Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-43.26	-13
2	0.15	30	10	0.152985	-46.47	-13
3	30	1000	100	934.234	-54.94	-13
4	1000	10000	1000	7211.8	-42.93	-13


Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0



Band2 QAM16 BW=20MHz Channel=19100 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108612	-45.68	-13
2	0.15	30	10	0.16194	-47.3	-13
3	30	1000	100	264.158	-54.66	-13
4	1000	10000	1000	6767.2	-42.89	-13

Band25 QPSK BW=1.4MHz Channel=26047 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093384	-46.07	-13
2	0.15	30	10	0.15597	-47.34	-13
3	30	1000	100	830.153	-55.32	-13
4	1000	10000	1000	6999.4	-42.18	-13

Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-45.96	-13
2	0.15	30	10	0.15	-47.29	-13
3	30	1000	100	968.281	-54.8	-13
4	1000	10000	1000	7184.8	-42.83	-13

Band25 QAM16 BW=1.4MHz Channel=26047 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009423	-46.03	-13
2	0.15	30	10	0.15	-47.24	-13
3	30	1000	100	187.722	-54.74	-13
4	1000	10000	1000	7625.8	-42.87	-13

Band25 QAM16 BW=1.4MHz Channel=26047 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107202	-46.7	-13
2	0.15	30	10	0.152985	-47.74	-13
3	30	1000	100	986.808	-55.57	-13
4	1000	10000	1000	5811.4	-43.27	-13

Band25 QPSK BW=1.4MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0118482	-45.87	-13
2	0.15	30	10	0.15	-46.27	-13
3	30	1000	100	775.348	-55.37	-13
4	1000	10000	1000	7519.6	-42.68	-13


Band25 QPSK BW=1.4MHz Channel=26365 RB Size=6 Position=#0



Band25 QAM16 BW=1.4MHz Channel=26365 RB Size=1 Position=#0




Band25 QPSK BW=1.4MHz Channel=26683 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090705	-45.35	-13
2	0.15	30	10	0.158955	-47.97	-13
3	30	1000	100	405.002	-55.26	-13
4	1000	10000	1000	7222.6	-42.92	-13

Band25 QAM16 BW=1.4MHz Channel=26365 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090564	-45.42	-13
2	0.15	30	10	0.15597	-48.62	-13
3	30	1000	100	935.689	-55.25	-13
4	1000	10000	1000	5334.4	-43.2	-13

Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-43.62	-13
2	0.15	30	10	0.15	-45.27	-13
3	30	1000	100	899.799	-54.93	-13
4	1000	10000	1000	7120.9	-42	-13

Band25 QAM16 BW=1.4MHz Channel=26683 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090987	-45.15	-13
2	0.15	30	10	0.15	-45.11	-13
3	30	1000	100	310.815	-55.36	-13
4	1000	10000	1000	8056.9	-42.97	-13

Band25 QAM16 BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-44.75	-13
2	0.15	30	10	0.152985	-46.31	-13
3	30	1000	100	584.355	-54.98	-13
4	1000	10000	1000	7511.5	-42.16	-13

Band25 QPSK BW=3MHz Channel=26055 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096063	-42.56	-13
2	0.15	30	10	0.15	-46.63	-13
3	30	1000	100	258.435	-55.54	-13
4	1000	10000	1000	6109.3	-43.42	-13

Band25 QAM16 BW=3MHz Channel=26055 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100293	-44.69	-13
2	0.15	30	10	0.16194	-47.1	-13
3	30	1000	100	831.22	-55.26	-13
4	1000	10000	1000	6402.7	-43.2	-13

Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101421	-45.76	-13
2	0.15	30	10	0.15	-47.6	-13
3	30	1000	100	845.867	-55.39	-13
4	1000	10000	1000	7663.6	-42.86	-13

Band25 QAM16 BW=3MHz Channel=26055 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0106779	-44.04	-13
2	0.15	30	10	0.158955	-47.49	-13
3	30	1000	100	800.859	-55.19	-13
4	1000	10000	1000	7678.9	-43.04	-13

Band25 QPSK BW=3MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009423	-44.39	-13
2	0.15	30	10	0.158955	-48.11	-13
3	30	1000	100	293.646	-54.85	-13
4	1000	10000	1000	7650.1	-43.21	-13

Band25 QPSK BW=3MHz Channel=26365 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103113	-46.32	-13
2	0.15	30	10	0.152985	-47.61	-13
3	30	1000	100	971.385	-54.47	-13
4	1000	10000	1000	7619.5	-42.58	-13

Band25 QAM16 BW=3MHz Channel=26365 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092115	-45.21	-13
2	0.15	30	10	0.152985	-47.53	-13
3	30	1000	100	811.529	-55.08	-13
4	1000	10000	1000	5980.6	-42.5	-13

Band25 QAM16 BW=3MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0119469	-45.28	-13
2	0.15	30	10	0.15	-45.06	-13
3	30	1000	100	299.563	-54.43	-13
4	1000	10000	1000	5876.2	-42.95	-13

Band25 QPSK BW=3MHz Channel=26675 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095358	-44.78	-13
2	0.15	30	10	0.15	-46.57	-13
3	30	1000	100	935.98	-53.78	-13
4	1000	10000	1000	7387.3	-42.67	-13

Band25 QAM16 BW=3MHz Channel=26675 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-44.32	-13
2	0.15	30	10	0.15	-43.12	-13
3	30	1000	100	919.684	-54.9	-13
4	1000	10000	1000	7587.1	-42.24	-13

Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.3	-13
2	0.15	30	10	0.15597	-45.75	-13
3	30	1000	100	510.15	-54.67	-13
4	1000	10000	1000	7668.1	-42.39	-13


Band25 QAM16 BW=3MHz Channel=26675 RB Size=15 Position=#0




Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0




Band25 QPSK BW=5MHz Channel=26065 RB Size=1 Position=#0



Band25 QAM16 BW=5MHz Channel=26065 RB Size=1 Position=#0




Band25 QAM16 BW=5MHz Channel=26065 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010692	-46.18	-13
2	0.15	30	10	0.15597	-47.6	-13
3	30	1000	100	837.622	-55.65	-13
4	1000	10000	1000	5830.3	-42.39	-13

Band25 QPSK BW=5MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095922	-45.77	-13
2	0.15	30	10	0.15597	-47.16	-13
3	30	1000	100	772.535	-54.43	-13
4	1000	10000	1000	3043.9	-43.53	-13

Band25 QPSK BW=5MHz Channel=26365 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010128	-43.87	-13
2	0.15	30	10	0.15597	-46.76	-13
3	30	1000	100	730.243	-54.96	-13
4	1000	10000	1000	8119	-42.28	-13

Band25 QAM16 BW=5MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0124404	-45.68	-13
2	0.15	30	10	0.15	-45.9	-13
3	30	1000	100	567.38	-55.18	-13
4	1000	10000	1000	5320.9	-42.78	-13

Band25 QAM16 BW=5MHz Channel=26365 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0109881	-44.72	-13
2	0.15	30	10	0.176865	-45.82	-13
3	30	1000	100	805.806	-54.84	-13
4	1000	10000	1000	6193.9	-43.06	-13

Band25 QPSK BW=5MHz Channel=26665 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108189	-42.27	-13
2	0.15	30	10	0.164925	-46.89	-13
3	30	1000	100	311.979	-54.77	-13
4	1000	10000	1000	7615	-43.02	-13

Band25 QPSK BW=5MHz Channel=26665 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099447	-43.06	-13
2	0.15	30	10	0.152985	-46.3	-13
3	30	1000	100	876.228	-55.05	-13
4	1000	10000	1000	3146.5	-42.21	-13

Band25 QAM16 BW=5MHz Channel=26665 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103677	-46.02	-13
2	0.15	30	10	0.164925	-47.23	-13
3	30	1000	100	408.397	-55.11	-13
4	1000	10000	1000	7000.3	-42.07	-13


Band25 QAM16 BW=5MHz Channel=26665 RB Size=1 Position=#0



Band25 QPSK BW=10MHz Channel=26090 RB Size=1 Position=#0




Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110586	-44.77	-13
2	0.15	30	10	0.152985	-47.67	-13
3	30	1000	100	799.501	-54.01	-13
4	1000	10000	1000	8031.7	-43.19	-13

Band25 QAM16 BW=10MHz Channel=26090 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101844	-43.13	-13
2	0.15	30	10	0.15597	-44.48	-13
3	30	1000	100	937.726	-54.35	-13
4	1000	10000	1000	5836.6	-43.01	-13

Band25 QAM16 BW=10MHz Channel=26090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098742	-45.75	-13
2	0.15	30	10	0.16791	-47.46	-13
3	30	1000	100	954.798	-55.23	-13
4	1000	10000	1000	6724	-42.62	-13

Band25 QPSK BW=10MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-44.18	-13
2	0.15	30	10	0.158955	-47.72	-13
3	30	1000	100	932.488	-55.26	-13
4	1000	10000	1000	5751.1	-42.23	-13

Band25 QPSK BW=10MHz Channel=26365 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090705	-45.1	-13
2	0.15	30	10	0.15	-47.6	-13
3	30	1000	100	846.158	-55.56	-13
4	1000	10000	1000	3161.8	-42.33	-13

Band25 QAM16 BW=10MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.97	-13
2	0.15	30	10	0.164925	-48.63	-13
3	30	1000	100	876.907	-54.68	-13
4	1000	10000	1000	7640.2	-43.27	-13


Band25 QPSK BW=10MHz Channel=26640 RB Size=1 Position=#0



Band25 QAM16 BW=10MHz Channel=26365 RB Size=50 Position=#0




Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-46.27	-13
2	0.15	30	10	0.152985	-46.19	-13
3	30	1000	100	504.233	-54.68	-13
4	1000	10000	1000	6136.3	-42.67	-13

Band25 QAM16 BW=10MHz Channel=26640 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.76	-13
2	0.15	30	10	0.15	-47.7	-13
3	30	1000	100	540.705	-55.23	-13
4	1000	10000	1000	6060.7	-42.86	-13

Band25 QAM16 BW=10MHz Channel=26640 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102972	-44.63	-13
2	0.15	30	10	0.152985	-45.97	-13
3	30	1000	100	782.623	-54.37	-13
4	1000	10000	1000	6638.5	-42.32	-13

Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103818	-43.54	-13
2	0.15	30	10	0.164925	-47.06	-13
3	30	1000	100	538.086	-55.21	-13
4	1000	10000	1000	6208.3	-42.78	-13

Band25 QPSK BW=15MHz Channel=26115 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0115239	-46.35	-13
2	0.15	30	10	0.15597	-47.39	-13
3	30	1000	100	816.864	-55.14	-13
4	1000	10000	1000	8108.2	-43.17	-13

Band25 QAM16 BW=15MHz Channel=26115 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099306	-45.53	-13
2	0.15	30	10	0.152985	-47.2	-13
3	30	1000	100	910.663	-55.46	-13
4	1000	10000	1000	6121.9	-43.3	-13

Band25 QAM16 BW=15MHz Channel=26115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.02	-13
2	0.15	30	10	0.15	-47.2	-13
3	30	1000	100	942.382	-55.75	-13
4	1000	10000	1000	7581.7	-42.73	-13

Band25 QPSK BW=15MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100434	-45.29	-13
2	0.15	30	10	0.15597	-47.84	-13
3	30	1000	100	818.028	-55.13	-13
4	1000	10000	1000	7643.8	-43.05	-13


Band25 QPSK BW=15MHz Channel=26365 RB Size=75 Position=#0



Band25 QAM16 BW=15MHz Channel=26365 RB Size=1 Position=#0




Band25 QAM16 BW=15MHz Channel=26365 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.5	-13
2	0.15	30	10	0.16194	-46.12	-13
3	30	1000	100	859.835	-55.33	-13
4	1000	10000	1000	5842	-42.27	-13

Band25 QPSK BW=15MHz Channel=26615 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-42.96	-13
2	0.15	30	10	0.15597	-45.65	-13
3	30	1000	100	911.342	-55.02	-13
4	1000	10000	1000	7867.9	-43.3	-13

Band25 QAM16 BW=15MHz Channel=26615 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112842	-43.95	-13
2	0.15	30	10	0.170895	-46.65	-13
3	30	1000	100	262.121	-55.25	-13
4	1000	10000	1000	5796.1	-42.74	-13

Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091128	-45.84	-13
2	0.15	30	10	0.15	-48.09	-13
3	30	1000	100	199.556	-54.95	-13
4	1000	10000	1000	7730.2	-42.62	-13

Band25 QAM16 BW=15MHz Channel=26615 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092115	-44.32	-13
2	0.15	30	10	0.15597	-47.92	-13
3	30	1000	100	815.409	-55.57	-13
4	1000	10000	1000	7715.8	-42.76	-13

Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093243	-44.4	-13
2	0.15	30	10	0.152985	-45.56	-13
3	30	1000	100	895.919	-54.9	-13
4	1000	10000	1000	6209.2	-42.93	-13


Band25 QPSK BW=20MHz Channel=26140 RB Size=1 Position=#0



Band25 QAM16 BW=20MHz Channel=26140 RB Size=1 Position=#0




Band25 QAM16 BW=20MHz Channel=26140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093948	-44.06	-13
2	0.15	30	10	0.176865	-47.95	-13
3	30	1000	100	831.414	-54.71	-13
4	1000	10000	1000	7558.3	-42.41	-13

Band25 QPSK BW=20MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010551	-45.04	-13
2	0.15	30	10	0.158955	-47.83	-13
3	30	1000	100	432.162	-54.04	-13
4	1000	10000	1000	7590.7	-42.78	-13

Band25 QAM16 BW=20MHz Channel=26365 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.43	-13
2	0.15	30	10	0.152985	-46.8	-13
3	30	1000	100	60.749	-55.46	-13
4	1000	10000	1000	7557.4	-43.01	-13

Band25 QPSK BW=20MHz Channel=26365 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0118341	-44.55	-13
2	0.15	30	10	0.152985	-46.13	-13
3	30	1000	100	992.143	-55.14	-13
4	1000	10000	1000	7681.6	-43.33	-13

Band25 QAM16 BW=20MHz Channel=26365 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103395	-46.63	-13
2	0.15	30	10	0.15	-46.97	-13
3	30	1000	100	177.149	-54.3	-13
4	1000	10000	1000	6472.9	-41.94	-13

Band25 QPSK BW=20MHz Channel=26590 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108612	-45.52	-13
2	0.15	30	10	0.15	-48.21	-13
3	30	1000	100	694.45	-54.85	-13
4	1000	10000	1000	5792.5	-42.53	-13

Band25 QPSK BW=20MHz Channel=26590 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095358	-43.84	-13
2	0.15	30	10	0.164925	-47.79	-13
3	30	1000	100	802.993	-54.94	-13
4	1000	10000	1000	5554.9	-41.98	-13

Band25 QAM16 BW=20MHz Channel=26590 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094653	-43.86	-13
2	0.15	30	10	0.15	-46.99	-13
3	30	1000	100	229.626	-53.52	-13
4	1000	10000	1000	7589.8	-43.15	-13

Band25 QAM16 BW=20MHz Channel=26590 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100998	-45.37	-13
2	0.15	30	10	0.158955	-48.38	-13
3	30	1000	100	684.071	-54.9	-13
4	1000	10000	1000	9104.5	-42.53	-13

Band26a QPSK BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0106497	-45.11	-13
2	0.15	30	10	0.15	-49.47	-13
3	30	1000	100	919.975	-55.82	-13
4	1000	10000	1000	1628.2	-35.63	-13

Band26a QAM16 BW=1.4MHz Channel=26697 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0123135	-48.03	-13
2	0.15	30	10	0.152985	-49.24	-13
3	30	1000	100	807.94	-56.52	-13
4	1000	10000	1000	1629.1	-35.22	-13

Band26a QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110868	-47.05	-13
2	0.15	30	10	0.15	-47.85	-13
3	30	1000	100	808.328	-55.92	-13
4	1000	10000	1000	1630	-35.71	-13

Band26a QAM16 BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.55	-13
2	0.15	30	10	0.152985	-46.96	-13
3	30	1000	100	774.572	-56.5	-13
4	1000	10000	1000	1629.1	-37.42	-13

Band26a QPSK BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093525	-46.65	-13
2	0.15	30	10	0.152985	-48.74	-13
3	30	1000	100	926.571	-56.7	-13
4	1000	10000	1000	1637.2	-36.53	-13

Band26a QPSK BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096768	-46.79	-13
2	0.15	30	10	0.15597	-48.86	-13
3	30	1000	100	989.039	-56.36	-13
4	1000	10000	1000	1639	-37.19	-13

Band26a QAM16 BW=1.4MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091128	-47.01	-13
2	0.15	30	10	0.170895	-49.66	-13
3	30	1000	100	783.593	-56.37	-13
4	1000	10000	1000	1637.2	-38.42	-13

Band26a QAM16 BW=1.4MHz Channel=26740 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092961	-47.03	-13
2	0.15	30	10	0.15	-48.56	-13
3	30	1000	100	934.816	-56.85	-13
4	1000	10000	1000	1638.1	-38.81	-13

Band26a QPSK BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103677	-48.02	-13
2	0.15	30	10	0.16791	-49.45	-13
3	30	1000	100	716.663	-56.16	-13
4	1000	10000	1000	1646.2	-36.33	-13


Band26a QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0



Band26a QAM16 BW=1.4MHz Channel=26783 RB Size=1 Position=#0




Band26a QAM16 BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0114957	-46.87	-13
2	0.15	30	10	0.15597	-49.92	-13
3	30	1000	100	871.281	-56.89	-13
4	1000	10000	1000	1647.1	-36.64	-13

Band26a QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0119469	-45.21	-13
2	0.15	30	10	0.15597	-47.28	-13
3	30	1000	100	844.218	-51.34	-13
4	1000	10000	1000	1630.9	-36.9	-13


Band26a QPSK BW=3MHz Channel=26705 RB Size=1 Position=#0



Band26a QAM16 BW=3MHz Channel=26705 RB Size=15 Position=#0




Band26a QAM16 BW=3MHz Channel=26705 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0114816	-47.2	-13
2	0.15	30	10	0.15	-48.46	-13
3	30	1000	100	741.107	-56.64	-13
4	1000	10000	1000	1629.1	-33.81	-13

Band26a QPSK BW=3MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-46.57	-13
2	0.15	30	10	0.15	-48.44	-13
3	30	1000	100	847.516	-56.34	-13
4	1000	10000	1000	1635.4	-33.92	-13

Band26a QPSK BW=3MHz Channel=26740 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.29	-13
2	0.15	30	10	0.16791	-49.57	-13
3	30	1000	100	960.424	-55.38	-13
4	1000	10000	1000	1637.2	-42.15	-13

Band26a QAM16 BW=3MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092679	-45.21	-13
2	0.15	30	10	0.152985	-48.56	-13
3	30	1000	100	795.815	-56.76	-13
4	1000	10000	1000	1635.4	-31.72	-13

Band26a QAM16 BW=3MHz Channel=26740 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.57	-13
2	0.15	30	10	0.15	-48.56	-13
3	30	1000	100	838.786	-56.15	-13
4	1000	10000	1000	1639.9	-39.55	-13

Band26a QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-47.39	-13
2	0.15	30	10	0.158955	-49.38	-13
3	30	1000	100	836.07	-56.25	-13
4	1000	10000	1000	1646.2	-38.67	-13


Band26a QPSK BW=3MHz Channel=26775 RB Size=1 Position=#0



Band26a QAM16 BW=3MHz Channel=26775 RB Size=1 Position=#0




Band26a QAM16 BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0125673	-47.39	-13
2	0.15	30	10	0.15	-50.76	-13
3	30	1000	100	857.895	-56.66	-13
4	1000	10000	1000	1644.4	-39.27	-13

Band26a QPSK BW=5MHz Channel=26715 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090705	-47.13	-13
2	0.15	30	10	0.15	-47.72	-13
3	30	1000	100	864.879	-56.69	-13
4	1000	10000	1000	1629.1	-34.26	-13

Band26a QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092115	-46.13	-13
2	0.15	30	10	0.15	-49.11	-13
3	30	1000	100	995.15	-56.82	-13
4	1000	10000	1000	1633.6	-42.03	-13

Band26a QAM16 BW=5MHz Channel=26715 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097473	-46.86	-13
2	0.15	30	10	0.15597	-49.62	-13
3	30	1000	100	845.188	-54.24	-13
4	1000	10000	1000	1629.1	-36.3	-13

Band26a QAM16 BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0120597	-46.7	-13
2	0.15	30	10	0.15	-46.51	-13
3	30	1000	100	774.96	-56.96	-13
4	1000	10000	1000	1637.2	-42.18	-13

Band26a QPSK BW=5MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099024	-49.32	-13
2	0.15	30	10	0.15	-49.02	-13
3	30	1000	100	790.189	-56.44	-13
4	1000	10000	1000	1633.6	-32.87	-13

Band26a QAM16 BW=5MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0113829	-46.93	-13
2	0.15	30	10	0.15	-50.11	-13
3	30	1000	100	852.269	-56.9	-13
4	1000	10000	1000	1633.6	-36.88	-13

Band26a QPSK BW=5MHz Channel=26740 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094089	-45.46	-13
2	0.15	30	10	0.158955	-48.55	-13
3	30	1000	100	515.194	-56.84	-13
4	1000	10000	1000	1638.1	-41.58	-13

Band26a QAM16 BW=5MHz Channel=26740 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096627	-47.6	-13
2	0.15	30	10	0.15	-50.02	-13
3	30	1000	100	849.456	-39.4	-13
4	1000	10000	1000	1637.2	-43.84	-13

Band26a QPSK BW=5MHz Channel=26765 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-47.02	-13
2	0.15	30	10	0.15	-49.49	-13
3	30	1000	100	889.808	-56.26	-13
4	1000	10000	1000	1639	-34.72	-13

Band26a QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-46.96	-13
2	0.15	30	10	0.158955	-48.96	-13
3	30	1000	100	845.576	-34.19	-13
4	1000	10000	1000	1647.1	-41.93	-13

Band26a QAM16 BW=5MHz Channel=26765 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092538	-48.39	-13
2	0.15	30	10	0.158955	-49.95	-13
3	30	1000	100	581.93	-55.64	-13
4	1000	10000	1000	1639	-35.48	-13

Band26a QAM16 BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095781	-45.69	-13
2	0.15	30	10	0.15597	-48.31	-13
3	30	1000	100	508.404	-56.8	-13
4	1000	10000	1000	1643.5	-42.09	-13

Band26a QPSK BW=10MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096345	-47.35	-13
2	0.15	30	10	0.152985	-49.06	-13
3	30	1000	100	958.387	-56.13	-13
4	1000	10000	1000	1629.1	-31.88	-13

Band26a QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093384	-47.41	-13
2	0.15	30	10	0.152985	-48.68	-13
3	30	1000	100	564.179	-56.02	-13
4	1000	10000	1000	1640.8	-43.82	-13

Band26a QAM16 BW=10MHz Channel=26740 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090282	-46.28	-13
2	0.15	30	10	0.15	-48.48	-13
3	30	1000	100	745.278	-57.16	-13
4	1000	10000	1000	1638.1	-44.25	-13

Band26a QAM16 BW=10MHz Channel=26740 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011115	-48.02	-13
2	0.15	30	10	0.15	-47.59	-13
3	30	1000	100	424.79	-55.63	-13
4	1000	10000	1000	1629.1	-36.08	-13

Band26b QPSK BW=1.4MHz Channel=26797 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092538	-46.97	-13
2	0.15	30	10	0.152985	-48.93	-13
3	30	1000	100	814.051	-50.88	-13
4	1000	10000	1000	1648.9	-36.41	-13

Band26b QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107766	-47.37	-13
2	0.15	30	10	0.152985	-49.84	-13
3	30	1000	100	818.125	-52.37	-13
4	1000	10000	1000	1649.8	-37.26	-13

Band26b QAM16 BW=1.4MHz Channel=26797 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097191	-47.78	-13
2	0.15	30	10	0.15	-49.5	-13
3	30	1000	100	467.373	-56.6	-13
4	1000	10000	1000	1648.9	-34.76	-13

Band26b QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107907	-46.75	-13
2	0.15	30	10	0.164925	-49.32	-13
3	30	1000	100	784.466	-55.91	-13
4	1000	10000	1000	1649.8	-38.07	-13

Band26b QPSK BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097191	-47.14	-13
2	0.15	30	10	0.15	-50.24	-13
3	30	1000	100	796.009	-56.69	-13
4	1000	10000	1000	1672.3	-32.44	-13


Band26b QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0



Band26b QAM16 BW=1.4MHz Channel=26915 RB Size=1 Position=#0




Band26b QAM16 BW=1.4MHz Channel=26915 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0114252	-47.35	-13
2	0.15	30	10	0.15	-48.71	-13
3	30	1000	100	813.566	-33.06	-13
4	1000	10000	1000	1673.2	-39.19	-13

Band26b QPSK BW=1.4MHz Channel=27033 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102831	-46.98	-13
2	0.15	30	10	0.15	-49.15	-13
3	30	1000	100	505.203	-55.96	-13
4	1000	10000	1000	1695.7	-32.92	-13

Band26b QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009705	-46.33	-13
2	0.15	30	10	0.15	-50.38	-13
3	30	1000	100	925.407	-55.13	-13
4	1000	10000	1000	1697.5	-36.23	-13

Band26b QAM16 BW=1.4MHz Channel=27033 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091692	-46.2	-13
2	0.15	30	10	0.17388	-50.45	-13
3	30	1000	100	782.138	-56.45	-13
4	1000	10000	1000	1695.7	-34.36	-13

Band26b QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096627	-48.07	-13
2	0.15	30	10	0.15	-49.07	-13
3	30	1000	100	916.289	-55.95	-13
4	1000	10000	1000	1696.6	-37.37	-13

Band26b QPSK BW=3MHz Channel=26805 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102549	-48.49	-13
2	0.15	30	10	0.152985	-49.4	-13
3	30	1000	100	917.647	-55.78	-13
4	1000	10000	1000	1648.9	-35.54	-13

Band26b QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100011	-46.6	-13
2	0.15	30	10	0.16194	-49.99	-13
3	30	1000	100	741.204	-57.13	-13
4	1000	10000	1000	1650.7	-39.5	-13

Band26b QAM16 BW=3MHz Channel=26805 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090141	-46.25	-13
2	0.15	30	10	0.15	-49.69	-13
3	30	1000	100	811.141	-53.02	-13
4	1000	10000	1000	1648.9	-36.7	-13

Band26b QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099447	-46.56	-13
2	0.15	30	10	0.182835	-49.84	-13
3	30	1000	100	486.773	-56.37	-13
4	1000	10000	1000	1652.5	-37.56	-13

Band26b QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100434	-46.12	-13
2	0.15	30	10	0.158955	-47.82	-13
3	30	1000	100	370.567	-56.46	-13
4	1000	10000	1000	1670.5	-32.96	-13

Band26b QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.71	-13
2	0.15	30	10	0.152985	-50.04	-13
3	30	1000	100	784.272	-56.48	-13
4	1000	10000	1000	1673.2	-39.03	-13

Band26b QAM16 BW=3MHz Channel=26915 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097614	-48.7	-13
2	0.15	30	10	0.16791	-49.39	-13
3	30	1000	100	810.753	-56.45	-13
4	1000	10000	1000	1670.5	-32.75	-13

Band26b QAM16 BW=3MHz Channel=26915 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.07	-13
2	0.15	30	10	0.15597	-50.53	-13
3	30	1000	100	800.374	-56.22	-13
4	1000	10000	1000	1672.3	-40.04	-13

Band26b QPSK BW=3MHz Channel=27025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108612	-46.21	-13
2	0.15	30	10	0.158955	-47.5	-13
3	30	1000	100	869.826	-56.25	-13
4	1000	10000	1000	1692.1	-31.59	-13

Band26b QAM16 BW=3MHz Channel=27025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098037	-48.51	-13
2	0.15	30	10	0.15597	-49.17	-13
3	30	1000	100	771.371	-56.71	-13
4	1000	10000	1000	1693	-35.2	-13

Band26b QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091128	-47.41	-13
2	0.15	30	10	0.15	-49.03	-13
3	30	1000	100	484.93	-56.35	-13
4	1000	10000	1000	1693.9	-38.83	-13

Band26b QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0117918	-46.74	-13
2	0.15	30	10	0.152985	-49.87	-13
3	30	1000	100	749.74	-57.15	-13
4	1000	10000	1000	1695.7	-39.44	-13

Band26b QPSK BW=5MHz Channel=26815 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.81	-13
2	0.15	30	10	0.17388	-48.33	-13
3	30	1000	100	528.871	-55.78	-13
4	1000	10000	1000	1648.9	-36.77	-13

Band26b QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0116367	-47.54	-13
2	0.15	30	10	0.15	-49.74	-13
3	30	1000	100	870.602	-56.58	-13
4	1000	10000	1000	1655.2	-40.61	-13

Band26b QAM16 BW=5MHz Channel=26815 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101139	-46.18	-13
2	0.15	30	10	0.152985	-48.87	-13
3	30	1000	100	513.157	-56.19	-13
4	1000	10000	1000	1648.9	-35.19	-13

Band26b QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090705	-46.46	-13
2	0.15	30	10	0.15	-46.42	-13
3	30	1000	100	947.135	-55.88	-13
4	1000	10000	1000	1655.2	-39.43	-13

Band26b QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100152	-46.6	-13
2	0.15	30	10	0.15	-48.46	-13
3	30	1000	100	546.622	-56.75	-13
4	1000	10000	1000	1668.7	-31.47	-13

Band26b QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093102	-46.32	-13
2	0.15	30	10	0.15	-49.31	-13
3	30	1000	100	895.143	-56.81	-13
4	1000	10000	1000	1672.3	-41.78	-13

Band26b QAM16 BW=5MHz Channel=26915 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.46	-13
2	0.15	30	10	0.15	-48.34	-13
3	30	1000	100	904.067	-56.45	-13
4	1000	10000	1000	1673.2	-41.9	-13

Band26b QAM16 BW=5MHz Channel=26915 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096345	-47.08	-13
2	0.15	30	10	0.16194	-49.24	-13
3	30	1000	100	723.259	-55.94	-13
4	1000	10000	1000	1668.7	-32.19	-13

Band26b QPSK BW=5MHz Channel=27015 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105087	-47.04	-13
2	0.15	30	10	0.15597	-48.5	-13
3	30	1000	100	766.909	-55.98	-13
4	1000	10000	1000	1688.5	-34.14	-13

Band26b QAM16 BW=5MHz Channel=27015 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105933	-46.69	-13
2	0.15	30	10	0.164925	-47.62	-13
3	30	1000	100	720.058	-56.42	-13
4	1000	10000	1000	1688.5	-34.03	-13

Band26b QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.98	-13
2	0.15	30	10	0.176865	-50.55	-13
3	30	1000	100	491.332	-56.36	-13
4	1000	10000	1000	1692.1	-40.16	-13

Band26b QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0104805	-46.42	-13
2	0.15	30	10	0.15	-49.33	-13
3	30	1000	100	998.254	-57	-13
4	1000	10000	1000	1690.3	-41.34	-13

Band26b QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102267	-46.73	-13
2	0.15	30	10	0.15	-49.76	-13
3	30	1000	100	915.804	-57.04	-13
4	1000	10000	1000	1657.9	-42.69	-13

Band26b QPSK BW=10MHz Channel=26840 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0130749	-47.7	-13
2	0.15	30	10	0.15597	-48.72	-13
3	30	1000	100	261.345	-55.99	-13
4	1000	10000	1000	1649.8	-34.19	-13

Band26b QAM16 BW=10MHz Channel=26840 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.18	-13
2	0.15	30	10	0.15	-47.58	-13
3	30	1000	100	927.929	-56.6	-13
4	1000	10000	1000	1649.8	-34.39	-13

Band26b QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097191	-46.96	-13
2	0.15	30	10	0.15	-48.91	-13
3	30	1000	100	767.782	-57.35	-13
4	1000	10000	1000	1657.9	-43.68	-13

Band26b QPSK BW=10MHz Channel=26915 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095358	-46.46	-13
2	0.15	30	10	0.152985	-48	-13
3	30	1000	100	977.399	-55.87	-13
4	1000	10000	1000	1664.2	-31.73	-13


Band26b QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0



Band26b QAM16 BW=10MHz Channel=26915 RB Size=50 Position=#0




Band26b QAM16 BW=10MHz Channel=26915 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098601	-46.07	-13
2	0.15	30	10	0.15	-48.81	-13
3	30	1000	100	489.392	-56.54	-13
4	1000	10000	1000	1664.2	-36.64	-13

Band26b QPSK BW=10MHz Channel=26990 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012384	-47.06	-13
2	0.15	30	10	0.152985	-50.18	-13
3	30	1000	100	918.132	-55.66	-13
4	1000	10000	1000	1679.5	-35.11	-13

Band26b QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011115	-47.52	-13
2	0.15	30	10	0.15	-48.01	-13
3	30	1000	100	913.088	-56.6	-13
4	1000	10000	1000	1684	-40.42	-13

Band26b QAM16 BW=10MHz Channel=26990 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099024	-47.16	-13
2	0.15	30	10	0.158955	-47.53	-13
3	30	1000	100	982.055	-56.66	-13
4	1000	10000	1000	1679.5	-35.39	-13

Band26b QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098037	-46.28	-13
2	0.15	30	10	0.17388	-47.95	-13
3	30	1000	100	940.636	-56.11	-13
4	1000	10000	1000	1683.1	-40.58	-13

Band26b QPSK BW=15MHz Channel=26865 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095358	-46.79	-13
2	0.15	30	10	0.176865	-50.22	-13
3	30	1000	100	967.699	-56.93	-13
4	1000	10000	1000	1649.8	-34.21	-13

Band26b QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.97	-13
2	0.15	30	10	0.16791	-48.2	-13
3	30	1000	100	525.67	-56.96	-13
4	1000	10000	1000	1658.8	-41.22	-13

Band26b QAM16 BW=15MHz Channel=26865 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0123699	-46.53	-13
2	0.15	30	10	0.16194	-48.26	-13
3	30	1000	100	213.136	-56.76	-13
4	1000	10000	1000	1649.8	-35.86	-13

Band26b QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100998	-45.43	-13
2	0.15	30	10	0.152985	-45.64	-13
3	30	1000	100	399.279	-56.21	-13
4	1000	10000	1000	1659.7	-33.96	-13

Band26b QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092538	-48.19	-13
2	0.15	30	10	0.152985	-49.61	-13
3	30	1000	100	763.805	-57.25	-13
4	1000	10000	1000	1659.7	-44.64	-13

Band26b QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0111996	-47.63	-13
2	0.15	30	10	0.152985	-47.77	-13
3	30	1000	100	313.628	-57.08	-13
4	1000	10000	1000	1679.5	-42.88	-13

Band26b QAM16 BW=15MHz Channel=26915 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100998	-43.04	-13
2	0.15	30	10	0.152985	-49.04	-13
3	30	1000	100	748.382	-56.53	-13
4	1000	10000	1000	7502.5	-44.46	-13

Band26b QAM16 BW=15MHz Channel=26915 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102549	-46.62	-13
2	0.15	30	10	0.15	-46.24	-13
3	30	1000	100	219.441	-56.7	-13
4	1000	10000	1000	1659.7	-36.38	-13

Band26b QPSK BW=15MHz Channel=26965 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-47.44	-13
2	0.15	30	10	0.15	-46.51	-13
3	30	1000	100	594.831	-56.68	-13
4	1000	10000	1000	1669.6	-35.71	-13

Band26b QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094935	-46.41	-13
2	0.15	30	10	0.170895	-49.28	-13
3	30	1000	100	742.853	-57	-13
4	1000	10000	1000	1683.1	-41.98	-13

Band26b QAM16 BW=15MHz Channel=26965 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0115944	-47.22	-13
2	0.15	30	10	0.164925	-47.31	-13
3	30	1000	100	963.528	-57.14	-13
4	1000	10000	1000	1669.6	-36.35	-13

Band26b QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.02	-13
2	0.15	30	10	0.15597	-49.91	-13
3	30	1000	100	463.202	-57.02	-13
4	1000	10000	1000	1683.1	-43.78	-13

Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096909	-46.33	-13
2	0.15	30	10	0.15	-47.75	-13
3	30	1000	100	769.722	-54.57	-13
4	1000	10000	1000	3421	-37.45	-13

Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0125391	-47.42	-13
2	0.15	30	10	0.15	-45.95	-13
3	30	1000	100	748.867	-54.98	-13
4	1000	10000	1000	3421	-39.05	-13

Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092961	-43.87	-13
2	0.15	30	10	0.15	-47.83	-13
3	30	1000	100	455.636	-55.58	-13
4	1000	10000	1000	3421.9	-40.91	-13

Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-45.2	-13
2	0.15	30	10	0.15	-47.96	-13
3	30	1000	100	759.44	-54.81	-13
4	1000	10000	1000	3421.9	-40.84	-13

Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101139	-44.84	-13
2	0.15	30	10	0.152985	-48.9	-13
3	30	1000	100	737.324	-55.11	-13
4	1000	10000	1000	7098.4	-42.73	-13

Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096345	-44.77	-13
2	0.15	30	10	0.15	-48.3	-13
3	30	1000	100	396.078	-55.38	-13
4	1000	10000	1000	7660.9	-42.07	-13

Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094653	-46.49	-13
2	0.15	30	10	0.16791	-47.58	-13
3	30	1000	100	483.378	-55.38	-13
4	1000	10000	1000	8284.6	-43.42	-13

Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009282	-44.7	-13
2	0.15	30	10	0.15597	-45.97	-13
3	30	1000	100	910.566	-54.44	-13
4	1000	10000	1000	3507.4	-39.38	-13

Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.84	-13
2	0.15	30	10	0.15	-47.7	-13
3	30	1000	100	960.327	-54.97	-13
4	1000	10000	1000	7112.8	-43.38	-13

Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092961	-44.37	-13
2	0.15	30	10	0.16194	-47.04	-13
3	30	1000	100	939.957	-55.21	-13
4	1000	10000	1000	3508.3	-40.43	-13

Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.59	-13
2	0.15	30	10	0.16194	-46.9	-13
3	30	1000	100	826.467	-55.24	-13
4	1000	10000	1000	3509.2	-42.36	-13

Band4 QAM16 BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099024	-45.45	-13
2	0.15	30	10	0.16194	-47.16	-13
3	30	1000	100	940.927	-55.99	-13
4	1000	10000	1000	1785.7	-35.7	-13

Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097614	-45.87	-13
2	0.15	30	10	0.15	-47.43	-13
3	30	1000	100	845.673	-55.27	-13
4	1000	10000	1000	3423.7	-41.66	-13

Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108612	-45.58	-13
2	0.15	30	10	0.15	-46.56	-13
3	30	1000	100	946.068	-55.19	-13
4	1000	10000	1000	3421	-38.96	-13

Band4 QAM16 BW=3MHz Channel=19965 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.96	-13
2	0.15	30	10	0.15597	-47.59	-13
3	30	1000	100	756.239	-55.09	-13
4	1000	10000	1000	3420.1	-37.45	-13

Band4 QAM16 BW=3MHz Channel=19965 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0125109	-45.92	-13
2	0.15	30	10	0.18582	-48.41	-13
3	30	1000	100	557.874	-55.43	-13
4	1000	10000	1000	3422.8	-41.55	-13

Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092256	-44.39	-13
2	0.15	30	10	0.152985	-46.63	-13
3	30	1000	100	791.838	-54.91	-13
4	1000	10000	1000	3462.4	-43.5	-13

Band4 QAM16 BW=3MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0113124	-44.5	-13
2	0.15	30	10	0.15	-47.61	-13
3	30	1000	100	861.096	-55.13	-13
4	1000	10000	1000	7618.6	-42.73	-13

Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107766	-45.98	-13
2	0.15	30	10	0.16791	-47.85	-13
3	30	1000	100	878.75	-55.65	-13
4	1000	10000	1000	5666.5	-43.36	-13

Band4 QAM16 BW=3MHz Channel=20175 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0129903	-45.02	-13
2	0.15	30	10	0.16791	-48.72	-13
3	30	1000	100	498.51	-55.48	-13
4	1000	10000	1000	6948.1	-42.06	-13

Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091833	-45.68	-13
2	0.15	30	10	0.15	-47.08	-13
3	30	1000	100	880.884	-54.61	-13
4	1000	10000	1000	1767.7	-41.69	-13

Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102549	-45.96	-13
2	0.15	30	10	0.16791	-48.11	-13
3	30	1000	100	867.401	-55.67	-13
4	1000	10000	1000	3504.7	-38.88	-13

Band4 QAM16 BW=3MHz Channel=20385 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-42.48	-13
2	0.15	30	10	0.152985	-45.56	-13
3	30	1000	100	820.841	-55.64	-13
4	1000	10000	1000	3504.7	-40.32	-13

Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097896	-44.66	-13
2	0.15	30	10	0.15597	-46.8	-13
3	30	1000	100	459.225	-55.28	-13
4	1000	10000	1000	3421	-38.26	-13

Band4 QAM16 BW=3MHz Channel=20385 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.98	-13
2	0.15	30	10	0.15597	-46.54	-13
3	30	1000	100	967.505	-55.66	-13
4	1000	10000	1000	7556.5	-42.93	-13

Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009705	-45.32	-13
2	0.15	30	10	0.164925	-46.5	-13
3	30	1000	100	766.23	-54.77	-13
4	1000	10000	1000	7469.2	-43.72	-13

Band4 QAM16 BW=5MHz Channel=19975 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094089	-44.61	-13
2	0.15	30	10	0.15	-46.94	-13
3	30	1000	100	884.279	-54.86	-13
4	1000	10000	1000	3421	-39.08	-13

Band4 QAM16 BW=5MHz Channel=19975 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009846	-44.08	-13
2	0.15	30	10	0.15	-47.04	-13
3	30	1000	100	585.228	-55.17	-13
4	1000	10000	1000	7632.1	-42.7	-13

Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0122007	-45.86	-13
2	0.15	30	10	0.152985	-47.61	-13
3	30	1000	100	514.709	-55.31	-13
4	1000	10000	1000	3460.6	-43.29	-13

Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092115	-43.92	-13
2	0.15	30	10	0.15	-47.73	-13
3	30	1000	100	816.282	-55.57	-13
4	1000	10000	1000	5739.4	-43.54	-13

Band4 QAM16 BW=5MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0117636	-45.81	-13
2	0.15	30	10	0.158955	-47.23	-13
3	30	1000	100	929.869	-54.69	-13
4	1000	10000	1000	5810.5	-43.19	-13


Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 QAM16 BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=20375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.14	-13
2	0.15	30	10	0.164925	-46.81	-13
3	30	1000	100	757.5	-55.21	-13
4	1000	10000	1000	3501.1	-39.86	-13

Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.73	-13
2	0.15	30	10	0.15	-47.13	-13
3	30	1000	100	914.446	-55.39	-13
4	1000	10000	1000	3421.9	-40.34	-13

Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.85	-13
2	0.15	30	10	0.15597	-46.99	-13
3	30	1000	100	845.188	-54.88	-13
4	1000	10000	1000	7569.1	-43.03	-13

Band4 QAM16 BW=10MHz Channel=20000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-42.68	-13
2	0.15	30	10	0.164925	-47.98	-13
3	30	1000	100	807.649	-55.58	-13
4	1000	10000	1000	3421	-40.95	-13

Band4 QAM16 BW=10MHz Channel=20000 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-44.6	-13
2	0.15	30	10	0.16194	-47.09	-13
3	30	1000	100	460.68	-54.87	-13
4	1000	10000	1000	7144.3	-43.66	-13

Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092256	-46.14	-13
2	0.15	30	10	0.158955	-48.12	-13
3	30	1000	100	967.214	-55.23	-13
4	1000	10000	1000	6780.7	-43.59	-13

Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-45.62	-13
2	0.15	30	10	0.15	-45.76	-13
3	30	1000	100	899.314	-55.65	-13
4	1000	10000	1000	7661.8	-42.82	-13

Band4 QAM16 BW=10MHz Channel=20175 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103254	-44.15	-13
2	0.15	30	10	0.152985	-48.11	-13
3	30	1000	100	897.471	-55.15	-13
4	1000	10000	1000	7599.7	-42.87	-13


Band4 QAM16 BW=10MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0




Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.35	-13
2	0.15	30	10	0.15597	-47.2	-13
3	30	1000	100	725.49	-55.44	-13
4	1000	10000	1000	6570.1	-42.9	-13

Band4 QAM16 BW=10MHz Channel=20350 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096627	-45.38	-13
2	0.15	30	10	0.15	-46.93	-13
3	30	1000	100	899.993	-55.24	-13
4	1000	10000	1000	3491.2	-40.57	-13

Band4 QAM16 BW=10MHz Channel=20350 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009987	-45.85	-13
2	0.15	30	10	0.16194	-46.84	-13
3	30	1000	100	942.285	-55.33	-13
4	1000	10000	1000	5437	-42.21	-13

Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100293	-45.57	-13
2	0.15	30	10	0.16791	-48.18	-13
3	30	1000	100	834.809	-55.57	-13
4	1000	10000	1000	3421.9	-38.56	-13

Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0117777	-47.31	-13
2	0.15	30	10	0.15	-48.42	-13
3	30	1000	100	926.862	-54.47	-13
4	1000	10000	1000	7714	-43.49	-13

Band4 QAM16 BW=15MHz Channel=20025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-45.85	-13
2	0.15	30	10	0.15	-47.5	-13
3	30	1000	100	942.673	-55.16	-13
4	1000	10000	1000	3421.9	-40.68	-13

Band4 QAM16 BW=15MHz Channel=20025 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0128493	-44.92	-13
2	0.15	30	10	0.16194	-48.5	-13
3	30	1000	100	765.939	-55.62	-13
4	1000	10000	1000	8375.5	-43.6	-13

Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101844	-43.78	-13
2	0.15	30	10	0.15	-46.82	-13
3	30	1000	100	839.271	-55.29	-13
4	1000	10000	1000	3451.6	-42.79	-13

Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009564	-45.02	-13
2	0.15	30	10	0.15597	-48.18	-13
3	30	1000	100	125.642	-54.99	-13
4	1000	10000	1000	7639.3	-43.44	-13

Band4 QAM16 BW=15MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103677	-45.98	-13
2	0.15	30	10	0.170895	-47.22	-13
3	30	1000	100	904.358	-55.34	-13
4	1000	10000	1000	5449.6	-42.35	-13


Band4 QAM16 BW=15MHz Channel=20175 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0




Band4 QAM16 BW=15MHz Channel=20325 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0114957	-46.02	-13
2	0.15	30	10	0.15	-47.47	-13
3	30	1000	100	873.318	-55.48	-13
4	1000	10000	1000	6838.3	-43.22	-13

Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090987	-45.75	-13
2	0.15	30	10	0.16194	-46.92	-13
3	30	1000	100	296.071	-55.38	-13
4	1000	10000	1000	7601.5	-42.82	-13

Band4 QAM16 BW=15MHz Channel=20325 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093666	-45.71	-13
2	0.15	30	10	0.15	-46.38	-13
3	30	1000	100	844.994	-55.55	-13
4	1000	10000	1000	6199.3	-42.74	-13

Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093243	-44.08	-13
2	0.15	30	10	0.15	-48.51	-13
3	30	1000	100	305.092	-55.72	-13
4	1000	10000	1000	7531.3	-42.97	-13

Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101139	-46.5	-13
2	0.15	30	10	0.15	-46.98	-13
3	30	1000	100	923.079	-55.35	-13
4	1000	10000	1000	3422.8	-37.8	-13

Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.69	-13
2	0.15	30	10	0.152985	-46.29	-13
3	30	1000	100	915.319	-55.62	-13
4	1000	10000	1000	3422.8	-40.45	-13

Band4 QAM16 BW=20MHz Channel=20050 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107625	-45.38	-13
2	0.15	30	10	0.16194	-45.78	-13
3	30	1000	100	666.708	-55.38	-13
4	1000	10000	1000	7669	-43.55	-13

Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.27	-13
2	0.15	30	10	0.15	-48.4	-13
3	30	1000	100	210.42	-55.35	-13
4	1000	10000	1000	3447.1	-42.21	-13


Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0



Band4 QAM16 BW=20MHz Channel=20175 RB Size=1 Position=#0




Band4 QAM16 BW=20MHz Channel=20175 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-46.15	-13
2	0.15	30	10	0.16194	-46.65	-13
3	30	1000	100	885.152	-55.15	-13
4	1000	10000	1000	7481.8	-42.91	-13

Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.04	-13
2	0.15	30	10	0.152985	-47.79	-13
3	30	1000	100	872.639	-55.43	-13
4	1000	10000	1000	8083	-42.55	-13

Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101844	-46.42	-13
2	0.15	30	10	0.152985	-47.02	-13
3	30	1000	100	777.288	-55.07	-13
4	1000	10000	1000	9624.7	-42.6	-13

Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.72	-13
2	0.15	30	10	0.15597	-47.56	-13
3	30	1000	100	726.363	-55.79	-13
4	1000	10000	1000	5925.7	-43.05	-13

Band4 QAM16 BW=20MHz Channel=20300 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0119469	-45.68	-13
2	0.15	30	10	0.15	-47.39	-13
3	30	1000	100	826.467	-55.35	-13
4	1000	10000	1000	8125.3	-43.48	-13

Band41 QPSK BW=5MHz Channel=40065 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099306	-44.68	-25
2	0.15	30	10	0.15597	-46.13	-25
3	30	1000	100	495.309	-54.48	-25
4	1000	10000	1000	7111.9	-41.29	-25


Band41 QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0



Band41 QAM16 BW=5MHz Channel=40065 RB Size=1 Position=#0




Band41 QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-41.32	-25
2	0.15	30	10	0.16194	-44.09	-25
3	30	1000	100	899.702	-54.9	-25
4	1000	10000	1000	6274	-41.86	-25

Band41 QPSK BW=5MHz Channel=40640 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-42.61	-25
2	0.15	30	10	0.158955	-45.48	-25
3	30	1000	100	31.552	-48.59	-25
4	1000	10000	1000	8088.4	-41.85	-25

Band41 QAM16 BW=5MHz Channel=40640 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0117354	-43.74	-25
2	0.15	30	10	0.15	-46.86	-25
3	30	1000	100	31.649	-48.85	-25
4	1000	10000	1000	7673.5	-42.02	-25

Band41 QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090423	-43.88	-25
2	0.15	30	10	0.18582	-46.76	-25
3	30	1000	100	906.88	-54.27	-25
4	1000	10000	1000	5563.9	-41.75	-25

Band41 QAM16 BW=5MHz Channel=40640 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.84	-25
2	0.15	30	10	0.16194	-45.4	-25
3	30	1000	100	856.925	-53.85	-25
4	1000	10000	1000	5851.9	-42.19	-25

Band41 QPSK BW=5MHz Channel=41215 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101985	-43.85	-25
2	0.15	30	10	0.158955	-46.97	-25
3	30	1000	100	89.17	-50.88	-25
4	1000	10000	1000	5300.2	-40.65	-25

Band41 QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096204	-43.99	-25
2	0.15	30	10	0.15597	-45.73	-25
3	30	1000	100	298.108	-54.2	-25
4	1000	10000	1000	3113.2	-41.1	-25

Band41 QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.2	-25
2	0.15	30	10	0.164925	-45.26	-25
3	30	1000	100	954.701	-52.59	-25
4	1000	10000	1000	5301.1	-42.03	-25

Band41 QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094935	-45.94	-25
2	0.15	30	10	0.15597	-44.2	-25
3	30	1000	100	744.405	-54.34	-25
4	1000	10000	1000	6175	-42.6	-25

Band41 QPSK BW=10MHz Channel=40090 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0121161	-45.44	-25
2	0.15	30	10	0.16194	-46.79	-25
3	30	1000	100	977.302	-54.51	-25
4	1000	10000	1000	6606.1	-42.06	-25

Band41 QAM16 BW=10MHz Channel=40090 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090987	-43.76	-25
2	0.15	30	10	0.15	-46.17	-25
3	30	1000	100	184.036	-53.44	-25
4	1000	10000	1000	3161.8	-41	-25

Band41 QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009282	-44.88	-25
2	0.15	30	10	0.15	-46.28	-25
3	30	1000	100	876.422	-54.65	-25
4	1000	10000	1000	3206.8	-42.6	-25

Band41 QPSK BW=10MHz Channel=40640 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0125532	-43.66	-25
2	0.15	30	10	0.15	-45.34	-25
3	30	1000	100	824.818	-54.36	-25
4	1000	10000	1000	6211	-42.44	-25

Band41 QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0104241	-45.24	-25
2	0.15	30	10	0.16194	-45.85	-25
3	30	1000	100	575.043	-54.94	-25
4	1000	10000	1000	7677.1	-42.06	-25

Band41 QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-43.83	-25
2	0.15	30	10	0.15	-44.24	-25
3	30	1000	100	220.314	-53.68	-25
4	1000	10000	1000	7547.5	-41.87	-25

Band41 QAM16 BW=10MHz Channel=40640 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103395	-44.11	-25
2	0.15	30	10	0.15	-46.33	-25
3	30	1000	100	919.296	-53.83	-25
4	1000	10000	1000	6491.8	-42.31	-25


Band41 QAM16 BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=41190 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0



Band41 QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#0




Band41 QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095076	-44.43	-25
2	0.15	30	10	0.15	-46.68	-25
3	30	1000	100	936.95	-53.8	-25
4	1000	10000	1000	8020.9	-41.13	-25

Band41 QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093666	-44.6	-25
2	0.15	30	10	0.15	-45.03	-25
3	30	1000	100	839.465	-54.19	-25
4	1000	10000	1000	7535.8	-41.79	-25

Band41 QPSK BW=15MHz Channel=40115 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-44.82	-25
2	0.15	30	10	0.170895	-45.57	-25
3	30	1000	100	813.76	-53.87	-25
4	1000	10000	1000	5333.5	-42	-25

Band41 QAM16 BW=15MHz Channel=40115 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105228	-44.93	-25
2	0.15	30	10	0.164925	-46.84	-25
3	30	1000	100	925.601	-54.6	-25
4	1000	10000	1000	7113.7	-42.11	-25

Band41 QPSK BW=15MHz Channel=40640 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0114675	-42.97	-25
2	0.15	30	10	0.152985	-46.32	-25
3	30	1000	100	859.447	-54.54	-25
4	1000	10000	1000	5363.2	-42.17	-25

Band41 QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095922	-42.83	-25
2	0.15	30	10	0.152985	-46.82	-25
3	30	1000	100	198.683	-54.41	-25
4	1000	10000	1000	7611.4	-41.86	-25

Band41 QAM16 BW=15MHz Channel=40640 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009282	-43.69	-25
2	0.15	30	10	0.152985	-46.87	-25
3	30	1000	100	966.147	-54.45	-25
4	1000	10000	1000	6896.8	-42.54	-25

Band41 QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090141	-45.35	-25
2	0.15	30	10	0.16791	-45.85	-25
3	30	1000	100	779.81	-53.43	-25
4	1000	10000	1000	5349.7	-41.74	-25

Band41 QAM16 BW=15MHz Channel=40640 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101139	-43.72	-25
2	0.15	30	10	0.15597	-46.66	-25
3	30	1000	100	782.526	-54.78	-25
4	1000	10000	1000	5328.1	-42.39	-25

Band41 QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0104523	-43.74	-25
2	0.15	30	10	0.15	-45.61	-25
3	30	1000	100	842.86	-54.57	-25
4	1000	10000	1000	6076	-41.89	-25

Band41 QPSK BW=15MHz Channel=41165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-44.94	-25
2	0.15	30	10	0.15597	-45.15	-25
3	30	1000	100	79.567	-50.23	-25
4	1000	10000	1000	5282.2	-41.85	-25

Band41 QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0114816	-43.84	-25
2	0.15	30	10	0.15	-44.61	-25
3	30	1000	100	851.299	-54.24	-25
4	1000	10000	1000	7629.4	-40.58	-25


Band41 QPSK BW=20MHz Channel=40140 RB Size=1 Position=#0



Band41 QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091128	-44.63	-25
2	0.15	30	10	0.15	-44.46	-25
3	30	1000	100	816.185	-54.45	-25
4	1000	10000	1000	3102.4	-42.22	-25

Band41 QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102549	-44.2	-25
2	0.15	30	10	0.15597	-46.74	-25
3	30	1000	100	988.748	-54.4	-25
4	1000	10000	1000	5337.1	-42.14	-25

Band41 QAM16 BW=20MHz Channel=40140 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009846	-44.07	-25
2	0.15	30	10	0.16194	-45.24	-25
3	30	1000	100	774.378	-54.29	-25
4	1000	10000	1000	7554.7	-42.01	-25

Band41 QPSK BW=20MHz Channel=40640 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110022	-42.62	-25
2	0.15	30	10	0.164925	-46.08	-25
3	30	1000	100	907.462	-53.77	-25
4	1000	10000	1000	3133	-41.66	-25


Band41 QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0



Band41 QAM16 BW=20MHz Channel=40640 RB Size=1 Position=#0




Band41 QAM16 BW=20MHz Channel=40640 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0121302	-41.74	-25
2	0.15	30	10	0.16194	-47.17	-25
3	30	1000	100	313.24	-53.78	-25
4	1000	10000	1000	9113.5	-42.3	-25

Band41 QPSK BW=20MHz Channel=41140 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0124827	-41.85	-25
2	0.15	30	10	0.158955	-46.66	-25
3	30	1000	100	74.814	-51.46	-25
4	1000	10000	1000	5272.3	-40.23	-25

Band41 QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101703	-42.83	-25
2	0.15	30	10	0.152985	-45.29	-25
3	30	1000	100	869.244	-53.79	-25
4	1000	10000	1000	7561.9	-41.66	-25

Band41 QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090423	-44.56	-25
2	0.15	30	10	0.16194	-46.42	-25
3	30	1000	100	860.029	-53.62	-25
4	1000	10000	1000	6809.5	-41.89	-25


Band41 QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105369	-32.62	-13
2	0.15	30	10	0.15	-34.07	-13
3	30	1000	100	953.246	-42.83	-13
4	1000	10000	1000	6262.3	-30.43	-13

Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012525	-33.11	-13
2	0.15	30	10	0.152985	-35.2	-13
3	30	1000	100	222.157	-43.19	-13
4	1000	10000	1000	6848.2	-30.64	-13

Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110727	-33.16	-13
2	0.15	30	10	0.15	-34.08	-13
3	30	1000	100	309.748	-42.67	-13
4	1000	10000	1000	7549.3	-30.48	-13

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090423	-32.7	-13
2	0.15	30	10	0.158955	-34.08	-13
3	30	1000	100	718.118	-42.2	-13
4	1000	10000	1000	5051.8	-30.57	-13

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110022	-32.9	-13
2	0.15	30	10	0.152985	-36.03	-13
3	30	1000	100	894.561	-43.21	-13
4	1000	10000	1000	7147	-31.4	-13

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0119751	-32.4	-13
2	0.15	30	10	0.16194	-35.43	-13
3	30	1000	100	891.069	-43.53	-13
4	1000	10000	1000	7587.1	-30.83	-13

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-30.51	-13
2	0.15	30	10	0.158955	-34.92	-13
3	30	1000	100	412.665	-42.96	-13
4	1000	10000	1000	7633	-30.94	-13

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0124686	-34.07	-13
2	0.15	30	10	0.152985	-34.3	-13
3	30	1000	100	879.526	-42.45	-13
4	1000	10000	1000	5970.7	-30.82	-13

Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101844	-30.9	-13
2	0.15	30	10	0.15597	-33.39	-13
3	30	1000	100	135.148	-43.63	-13
4	1000	10000	1000	5454.1	-30.34	-13

Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102267	-33.4	-13
2	0.15	30	10	0.15597	-34.7	-13
3	30	1000	100	965.759	-42.93	-13
4	1000	10000	1000	7599.7	-30.35	-13

Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102267	-32.93	-13
2	0.15	30	10	0.15	-32.72	-13
3	30	1000	100	776.221	-43.16	-13
4	1000	10000	1000	6079.6	-31.3	-13

Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-33.26	-13
2	0.15	30	10	0.170895	-34.21	-13
3	30	1000	100	789.704	-43.07	-13
4	1000	10000	1000	7211.8	-30.27	-13

Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112419	-33.66	-13
2	0.15	30	10	0.164925	-35.52	-13
3	30	1000	100	924.243	-43.22	-13
4	1000	10000	1000	5573.8	-31.12	-13

Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095358	-34.12	-13
2	0.15	30	10	0.158955	-34.14	-13
3	30	1000	100	175.403	-42.67	-13
4	1000	10000	1000	7611.4	-31.04	-13

Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090987	-34.49	-13
2	0.15	30	10	0.15597	-35.89	-13
3	30	1000	100	773.602	-42.45	-13
4	1000	10000	1000	7621.3	-30.9	-13

Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094089	-33.37	-13
2	0.15	30	10	0.15	-33.64	-13
3	30	1000	100	332.058	-43.16	-13
4	1000	10000	1000	7635.7	-30.52	-13

Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0120456	-32.26	-13
2	0.15	30	10	0.158955	-35.37	-13
3	30	1000	100	245.243	-43.22	-13
4	1000	10000	1000	6272.2	-30.53	-13

Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-32.18	-13
2	0.15	30	10	0.15	-34.12	-13
3	30	1000	100	895.822	-43.06	-13
4	1000	10000	1000	6276.7	-30.88	-13

Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105651	-33.13	-13
2	0.15	30	10	0.19776	-36.48	-13
3	30	1000	100	217.889	-42.83	-13
4	1000	10000	1000	7195.6	-30.38	-13

Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092961	-32.05	-13
2	0.15	30	10	0.152985	-34.92	-13
3	30	1000	100	795.039	-43.51	-13
4	1000	10000	1000	7115.5	-31.05	-13

Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093948	-31.01	-13
2	0.15	30	10	0.15	-35.61	-13
3	30	1000	100	881.66	-43.73	-13
4	1000	10000	1000	7011.1	-30.74	-13

Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095076	-33.78	-13
2	0.15	30	10	0.158955	-34.83	-13
3	30	1000	100	983.995	-43.28	-13
4	1000	10000	1000	7187.5	-30.42	-13

Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103536	-31.03	-13
2	0.15	30	10	0.15	-36.05	-13
3	30	1000	100	777.482	-41.86	-13
4	1000	10000	1000	7499.8	-31.09	-13

Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101139	-33.94	-13
2	0.15	30	10	0.152985	-35.42	-13
3	30	1000	100	676.602	-43.34	-13
4	1000	10000	1000	7631.2	-30.35	-13

Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099024	-32.71	-13
2	0.15	30	10	0.15	-33.87	-13
3	30	1000	100	210.905	-42.92	-13
4	1000	10000	1000	7675.3	-30.54	-13

Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-31.81	-13
2	0.15	30	10	0.152985	-34.67	-13
3	30	1000	100	970.609	-43.42	-13
4	1000	10000	1000	6228.1	-29.63	-13

Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099165	-33.03	-13
2	0.15	30	10	0.17985	-34.71	-13
3	30	1000	100	925.698	-43.25	-13
4	1000	10000	1000	3071.8	-31.21	-13

Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-33.35	-13
2	0.15	30	10	0.16194	-34.08	-13
3	30	1000	100	213.039	-43.13	-13
4	1000	10000	1000	3178	-30.98	-13

Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0131031	-31.97	-13
2	0.15	30	10	0.16194	-33.85	-13
3	30	1000	100	204.503	-43.04	-13
4	1000	10000	1000	7602.4	-30.5	-13

Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094794	-32.9	-13
2	0.15	30	10	0.15	-35.14	-13
3	30	1000	100	784.563	-43.14	-13
4	1000	10000	1000	5653.9	-30.65	-13

Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092256	-33	-13
2	0.15	30	10	0.170895	-36.58	-13
3	30	1000	100	793.972	-43.26	-13
4	1000	10000	1000	7633.9	-30.58	-13

Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098742	-33.46	-13
2	0.15	30	10	0.15	-34.79	-13
3	30	1000	100	522.275	-43.56	-13
4	1000	10000	1000	7353.1	-31.03	-13

Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101421	-32.74	-13
2	0.15	30	10	0.16194	-33.34	-13
3	30	1000	100	382.207	-42.89	-13
4	1000	10000	1000	7518.7	-29.84	-13

Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096204	-33.63	-13
2	0.15	30	10	0.17985	-35.34	-13
3	30	1000	100	436.042	-43.11	-13
4	1000	10000	1000	7090.3	-30.72	-13

Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-31.18	-13
2	0.15	30	10	0.15	-36.84	-13
3	30	1000	100	711.716	-42.95	-13
4	1000	10000	1000	6175.9	-31.14	-13

Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096909	-31.59	-13
2	0.15	30	10	0.15	-35.57	-13
3	30	1000	100	783.884	-42.76	-13
4	1000	10000	1000	7525	-30.92	-13

Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102972	-32.2	-13
2	0.15	30	10	0.15597	-36.29	-13
3	30	1000	100	892.815	-42.77	-13
4	1000	10000	1000	6964.3	-31.26	-13

Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-33.14	-13
2	0.15	30	10	0.15	-34.37	-13
3	30	1000	100	900.769	-43.71	-13
4	1000	10000	1000	9541	-31.08	-13

Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090282	-32.8	-13
2	0.15	30	10	0.158955	-36.51	-13
3	30	1000	100	913.088	-43.25	-13
4	1000	10000	1000	6890.5	-30.4	-13

Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107907	-33.25	-13
2	0.15	30	10	0.158955	-36.26	-13
3	30	1000	100	894.949	-42.81	-13
4	1000	10000	1000	6820.3	-31.15	-13

Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090423	-32.56	-13
2	0.15	30	10	0.16791	-35.15	-13
3	30	1000	100	231.469	-43.36	-13
4	1000	10000	1000	5925.7	-30.53	-13

Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-32.48	-13
2	0.15	30	10	0.152985	-35.12	-13
3	30	1000	100	236.125	-41.4	-13
4	1000	10000	1000	5265.1	-30.81	-13

Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0118482	-32.93	-13
2	0.15	30	10	0.15	-36.41	-13
3	30	1000	100	928.802	-42.7	-13
4	1000	10000	1000	7583.5	-30.18	-13

Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090141	-46.61	-13
2	0.15	30	10	0.152985	-48.52	-13
3	30	1000	100	948.784	-55.55	-13
4	1000	10000	1000	3421.9	-41.54	-13

Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-45.3	-13
2	0.15	30	10	0.15	-47.89	-13
3	30	1000	100	207.413	-56.41	-13
4	1000	10000	1000	3421	-38.98	-13

Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095499	-44.26	-13
2	0.15	30	10	0.15	-48.21	-13
3	30	1000	100	218.762	-55.91	-13
4	1000	10000	1000	3420.1	-39.78	-13

Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102126	-45.23	-13
2	0.15	30	10	0.152985	-47.32	-13
3	30	1000	100	928.899	-55.79	-13
4	1000	10000	1000	3421	-40.43	-13

Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103113	-44.93	-13
2	0.15	30	10	0.15	-47.68	-13
3	30	1000	100	238.259	-55.36	-13
4	1000	10000	1000	3489.4	-41.62	-13


Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0



Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0104946	-44.51	-13
2	0.15	30	10	0.158955	-48	-13
3	30	1000	100	226.231	-55.44	-13
4	1000	10000	1000	7571.8	-43.34	-13

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090987	-44.2	-13
2	0.15	30	10	0.158955	-48.47	-13
3	30	1000	100	831.123	-55.52	-13
4	1000	10000	1000	5818.6	-43.1	-13

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100434	-45.55	-13
2	0.15	30	10	0.152985	-47.4	-13
3	30	1000	100	886.025	-55.16	-13
4	1000	10000	1000	7129	-43.37	-13

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098037	-45.69	-13
2	0.15	30	10	0.158955	-48.77	-13
3	30	1000	100	991.561	-55.59	-13
4	1000	10000	1000	7437.7	-42.67	-13

Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.65	-13
2	0.15	30	10	0.152985	-47.83	-13
3	30	1000	100	882.533	-54.88	-13
4	1000	10000	1000	3421	-39.9	-13

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110868	-45.33	-13
2	0.15	30	10	0.164925	-47.72	-13
3	30	1000	100	951.597	-56.17	-13
4	1000	10000	1000	7696	-43.35	-13

Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091692	-45.47	-13
2	0.15	30	10	0.15597	-47.33	-13
3	30	1000	100	245.922	-55.86	-13
4	1000	10000	1000	3421	-39.33	-13

Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-47.14	-13
2	0.15	30	10	0.15	-48.28	-13
3	30	1000	100	515.873	-55.98	-13
4	1000	10000	1000	3423.7	-42.78	-13

Band66 QAM16 BW=3MHz Channel=131987 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105792	-43.37	-13
2	0.15	30	10	0.152985	-46.34	-13
3	30	1000	100	781.556	-55.35	-13
4	1000	10000	1000	3421	-39.41	-13

Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090282	-45.58	-13
2	0.15	30	10	0.15597	-47.32	-13
3	30	1000	100	756.045	-55.95	-13
4	1000	10000	1000	3487.6	-42.3	-13

Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-44.44	-13
2	0.15	30	10	0.158955	-48.32	-13
3	30	1000	100	226.619	-55.12	-13
4	1000	10000	1000	3278.8	-43.29	-13

Band66 QAM16 BW=3MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0109458	-44.91	-13
2	0.15	30	10	0.164925	-48.69	-13
3	30	1000	100	819.58	-55.03	-13
4	1000	10000	1000	3487.6	-43.29	-13

Band66 QAM16 BW=3MHz Channel=132322 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092538	-45.08	-13
2	0.15	30	10	0.152985	-48.4	-13
3	30	1000	100	936.465	-55.3	-13
4	1000	10000	1000	7627.6	-43.41	-13

Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-43.79	-13
2	0.15	30	10	0.158955	-45.89	-13
3	30	1000	100	827.146	-54.79	-13
4	1000	10000	1000	7438.6	-43.11	-13

Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-46.15	-13
2	0.15	30	10	0.16791	-49.23	-13
3	30	1000	100	863.618	-55.22	-13
4	1000	10000	1000	3290.5	-43.52	-13

Band66 QAM16 BW=3MHz Channel=132657 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0102549	-47.01	-13
2	0.15	30	10	0.15	-46.93	-13
3	30	1000	100	583.87	-55.9	-13
4	1000	10000	1000	4930.3	-43.6	-13


Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0



Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.89	-13
2	0.15	30	10	0.15	-47.78	-13
3	30	1000	100	971.385	-56.12	-13
4	1000	10000	1000	3424.6	-43.21	-13

Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096345	-45.01	-13
2	0.15	30	10	0.15597	-48.67	-13
3	30	1000	100	854.597	-55.54	-13
4	1000	10000	1000	8073.1	-43.79	-13

Band66 QAM16 BW=5MHz Channel=131997 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010692	-44.99	-13
2	0.15	30	10	0.158955	-47.21	-13
3	30	1000	100	841.502	-55.74	-13
4	1000	10000	1000	3421	-39.84	-13

Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-45.54	-13
2	0.15	30	10	0.16791	-48.37	-13
3	30	1000	100	395.787	-55.19	-13
4	1000	10000	1000	3485.8	-40.69	-13

Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097614	-46.17	-13
2	0.15	30	10	0.15	-47.13	-13
3	30	1000	100	940.539	-55.48	-13
4	1000	10000	1000	7568.2	-43.52	-13

Band66 QAM16 BW=5MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.87	-13
2	0.15	30	10	0.15597	-47.6	-13
3	30	1000	100	886.316	-55.34	-13
4	1000	10000	1000	3485.8	-43.02	-13


Band66 QAM16 BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0



Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100152	-45.18	-13
2	0.15	30	10	0.15	-49.24	-13
3	30	1000	100	904.261	-55.11	-13
4	1000	10000	1000	6192.1	-42.9	-13

Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0101985	-46.16	-13
2	0.15	30	10	0.164925	-48.48	-13
3	30	1000	100	254.943	-55.35	-13
4	1000	10000	1000	3421	-39.09	-13

Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-43.8	-13
2	0.15	30	10	0.15	-48.8	-13
3	30	1000	100	233.991	-55.72	-13
4	1000	10000	1000	7593.4	-43.01	-13

Band66 QAM16 BW=10MHz Channel=132022 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093384	-46.19	-13
2	0.15	30	10	0.164925	-47.72	-13
3	30	1000	100	882.242	-55.29	-13
4	1000	10000	1000	3421	-38.3	-13

Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097473	-43.41	-13
2	0.15	30	10	0.15	-48.47	-13
3	30	1000	100	500.353	-55.77	-13
4	1000	10000	1000	7586.2	-43.45	-13

Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092679	-45.54	-13
2	0.15	30	10	0.15	-45.87	-13
3	30	1000	100	769.625	-55.33	-13
4	1000	10000	1000	3482.2	-42.07	-13

Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098601	-45.71	-13
2	0.15	30	10	0.164925	-46.08	-13
3	30	1000	100	800.18	-55.6	-13
4	1000	10000	1000	7587.1	-43.59	-13

Band66 QAM16 BW=10MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092397	-46.11	-13
2	0.15	30	10	0.158955	-48.05	-13
3	30	1000	100	880.205	-54.64	-13
4	1000	10000	1000	3481.3	-42.03	-13

Band66 QAM16 BW=10MHz Channel=132322 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0109458	-46.16	-13
2	0.15	30	10	0.15	-47.23	-13
3	30	1000	100	977.496	-54.87	-13
4	1000	10000	1000	2673.1	-43.77	-13

Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0104241	-45.79	-13
2	0.15	30	10	0.152985	-47.66	-13
3	30	1000	100	514.903	-55.35	-13
4	1000	10000	1000	3541.6	-42.63	-13

Band66 QAM16 BW=10MHz Channel=132622 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093525	-44.89	-13
2	0.15	30	10	0.15	-47.7	-13
3	30	1000	100	838.301	-55.78	-13
4	1000	10000	1000	3541.6	-39.43	-13

Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0113124	-45.05	-13
2	0.15	30	10	0.15	-48.45	-13
3	30	1000	100	809.104	-55.34	-13
4	1000	10000	1000	2554.3	-43.52	-13

Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095076	-42.57	-13
2	0.15	30	10	0.194775	-49.39	-13
3	30	1000	100	524.603	-55.62	-13
4	1000	10000	1000	6165.1	-43.43	-13

Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.45	-13
2	0.15	30	10	0.15597	-48.95	-13
3	30	1000	100	570.775	-55.86	-13
4	1000	10000	1000	8082.1	-43.26	-13


Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0



Band66 QAM16 BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0144144	-45.42	-13
2	0.15	30	10	0.176865	-48.79	-13
3	30	1000	100	821.811	-56.01	-13
4	1000	10000	1000	7603.3	-42.89	-13

Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112419	-46.09	-13
2	0.15	30	10	0.15	-48.46	-13
3	30	1000	100	835.391	-55.91	-13
4	1000	10000	1000	3476.8	-42.59	-13

Band66 QAM16 BW=15MHz Channel=132322 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105369	-44.98	-13
2	0.15	30	10	0.15597	-47.18	-13
3	30	1000	100	807.843	-55.95	-13
4	1000	10000	1000	3476.8	-43.04	-13

Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0116367	-45.41	-13
2	0.15	30	10	0.15	-47.34	-13
3	30	1000	100	928.414	-55.79	-13
4	1000	10000	1000	6739.3	-43.78	-13

Band66 QAM16 BW=15MHz Channel=132322 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0107907	-47.54	-13
2	0.15	30	10	0.16791	-48.16	-13
3	30	1000	100	824.915	-55.99	-13
4	1000	10000	1000	7638.4	-43.58	-13

Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098178	-45.59	-13
2	0.15	30	10	0.16194	-48.73	-13
3	30	1000	100	460.001	-55.23	-13
4	1000	10000	1000	4949.2	-43.27	-13

Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-46.57	-13
2	0.15	30	10	0.152985	-46.66	-13
3	30	1000	100	958.484	-55.39	-13
4	1000	10000	1000	3531.7	-39.17	-13

Band66 QAM16 BW=15MHz Channel=132597 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092397	-44.12	-13
2	0.15	30	10	0.15597	-47.53	-13
3	30	1000	100	220.411	-54.15	-13
4	1000	10000	1000	3531.7	-39.41	-13

Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-44.85	-13
2	0.15	30	10	0.164925	-48.23	-13
3	30	1000	100	784.078	-55.85	-13
4	1000	10000	1000	3421.9	-39.99	-13

Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-45.64	-13
2	0.15	30	10	0.15597	-49.35	-13
3	30	1000	100	816.573	-54.65	-13
4	1000	10000	1000	7624	-42.73	-13

Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-45.13	-13
2	0.15	30	10	0.170895	-48.07	-13
3	30	1000	100	865.267	-53.97	-13
4	1000	10000	1000	7521.4	-43.37	-13

Band66 QAM16 BW=20MHz Channel=132072 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100152	-45.22	-13
2	0.15	30	10	0.152985	-47.8	-13
3	30	1000	100	259.599	-55.17	-13
4	1000	10000	1000	3422.8	-39.66	-13

Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099165	-44.27	-13
2	0.15	30	10	0.152985	-47.48	-13
3	30	1000	100	894.367	-55.57	-13
4	1000	10000	1000	7469.2	-43.54	-13

Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094794	-45.14	-13
2	0.15	30	10	0.16194	-46.98	-13
3	30	1000	100	914.64	-55.58	-13
4	1000	10000	1000	7504.3	-43.05	-13


Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0



Band66 QAM16 BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=20MHz Channel=132322 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110445	-45.11	-13
2	0.15	30	10	0.15597	-47.73	-13
3	30	1000	100	437.4	-55.48	-13
4	1000	10000	1000	6659.2	-43.52	-13

Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095781	-43.52	-13
2	0.15	30	10	0.15	-46.6	-13
3	30	1000	100	968.184	-55.63	-13
4	1000	10000	1000	3522.7	-38.82	-13


Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QAM16 BW=20MHz Channel=132572 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0112419	-45.73	-13
2	0.15	30	10	0.15	-47.39	-13
3	30	1000	100	922.885	-54.69	-13
4	1000	10000	1000	3522.7	-39.99	-13

Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090141	-42.94	-25
2	0.15	30	10	0.15	-44.41	-25
3	30	1000	100	785.436	-53.77	-25
4	1000	15000	1000	14239.8	-38.97	-25

Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097755	-44.28	-25
2	0.15	30	10	0.15597	-45.37	-25
3	30	1000	100	844.218	-54.17	-25
4	1000	15000	1000	14994.4	-39.63	-25

Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0119328	-44.96	-25
2	0.15	30	10	0.15	-45.57	-25
3	30	1000	100	894.367	-54.37	-25
4	1000	15000	1000	14878.2	-39.73	-25

Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091128	-44.52	-25
2	0.15	30	10	0.16194	-47.43	-25
3	30	1000	100	787.861	-54.33	-25
4	1000	15000	1000	14311.2	-40.16	-25

Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091128	-44.68	-25
2	0.15	30	10	0.15597	-45.2	-25
3	30	1000	100	938.211	-53.53	-25
4	1000	15000	1000	14815.2	-38.87	-25

Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108753	-43.06	-25
2	0.15	30	10	0.15	-44.9	-25
3	30	1000	100	875.549	-54.2	-25
4	1000	15000	1000	14860	-39.05	-25

Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094371	-43.24	-25
2	0.15	30	10	0.152985	-46.16	-25
3	30	1000	100	779.034	-53.72	-25
4	1000	15000	1000	14830.6	-39.5	-25

Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-43.4	-25
2	0.15	30	10	0.158955	-45.83	-25
3	30	1000	100	229.723	-53.87	-25
4	1000	15000	1000	14214.6	-39.08	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013935	-45.08	-25
2	0.15	30	10	0.15	-45.02	-25
3	30	1000	100	873.124	-53.64	-25
4	1000	15000	1000	14238.4	-39.77	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0120456	-44.3	-25
2	0.15	30	10	0.15	-44.96	-25
3	30	1000	100	901.933	-53.9	-25
4	1000	15000	1000	12596.2	-39.89	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.99	-25
2	0.15	30	10	0.15	-46.61	-25
3	30	1000	100	847.225	-53.39	-25
4	1000	15000	1000	14906.2	-39.72	-25

Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090564	-43.88	-25
2	0.15	30	10	0.152985	-47.15	-25
3	30	1000	100	989.233	-54	-25
4	1000	15000	1000	14830.6	-39.34	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099588	-46.13	-25
2	0.15	30	10	0.15	-46.8	-25
3	30	1000	100	807.455	-54.29	-25
4	1000	15000	1000	14745.2	-38.4	-25


Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0



Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.89	-25
2	0.15	30	10	0.15	-46.58	-25
3	30	1000	100	197.422	-53.03	-25
4	1000	15000	1000	13303.2	-38.72	-25

Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010128	-43.12	-25
2	0.15	30	10	0.15597	-46.09	-25
3	30	1000	100	804.351	-53.59	-25
4	1000	15000	1000	14203.4	-38.64	-25

Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.81	-25
2	0.15	30	10	0.164925	-45.99	-25
3	30	1000	100	795.039	-54.01	-25
4	1000	15000	1000	14785.8	-38.48	-25

Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.48	-25
2	0.15	30	10	0.152985	-47.21	-25
3	30	1000	100	977.69	-54.04	-25
4	1000	15000	1000	14816.6	-39.24	-25

Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0106779	-43.7	-25
2	0.15	30	10	0.152985	-43.91	-25
3	30	1000	100	484.542	-53.97	-25
4	1000	15000	1000	14659.8	-39.6	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100293	-43.12	-25
2	0.15	30	10	0.17388	-45.9	-25
3	30	1000	100	926.183	-53.75	-25
4	1000	15000	1000	14203.4	-39.56	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.6	-25
2	0.15	30	10	0.16791	-46.6	-25
3	30	1000	100	529.938	-54.4	-25
4	1000	15000	1000	14995.8	-39.42	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0116085	-44.66	-25
2	0.15	30	10	0.182835	-46.95	-25
3	30	1000	100	812.693	-53.95	-25
4	1000	15000	1000	14839	-39.25	-25

Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.03	-25
2	0.15	30	10	0.152985	-45.42	-25
3	30	1000	100	781.944	-54.08	-25
4	1000	15000	1000	14762	-38.19	-25

Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009564	-43.31	-25
2	0.15	30	10	0.15597	-45.95	-25
3	30	1000	100	491.138	-54.19	-25
4	1000	15000	1000	14764.8	-39.22	-25

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092256	-43.25	-25
2	0.15	30	10	0.16194	-46.07	-25
3	30	1000	100	729.176	-53.16	-25
4	1000	15000	1000	14794.2	-39.37	-25

Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0108048	-44.82	-25
2	0.15	30	10	0.152985	-44.6	-25
3	30	1000	100	483.475	-54.44	-25
4	1000	15000	1000	14830.6	-39.49	-25

Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092397	-43.79	-25
2	0.15	30	10	0.15	-43.86	-25
3	30	1000	100	837.04	-54.4	-25
4	1000	15000	1000	14826.4	-39.44	-25

Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0092961	-44.17	-25
2	0.15	30	10	0.15597	-44.19	-25
3	30	1000	100	977.787	-53.98	-25
4	1000	15000	1000	14756.4	-39.28	-25

Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091692	-43.75	-25
2	0.15	30	10	0.158955	-46.92	-25
3	30	1000	100	917.356	-54.31	-25
4	1000	15000	1000	14994.4	-39.7	-25

Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097755	-43.34	-25
2	0.15	30	10	0.15	-43.67	-25
3	30	1000	100	930.16	-54.06	-25
4	1000	15000	1000	13507.6	-38.84	-25

Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093384	-44.93	-25
2	0.15	30	10	0.15597	-45.18	-25
3	30	1000	100	504.33	-53.95	-25
4	1000	15000	1000	13387.2	-38.88	-25

Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093384	-43.33	-25
2	0.15	30	10	0.15	-46.25	-25
3	30	1000	100	850.814	-53.55	-25
4	1000	15000	1000	14785.8	-38.22	-25

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110727	-45.43	-25
2	0.15	30	10	0.15	-46.94	-25
3	30	1000	100	780.683	-53.64	-25
4	1000	15000	1000	14885.2	-38.92	-25

Band7 QAM16 BW=15MHz Channel=21375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0145695	-45.23	-25
2	0.15	30	10	0.16791	-45.2	-25
3	30	1000	100	411.404	-54.33	-25
4	1000	15000	1000	14904.8	-39.61	-25


Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=20850 RB Size=1 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090564	-42.8	-25
2	0.15	30	10	0.16194	-47.21	-25
3	30	1000	100	219.732	-54.3	-25
4	1000	15000	1000	14787.2	-38.91	-25

Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009705	-42.83	-25
2	0.15	30	10	0.16194	-46.18	-25
3	30	1000	100	803.09	-54.14	-25
4	1000	15000	1000	14748	-38.39	-25

Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094794	-45.14	-25
2	0.15	30	10	0.152985	-44.25	-25
3	30	1000	100	846.934	-53.55	-25
4	1000	15000	1000	14104	-39.59	-25

Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099306	-44.23	-25
2	0.15	30	10	0.16194	-46.37	-25
3	30	1000	100	880.787	-53.47	-25
4	1000	15000	1000	14913.2	-39.46	-25

Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091833	-44.43	-25
2	0.15	30	10	0.15	-45.69	-25
3	30	1000	100	886.122	-53.44	-25
4	1000	15000	1000	14790	-39.25	-25

Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009141	-42.64	-25
2	0.15	30	10	0.164925	-46.64	-25
3	30	1000	100	555.449	-53.65	-25
4	1000	15000	1000	14815.2	-39.32	-25

Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-43.59	-25
2	0.15	30	10	0.16791	-44.62	-25
3	30	1000	100	445.451	-54.23	-25
4	1000	15000	1000	14190.8	-39.48	-25

Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011961	-42.9	-25
2	0.15	30	10	0.15	-45.05	-25
3	30	1000	100	794.457	-53.43	-25
4	1000	15000	1000	14895	-39.36	-25

Band7 QAM16 BW=20MHz Channel=21350 RB Size=1 Position=#0

