

Test Condition: LTHV Test Mode: RMC, HSDPA, HSUPA Test WCDMA Band: B1, B8

## Test Data

### Clause 4.2.2 WCDMA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	882.4	23.22	20.3	25.7	PASS
8	2788	897.6	22.35	20.3	25.7	PASS
8	2863	912.6	22.67	20.3	25.7	PASS
1	9612	1922.4	23.61	20.3	25.7	PASS
1	9750	1950	22.56	20.3	25.7	PASS
1	9888	1977.6	23.93	20.3	25.7	PASS

### Clause 4.2.5 WCDMA Transmitter minimum output power


Band	UL Channel	UL Frequency(MHz)	Power (dBm)	Limit (dBm)	Verdict
8	2712	882.4	-55.02	-49	PASS
8	2788	897.6	-55.75	-49	PASS
8	2863	912.6	-55.38	-49	PASS
1	9612	1922.4	-54.70	-49	PASS
1	9750	1950	-55.41	-49	PASS
1	9888	1977.6	-54.31	-49	PASS

### Clause 4.2.12 WCDMA Transmitter Adjacent Channel Leakage power Ratio (ACLR)


Band	UL Channel	UL Frequency (MHz)	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
8	2712	882.4	-10MHz	-57.52	-42.2	PASS
8	2712	882.4	-5MHz	-38.18	-32.2	PASS
8	2712	882.4	5MHz	-39.61	-32.2	PASS
8	2712	882.4	10MHz	-54.14	-42.2	PASS
8	2788	897.6	-10MHz	-54.18	-42.2	PASS
8	2788	897.6	-5MHz	-42.31	-32.2	PASS
8	2788	897.6	5MHz	-43.34	-32.2	PASS
8	2788	897.6	10MHz	-56.49	-42.2	PASS
8	2863	912.6	-10MHz	-54.84	-42.2	PASS
8	2863	912.6	-5MHz	-43.68	-32.2	PASS
8	2863	912.6	5MHz	-42.82	-32.2	PASS
8	2863	912.6	10MHz	-60.10	-42.2	PASS
1	9612	1922.4	-10MHz	-54.33	-42.2	PASS
1	9612	1922.4	-5MHz	-40.61	-32.2	PASS
1	9612	1922.4	5MHz	-41.71	-32.2	PASS
1	9612	1922.4	10MHz	-54.74	-42.2	PASS
1	9750	1950	-10MHz	-56.46	-42.2	PASS

1	9750	1950	-5MHz	-44.33	-32.2	PASS
1	9750	1950	5MHz	-43.67	-32.2	PASS
1	9750	1950	10MHz	-56.16	-42.2	PASS
1	9888	1977.6	-10MHz	-50.92	-42.2	PASS
1	9888	1977.6	-5MHz	-34.31	-32.2	PASS
1	9888	1977.6	5MHz	-36.39	-32.2	PASS
1	9888	1977.6	10MHz	-53.05	-42.2	PASS


Band8 Channel=2712.png




Band8 Channel=2788.png




Band8 Channel=2863.png




Band1 Channel=9612.png



Band1 Channel=9750.png



Band1 Channel=9888.png



### Clause 4.2.13 WCDMA Receiver Reference Sensitivity level

Band	Channel	Frequency(MHz)	Ref Sensitivity Level(dBm)	BER (%)	Limit (%)	Verdict
8	2712	882.4	-106	0.00	0.1	PASS
8	2788	897.6	-106	0.02	0.1	PASS
8	2863	912.6	-106	0.00	0.1	PASS
1	9612	1922.4	-106	0.00	0.1	PASS
1	9750	1950	-106	0.00	0.1	PASS
1	9888	1977.6	-106	0.00	0.1	PASS


### Clause 4.2.12 HSDPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)

Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-57.96	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-45.36	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-45.52	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-57.94	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-56.06	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-44.31	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-44.54	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-56.05	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-55.12	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-44.36	-32.2	PASS

1	9612	1922.4	Subtest3	5MHz	-44.66	-32.2	PASS
1	9612	1922.4	Subtest3	10MHz	-55.00	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-55.51	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-43.91	-32.2	PASS
1	9612	1922.4	Subtest4	5MHz	-44.10	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-55.12	-42.2	PASS
1	9750	1950	Subtest1	-10MHz	-56.95	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-45.94	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-46.82	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-56.09	-42.2	PASS
1	9750	1950	Subtest2	-10MHz	-54.78	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-45.40	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-45.74	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-54.13	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-53.74	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-45.13	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-45.58	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-53.30	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-54.41	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-44.58	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-45.17	-32.2	PASS
1	9750	1950	Subtest4	10MHz	-53.88	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-55.51	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-41.59	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-43.41	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-57.62	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-54.13	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-39.48	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-41.40	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-55.69	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-54.47	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-40.70	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-42.47	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-55.75	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-54.52	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-41.01	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-42.74	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-55.90	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-59.27	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-44.84	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-44.66	-32.2	PASS
8	2712	882.4	Subtest1	10MHz	-56.21	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-56.67	-42.2	PASS


8	2712	882.4	Subtest2	-5MHz	-45.22	-32.2	PASS
8	2712	882.4	Subtest2	5MHz	-45.24	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-54.98	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-56.44	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-45.09	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-45.31	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-54.74	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-56.49	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-44.04	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-44.30	-32.2	PASS
8	2712	882.4	Subtest4	10MHz	-54.73	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-56.17	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-47.66	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-47.15	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-57.71	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-53.57	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-45.91	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-46.27	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-55.01	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-54.10	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-47.42	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-47.31	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-55.42	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-53.72	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-46.38	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-46.64	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-55.19	-42.2	PASS
8	2863	912.6	Subtest1	-10MHz	-56.50	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-46.86	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-47.52	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-60.44	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-54.28	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-46.24	-32.2	PASS
8	2863	912.6	Subtest2	5MHz	-46.49	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-57.19	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-54.44	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-46.68	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-47.09	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-57.57	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-54.69	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-46.98	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-47.70	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-57.06	-42.2	PASS

Band1 Channel=9612 Subtest1.png







Band1 Channel=9612 Subtest2.png




Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band8 Channel=2712 Subtest1.png




Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png



Band8 Channel=2712 Subtest4.png




Band8 Channel=2788 Subtest1.png







Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png



Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



### Clause 4.2.2 HSDPA Transmitter maximum output power

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
8	2712	912.6	Subtest1	20.99	18.8	25.7	PASS
8	2712	882.4	Subtest2	21.48	18.8	25.7	PASS
8	2712	882.4	Subtest3	20.77	18.8	25.7	PASS
8	2712	882.4	Subtest4	20.62	18.8	25.7	PASS
8	2788	897.6	Subtest1	21.42	18.8	25.7	PASS
8	2788	897.6	Subtest2	20.89	18.8	25.7	PASS
8	2788	897.6	Subtest3	19.96	18.8	25.7	PASS
8	2788	897.6	Subtest4	19.95	18.8	25.7	PASS
8	2863	912.6	Subtest1	21.68	18.8	25.7	PASS
8	2863	912.6	Subtest2	21.21	18.8	25.7	PASS
8	2863	912.6	Subtest3	19.87	18.8	25.7	PASS
8	2863	912.6	Subtest4	19.81	18.8	25.7	PASS
1	9612	1977.6	Subtest1	22.72	18.8	25.7	PASS
1	9612	1922.4	Subtest2	21.85	18.8	25.7	PASS
1	9612	1922.4	Subtest3	21.16	18.8	25.7	PASS
1	9612	1922.4	Subtest4	21.05	18.8	25.7	PASS
1	9750	1950	Subtest1	20.98	18.8	25.7	PASS
1	9750	1950	Subtest2	20.87	18.8	25.7	PASS
1	9750	1950	Subtest3	20.07	18.8	25.7	PASS

1	9750	1950	Subtest4	19.61	18.8	25.7	PASS
1	9888	1977.6	Subtest1	22.65	18.8	25.7	PASS
1	9888	1977.6	Subtest2	22.21	18.8	25.7	PASS
1	9888	1977.6	Subtest3	21.38	18.8	25.7	PASS
1	9888	1977.6	Subtest4	20.94	18.8	25.7	PASS


## Clause 4.2.12 HSUPA Transmitter Adjacent Channel Leakage power Ratio (ACLR)

Band	UL Channel	UL Frequency (MHz)	Subtest	Offset (MHz)	Result (dBc)	Limit (dBc)	Verdict
1	9612	1922.4	Subtest1	-10MHz	-54.63	-42.2	PASS
1	9612	1922.4	Subtest1	-5MHz	-43.76	-32.2	PASS
1	9612	1922.4	Subtest1	5MHz	-44.04	-32.2	PASS
1	9612	1922.4	Subtest1	10MHz	-54.61	-42.2	PASS
1	9612	1922.4	Subtest2	-10MHz	-55.63	-42.2	PASS
1	9612	1922.4	Subtest2	-5MHz	-44.97	-32.2	PASS
1	9612	1922.4	Subtest2	5MHz	-45.26	-32.2	PASS
1	9612	1922.4	Subtest2	10MHz	-55.92	-42.2	PASS
1	9612	1922.4	Subtest3	-10MHz	-54.40	-42.2	PASS
1	9612	1922.4	Subtest3	-5MHz	-44.21	-32.2	PASS
1	9612	1922.4	Subtest3	5MHz	-44.59	-32.2	PASS
1	9612	1922.4	Subtest3	10MHz	-54.49	-42.2	PASS
1	9612	1922.4	Subtest4	-10MHz	-56.77	-42.2	PASS
1	9612	1922.4	Subtest4	-5MHz	-45.39	-32.2	PASS
1	9612	1922.4	Subtest4	5MHz	-45.46	-32.2	PASS
1	9612	1922.4	Subtest4	10MHz	-56.72	-42.2	PASS
1	9612	1922.4	Subtest5	-10MHz	-54.97	-42.2	PASS
1	9612	1922.4	Subtest5	-5MHz	-44.41	-32.2	PASS
1	9612	1922.4	Subtest5	5MHz	-44.78	-32.2	PASS
1	9612	1922.4	Subtest5	10MHz	-54.96	-42.2	PASS
1	9750	1950	Subtest1	-10MHz	-53.96	-42.2	PASS
1	9750	1950	Subtest1	-5MHz	-45.25	-32.2	PASS
1	9750	1950	Subtest1	5MHz	-45.73	-32.2	PASS
1	9750	1950	Subtest1	10MHz	-53.54	-42.2	PASS
1	9750	1950	Subtest2	-10MHz	-54.74	-42.2	PASS
1	9750	1950	Subtest2	-5MHz	-45.76	-32.2	PASS
1	9750	1950	Subtest2	5MHz	-46.54	-32.2	PASS
1	9750	1950	Subtest2	10MHz	-54.51	-42.2	PASS
1	9750	1950	Subtest3	-10MHz	-53.60	-42.2	PASS
1	9750	1950	Subtest3	-5MHz	-44.79	-32.2	PASS
1	9750	1950	Subtest3	5MHz	-45.46	-32.2	PASS
1	9750	1950	Subtest3	10MHz	-53.22	-42.2	PASS
1	9750	1950	Subtest4	-10MHz	-55.92	-42.2	PASS
1	9750	1950	Subtest4	-5MHz	-46.10	-32.2	PASS
1	9750	1950	Subtest4	5MHz	-46.83	-32.2	PASS


1	9750	1950	Subtest4	10MHz	-55.30	-42.2	PASS
1	9750	1950	Subtest5	-10MHz	-53.54	-42.2	PASS
1	9750	1950	Subtest5	-5MHz	-45.22	-32.2	PASS
1	9750	1950	Subtest5	5MHz	-45.79	-32.2	PASS
1	9750	1950	Subtest5	10MHz	-53.21	-42.2	PASS
1	9888	1977.6	Subtest1	-10MHz	-53.81	-42.2	PASS
1	9888	1977.6	Subtest1	-5MHz	-39.69	-32.2	PASS
1	9888	1977.6	Subtest1	5MHz	-41.67	-32.2	PASS
1	9888	1977.6	Subtest1	10MHz	-55.08	-42.2	PASS
1	9888	1977.6	Subtest2	-10MHz	-54.18	-42.2	PASS
1	9888	1977.6	Subtest2	-5MHz	-41.31	-32.2	PASS
1	9888	1977.6	Subtest2	5MHz	-43.06	-32.2	PASS
1	9888	1977.6	Subtest2	10MHz	-55.62	-42.2	PASS
1	9888	1977.6	Subtest3	-10MHz	-53.60	-42.2	PASS
1	9888	1977.6	Subtest3	-5MHz	-41.00	-32.2	PASS
1	9888	1977.6	Subtest3	5MHz	-42.86	-32.2	PASS
1	9888	1977.6	Subtest3	10MHz	-54.81	-42.2	PASS
1	9888	1977.6	Subtest4	-10MHz	-54.94	-42.2	PASS
1	9888	1977.6	Subtest4	-5MHz	-41.44	-32.2	PASS
1	9888	1977.6	Subtest4	5MHz	-43.33	-32.2	PASS
1	9888	1977.6	Subtest4	10MHz	-56.80	-42.2	PASS
1	9888	1977.6	Subtest5	-10MHz	-54.03	-42.2	PASS
1	9888	1977.6	Subtest5	-5MHz	-40.34	-32.2	PASS
1	9888	1977.6	Subtest5	5MHz	-42.10	-32.2	PASS
1	9888	1977.6	Subtest5	10MHz	-55.33	-42.2	PASS
8	2712	882.4	Subtest1	-10MHz	-55.92	-42.2	PASS
8	2712	882.4	Subtest1	-5MHz	-43.05	-32.2	PASS
8	2712	882.4	Subtest1	5MHz	-43.60	-32.2	PASS
8	2712	882.4	Subtest1	10MHz	-54.13	-42.2	PASS
8	2712	882.4	Subtest2	-10MHz	-56.12	-42.2	PASS
8	2712	882.4	Subtest2	-5MHz	-44.36	-32.2	PASS
8	2712	882.4	Subtest2	5MHz	-44.62	-32.2	PASS
8	2712	882.4	Subtest2	10MHz	-54.55	-42.2	PASS
8	2712	882.4	Subtest3	-10MHz	-55.05	-42.2	PASS
8	2712	882.4	Subtest3	-5MHz	-43.62	-32.2	PASS
8	2712	882.4	Subtest3	5MHz	-43.96	-32.2	PASS
8	2712	882.4	Subtest3	10MHz	-53.40	-42.2	PASS
8	2712	882.4	Subtest4	-10MHz	-58.08	-42.2	PASS
8	2712	882.4	Subtest4	-5MHz	-44.73	-32.2	PASS
8	2712	882.4	Subtest4	5MHz	-44.56	-32.2	PASS
8	2712	882.4	Subtest4	10MHz	-55.66	-42.2	PASS
8	2712	882.4	Subtest5	-10MHz	-55.19	-42.2	PASS
8	2712	882.4	Subtest5	-5MHz	-42.60	-32.2	PASS

8	2712	882.4	Subtest5	5MHz	-43.13	-32.2	PASS
8	2712	882.4	Subtest5	10MHz	-53.53	-42.2	PASS
8	2788	897.6	Subtest1	-10MHz	-53.02	-42.2	PASS
8	2788	897.6	Subtest1	-5MHz	-45.90	-32.2	PASS
8	2788	897.6	Subtest1	5MHz	-46.07	-32.2	PASS
8	2788	897.6	Subtest1	10MHz	-54.47	-42.2	PASS
8	2788	897.6	Subtest2	-10MHz	-54.09	-42.2	PASS
8	2788	897.6	Subtest2	-5MHz	-47.43	-32.2	PASS
8	2788	897.6	Subtest2	5MHz	-47.21	-32.2	PASS
8	2788	897.6	Subtest2	10MHz	-55.10	-42.2	PASS
8	2788	897.6	Subtest3	-10MHz	-53.08	-42.2	PASS
8	2788	897.6	Subtest3	-5MHz	-47.59	-32.2	PASS
8	2788	897.6	Subtest3	5MHz	-48.07	-32.2	PASS
8	2788	897.6	Subtest3	10MHz	-53.99	-42.2	PASS
8	2788	897.6	Subtest4	-10MHz	-55.26	-42.2	PASS
8	2788	897.6	Subtest4	-5MHz	-47.57	-32.2	PASS
8	2788	897.6	Subtest4	5MHz	-47.06	-32.2	PASS
8	2788	897.6	Subtest4	10MHz	-56.63	-42.2	PASS
8	2788	897.6	Subtest5	-10MHz	-52.90	-42.2	PASS
8	2788	897.6	Subtest5	-5MHz	-46.49	-32.2	PASS
8	2788	897.6	Subtest5	5MHz	-46.46	-32.2	PASS
8	2788	897.6	Subtest5	10MHz	-54.39	-42.2	PASS
8	2863	912.6	Subtest1	-10MHz	-53.77	-42.2	PASS
8	2863	912.6	Subtest1	-5MHz	-46.09	-32.2	PASS
8	2863	912.6	Subtest1	5MHz	-46.37	-32.2	PASS
8	2863	912.6	Subtest1	10MHz	-56.38	-42.2	PASS
8	2863	912.6	Subtest2	-10MHz	-54.46	-42.2	PASS
8	2863	912.6	Subtest2	-5MHz	-46.65	-32.2	PASS
8	2863	912.6	Subtest2	5MHz	-47.78	-32.2	PASS
8	2863	912.6	Subtest2	10MHz	-56.66	-42.2	PASS
8	2863	912.6	Subtest3	-10MHz	-53.52	-42.2	PASS
8	2863	912.6	Subtest3	-5MHz	-47.00	-32.2	PASS
8	2863	912.6	Subtest3	5MHz	-47.90	-32.2	PASS
8	2863	912.6	Subtest3	10MHz	-55.57	-42.2	PASS
8	2863	912.6	Subtest4	-10MHz	-55.68	-42.2	PASS
8	2863	912.6	Subtest4	-5MHz	-46.76	-32.2	PASS
8	2863	912.6	Subtest4	5MHz	-47.40	-32.2	PASS
8	2863	912.6	Subtest4	10MHz	-58.87	-42.2	PASS
8	2863	912.6	Subtest5	-10MHz	-53.31	-42.2	PASS
8	2863	912.6	Subtest5	-5MHz	-46.18	-32.2	PASS
8	2863	912.6	Subtest5	5MHz	-46.33	-32.2	PASS
8	2863	912.6	Subtest5	10MHz	-56.11	-42.2	PASS

Band1 Channel=9612 Subtest1.png




Band1 Channel=9612 Subtest2.png







Band1 Channel=9612 Subtest3.png




Band1 Channel=9612 Subtest4.png




Band1 Channel=9612 Subtest5.png




Band1 Channel=9750 Subtest1.png




Band1 Channel=9750 Subtest2.png




Band1 Channel=9750 Subtest3.png




Band1 Channel=9750 Subtest4.png




Band1 Channel=9750 Subtest5.png




Band1 Channel=9888 Subtest1.png




Band1 Channel=9888 Subtest2.png




Band1 Channel=9888 Subtest3.png




Band1 Channel=9888 Subtest4.png




Band1 Channel=9888 Subtest5.png




Band8 Channel=2712 Subtest1.png



Band8 Channel=2712 Subtest2.png




Band8 Channel=2712 Subtest3.png







Band8 Channel=2712 Subtest4.png




Band8 Channel=2712 Subtest5.png




Band8 Channel=2788 Subtest1.png




Band8 Channel=2788 Subtest2.png




Band8 Channel=2788 Subtest3.png




Band8 Channel=2788 Subtest4.png




Band8 Channel=2788 Subtest5.png




Band8 Channel=2863 Subtest1.png




Band8 Channel=2863 Subtest2.png




Band8 Channel=2863 Subtest3.png



Band8 Channel=2863 Subtest4.png



Band8 Channel=2863 Subtest5.png



**Clause 4.2.2 HSUPA Transmitter maximum output power**

Band	UL Channel	UL Frequency (MHz)	Subtest	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
1	9612	1977.6	Subtest1	21.66	18.8	25.7	PASS
1	9612	1922.4	Subtest2	22.34	18.8	25.7	PASS
1	9612	1922.4	Subtest3	21.29	18.8	25.7	PASS
1	9612	1922.4	Subtest4	22.64	18.8	25.7	PASS
1	9612	1922.4	Subtest5	21.96	18.8	25.7	PASS
1	9750	1950	Subtest1	21.03	18.8	25.7	PASS
1	9750	1950	Subtest2	21.36	18.8	25.7	PASS
1	9750	1950	Subtest3	20.20	18.8	25.7	FAIL
1	9750	1950	Subtest4	21.44	18.8	25.7	PASS
1	9750	1950	Subtest5	20.94	18.8	25.7	PASS
1	9888	1977.6	Subtest1	22.51	18.8	25.7	PASS
1	9888	1977.6	Subtest2	22.68	18.8	25.7	PASS
1	9888	1977.6	Subtest3	21.46	18.8	25.7	PASS
1	9888	1977.6	Subtest4	22.83	18.8	25.7	PASS
1	9888	1977.6	Subtest5	22.05	18.8	25.7	PASS
8	2712	912.6	Subtest1	20.39	18.8	25.7	PASS
8	2712	882.4	Subtest2	21.90	18.8	25.7	PASS
8	2712	882.4	Subtest3	21.06	18.8	25.7	PASS
8	2712	882.4	Subtest4	22.25	18.8	25.7	PASS
8	2712	882.4	Subtest5	21.63	18.8	25.7	PASS
8	2788	897.6	Subtest1	20.88	18.8	25.7	PASS
8	2788	897.6	Subtest2	21.40	18.8	25.7	PASS
8	2788	897.6	Subtest3	20.13	18.8	25.7	PASS
8	2788	897.6	Subtest4	21.37	18.8	25.7	PASS
8	2788	897.6	Subtest5	20.78	18.8	25.7	PASS
8	2863	912.6	Subtest1	21.46	18.8	25.7	PASS
8	2863	912.6	Subtest2	21.53	18.8	25.7	PASS
8	2863	912.6	Subtest3	20.57	18.8	25.7	PASS
8	2863	912.6	Subtest4	21.69	18.8	25.7	PASS
8	2863	912.6	Subtest5	21.05	18.8	25.7	PASS