01 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	23.80	PASS
Band12	1.4	23017	1	#Mid	QPSK	23.77	PASS
Band12	1.4	23017	1	#Max	QPSK	23.86	PASS
Band12	1.4	23017	3	#0	QPSK	24.05	PASS
Band12	1.4	23017	3	#Mid	QPSK	24.15	PASS
Band12	1.4	23017	3	#Max	QPSK	24.15	PASS
Band12	1.4	23017	6	#0	QPSK	23.19	PASS
Band12	1.4	23017	1	#0	16QAM	23.00	PASS
Band12	1.4	23017	1	#Mid	16QAM	23.04	PASS
Band12	1.4	23017	1	#Max	16QAM	22.85	PASS
Band12	1.4	23017	3	#0	16QAM	23.17	PASS
Band12	1.4	23017	3	#Mid	16QAM	23.20	PASS
Band12	1.4	23017	3	#Max	16QAM	23.20	PASS
Band12	1.4	23017	6	#0	16QAM	21.82	PASS
Band12	1.4	23095	1	#0	QPSK	24.45	PASS
Band12	1.4	23095	1	#Mid	QPSK	24.38	PASS
Band12	1.4	23095	1	#Max	QPSK	24.35	PASS
Band12	1.4	23095	3	#0	QPSK	24.28	PASS
Band12	1.4	23095	3	#Mid	QPSK	24.13	PASS
Band12	1.4	23095	3	#Max	QPSK	24.04	PASS
Band12	1.4	23095	6	#0	QPSK	22.89	PASS
Band12	1.4	23095	1	#0	16QAM	23.27	PASS
Band12	1.4	23095	1	#Mid	16QAM	22.95	PASS
Band12	1.4	23095	1	#Max	16QAM	22.92	PASS
Band12	1.4	23095	3	#0	16QAM	23.17	PASS
Band12	1.4	23095	3	#Mid	16QAM	23.15	PASS
Band12	1.4	23095	3	#Max	16QAM	23.14	PASS
Band12	1.4	23095	6	#0	16QAM	22.34	PASS
Band12	1.4	23173	1	#0	QPSK	24.17	PASS
Band12	1.4	23173	1	#Mid	QPSK	24.20	PASS
Band12	1.4	23173	1	#Max	QPSK	24.13	PASS
Band12	1.4	23173	3	#0	QPSK	24.08	PASS
Band12	1.4	23173	3	#Mid	QPSK	24.11	PASS
Band12	1.4	23173	3	#Max	QPSK	24.03	PASS
Band12	1.4	23173	6	#0	QPSK	23.34	PASS
Band12	1.4	23173	1	#0	16QAM	22.92	PASS
Band12	1.4	23173	1	#Mid	16QAM	23.28	PASS
Band12	1.4	23173	1	#Max	16QAM	23.29	PASS
Band12	1.4	23173	3	#0	16QAM	23.28	PASS
Band12	1.4	23173	3	#Mid	16QAM	23.58	PASS
Band12	1.4	23173	3	#Max	16QAM	23.51	PASS

Band12	1.4	23173	6	#0	16QAM	22.23	PASS
Band12	3	23025	1	#0	QPSK	23.99	PASS
Band12	3	23025	1	#Mid	QPSK	24.06	PASS
Band12	3	23025	1	#Max	QPSK	24.07	PASS
Band12	3	23025	8	#0	QPSK	22.98	PASS
Band12	3	23025	8	#Mid	QPSK	23.00	PASS
Band12	3	23025	8	#Max	QPSK	23.28	PASS
Band12	3	23025	15	#0	QPSK	23.16	PASS
Band12	3	23025	1	#0	16QAM	23.43	PASS
Band12	3	23025	1	#Mid	16QAM	23.52	PASS
Band12	3	23025	1	#Max	16QAM	23.69	PASS
Band12	3	23025	8	#0	16QAM	22.19	PASS
Band12	3	23025	8	#Mid	16QAM	22.09	PASS
Band12	3	23025	8	#Max	16QAM	22.30	PASS
Band12	3	23025	15	#0	16QAM	22.05	PASS
Band12	3	23095	1	#0	QPSK	24.21	PASS
Band12	3	23095	1	#Mid	QPSK	24.14	PASS
Band12	3	23095	1	#Max	QPSK	24.10	PASS
Band12	3	23095	8	#0	QPSK	23.27	PASS
Band12	3	23095	8	#Mid	QPSK	22.99	PASS
Band12	3	23095	8	#Max	QPSK	22.91	PASS
Band12	3	23095	15	#0	QPSK	23.00	PASS
Band12	3	23095	1	#0	16QAM	23.28	PASS
Band12	3	23095	1	#Mid	16QAM	22.95	PASS
Band12	3	23095	1	#Max	16QAM	22.80	PASS
Band12	3	23095	8	#0	16QAM	22.44	PASS
Band12	3	23095	8	#Mid	16QAM	22.58	PASS
Band12	3	23095	8	#Max	16QAM	22.56	PASS
Band12	3	23095	15	#0	16QAM	22.58	PASS
Band12	3	23165	1	#0	QPSK	24.05	PASS
Band12	3	23165	1	#Mid	QPSK	24.04	PASS
Band12	3	23165	1	#Max	QPSK	23.94	PASS
Band12	3	23165	8	#0	QPSK	23.15	PASS
Band12	3	23165	8	#Mid	QPSK	23.11	PASS
Band12	3	23165	8	#Max	QPSK	23.43	PASS
Band12	3	23165	15	#0	QPSK	23.06	PASS
Band12	3	23165	1	#0	16QAM	23.54	PASS
Band12	3	23165	1	#Mid	16QAM	23.49	PASS
Band12	3	23165	1	#Max	16QAM	23.93	PASS
Band12	3	23165	8	#0	16QAM	22.20	PASS
Band12	3	23165	8	#Mid	16QAM	22.24	PASS
Band12	3	23165	8	#Max	16QAM	22.57	PASS
Band12	3	23165	15	#0	16QAM	22.18	PASS
Band12	5	23035	1	#0	QPSK	23.98	PASS

Band12	5	23035	1	#Mid	QPSK	24.16	PASS
Band12	5	23035	1	#Max	QPSK	24.17	PASS
Band12	5	23035	12	#0	QPSK	23.14	PASS
Band12	5	23035	12	#Mid	QPSK	23.15	PASS
Band12	5	23035	12	#Max	QPSK	23.24	PASS
Band12	5	23035	25	#0	QPSK	23.16	PASS
Band12	5	23035	1	#0	16QAM	23.39	PASS
Band12	5	23035	1	#Mid	16QAM	23.56	PASS
Band12	5	23035	1	#Max	16QAM	23.59	PASS
Band12	5	23035	12	#0	16QAM	22.00	PASS
Band12	5	23035	12	#Mid	16QAM	22.27	PASS
Band12	5	23035	12	#Max	16QAM	22.25	PASS
Band12	5	23035	25	#0	16QAM	22.25	PASS
Band12	5	23095	1	#0	QPSK	24.48	PASS
Band12	5	23095	1	#Mid	QPSK	24.38	PASS
Band12	5	23095	1	#Max	QPSK	24.38	PASS
Band12	5	23095	12	#0	QPSK	23.21	PASS
Band12	5	23095	12	#Mid	QPSK	23.04	PASS
Band12	5	23095	12	#Max	QPSK	22.91	PASS
Band12	5	23095	25	#0	QPSK	23.01	PASS
Band12	5	23095	1	#0	16QAM	23.34	PASS
Band12	5	23095	1	#Mid	16QAM	23.01	PASS
Band12	5	23095	1	#Max	16QAM	23.28	PASS
Band12	5	23095	12	#0	16QAM	22.34	PASS
Band12	5	23095	12	#Mid	16QAM	22.49	PASS
Band12	5	23095	12	#Max	16QAM	22.46	PASS
Band12	5	23095	25	#0	16QAM	22.48	PASS
Band12	5	23155	1	#0	QPSK	24.38	PASS
Band12	5	23155	1	#Mid	QPSK	24.35	PASS
Band12	5	23155	1	#Max	QPSK	24.30	PASS
Band12	5	23155	12	#0	QPSK	23.14	PASS
Band12	5	23155	12	#Mid	QPSK	23.13	PASS
Band12	5	23155	12	#Max	QPSK	22.93	PASS
Band12	5	23155	25	#0	QPSK	23.00	PASS
Band12	5	23155	1	#0	16QAM	23.04	PASS
Band12	5	23155	1	#Mid	16QAM	23.49	PASS
Band12	5	23155	1	#Max	16QAM	23.76	PASS
Band12	5	23155	12	#0	16QAM	21.94	PASS
Band12	5	23155	12	#Mid	16QAM	22.12	PASS
Band12	5	23155	12	#Max	16QAM	22.07	PASS
Band12	5	23155	25	#0	16QAM	22.06	PASS
Band12	10	23060	1	#0	QPSK	24.12	PASS
Band12	10	23060	1	#Mid	QPSK	24.16	PASS
Band12	10	23060	1	#Max	QPSK	24.20	PASS

Band12	10	23060	25	#0	QPSK	23.21	PASS
Band12	10	23060	25	#Mid	QPSK	23.16	PASS
Band12	10	23060	25	#Max	QPSK	23.29	PASS
Band12	10	23060	50	#0	QPSK	23.21	PASS
Band12	10	23060	1	#0	16QAM	23.47	PASS
Band12	10	23060	1	#Mid	16QAM	23.67	PASS
Band12	10	23060	1	#Max	16QAM	23.27	PASS
Band12	10	23060	25	#0	16QAM	22.27	PASS
Band12	10	23060	25	#Mid	16QAM	22.18	PASS
Band12	10	23060	25	#Max	16QAM	22.28	PASS
Band12	10	23060	50	#0	16QAM	22.21	PASS
Band12	10	23095	1	#0	QPSK	24.19	PASS
Band12	10	23095	1	#Mid	QPSK	24.21	PASS
Band12	10	23095	1	#Max	QPSK	24.18	PASS
Band12	10	23095	25	#0	QPSK	23.22	PASS
Band12	10	23095	25	#Mid	QPSK	23.02	PASS
Band12	10	23095	25	#Max	QPSK	23.20	PASS
Band12	10	23095	50	#0	QPSK	22.91	PASS
Band12	10	23095	1	#0	16QAM	23.58	PASS
Band12	10	23095	1	#Mid	16QAM	23.34	PASS
Band12	10	23095	1	#Max	16QAM	23.51	PASS
Band12	10	23095	25	#0	16QAM	22.28	PASS
Band12	10	23095	25	#Mid	16QAM	22.41	PASS
Band12	10	23095	25	#Max	16QAM	22.24	PASS
Band12	10	23095	50	#0	16QAM	22.48	PASS
Band12	10	23130	1	#0	QPSK	24.19	PASS
Band12	10	23130	1	#Mid	QPSK	24.12	PASS
Band12	10	23130	1	#Max	QPSK	24.08	PASS
Band12	10	23130	25	#0	QPSK	22.93	PASS
Band12	10	23130	25	#Mid	QPSK	23.13	PASS
Band12	10	23130	25	#Max	QPSK	22.99	PASS
Band12	10	23130	50	#0	QPSK	23.09	PASS
Band12	10	23130	1	#0	16QAM	23.78	PASS
Band12	10	23130	1	#Mid	16QAM	23.70	PASS
Band12	10	23130	1	#Max	16QAM	23.76	PASS
Band12	10	23130	25	#0	16QAM	22.40	PASS
Band12	10	23130	25	#Mid	16QAM	22.17	PASS
Band12	10	23130	25	#Max	16QAM	22.08	PASS
Band12	10	23130	50	#0	16QAM	22.22	PASS
Band17	5	23755	1	#0	QPSK	24.10	PASS
Band17	5	23755	1	#Mid	QPSK	24.24	PASS
Band17	5	23755	1	#Max	QPSK	24.11	PASS
Band17	5	23755	12	#0	QPSK	23.15	PASS
Band17	5	23755	12	#Mid	QPSK	23.22	PASS

Band17	5	23755	12	#Max	QPSK	22.93	PASS
Band17	5	23755	25	#0	QPSK	23.12	PASS
Band17	5	23755	1	#0	16QAM	23.52	PASS
Band17	5	23755	1	#Mid	16QAM	23.64	PASS
Band17	5	23755	1	#Max	16QAM	23.44	PASS
Band17	5	23755	12	#0	16QAM	22.33	PASS
Band17	5	23755	12	#Mid	16QAM	22.30	PASS
Band17	5	23755	12	#Max	16QAM	22.42	PASS
Band17	5	23755	25	#0	16QAM	22.28	PASS
Band17	5	23790	1	#0	QPSK	24.41	PASS
Band17	5	23790	1	#Mid	QPSK	24.36	PASS
Band17	5	23790	1	#Max	QPSK	24.41	PASS
Band17	5	23790	12	#0	QPSK	23.03	PASS
Band17	5	23790	12	#Mid	QPSK	23.27	PASS
Band17	5	23790	12	#Max	QPSK	22.87	PASS
Band17	5	23790	25	#0	QPSK	23.18	PASS
Band17	5	23790	1	#0	16QAM	22.90	PASS
Band17	5	23790	1	#Mid	16QAM	23.11	PASS
Band17	5	23790	1	#Max	16QAM	23.02	PASS
Band17	5	23790	12	#0	16QAM	22.41	PASS
Band17	5	23790	12	#Mid	16QAM	22.28	PASS
Band17	5	23790	12	#Max	16QAM	21.87	PASS
Band17	5	23790	25	#0	16QAM	22.19	PASS
Band17	5	23825	1	#0	QPSK	24.42	PASS
Band17	5	23825	1	#Mid	QPSK	24.41	PASS
Band17	5	23825	1	#Max	QPSK	24.20	PASS
Band17	5	23825	12	#0	QPSK	23.04	PASS
Band17	5	23825	12	#Mid	QPSK	23.15	PASS
Band17	5	23825	12	#Max	QPSK	22.93	PASS
Band17	5	23825	25	#0	QPSK	23.12	PASS
Band17	5	23825	1	#0	16QAM	22.97	PASS
Band17	5	23825	1	#Mid	16QAM	23.39	PASS
Band17	5	23825	1	#Max	16QAM	23.75	PASS
Band17	5	23825	12	#0	16QAM	22.00	PASS
Band17	5	23825	12	#Mid	16QAM	22.02	PASS
Band17	5	23825	12	#Max	16QAM	22.10	PASS
Band17	5	23825	25	#0	16QAM	22.09	PASS
Band17	10	23780	1	#0	QPSK	24.49	PASS
Band17	10	23780	1	#Mid	QPSK	24.31	PASS
Band17	10	23780	1	#Max	QPSK	24.26	PASS
Band17	10	23780	25	#0	QPSK	23.15	PASS
Band17	10	23780	25	#Mid	QPSK	22.98	PASS
Band17	10	23780	25	#Max	QPSK	23.04	PASS
Band17	10	23780	50	#0	QPSK	22.96	PASS

Band17	10	23780	1	#0	16QAM	23.15	PASS
Band17	10	23780	1	#Mid	16QAM	22.95	PASS
Band17	10	23780	1	#Max	16QAM	23.06	PASS
Band17	10	23780	25	#0	16QAM	22.50	PASS
Band17	10	23780	25	#Mid	16QAM	22.62	PASS
Band17	10	23780	25	#Max	16QAM	22.15	PASS
Band17	10	23780	50	#0	16QAM	22.39	PASS
Band17	10	23790	1	#0	QPSK	24.27	PASS
Band17	10	23790	1	#Mid	QPSK	24.12	PASS
Band17	10	23790	1	#Max	QPSK	23.97	PASS
Band17	10	23790	25	#0	QPSK	23.08	PASS
Band17	10	23790	25	#Mid	QPSK	23.11	PASS
Band17	10	23790	25	#Max	QPSK	22.89	PASS
Band17	10	23790	50	#0	QPSK	23.11	PASS
Band17	10	23790	1	#0	16QAM	23.70	PASS
Band17	10	23790	1	#Mid	16QAM	23.66	PASS
Band17	10	23790	1	#Max	16QAM	23.53	PASS
Band17	10	23790	25	#0	16QAM	22.52	PASS
Band17	10	23790	25	#Mid	16QAM	22.17	PASS
Band17	10	23790	25	#Max	16QAM	21.90	PASS
Band17	10	23790	50	#0	16QAM	22.17	PASS
Band17	10	23800	1	#0	QPSK	24.30	PASS
Band17	10	23800	1	#Mid	QPSK	24.11	PASS
Band17	10	23800	1	#Max	QPSK	24.08	PASS
Band17	10	23800	25	#0	QPSK	22.93	PASS
Band17	10	23800	25	#Mid	QPSK	23.12	PASS
Band17	10	23800	25	#Max	QPSK	23.07	PASS
Band17	10	23800	50	#0	QPSK	23.21	PASS
Band17	10	23800	1	#0	16QAM	23.76	PASS
Band17	10	23800	1	#Mid	16QAM	23.62	PASS
Band17	10	23800	1	#Max	16QAM	23.80	PASS
Band17	10	23800	25	#0	16QAM	22.64	PASS
Band17	10	23800	25	#Mid	16QAM	22.40	PASS
Band17	10	23800	25	#Max	16QAM	22.34	PASS
Band17	10	23800	50	#0	16QAM	22.14	PASS
Band2	1.4	18607	1	#0	QPSK	23.75	PASS
Band2	1.4	18607	1	#Mid	QPSK	23.77	PASS
Band2	1.4	18607	1	#Max	QPSK	23.75	PASS
Band2	1.4	18607	3	#0	QPSK	23.93	PASS
Band2	1.4	18607	3	#Mid	QPSK	23.92	PASS
Band2	1.4	18607	3	#Max	QPSK	23.83	PASS
Band2	1.4	18607	6	#0	QPSK	22.94	PASS
Band2	1.4	18607	1	#0	16QAM	22.86	PASS
Band2	1.4	18607	1	#Mid	16QAM	22.95	PASS

Band2	1.4	18607	1	#Max	16QAM	22.79	PASS
Band2	1.4	18607	3	#0	16QAM	23.05	PASS
Band2	1.4	18607	3	#Mid	16QAM	23.02	PASS
Band2	1.4	18607	3	#Max	16QAM	23.09	PASS
Band2	1.4	18607	6	#0	16QAM	21.71	PASS
Band2	1.4	18900	1	#0	QPSK	23.94	PASS
Band2	1.4	18900	1	#Mid	QPSK	23.93	PASS
Band2	1.4	18900	1	#Max	QPSK	24.02	PASS
Band2	1.4	18900	3	#0	QPSK	23.74	PASS
Band2	1.4	18900	3	#Mid	QPSK	23.76	PASS
Band2	1.4	18900	3	#Max	QPSK	23.80	PASS
Band2	1.4	18900	6	#0	QPSK	22.63	PASS
Band2	1.4	18900	1	#0	16QAM	22.18	PASS
Band2	1.4	18900	1	#Mid	16QAM	22.10	PASS
Band2	1.4	18900	1	#Max	16QAM	22.23	PASS
Band2	1.4	18900	3	#0	16QAM	22.48	PASS
Band2	1.4	18900	3	#Mid	16QAM	22.64	PASS
Band2	1.4	18900	3	#Max	16QAM	22.57	PASS
Band2	1.4	18900	6	#0	16QAM	21.56	PASS
Band2	1.4	19193	1	#0	QPSK	24.19	PASS
Band2	1.4	19193	1	#Mid	QPSK	24.22	PASS
Band2	1.4	19193	1	#Max	QPSK	24.35	PASS
Band2	1.4	19193	3	#0	QPSK	23.97	PASS
Band2	1.4	19193	3	#Mid	QPSK	23.98	PASS
Band2	1.4	19193	3	#Max	QPSK	23.90	PASS
Band2	1.4	19193	6	#0	QPSK	22.79	PASS
Band2	1.4	19193	1	#0	16QAM	22.86	PASS
Band2	1.4	19193	1	#Mid	16QAM	22.93	PASS
Band2	1.4	19193	1	#Max	16QAM	22.99	PASS
Band2	1.4	19193	3	#0	16QAM	23.16	PASS
Band2	1.4	19193	3	#Mid	16QAM	23.11	PASS
Band2	1.4	19193	3	#Max	16QAM	23.09	PASS
Band2	1.4	19193	6	#0	16QAM	21.89	PASS
Band2	3	18615	1	#0	QPSK	24.13	PASS
Band2	3	18615	1	#Mid	QPSK	24.27	PASS
Band2	3	18615	1	#Max	QPSK	24.21	PASS
Band2	3	18615	8	#0	QPSK	22.86	PASS
Band2	3	18615	8	#Mid	QPSK	22.89	PASS
Band2	3	18615	8	#Max	QPSK	22.68	PASS
Band2	3	18615	15	#0	QPSK	22.80	PASS
Band2	3	18615	1	#0	16QAM	23.46	PASS
Band2	3	18615	1	#Mid	16QAM	23.50	PASS
Band2	3	18615	1	#Max	16QAM	23.24	PASS
Band2	3	18615	8	#0	16QAM	21.98	PASS

Band2	3	18615	8	#Mid	16QAM	22.01	PASS
Band2	3	18615	8	#Max	16QAM	21.87	PASS
Band2	3	18615	15	#0	16QAM	21.93	PASS
Band2	3	18900	1	#0	QPSK	23.80	PASS
Band2	3	18900	1	#Mid	QPSK	23.90	PASS
Band2	3	18900	1	#Max	QPSK	23.86	PASS
Band2	3	18900	8	#0	QPSK	22.70	PASS
Band2	3	18900	8	#Mid	QPSK	22.73	PASS
Band2	3	18900	8	#Max	QPSK	22.65	PASS
Band2	3	18900	15	#0	QPSK	22.68	PASS
Band2	3	18900	1	#0	16QAM	22.61	PASS
Band2	3	18900	1	#Mid	16QAM	22.74	PASS
Band2	3	18900	1	#Max	16QAM	22.67	PASS
Band2	3	18900	8	#0	16QAM	21.76	PASS
Band2	3	18900	8	#Mid	16QAM	21.79	PASS
Band2	3	18900	8	#Max	16QAM	21.81	PASS
Band2	3	18900	15	#0	16QAM	21.70	PASS
Band2	3	19185	1	#0	QPSK	23.77	PASS
Band2	3	19185	1	#Mid	QPSK	24.12	PASS
Band2	3	19185	1	#Max	QPSK	24.07	PASS
Band2	3	19185	8	#0	QPSK	22.78	PASS
Band2	3	19185	8	#Mid	QPSK	22.88	PASS
Band2	3	19185	8	#Max	QPSK	22.82	PASS
Band2	3	19185	15	#0	QPSK	22.92	PASS
Band2	3	19185	1	#0	16QAM	23.33	PASS
Band2	3	19185	1	#Mid	16QAM	23.38	PASS
Band2	3	19185	1	#Max	16QAM	23.55	PASS
Band2	3	19185	8	#0	16QAM	21.93	PASS
Band2	3	19185	8	#Mid	16QAM	21.95	PASS
Band2	3	19185	8	#Max	16QAM	21.98	PASS
Band2	3	19185	15	#0	16QAM	21.96	PASS
Band2	5	18625	1	#0	QPSK	23.83	PASS
Band2	5	18625	1	#Mid	QPSK	23.78	PASS
Band2	5	18625	1	#Max	QPSK	24.13	PASS
Band2	5	18625	12	#0	QPSK	22.86	PASS
Band2	5	18625	12	#Mid	QPSK	22.65	PASS
Band2	5	18625	12	#Max	QPSK	22.72	PASS
Band2	5	18625	25	#0	QPSK	22.74	PASS
Band2	5	18625	1	#0	16QAM	23.40	PASS
Band2	5	18625	1	#Mid	16QAM	23.32	PASS
Band2	5	18625	1	#Max	16QAM	23.37	PASS
Band2	5	18625	12	#0	16QAM	21.97	PASS
Band2	5	18625	12	#Mid	16QAM	21.91	PASS
Band2	5	18625	12	#Max	16QAM	21.85	PASS

Band2	5	18625	25	#0	16QAM	21.77	PASS
Band2	5	18900	1	#0	QPSK	24.02	PASS
Band2	5	18900	1	#Mid	QPSK	23.86	PASS
Band2	5	18900	1	#Max	QPSK	24.01	PASS
Band2	5	18900	12	#0	QPSK	22.60	PASS
Band2	5	18900	12	#Mid	QPSK	22.75	PASS
Band2	5	18900	12	#Max	QPSK	22.77	PASS
Band2	5	18900	25	#0	QPSK	22.65	PASS
Band2	5	18900	1	#0	16QAM	22.84	PASS
Band2	5	18900	1	#Mid	16QAM	22.62	PASS
Band2	5	18900	1	#Max	16QAM	22.76	PASS
Band2	5	18900	12	#0	16QAM	21.68	PASS
Band2	5	18900	12	#Mid	16QAM	21.92	PASS
Band2	5	18900	12	#Max	16QAM	21.78	PASS
Band2	5	18900	25	#0	16QAM	21.97	PASS
Band2	5	19175	1	#0	QPSK	23.99	PASS
Band2	5	19175	1	#Mid	QPSK	24.08	PASS
Band2	5	19175	1	#Max	QPSK	23.64	PASS
Band2	5	19175	12	#0	QPSK	22.78	PASS
Band2	5	19175	12	#Mid	QPSK	22.77	PASS
Band2	5	19175	12	#Max	QPSK	22.85	PASS
Band2	5	19175	25	#0	QPSK	22.73	PASS
Band2	5	19175	1	#0	16QAM	22.71	PASS
Band2	5	19175	1	#Mid	16QAM	22.77	PASS
Band2	5	19175	1	#Max	16QAM	22.89	PASS
Band2	5	19175	12	#0	16QAM	21.94	PASS
Band2	5	19175	12	#Mid	16QAM	21.95	PASS
Band2	5	19175	12	#Max	16QAM	22.01	PASS
Band2	5	19175	25	#0	16QAM	22.06	PASS
Band2	10	18650	1	#0	QPSK	24.07	PASS
Band2	10	18650	1	#Mid	QPSK	23.94	PASS
Band2	10	18650	1	#Max	QPSK	24.10	PASS
Band2	10	18650	25	#0	QPSK	22.83	PASS
Band2	10	18650	25	#Mid	QPSK	22.77	PASS
Band2	10	18650	25	#Max	QPSK	22.78	PASS
Band2	10	18650	50	#0	QPSK	22.82	PASS
Band2	10	18650	1	#0	16QAM	22.88	PASS
Band2	10	18650	1	#Mid	16QAM	23.36	PASS
Band2	10	18650	1	#Max	16QAM	23.20	PASS
Band2	10	18650	25	#0	16QAM	21.85	PASS
Band2	10	18650	25	#Mid	16QAM	21.78	PASS
Band2	10	18650	25	#Max	16QAM	21.66	PASS
Band2	10	18650	50	#0	16QAM	21.72	PASS
Band2	10	18900	1	#0	QPSK	23.68	PASS

Band2	10	18900	1	#Mid	QPSK	23.75	PASS
Band2	10	18900	1	#Max	QPSK	23.86	PASS
Band2	10	18900	25	#0	QPSK	22.66	PASS
Band2	10	18900	25	#Mid	QPSK	22.70	PASS
Band2	10	18900	25	#Max	QPSK	22.72	PASS
Band2	10	18900	50	#0	QPSK	22.71	PASS
Band2	10	18900	1	#0	16QAM	22.65	PASS
Band2	10	18900	1	#Mid	16QAM	22.74	PASS
Band2	10	18900	1	#Max	16QAM	22.65	PASS
Band2	10	18900	25	#0	16QAM	21.88	PASS
Band2	10	18900	25	#Mid	16QAM	21.98	PASS
Band2	10	18900	25	#Max	16QAM	21.92	PASS
Band2	10	18900	50	#0	16QAM	21.78	PASS
Band2	10	19150	1	#0	QPSK	23.66	PASS
Band2	10	19150	1	#Mid	QPSK	23.72	PASS
Band2	10	19150	1	#Max	QPSK	24.07	PASS
Band2	10	19150	25	#0	QPSK	22.68	PASS
Band2	10	19150	25	#Mid	QPSK	22.68	PASS
Band2	10	19150	25	#Max	QPSK	22.66	PASS
Band2	10	19150	50	#0	QPSK	22.78	PASS
Band2	10	19150	1	#0	16QAM	22.66	PASS
Band2	10	19150	1	#Mid	16QAM	22.58	PASS
Band2	10	19150	1	#Max	16QAM	22.99	PASS
Band2	10	19150	25	#0	16QAM	21.84	PASS
Band2	10	19150	25	#Mid	16QAM	21.93	PASS
Band2	10	19150	25	#Max	16QAM	22.09	PASS
Band2	10	19150	50	#0	16QAM	21.75	PASS
Band2	15	18675	1	#0	QPSK	24.08	PASS
Band2	15	18675	1	#Mid	QPSK	24.19	PASS
Band2	15	18675	1	#Max	QPSK	23.98	PASS
Band2	15	18675	36	#0	QPSK	22.63	PASS
Band2	15	18675	36	#Mid	QPSK	-42.39	PASS
Band2	15	18675	36	#Max	QPSK	-42.40	PASS
Band2	15	18675	75	#0	QPSK	3.37	PASS
Band2	15	18675	1	#0	16QAM	22.74	PASS
Band2	15	18675	1	#Mid	16QAM	22.77	PASS
Band2	15	18675	1	#Max	16QAM	22.57	PASS
Band2	15	18675	36	#0	16QAM	21.85	PASS
Band2	15	18675	36	#Mid	16QAM	21.78	PASS
Band2	15	18675	36	#Max	16QAM	21.68	PASS
Band2	15	18675	75	#0	16QAM	21.68	PASS
Band2	15	18900	1	#0	QPSK	23.57	PASS
Band2	15	18900	1	#Mid	QPSK	23.89	PASS
Band2	15	18900	1	#Max	QPSK	23.59	PASS

Band2	15	18900	36	#0	QPSK	22.58	PASS
Band2	15	18900	36	#Mid	QPSK	22.75	PASS
Band2	15	18900	36	#Max	QPSK	22.65	PASS
Band2	15	18900	75	#0	QPSK	22.52	PASS
Band2	15	18900	1	#0	16QAM	23.22	PASS
Band2	15	18900	1	#Mid	16QAM	23.33	PASS
Band2	15	18900	1	#Max	16QAM	23.25	PASS
Band2	15	18900	36	#0	16QAM	21.54	PASS
Band2	15	18900	36	#Mid	16QAM	21.63	PASS
Band2	15	18900	36	#Max	16QAM	21.66	PASS
Band2	15	18900	75	#0	16QAM	21.81	PASS
Band2	15	19125	1	#0	QPSK	23.78	PASS
Band2	15	19125	1	#Mid	QPSK	23.86	PASS
Band2	15	19125	1	#Max	QPSK	23.93	PASS
Band2	15	19125	36	#0	QPSK	22.51	PASS
Band2	15	19125	36	#Mid	QPSK	22.54	PASS
Band2	15	19125	36	#Max	QPSK	22.66	PASS
Band2	15	19125	75	#0	QPSK	22.72	PASS
Band2	15	19125	1	#0	16QAM	23.06	PASS
Band2	15	19125	1	#Mid	16QAM	23.09	PASS
Band2	15	19125	1	#Max	16QAM	23.36	PASS
Band2	15	19125	36	#0	16QAM	21.55	PASS
Band2	15	19125	36	#Mid	16QAM	21.74	PASS
Band2	15	19125	36	#Max	16QAM	21.73	PASS
Band2	15	19125	75	#0	16QAM	21.72	PASS
Band2	20	18700	1	#0	QPSK	23.80	PASS
Band2	20	18700	1	#Mid	QPSK	23.68	PASS
Band2	20	18700	1	#Max	QPSK	23.62	PASS
Band2	20	18700	50	#0	QPSK	22.77	PASS
Band2	20	18700	50	#Mid	QPSK	22.58	PASS
Band2	20	18700	50	#Max	QPSK	22.48	PASS
Band2	20	18700	100	#0	QPSK	22.70	PASS
Band2	20	18700	1	#0	16QAM	23.32	PASS
Band2	20	18700	1	#Mid	16QAM	23.27	PASS
Band2	20	18700	1	#Max	16QAM	23.12	PASS
Band2	20	18700	50	#0	16QAM	21.68	PASS
Band2	20	18700	50	#Mid	16QAM	21.84	PASS
Band2	20	18700	50	#Max	16QAM	21.64	PASS
Band2	20	18700	100	#0	16QAM	21.85	PASS
Band2	20	18900	1	#0	QPSK	23.69	PASS
Band2	20	18900	1	#Mid	QPSK	23.94	PASS
Band2	20	18900	1	#Max	QPSK	23.92	PASS
Band2	20	18900	50	#0	QPSK	22.66	PASS
Band2	20	18900	50	#Mid	QPSK	22.60	PASS

Band2	20	18900	50	#Max	QPSK	22.66	PASS
Band2	20	18900	100	#0	QPSK	22.61	PASS
Band2	20	18900	1	#0	16QAM	22.03	PASS
Band2	20	18900	1	#Mid	16QAM	22.05	PASS
Band2	20	18900	1	#Max	16QAM	22.18	PASS
Band2	20	18900	50	#0	16QAM	21.62	PASS
Band2	20	18900	50	#Mid	16QAM	21.68	PASS
Band2	20	18900	50	#Max	16QAM	21.74	PASS
Band2	20	18900	100	#0	16QAM	21.67	PASS
Band2	20	19100	1	#0	QPSK	23.94	PASS
Band2	20	19100	1	#Mid	QPSK	23.68	PASS
Band2	20	19100	1	#Max	QPSK	24.15	PASS
Band2	20	19100	50	#0	QPSK	22.40	PASS
Band2	20	19100	50	#Mid	QPSK	22.55	PASS
Band2	20	19100	50	#Max	QPSK	22.72	PASS
Band2	20	19100	100	#0	QPSK	22.63	PASS
Band2	20	19100	1	#0	16QAM	22.83	PASS
Band2	20	19100	1	#Mid	16QAM	22.42	PASS
Band2	20	19100	1	#Max	16QAM	22.85	PASS
Band2	20	19100	50	#0	16QAM	21.58	PASS
Band2	20	19100	50	#Mid	16QAM	21.56	PASS
Band2	20	19100	50	#Max	16QAM	21.71	PASS
Band2	20	19100	100	#0	16QAM	21.74	PASS
Band38	5	37775	1	#0	QPSK	23.40	PASS
Band38	5	37775	1	#Mid	QPSK	23.78	PASS
Band38	5	37775	1	#Max	QPSK	23.79	PASS
Band38	5	37775	12	#0	QPSK	22.80	PASS
Band38	5	37775	12	#Mid	QPSK	22.79	PASS
Band38	5	37775	12	#Max	QPSK	22.79	PASS
Band38	5	37775	25	#0	QPSK	22.83	PASS
Band38	5	37775	1	#0	16QAM	23.19	PASS
Band38	5	37775	1	#Mid	16QAM	23.19	PASS
Band38	5	37775	1	#Max	16QAM	23.12	PASS
Band38	5	37775	12	#0	16QAM	21.91	PASS
Band38	5	37775	12	#Mid	16QAM	21.82	PASS
Band38	5	37775	12	#Max	16QAM	21.91	PASS
Band38	5	37775	25	#0	16QAM	21.97	PASS
Band38	5	38000	1	#0	QPSK	23.73	PASS
Band38	5	38000	1	#Mid	QPSK	23.72	PASS
Band38	5	38000	1	#Max	QPSK	23.70	PASS
Band38	5	38000	12	#0	QPSK	22.67	PASS
Band38	5	38000	12	#Mid	QPSK	22.64	PASS
Band38	5	38000	12	#Max	QPSK	22.57	PASS
Band38	5	38000	25	#0	QPSK	22.78	PASS

Band38	5	38000	1	#0	16QAM	23.13	PASS
Band38	5	38000	1	#Mid	16QAM	23.00	PASS
Band38	5	38000	1	#Max	16QAM	23.02	PASS
Band38	5	38000	12	#0	16QAM	21.74	PASS
Band38	5	38000	12	#Mid	16QAM	21.69	PASS
Band38	5	38000	12	#Max	16QAM	21.62	PASS
Band38	5	38000	25	#0	16QAM	21.95	PASS
Band38	5	38225	1	#0	QPSK	23.93	PASS
Band38	5	38225	1	#Mid	QPSK	23.96	PASS
Band38	5	38225	1	#Max	QPSK	23.92	PASS
Band38	5	38225	12	#0	QPSK	22.96	PASS
Band38	5	38225	12	#Mid	QPSK	23.00	PASS
Band38	5	38225	12	#Max	QPSK	22.97	PASS
Band38	5	38225	25	#0	QPSK	22.97	PASS
Band38	5	38225	1	#0	16QAM	22.88	PASS
Band38	5	38225	1	#Mid	16QAM	22.74	PASS
Band38	5	38225	1	#Max	16QAM	22.74	PASS
Band38	5	38225	12	#0	16QAM	22.00	PASS
Band38	5	38225	12	#Mid	16QAM	21.91	PASS
Band38	5	38225	12	#Max	16QAM	21.94	PASS
Band38	5	38225	25	#0	16QAM	22.13	PASS
Band38	10	37800	1	#0	QPSK	24.38	PASS
Band38	10	37800	1	#Mid	QPSK	24.33	PASS
Band38	10	37800	1	#Max	QPSK	24.48	PASS
Band38	10	37800	25	#0	QPSK	22.84	PASS
Band38	10	37800	25	#Mid	QPSK	22.92	PASS
Band38	10	37800	25	#Max	QPSK	22.91	PASS
Band38	10	37800	50	#0	QPSK	22.57	PASS
Band38	10	37800	1	#0	16QAM	23.26	PASS
Band38	10	37800	1	#Mid	16QAM	23.24	PASS
Band38	10	37800	1	#Max	16QAM	23.32	PASS
Band38	10	37800	25	#0	16QAM	21.95	PASS
Band38	10	37800	25	#Mid	16QAM	22.01	PASS
Band38	10	37800	25	#Max	16QAM	22.11	PASS
Band38	10	37800	50	#0	16QAM	21.66	PASS
Band38	10	38000	1	#0	QPSK	24.13	PASS
Band38	10	38000	1	#Mid	QPSK	24.08	PASS
Band38	10	38000	1	#Max	QPSK	23.70	PASS
Band38	10	38000	25	#0	QPSK	22.74	PASS
Band38	10	38000	25	#Mid	QPSK	22.78	PASS
Band38	10	38000	25	#Max	QPSK	22.74	PASS
Band38	10	38000	50	#0	QPSK	22.35	PASS
Band38	10	38000	1	#0	16QAM	23.17	PASS
Band38	10	38000	1	#Mid	16QAM	23.18	PASS

Band38	10	38000	1	#Max	16QAM	23.08	PASS
Band38	10	38000	25	#0	16QAM	22.00	PASS
Band38	10	38000	25	#Mid	16QAM	21.90	PASS
Band38	10	38000	25	#Max	16QAM	21.86	PASS
Band38	10	38000	50	#0	16QAM	21.44	PASS
Band38	10	38200	1	#0	QPSK	24.49	PASS
Band38	10	38200	1	#Mid	QPSK	24.44	PASS
Band38	10	38200	1	#Max	QPSK	24.42	PASS
Band38	10	38200	25	#0	QPSK	23.14	PASS
Band38	10	38200	25	#Mid	QPSK	23.07	PASS
Band38	10	38200	25	#Max	QPSK	23.05	PASS
Band38	10	38200	50	#0	QPSK	22.75	PASS
Band38	10	38200	1	#0	16QAM	23.56	PASS
Band38	10	38200	1	#Mid	16QAM	23.45	PASS
Band38	10	38200	1	#Max	16QAM	23.45	PASS
Band38	10	38200	25	#0	16QAM	22.26	PASS
Band38	10	38200	25	#Mid	16QAM	22.21	PASS
Band38	10	38200	25	#Max	16QAM	22.28	PASS
Band38	10	38200	50	#0	16QAM	21.86	PASS
Band38	15	37825	1	#0	QPSK	24.41	PASS
Band38	15	37825	1	#Mid	QPSK	24.49	PASS
Band38	15	37825	1	#Max	QPSK	24.40	PASS
Band38	15	37825	36	#0	QPSK	22.83	PASS
Band38	15	37825	36	#Mid	QPSK	22.98	PASS
Band38	15	37825	36	#Max	QPSK	22.95	PASS
Band38	15	37825	75	#0	QPSK	22.60	PASS
Band38	15	37825	1	#0	16QAM	23.26	PASS
Band38	15	37825	1	#Mid	16QAM	23.33	PASS
Band38	15	37825	1	#Max	16QAM	23.29	PASS
Band38	15	37825	36	#0	16QAM	21.98	PASS
Band38	15	37825	36	#Mid	16QAM	21.99	PASS
Band38	15	37825	36	#Max	16QAM	21.89	PASS
Band38	15	37825	75	#0	16QAM	21.64	PASS
Band38	15	38000	1	#0	QPSK	24.28	PASS
Band38	15	38000	1	#Mid	QPSK	24.08	PASS
Band38	15	38000	1	#Max	QPSK	24.18	PASS
Band38	15	38000	36	#0	QPSK	22.77	PASS
Band38	15	38000	36	#Mid	QPSK	22.75	PASS
Band38	15	38000	36	#Max	QPSK	22.79	PASS
Band38	15	38000	75	#0	QPSK	22.49	PASS
Band38	15	38000	1	#0	16QAM	23.51	PASS
Band38	15	38000	1	#Mid	16QAM	23.30	PASS
Band38	15	38000	1	#Max	16QAM	23.30	PASS
Band38	15	38000	36	#0	16QAM	22.01	PASS

Band38	15	38000	36	#Mid	16QAM	21.80	PASS
Band38	15	38000	36	#Max	16QAM	21.81	PASS
Band38	15	38000	75	#0	16QAM	21.68	PASS
Band38	15	38175	1	#0	QPSK	24.35	PASS
Band38	15	38175	1	#Mid	QPSK	24.48	PASS
Band38	15	38175	1	#Max	QPSK	24.44	PASS
Band38	15	38175	36	#0	QPSK	23.13	PASS
Band38	15	38175	36	#Mid	QPSK	23.13	PASS
Band38	15	38175	36	#Max	QPSK	23.01	PASS
Band38	15	38175	75	#0	QPSK	22.70	PASS
Band38	15	38175	1	#0	16QAM	23.44	PASS
Band38	15	38175	1	#Mid	16QAM	23.45	PASS
Band38	15	38175	1	#Max	16QAM	23.36	PASS
Band38	15	38175	36	#0	16QAM	22.16	PASS
Band38	15	38175	36	#Mid	16QAM	22.10	PASS
Band38	15	38175	36	#Max	16QAM	22.20	PASS
Band38	15	38175	75	#0	16QAM	21.86	PASS
Band38	20	37850	1	#0	QPSK	24.38	PASS
Band38	20	37850	1	#Mid	QPSK	24.13	PASS
Band38	20	37850	1	#Max	QPSK	24.11	PASS
Band38	20	37850	50	#0	QPSK	22.94	PASS
Band38	20	37850	50	#Mid	QPSK	22.96	PASS
Band38	20	37850	50	#Max	QPSK	22.95	PASS
Band38	20	37850	100	#0	QPSK	22.56	PASS
Band38	20	37850	1	#0	16QAM	23.32	PASS
Band38	20	37850	1	#Mid	16QAM	23.35	PASS
Band38	20	37850	1	#Max	16QAM	23.16	PASS
Band38	20	37850	50	#0	16QAM	22.06	PASS
Band38	20	37850	50	#Mid	16QAM	22.11	PASS
Band38	20	37850	50	#Max	16QAM	22.02	PASS
Band38	20	37850	100	#0	16QAM	22.15	PASS
Band38	20	38000	1	#0	QPSK	24.30	PASS
Band38	20	38000	1	#Mid	QPSK	23.91	PASS
Band38	20	38000	1	#Max	QPSK	23.87	PASS
Band38	20	38000	50	#0	QPSK	22.60	PASS
Band38	20	38000	50	#Mid	QPSK	22.53	PASS
Band38	20	38000	50	#Max	QPSK	22.52	PASS
Band38	20	38000	100	#0	QPSK	22.23	PASS
Band38	20	38000	1	#0	16QAM	23.47	PASS
Band38	20	38000	1	#Mid	16QAM	23.27	PASS
Band38	20	38000	1	#Max	16QAM	23.42	PASS
Band38	20	38000	50	#0	16QAM	21.97	PASS
Band38	20	38000	50	#Mid	16QAM	21.85	PASS
Band38	20	38000	50	#Max	16QAM	21.93	PASS

Band38	20	38000	100	#0	16QAM	22.07	PASS
Band38	20	38150	1	#0	QPSK	24.18	PASS
Band38	20	38150	1	#Mid	QPSK	24.29	PASS
Band38	20	38150	1	#Max	QPSK	24.16	PASS
Band38	20	38150	50	#0	QPSK	23.05	PASS
Band38	20	38150	50	#Mid	QPSK	23.03	PASS
Band38	20	38150	50	#Max	QPSK	23.12	PASS
Band38	20	38150	100	#0	QPSK	22.67	PASS
Band38	20	38150	1	#0	16QAM	23.44	PASS
Band38	20	38150	1	#Mid	16QAM	23.65	PASS
Band38	20	38150	1	#Max	16QAM	23.58	PASS
Band38	20	38150	50	#0	16QAM	22.07	PASS
Band38	20	38150	50	#Mid	16QAM	22.24	PASS
Band38	20	38150	50	#Max	16QAM	22.14	PASS
Band38	20	38150	100	#0	16QAM	22.14	PASS
Band4	1.4	19957	1	#0	QPSK	22.81	PASS
Band4	1.4	19957	1	#Mid	QPSK	22.82	PASS
Band4	1.4	19957	1	#Max	QPSK	22.78	PASS
Band4	1.4	19957	3	#0	QPSK	23.10	PASS
Band4	1.4	19957	3	#Mid	QPSK	23.06	PASS
Band4	1.4	19957	3	#Max	QPSK	22.97	PASS
Band4	1.4	19957	6	#0	QPSK	21.97	PASS
Band4	1.4	19957	1	#0	16QAM	23.09	PASS
Band4	1.4	19957	1	#Mid	16QAM	23.16	PASS
Band4	1.4	19957	1	#Max	16QAM	22.99	PASS
Band4	1.4	19957	3	#0	16QAM	22.28	PASS
Band4	1.4	19957	3	#Mid	16QAM	22.34	PASS
Band4	1.4	19957	3	#Max	16QAM	22.31	PASS
Band4	1.4	19957	6	#0	16QAM	20.85	PASS
Band4	1.4	20175	1	#0	QPSK	23.14	PASS
Band4	1.4	20175	1	#Mid	QPSK	23.10	PASS
Band4	1.4	20175	1	#Max	QPSK	23.13	PASS
Band4	1.4	20175	3	#0	QPSK	22.87	PASS
Band4	1.4	20175	3	#Mid	QPSK	22.92	PASS
Band4	1.4	20175	3	#Max	QPSK	22.86	PASS
Band4	1.4	20175	6	#0	QPSK	21.88	PASS
Band4	1.4	20175	1	#0	16QAM	22.27	PASS
Band4	1.4	20175	1	#Mid	16QAM	22.45	PASS
Band4	1.4	20175	1	#Max	16QAM	22.40	PASS
Band4	1.4	20175	3	#0	16QAM	22.02	PASS
Band4	1.4	20175	3	#Mid	16QAM	22.06	PASS
Band4	1.4	20175	3	#Max	16QAM	22.11	PASS
Band4	1.4	20175	6	#0	16QAM	20.78	PASS
Band4	1.4	20393	1	#0	QPSK	22.70	PASS

Band4	1.4	20393	1	#Mid	QPSK	22.75	PASS
Band4	1.4	20393	1	#Max	QPSK	22.71	PASS
Band4	1.4	20393	3	#0	QPSK	22.58	PASS
Band4	1.4	20393	3	#Mid	QPSK	22.56	PASS
Band4	1.4	20393	3	#Max	QPSK	22.51	PASS
Band4	1.4	20393	6	#0	QPSK	21.63	PASS
Band4	1.4	20393	1	#0	16QAM	22.21	PASS
Band4	1.4	20393	1	#Mid	16QAM	22.23	PASS
Band4	1.4	20393	1	#Max	16QAM	22.34	PASS
Band4	1.4	20393	3	#0	16QAM	21.85	PASS
Band4	1.4	20393	3	#Mid	16QAM	21.91	PASS
Band4	1.4	20393	3	#Max	16QAM	21.86	PASS
Band4	1.4	20393	6	#0	16QAM	20.64	PASS
Band4	3	19965	1	#0	QPSK	23.34	PASS
Band4	3	19965	1	#Mid	QPSK	22.99	PASS
Band4	3	19965	1	#Max	QPSK	22.86	PASS
Band4	3	19965	8	#0	QPSK	22.06	PASS
Band4	3	19965	8	#Mid	QPSK	22.07	PASS
Band4	3	19965	8	#Max	QPSK	21.89	PASS
Band4	3	19965	15	#0	QPSK	22.05	PASS
Band4	3	19965	1	#0	16QAM	23.20	PASS
Band4	3	19965	1	#Mid	16QAM	23.10	PASS
Band4	3	19965	1	#Max	16QAM	22.92	PASS
Band4	3	19965	8	#0	16QAM	21.20	PASS
Band4	3	19965	8	#Mid	16QAM	21.21	PASS
Band4	3	19965	8	#Max	16QAM	21.07	PASS
Band4	3	19965	15	#0	16QAM	21.14	PASS
Band4	3	20175	1	#0	QPSK	22.86	PASS
Band4	3	20175	1	#Mid	QPSK	23.17	PASS
Band4	3	20175	1	#Max	QPSK	23.17	PASS
Band4	3	20175	8	#0	QPSK	21.81	PASS
Band4	3	20175	8	#Mid	QPSK	21.91	PASS
Band4	3	20175	8	#Max	QPSK	21.86	PASS
Band4	3	20175	15	#0	QPSK	21.85	PASS
Band4	3	20175	1	#0	16QAM	22.86	PASS
Band4	3	20175	1	#Mid	16QAM	22.91	PASS
Band4	3	20175	1	#Max	16QAM	22.96	PASS
Band4	3	20175	8	#0	16QAM	20.99	PASS
Band4	3	20175	8	#Mid	16QAM	21.06	PASS
Band4	3	20175	8	#Max	16QAM	21.01	PASS
Band4	3	20175	15	#0	16QAM	21.01	PASS
Band4	3	20385	1	#0	QPSK	22.81	PASS
Band4	3	20385	1	#Mid	QPSK	22.75	PASS
Band4	3	20385	1	#Max	QPSK	22.68	PASS

Band4	3	20385	8	#0	QPSK	21.58	PASS
Band4	3	20385	8	#Mid	QPSK	21.65	PASS
Band4	3	20385	8	#Max	QPSK	21.63	PASS
Band4	3	20385	15	#0	QPSK	21.63	PASS
Band4	3	20385	1	#0	16QAM	22.76	PASS
Band4	3	20385	1	#Mid	16QAM	22.87	PASS
Band4	3	20385	1	#Max	16QAM	22.66	PASS
Band4	3	20385	8	#0	16QAM	20.84	PASS
Band4	3	20385	8	#Mid	16QAM	20.80	PASS
Band4	3	20385	8	#Max	16QAM	20.79	PASS
Band4	3	20385	15	#0	16QAM	20.88	PASS
Band4	5	19975	1	#0	QPSK	23.34	PASS
Band4	5	19975	1	#Mid	QPSK	23.18	PASS
Band4	5	19975	1	#Max	QPSK	23.18	PASS
Band4	5	19975	12	#0	QPSK	22.05	PASS
Band4	5	19975	12	#Mid	QPSK	21.85	PASS
Band4	5	19975	12	#Max	QPSK	21.92	PASS
Band4	5	19975	25	#0	QPSK	21.96	PASS
Band4	5	19975	1	#0	16QAM	22.58	PASS
Band4	5	19975	1	#Mid	16QAM	22.44	PASS
Band4	5	19975	1	#Max	16QAM	22.47	PASS
Band4	5	19975	12	#0	16QAM	21.11	PASS
Band4	5	19975	12	#Mid	16QAM	20.97	PASS
Band4	5	19975	12	#Max	16QAM	21.03	PASS
Band4	5	19975	25	#0	16QAM	21.19	PASS
Band4	5	20175	1	#0	QPSK	23.13	PASS
Band4	5	20175	1	#Mid	QPSK	23.08	PASS
Band4	5	20175	1	#Max	QPSK	23.09	PASS
Band4	5	20175	12	#0	QPSK	21.83	PASS
Band4	5	20175	12	#Mid	QPSK	21.75	PASS
Band4	5	20175	12	#Max	QPSK	21.89	PASS
Band4	5	20175	25	#0	QPSK	21.89	PASS
Band4	5	20175	1	#0	16QAM	22.41	PASS
Band4	5	20175	1	#Mid	16QAM	22.41	PASS
Band4	5	20175	1	#Max	16QAM	22.44	PASS
Band4	5	20175	12	#0	16QAM	20.96	PASS
Band4	5	20175	12	#Mid	16QAM	20.87	PASS
Band4	5	20175	12	#Max	16QAM	21.01	PASS
Band4	5	20175	25	#0	16QAM	21.14	PASS
Band4	5	20375	1	#0	QPSK	22.91	PASS
Band4	5	20375	1	#Mid	QPSK	22.84	PASS
Band4	5	20375	1	#Max	QPSK	22.96	PASS
Band4	5	20375	12	#0	QPSK	21.76	PASS
Band4	5	20375	12	#Mid	QPSK	21.72	PASS

Band4	5	20375	12	#Max	QPSK	21.70	PASS
Band4	5	20375	25	#0	QPSK	21.69	PASS
Band4	5	20375	1	#0	16QAM	22.37	PASS
Band4	5	20375	1	#Mid	16QAM	22.17	PASS
Band4	5	20375	1	#Max	16QAM	22.27	PASS
Band4	5	20375	12	#0	16QAM	20.75	PASS
Band4	5	20375	12	#Mid	16QAM	20.67	PASS
Band4	5	20375	12	#Max	16QAM	20.69	PASS
Band4	5	20375	25	#0	16QAM	20.72	PASS
Band4	10	20000	1	#0	QPSK	22.98	PASS
Band4	10	20000	1	#Mid	QPSK	22.88	PASS
Band4	10	20000	1	#Max	QPSK	22.85	PASS
Band4	10	20000	25	#0	QPSK	21.90	PASS
Band4	10	20000	25	#Mid	QPSK	21.94	PASS
Band4	10	20000	25	#Max	QPSK	21.92	PASS
Band4	10	20000	50	#0	QPSK	21.87	PASS
Band4	10	20000	1	#0	16QAM	22.60	PASS
Band4	10	20000	1	#Mid	16QAM	22.29	PASS
Band4	10	20000	1	#Max	16QAM	22.52	PASS
Band4	10	20000	25	#0	16QAM	21.20	PASS
Band4	10	20000	25	#Mid	16QAM	21.13	PASS
Band4	10	20000	25	#Max	16QAM	21.15	PASS
Band4	10	20000	50	#0	16QAM	20.98	PASS
Band4	10	20175	1	#0	QPSK	22.79	PASS
Band4	10	20175	1	#Mid	QPSK	22.82	PASS
Band4	10	20175	1	#Max	QPSK	22.84	PASS
Band4	10	20175	25	#0	QPSK	21.82	PASS
Band4	10	20175	25	#Mid	QPSK	21.77	PASS
Band4	10	20175	25	#Max	QPSK	21.80	PASS
Band4	10	20175	50	#0	QPSK	21.90	PASS
Band4	10	20175	1	#0	16QAM	22.86	PASS
Band4	10	20175	1	#Mid	16QAM	22.86	PASS
Band4	10	20175	1	#Max	16QAM	22.77	PASS
Band4	10	20175	25	#0	16QAM	20.89	PASS
Band4	10	20175	25	#Mid	16QAM	20.87	PASS
Band4	10	20175	25	#Max	16QAM	20.85	PASS
Band4	10	20175	50	#0	16QAM	20.93	PASS
Band4	10	20350	1	#0	QPSK	22.63	PASS
Band4	10	20350	1	#Mid	QPSK	22.64	PASS
Band4	10	20350	1	#Max	QPSK	22.57	PASS
Band4	10	20350	25	#0	QPSK	21.68	PASS
Band4	10	20350	25	#Mid	QPSK	21.78	PASS
Band4	10	20350	25	#Max	QPSK	21.67	PASS
Band4	10	20350	50	#0	QPSK	21.62	PASS

Band4	10	20350	1	#0	16QAM	22.96	PASS
Band4	10	20350	1	#Mid	16QAM	22.96	PASS
Band4	10	20350	1	#Max	16QAM	22.91	PASS
Band4	10	20350	25	#0	16QAM	20.77	PASS
Band4	10	20350	25	#Mid	16QAM	20.77	PASS
Band4	10	20350	25	#Max	16QAM	20.82	PASS
Band4	10	20350	50	#0	16QAM	20.77	PASS
Band4	15	20025	1	#0	QPSK	23.36	PASS
Band4	15	20025	1	#Mid	QPSK	23.18	PASS
Band4	15	20025	1	#Max	QPSK	23.15	PASS
Band4	15	20025	36	#0	QPSK	21.93	PASS
Band4	15	20025	36	#Mid	QPSK	21.89	PASS
Band4	15	20025	36	#Max	QPSK	21.96	PASS
Band4	15	20025	75	#0	QPSK	21.97	PASS
Band4	15	20025	1	#0	16QAM	22.70	PASS
Band4	15	20025	1	#Mid	16QAM	22.51	PASS
Band4	15	20025	1	#Max	16QAM	23.06	PASS
Band4	15	20025	36	#0	16QAM	20.98	PASS
Band4	15	20025	36	#Mid	16QAM	20.95	PASS
Band4	15	20025	36	#Max	16QAM	20.92	PASS
Band4	15	20025	75	#0	16QAM	21.08	PASS
Band4	15	20175	1	#0	QPSK	22.79	PASS
Band4	15	20175	1	#Mid	QPSK	22.82	PASS
Band4	15	20175	1	#Max	QPSK	22.88	PASS
Band4	15	20175	36	#0	QPSK	21.74	PASS
Band4	15	20175	36	#Mid	QPSK	21.90	PASS
Band4	15	20175	36	#Max	QPSK	21.87	PASS
Band4	15	20175	75	#0	QPSK	21.84	PASS
Band4	15	20175	1	#0	16QAM	22.89	PASS
Band4	15	20175	1	#Mid	16QAM	22.94	PASS
Band4	15	20175	1	#Max	16QAM	22.84	PASS
Band4	15	20175	36	#0	16QAM	20.86	PASS
Band4	15	20175	36	#Mid	16QAM	20.94	PASS
Band4	15	20175	36	#Max	16QAM	20.89	PASS
Band4	15	20175	75	#0	16QAM	21.05	PASS
Band4	15	20325	1	#0	QPSK	22.69	PASS
Band4	15	20325	1	#Mid	QPSK	22.62	PASS
Band4	15	20325	1	#Max	QPSK	22.65	PASS
Band4	15	20325	36	#0	QPSK	21.87	PASS
Band4	15	20325	36	#Mid	QPSK	21.76	PASS
Band4	15	20325	36	#Max	QPSK	21.80	PASS
Band4	15	20325	75	#0	QPSK	21.81	PASS
Band4	15	20325	1	#0	16QAM	22.93	PASS
Band4	15	20325	1	#Mid	16QAM	22.96	PASS

Band4	15	20325	1	#Max	16QAM	22.90	PASS
Band4	15	20325	36	#0	16QAM	20.80	PASS
Band4	15	20325	36	#Mid	16QAM	20.76	PASS
Band4	15	20325	36	#Max	16QAM	20.73	PASS
Band4	15	20325	75	#0	16QAM	20.95	PASS
Band4	20	20050	1	#0	QPSK	23.26	PASS
Band4	20	20050	1	#Mid	QPSK	22.82	PASS
Band4	20	20050	1	#Max	QPSK	22.90	PASS
Band4	20	20050	50	#0	QPSK	21.41	PASS
Band4	20	20050	50	#Mid	QPSK	21.89	PASS
Band4	20	20050	50	#Max	QPSK	22.04	PASS
Band4	20	20050	100	#0	QPSK	21.76	PASS
Band4	20	20050	1	#0	16QAM	23.03	PASS
Band4	20	20050	1	#Mid	16QAM	22.91	PASS
Band4	20	20050	1	#Max	16QAM	22.88	PASS
Band4	20	20050	50	#0	16QAM	20.97	PASS
Band4	20	20050	50	#Mid	16QAM	20.95	PASS
Band4	20	20050	50	#Max	16QAM	20.91	PASS
Band4	20	20050	100	#0	16QAM	21.01	PASS
Band4	20	20175	1	#0	QPSK	23.12	PASS
Band4	20	20175	1	#Mid	QPSK	23.11	PASS
Band4	20	20175	1	#Max	QPSK	23.11	PASS
Band4	20	20175	50	#0	QPSK	21.82	PASS
Band4	20	20175	50	#Mid	QPSK	21.80	PASS
Band4	20	20175	50	#Max	QPSK	21.94	PASS
Band4	20	20175	100	#0	QPSK	21.77	PASS
Band4	20	20175	1	#0	16QAM	22.34	PASS
Band4	20	20175	1	#Mid	16QAM	22.44	PASS
Band4	20	20175	1	#Max	16QAM	22.82	PASS
Band4	20	20175	50	#0	16QAM	20.88	PASS
Band4	20	20175	50	#Mid	16QAM	20.89	PASS
Band4	20	20175	50	#Max	16QAM	20.90	PASS
Band4	20	20175	100	#0	16QAM	20.95	PASS
Band4	20	20300	1	#0	QPSK	22.84	PASS
Band4	20	20300	1	#Mid	QPSK	22.76	PASS
Band4	20	20300	1	#Max	QPSK	22.74	PASS
Band4	20	20300	50	#0	QPSK	21.67	PASS
Band4	20	20300	50	#Mid	QPSK	21.78	PASS
Band4	20	20300	50	#Max	QPSK	21.68	PASS
Band4	20	20300	100	#0	QPSK	21.66	PASS
Band4	20	20300	1	#0	16QAM	22.43	PASS
Band4	20	20300	1	#Mid	16QAM	22.36	PASS
Band4	20	20300	1	#Max	16QAM	22.40	PASS
Band4	20	20300	50	#0	16QAM	20.79	PASS

Band4	20	20300	50	#Mid	16QAM	20.83	PASS
Band4	20	20300	50	#Max	16QAM	20.80	PASS
Band4	20	20300	100	#0	16QAM	20.83	PASS
Band5	1.4	20407	1	#0	QPSK	24.30	PASS
Band5	1.4	20407	1	#Mid	QPSK	24.30	PASS
Band5	1.4	20407	1	#Max	QPSK	24.34	PASS
Band5	1.4	20407	3	#0	QPSK	24.44	PASS
Band5	1.4	20407	3	#Mid	QPSK	24.40	PASS
Band5	1.4	20407	3	#Max	QPSK	24.43	PASS
Band5	1.4	20407	6	#0	QPSK	23.35	PASS
Band5	1.4	20407	1	#0	16QAM	24.37	PASS
Band5	1.4	20407	1	#Mid	16QAM	24.42	PASS
Band5	1.4	20407	1	#Max	16QAM	24.35	PASS
Band5	1.4	20407	3	#0	16QAM	23.69	PASS
Band5	1.4	20407	3	#Mid	16QAM	23.74	PASS
Band5	1.4	20407	3	#Max	16QAM	23.57	PASS
Band5	1.4	20407	6	#0	16QAM	22.16	PASS
Band5	1.4	20525	1	#0	QPSK	24.70	PASS
Band5	1.4	20525	1	#Mid	QPSK	24.61	PASS
Band5	1.4	20525	1	#Max	QPSK	24.63	PASS
Band5	1.4	20525	3	#0	QPSK	24.50	PASS
Band5	1.4	20525	3	#Mid	QPSK	24.45	PASS
Band5	1.4	20525	3	#Max	QPSK	24.41	PASS
Band5	1.4	20525	6	#0	QPSK	23.33	PASS
Band5	1.4	20525	1	#0	16QAM	23.91	PASS
Band5	1.4	20525	1	#Mid	16QAM	23.81	PASS
Band5	1.4	20525	1	#Max	16QAM	23.97	PASS
Band5	1.4	20525	3	#0	16QAM	23.56	PASS
Band5	1.4	20525	3	#Mid	16QAM	23.63	PASS
Band5	1.4	20525	3	#Max	16QAM	23.54	PASS
Band5	1.4	20525	6	#0	16QAM	22.11	PASS
Band5	1.4	20643	1	#0	QPSK	24.51	PASS
Band5	1.4	20643	1	#Mid	QPSK	24.06	PASS
Band5	1.4	20643	1	#Max	QPSK	23.62	PASS
Band5	1.4	20643	3	#0	QPSK	24.30	PASS
Band5	1.4	20643	3	#Mid	QPSK	23.99	PASS
Band5	1.4	20643	3	#Max	QPSK	23.78	PASS
Band5	1.4	20643	6	#0	QPSK	23.37	PASS
Band5	1.4	20643	1	#0	16QAM	23.86	PASS
Band5	1.4	20643	1	#Mid	16QAM	23.91	PASS
Band5	1.4	20643	1	#Max	16QAM	23.46	PASS
Band5	1.4	20643	3	#0	16QAM	23.61	PASS
Band5	1.4	20643	3	#Mid	16QAM	23.74	PASS
Band5	1.4	20643	3	#Max	16QAM	23.52	PASS

Band5	1.4	20643	6	#0	16QAM	22.39	PASS
Band5	3	20415	1	#0	QPSK	24.68	PASS
Band5	3	20415	1	#Mid	QPSK	24.70	PASS
Band5	3	20415	1	#Max	QPSK	24.52	PASS
Band5	3	20415	8	#0	QPSK	23.47	PASS
Band5	3	20415	8	#Mid	QPSK	23.36	PASS
Band5	3	20415	8	#Max	QPSK	23.37	PASS
Band5	3	20415	15	#0	QPSK	23.36	PASS
Band5	3	20415	1	#0	16QAM	23.89	PASS
Band5	3	20415	1	#Mid	16QAM	23.80	PASS
Band5	3	20415	1	#Max	16QAM	23.76	PASS
Band5	3	20415	8	#0	16QAM	22.59	PASS
Band5	3	20415	8	#Mid	16QAM	22.54	PASS
Band5	3	20415	8	#Max	16QAM	22.63	PASS
Band5	3	20415	15	#0	16QAM	22.50	PASS
Band5	3	20525	1	#0	QPSK	24.44	PASS
Band5	3	20525	1	#Mid	QPSK	24.40	PASS
Band5	3	20525	1	#Max	QPSK	24.63	PASS
Band5	3	20525	8	#0	QPSK	23.47	PASS
Band5	3	20525	8	#Mid	QPSK	23.35	PASS
Band5	3	20525	8	#Max	QPSK	23.35	PASS
Band5	3	20525	15	#0	QPSK	23.34	PASS
Band5	3	20525	1	#0	16QAM	23.98	PASS
Band5	3	20525	1	#Mid	16QAM	23.78	PASS
Band5	3	20525	1	#Max	16QAM	23.89	PASS
Band5	3	20525	8	#0	16QAM	22.44	PASS
Band5	3	20525	8	#Mid	16QAM	22.44	PASS
Band5	3	20525	8	#Max	16QAM	22.45	PASS
Band5	3	20525	15	#0	16QAM	22.40	PASS
Band5	3	20635	1	#0	QPSK	24.41	PASS
Band5	3	20635	1	#Mid	QPSK	24.40	PASS
Band5	3	20635	1	#Max	QPSK	23.61	PASS
Band5	3	20635	8	#0	QPSK	23.46	PASS
Band5	3	20635	8	#Mid	QPSK	23.40	PASS
Band5	3	20635	8	#Max	QPSK	23.51	PASS
Band5	3	20635	15	#0	QPSK	23.29	PASS
Band5	3	20635	1	#0	16QAM	24.45	PASS
Band5	3	20635	1	#Mid	16QAM	24.39	PASS
Band5	3	20635	1	#Max	16QAM	23.54	PASS
Band5	3	20635	8	#0	16QAM	22.47	PASS
Band5	3	20635	8	#Mid	16QAM	22.39	PASS
Band5	3	20635	8	#Max	16QAM	22.66	PASS
Band5	3	20635	15	#0	16QAM	22.48	PASS
Band5	5	20425	1	#0	QPSK	24.43	PASS

Band5	5	20425	1	#Mid	QPSK	24.43	PASS
Band5	5	20425	1	#Max	QPSK	24.57	PASS
Band5	5	20425	12	#0	QPSK	23.41	PASS
Band5	5	20425	12	#Mid	QPSK	23.36	PASS
Band5	5	20425	12	#Max	QPSK	23.23	PASS
Band5	5	20425	25	#0	QPSK	23.32	PASS
Band5	5	20425	1	#0	16QAM	24.35	PASS
Band5	5	20425	1	#Mid	16QAM	24.38	PASS
Band5	5	20425	1	#Max	16QAM	24.48	PASS
Band5	5	20425	12	#0	16QAM	22.36	PASS
Band5	5	20425	12	#Mid	16QAM	22.45	PASS
Band5	5	20425	12	#Max	16QAM	22.38	PASS
Band5	5	20425	25	#0	16QAM	22.40	PASS
Band5	5	20525	1	#0	QPSK	24.69	PASS
Band5	5	20525	1	#Mid	QPSK	24.65	PASS
Band5	5	20525	1	#Max	QPSK	24.60	PASS
Band5	5	20525	12	#0	QPSK	23.37	PASS
Band5	5	20525	12	#Mid	QPSK	23.39	PASS
Band5	5	20525	12	#Max	QPSK	23.32	PASS
Band5	5	20525	25	#0	QPSK	23.43	PASS
Band5	5	20525	1	#0	16QAM	23.90	PASS
Band5	5	20525	1	#Mid	16QAM	23.94	PASS
Band5	5	20525	1	#Max	16QAM	23.79	PASS
Band5	5	20525	12	#0	16QAM	22.36	PASS
Band5	5	20525	12	#Mid	16QAM	22.41	PASS
Band5	5	20525	12	#Max	16QAM	22.30	PASS
Band5	5	20525	25	#0	16QAM	22.59	PASS
Band5	5	20625	1	#0	QPSK	24.69	PASS
Band5	5	20625	1	#Mid	QPSK	24.78	PASS
Band5	5	20625	1	#Max	QPSK	23.49	PASS
Band5	5	20625	12	#0	QPSK	23.49	PASS
Band5	5	20625	12	#Mid	QPSK	23.44	PASS
Band5	5	20625	12	#Max	QPSK	23.44	PASS
Band5	5	20625	25	#0	QPSK	23.27	PASS
Band5	5	20625	1	#0	16QAM	24.00	PASS
Band5	5	20625	1	#Mid	16QAM	23.94	PASS
Band5	5	20625	1	#Max	16QAM	23.59	PASS
Band5	5	20625	12	#0	16QAM	22.70	PASS
Band5	5	20625	12	#Mid	16QAM	22.30	PASS
Band5	5	20625	12	#Max	16QAM	22.41	PASS
Band5	5	20625	25	#0	16QAM	22.53	PASS
Band5	10	20450	1	#0	QPSK	24.68	PASS
Band5	10	20450	1	#Mid	QPSK	24.78	PASS
Band5	10	20450	1	#Max	QPSK	24.68	PASS

Band5	10	20450	25	#0	QPSK	23.41	PASS
Band5	10	20450	25	#Mid	QPSK	23.54	PASS
Band5	10	20450	25	#Max	QPSK	23.53	PASS
Band5	10	20450	50	#0	QPSK	23.68	PASS
Band5	10	20450	1	#0	16QAM	23.88	PASS
Band5	10	20450	1	#Mid	16QAM	24.07	PASS
Band5	10	20450	1	#Max	16QAM	23.98	PASS
Band5	10	20450	25	#0	16QAM	22.67	PASS
Band5	10	20450	25	#Mid	16QAM	22.60	PASS
Band5	10	20450	25	#Max	16QAM	22.48	PASS
Band5	10	20450	50	#0	16QAM	22.59	PASS
Band5	10	20525	1	#0	QPSK	24.48	PASS
Band5	10	20525	1	#Mid	QPSK	24.42	PASS
Band5	10	20525	1	#Max	QPSK	24.43	PASS
Band5	10	20525	25	#0	QPSK	23.54	PASS
Band5	10	20525	25	#Mid	QPSK	23.38	PASS
Band5	10	20525	25	#Max	QPSK	23.36	PASS
Band5	10	20525	50	#0	QPSK	23.40	PASS
Band5	10	20525	1	#0	16QAM	24.48	PASS
Band5	10	20525	1	#Mid	16QAM	24.34	PASS
Band5	10	20525	1	#Max	16QAM	24.45	PASS
Band5	10	20525	25	#0	16QAM	22.36	PASS
Band5	10	20525	25	#Mid	16QAM	22.32	PASS
Band5	10	20525	25	#Max	16QAM	22.28	PASS
Band5	10	20525	50	#0	16QAM	22.41	PASS
Band5	10	20600	1	#0	QPSK	24.37	PASS
Band5	10	20600	1	#Mid	QPSK	24.47	PASS
Band5	10	20600	1	#Max	QPSK	24.40	PASS
Band5	10	20600	25	#0	QPSK	23.56	PASS
Band5	10	20600	25	#Mid	QPSK	23.52	PASS
Band5	10	20600	25	#Max	QPSK	23.33	PASS
Band5	10	20600	50	#0	QPSK	23.37	PASS
Band5	10	20600	1	#0	16QAM	24.32	PASS
Band5	10	20600	1	#Mid	16QAM	24.50	PASS
Band5	10	20600	1	#Max	16QAM	24.36	PASS
Band5	10	20600	25	#0	16QAM	22.49	PASS
Band5	10	20600	25	#Mid	16QAM	22.48	PASS
Band5	10	20600	25	#Max	16QAM	22.23	PASS
Band5	10	20600	50	#0	16QAM	22.50	PASS
Band7	5	20775	1	#0	QPSK	23.79	PASS
Band7	5	20775	1	#Mid	QPSK	23.74	PASS
Band7	5	20775	1	#Max	QPSK	23.79	PASS
Band7	5	20775	12	#0	QPSK	22.80	PASS
Band7	5	20775	12	#Mid	QPSK	22.92	PASS

Band7	5	20775	12	#Max	QPSK	22.87	PASS
Band7	5	20775	25	#0	QPSK	22.84	PASS
Band7	5	20775	1	#0	16QAM	23.41	PASS
Band7	5	20775	1	#Mid	16QAM	23.44	PASS
Band7	5	20775	1	#Max	16QAM	23.37	PASS
Band7	5	20775	12	#0	16QAM	21.98	PASS
Band7	5	20775	12	#Mid	16QAM	22.04	PASS
Band7	5	20775	12	#Max	16QAM	21.98	PASS
Band7	5	20775	25	#0	16QAM	22.14	PASS
Band7	5	21100	1	#0	QPSK	24.48	PASS
Band7	5	21100	1	#Mid	QPSK	24.45	PASS
Band7	5	21100	1	#Max	QPSK	24.34	PASS
Band7	5	21100	12	#0	QPSK	23.23	PASS
Band7	5	21100	12	#Mid	QPSK	23.25	PASS
Band7	5	21100	12	#Max	QPSK	23.12	PASS
Band7	5	21100	25	#0	QPSK	23.13	PASS
Band7	5	21100	1	#0	16QAM	24.38	PASS
Band7	5	21100	1	#Mid	16QAM	24.28	PASS
Band7	5	21100	1	#Max	16QAM	24.28	PASS
Band7	5	21100	12	#0	16QAM	22.29	PASS
Band7	5	21100	12	#Mid	16QAM	22.29	PASS
Band7	5	21100	12	#Max	16QAM	22.18	PASS
Band7	5	21100	25	#0	16QAM	22.21	PASS
Band7	5	21425	1	#0	QPSK	24.09	PASS
Band7	5	21425	1	#Mid	QPSK	23.96	PASS
Band7	5	21425	1	#Max	QPSK	24.02	PASS
Band7	5	21425	12	#0	QPSK	22.84	PASS
Band7	5	21425	12	#Mid	QPSK	22.79	PASS
Band7	5	21425	12	#Max	QPSK	22.80	PASS
Band7	5	21425	25	#0	QPSK	22.87	PASS
Band7	5	21425	1	#0	16QAM	23.48	PASS
Band7	5	21425	1	#Mid	16QAM	23.43	PASS
Band7	5	21425	1	#Max	16QAM	23.32	PASS
Band7	5	21425	12	#0	16QAM	22.00	PASS
Band7	5	21425	12	#Mid	16QAM	22.00	PASS
Band7	5	21425	12	#Max	16QAM	22.03	PASS
Band7	5	21425	25	#0	16QAM	22.16	PASS
Band7	10	20800	1	#0	QPSK	23.83	PASS
Band7	10	20800	1	#Mid	QPSK	23.88	PASS
Band7	10	20800	1	#Max	QPSK	23.83	PASS
Band7	10	20800	25	#0	QPSK	22.83	PASS
Band7	10	20800	25	#Mid	QPSK	22.94	PASS
Band7	10	20800	25	#Max	QPSK	22.91	PASS
Band7	10	20800	50	#0	QPSK	22.88	PASS

Band7	10	20800	1	#0	16QAM	23.98	PASS
Band7	10	20800	1	#Mid	16QAM	24.12	PASS
Band7	10	20800	1	#Max	16QAM	24.09	PASS
Band7	10	20800	25	#0	16QAM	21.92	PASS
Band7	10	20800	25	#Mid	16QAM	21.97	PASS
Band7	10	20800	25	#Max	16QAM	21.90	PASS
Band7	10	20800	50	#0	16QAM	22.03	PASS
Band7	10	21100	1	#0	QPSK	24.23	PASS
Band7	10	21100	1	#Mid	QPSK	24.16	PASS
Band7	10	21100	1	#Max	QPSK	24.02	PASS
Band7	10	21100	25	#0	QPSK	23.13	PASS
Band7	10	21100	25	#Mid	QPSK	23.16	PASS
Band7	10	21100	25	#Max	QPSK	23.10	PASS
Band7	10	21100	50	#0	QPSK	23.22	PASS
Band7	10	21100	1	#0	16QAM	24.41	PASS
Band7	10	21100	1	#Mid	16QAM	24.34	PASS
Band7	10	21100	1	#Max	16QAM	24.21	PASS
Band7	10	21100	25	#0	16QAM	22.28	PASS
Band7	10	21100	25	#Mid	16QAM	22.20	PASS
Band7	10	21100	25	#Max	16QAM	22.07	PASS
Band7	10	21100	50	#0	16QAM	22.28	PASS
Band7	10	21400	1	#0	QPSK	23.97	PASS
Band7	10	21400	1	#Mid	QPSK	23.83	PASS
Band7	10	21400	1	#Max	QPSK	23.81	PASS
Band7	10	21400	25	#0	QPSK	22.89	PASS
Band7	10	21400	25	#Mid	QPSK	22.89	PASS
Band7	10	21400	25	#Max	QPSK	22.79	PASS
Band7	10	21400	50	#0	QPSK	22.88	PASS
Band7	10	21400	1	#0	16QAM	24.23	PASS
Band7	10	21400	1	#Mid	16QAM	23.91	PASS
Band7	10	21400	1	#Max	16QAM	23.96	PASS
Band7	10	21400	25	#0	16QAM	22.00	PASS
Band7	10	21400	25	#Mid	16QAM	21.86	PASS
Band7	10	21400	25	#Max	16QAM	21.91	PASS
Band7	10	21400	50	#0	16QAM	21.95	PASS
Band7	15	20825	1	#0	QPSK	23.88	PASS
Band7	15	20825	1	#Mid	QPSK	23.90	PASS
Band7	15	20825	1	#Max	QPSK	23.75	PASS
Band7	15	20825	36	#0	QPSK	22.83	PASS
Band7	15	20825	36	#Mid	QPSK	22.91	PASS
Band7	15	20825	36	#Max	QPSK	22.76	PASS
Band7	15	20825	75	#0	QPSK	22.77	PASS
Band7	15	20825	1	#0	16QAM	24.14	PASS
Band7	15	20825	1	#Mid	16QAM	24.06	PASS

Band7	15	20825	1	#Max	16QAM	24.02	PASS
Band7	15	20825	36	#0	16QAM	21.91	PASS
Band7	15	20825	36	#Mid	16QAM	21.93	PASS
Band7	15	20825	36	#Max	16QAM	21.87	PASS
Band7	15	20825	75	#0	16QAM	22.05	PASS
Band7	15	21100	1	#0	QPSK	24.20	PASS
Band7	15	21100	1	#Mid	QPSK	24.14	PASS
Band7	15	21100	1	#Max	QPSK	24.04	PASS
Band7	15	21100	36	#0	QPSK	23.15	PASS
Band7	15	21100	36	#Mid	QPSK	23.13	PASS
Band7	15	21100	36	#Max	QPSK	23.05	PASS
Band7	15	21100	75	#0	QPSK	23.07	PASS
Band7	15	21100	1	#0	16QAM	24.49	PASS
Band7	15	21100	1	#Mid	16QAM	24.38	PASS
Band7	15	21100	1	#Max	16QAM	24.21	PASS
Band7	15	21100	36	#0	16QAM	22.23	PASS
Band7	15	21100	36	#Mid	16QAM	22.16	PASS
Band7	15	21100	36	#Max	16QAM	22.07	PASS
Band7	15	21100	75	#0	16QAM	22.24	PASS
Band7	15	21375	1	#0	QPSK	24.05	PASS
Band7	15	21375	1	#Mid	QPSK	23.89	PASS
Band7	15	21375	1	#Max	QPSK	23.77	PASS
Band7	15	21375	36	#0	QPSK	23.03	PASS
Band7	15	21375	36	#Mid	QPSK	22.87	PASS
Band7	15	21375	36	#Max	QPSK	22.91	PASS
Band7	15	21375	75	#0	QPSK	22.97	PASS
Band7	15	21375	1	#0	16QAM	24.33	PASS
Band7	15	21375	1	#Mid	16QAM	24.11	PASS
Band7	15	21375	1	#Max	16QAM	24.00	PASS
Band7	15	21375	36	#0	16QAM	21.95	PASS
Band7	15	21375	36	#Mid	16QAM	21.96	PASS
Band7	15	21375	36	#Max	16QAM	21.84	PASS
Band7	15	21375	75	#0	16QAM	22.00	PASS
Band7	20	20850	1	#0	QPSK	23.97	PASS
Band7	20	20850	1	#Mid	QPSK	23.94	PASS
Band7	20	20850	1	#Max	QPSK	23.92	PASS
Band7	20	20850	50	#0	QPSK	22.83	PASS
Band7	20	20850	50	#Mid	QPSK	22.87	PASS
Band7	20	20850	50	#Max	QPSK	22.67	PASS
Band7	20	20850	100	#0	QPSK	22.72	PASS
Band7	20	20850	1	#0	16QAM	23.39	PASS
Band7	20	20850	1	#Mid	16QAM	23.37	PASS
Band7	20	20850	1	#Max	16QAM	23.28	PASS
Band7	20	20850	50	#0	16QAM	21.96	PASS

Band7	20	20850	50	#Mid	16QAM	21.92	PASS
Band7	20	20850	50	#Max	16QAM	21.90	PASS
Band7	20	20850	100	#0	16QAM	21.93	PASS
Band7	20	21100	1	#0	QPSK	24.31	PASS
Band7	20	21100	1	#Mid	QPSK	24.28	PASS
Band7	20	21100	1	#Max	QPSK	24.15	PASS
Band7	20	21100	50	#0	QPSK	23.23	PASS
Band7	20	21100	50	#Mid	QPSK	23.25	PASS
Band7	20	21100	50	#Max	QPSK	22.96	PASS
Band7	20	21100	100	#0	QPSK	23.16	PASS
Band7	20	21100	1	#0	16QAM	23.86	PASS
Band7	20	21100	1	#Mid	16QAM	23.70	PASS
Band7	20	21100	1	#Max	16QAM	23.67	PASS
Band7	20	21100	50	#0	16QAM	22.34	PASS
Band7	20	21100	50	#Mid	16QAM	22.25	PASS
Band7	20	21100	50	#Max	16QAM	22.21	PASS
Band7	20	21100	100	#0	16QAM	22.29	PASS
Band7	20	21350	1	#0	QPSK	24.28	PASS
Band7	20	21350	1	#Mid	QPSK	24.13	PASS
Band7	20	21350	1	#Max	QPSK	23.94	PASS
Band7	20	21350	50	#0	QPSK	23.13	PASS
Band7	20	21350	50	#Mid	QPSK	22.95	PASS
Band7	20	21350	50	#Max	QPSK	22.80	PASS
Band7	20	21350	100	#0	QPSK	23.03	PASS
Band7	20	21350	1	#0	16QAM	23.68	PASS
Band7	20	21350	1	#Mid	16QAM	23.57	PASS
Band7	20	21350	1	#Max	16QAM	23.29	PASS
Band7	20	21350	50	#0	16QAM	22.12	PASS
Band7	20	21350	50	#Mid	16QAM	22.09	PASS
Band7	20	21350	50	#Max	16QAM	21.93	PASS
Band7	20	21350	100	#0	16QAM	22.15	PASS


03 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band12	1.4	23095	1	#0	QPSK	4.58	13	PASS
Band12	1.4	23095	1	#0	16QAM	5.46	13	PASS
Band12	3	23095	1	#0	QPSK	4.52	13	PASS
Band12	3	23095	1	#0	16QAM	6.05	13	PASS
Band12	5	23095	1	#0	QPSK	4.71	13	PASS
Band12	5	23095	1	#0	16QAM	5.68	13	PASS
Band12	10	23095	1	#0	QPSK	4.25	13	PASS
Band12	10	23095	1	#0	16QAM	5.59	13	PASS
Band17	5	23790	1	#0	QPSK	4.31	13	PASS
Band17	5	23790	1	#0	16QAM	4.60	13	PASS


Band17	10	23790	1	#0	QPSK	4.48	13	PASS
Band17	10	23790	1	#0	16QAM	5.40	13	PASS
Band2	1.4	18900	1	#0	QPSK	4.64	13	PASS
Band2	1.4	18900	1	#0	16QAM	5.45	13	PASS
Band2	3	18900	1	#0	QPSK	4.61	13	PASS
Band2	3	18900	1	#0	16QAM	5.72	13	PASS
Band2	5	18900	1	#0	QPSK	4.69	13	PASS
Band2	5	18900	1	#0	16QAM	5.55	13	PASS
Band2	10	18900	1	#0	QPSK	5.03	13	PASS
Band2	10	18900	1	#0	16QAM	5.41	13	PASS
Band2	15	18900	1	#0	QPSK	5.22	13	PASS
Band2	15	18900	1	#0	16QAM	5.53	13	PASS
Band2	20	18900	1	#0	QPSK	5.19	13	PASS
Band2	20	18900	1	#0	16QAM	6.46	13	PASS
Band38	5	38000	1	#0	QPSK	9.19	13	PASS
Band38	5	38000	1	#0	16QAM	9.11	13	PASS
Band38	10	38000	1	#0	QPSK	9.59	13	PASS
Band38	10	38000	1	#0	16QAM	9.61	13	PASS
Band38	15	38000	1	#0	QPSK	9.52	13	PASS
Band38	15	38000	1	#0	16QAM	9.25	13	PASS
Band38	20	38000	1	#0	QPSK	9.01	13	PASS
Band38	20	38000	1	#0	16QAM	9.53	13	PASS
Band4	1.4	20175	1	#0	QPSK	5.34	13	PASS
Band4	1.4	20175	1	#0	16QAM	5.87	13	PASS
Band4	3	20175	1	#0	QPSK	5.19	13	PASS
Band4	3	20175	1	#0	16QAM	5.70	13	PASS
Band4	5	20175	1	#0	QPSK	5.08	13	PASS
Band4	5	20175	1	#0	16QAM	5.98	13	PASS
Band4	10	20175	1	#0	QPSK	5.40	13	PASS
Band4	10	20175	1	#0	16QAM	5.83	13	PASS
Band4	15	20175	1	#0	QPSK	5.42	13	PASS
Band4	15	20175	1	#0	16QAM	6.08	13	PASS
Band4	20	20175	1	#0	QPSK	5.44	13	PASS
Band4	20	20175	1	#0	16QAM	5.89	13	PASS
Band5	1.4	20525	1	#0	QPSK	4.50	13	PASS
Band5	1.4	20525	1	#0	16QAM	5.21	13	PASS
Band5	3	20525	1	#0	QPSK	4.61	13	PASS
Band5	3	20525	1	#0	16QAM	5.61	13	PASS
Band5	5	20525	1	#0	QPSK	4.68	13	PASS
Band5	5	20525	1	#0	16QAM	5.58	13	PASS
Band5	10	20525	1	#0	QPSK	5.10	13	PASS
Band5	10	20525	1	#0	16QAM	5.79	13	PASS
Band7	5	21100	1	#0	QPSK	5.18	13	PASS
Band7	5	21100	1	#0	16QAM	6.21	13	PASS

Band7	10	21100	1	#0	QPSK	5.31	13	PASS
Band7	10	21100	1	#0	16QAM	5.70	13	PASS
Band7	15	21100	1	#0	QPSK	5.29	13	PASS
Band7	15	21100	1	#0	16QAM	5.59	13	PASS
Band7	20	21100	1	#0	QPSK	5.28	13	PASS
Band7	20	21100	1	#0	16QAM	5.77	13	PASS


Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0




Band12 16QAM BW=3MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0




Band12 16QAM BW=5MHz Channel=23095 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0




Band12 16QAM BW=10MHz Channel=23095 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=1 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=1 Position=#0




Band17 16QAM BW=10MHz Channel=23790 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=20MHz Channel=18900 RB Size=1 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=10MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=15MHz Channel=38000 RB Size=1 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=3MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=15MHz Channel=20175 RB Size=1 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=20MHz Channel=20175 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=10MHz Channel=20525 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=15MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 16QAM BW=20MHz Channel=21100 RB Size=1 Position=#0




04 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band12	1.4	23095	6	#0	QPSK	1.100	1.248	PASS
Band12	1.4	23095	6	#0	16QAM	1.096	1.249	PASS
Band12	3	23095	15	#0	QPSK	2.711	3.055	PASS
Band12	3	23095	15	#0	16QAM	2.713	3.032	PASS
Band12	5	23095	25	#0	QPSK	4.500	4.923	PASS
Band12	5	23095	25	#0	16QAM	4.504	4.971	PASS
Band12	10	23095	50	#0	QPSK	9.030	9.889	PASS
Band12	10	23095	50	#0	16QAM	9.008	9.822	PASS
Band17	5	23790	25	#0	QPSK	4.505	4.962	PASS
Band17	5	23790	25	#0	16QAM	4.517	4.946	PASS
Band17	10	23790	50	#0	QPSK	8.985	9.854	PASS
Band17	10	23790	50	#0	16QAM	8.967	9.790	PASS
Band2	1.4	18900	6	#0	QPSK	1.097	1.245	PASS
Band2	1.4	18900	6	#0	16QAM	1.096	1.254	PASS
Band2	3	18900	15	#0	QPSK	2.717	3.046	PASS
Band2	3	18900	15	#0	16QAM	2.705	3.044	PASS
Band2	5	18900	25	#0	QPSK	4.503	4.967	PASS
Band2	5	18900	25	#0	16QAM	4.495	4.944	PASS
Band2	10	18900	50	#0	QPSK	8.987	9.867	PASS
Band2	10	18900	50	#0	16QAM	8.981	9.825	PASS
Band2	15	18900	75	#0	QPSK	13.479	14.789	PASS

Band2	15	18900	75	#0	16QAM	13.496	14.842	PASS
Band2	20	18900	100	#0	QPSK	18.041	19.714	PASS
Band2	20	18900	100	#0	16QAM	17.998	19.527	PASS
Band38	5	38000	25	#0	QPSK	4.484	4.911	PASS
Band38	5	38000	25	#0	16QAM	4.506	4.915	PASS
Band38	10	38000	50	#0	QPSK	8.966	9.664	PASS
Band38	10	38000	50	#0	16QAM	8.967	9.731	PASS
Band38	15	38000	75	#0	QPSK	13.448	14.665	PASS
Band38	15	38000	75	#0	16QAM	13.434	14.653	PASS
Band38	20	38000	100	#0	QPSK	17.945	19.440	PASS
Band38	20	38000	100	#0	16QAM	17.943	19.541	PASS
Band4	1.4	20175	6	#0	QPSK	1.100	1.250	PASS
Band4	1.4	20175	6	#0	16QAM	1.093	1.256	PASS
Band4	3	20175	15	#0	QPSK	2.713	3.022	PASS
Band4	3	20175	15	#0	16QAM	2.710	3.031	PASS
Band4	5	20175	25	#0	QPSK	4.507	4.960	PASS
Band4	5	20175	25	#0	16QAM	4.486	4.976	PASS
Band4	10	20175	50	#0	QPSK	8.999	9.775	PASS
Band4	10	20175	50	#0	16QAM	8.977	9.784	PASS
Band4	15	20175	75	#0	QPSK	13.503	14.729	PASS
Band4	15	20175	75	#0	16QAM	13.460	14.770	PASS
Band4	20	20175	100	#0	QPSK	17.950	19.906	PASS
Band4	20	20175	100	#0	16QAM	17.951	19.650	PASS
Band5	1.4	20525	6	#0	QPSK	1.097	1.248	PASS
Band5	1.4	20525	6	#0	16QAM	1.097	1.249	PASS
Band5	3	20525	15	#0	QPSK	2.714	3.049	PASS
Band5	3	20525	15	#0	16QAM	2.708	3.036	PASS
Band5	5	20525	25	#0	QPSK	4.493	4.953	PASS
Band5	5	20525	25	#0	16QAM	4.494	4.908	PASS
Band5	10	20525	50	#0	QPSK	8.993	9.764	PASS
Band5	10	20525	50	#0	16QAM	8.992	9.909	PASS
Band7	5	21100	25	#0	QPSK	4.500	4.927	PASS
Band7	5	21100	25	#0	16QAM	4.483	4.931	PASS
Band7	10	21100	50	#0	QPSK	9.012	9.743	PASS
Band7	10	21100	50	#0	16QAM	8.975	9.818	PASS
Band7	15	21100	75	#0	QPSK	13.515	14.834	PASS
Band7	15	21100	75	#0	16QAM	13.462	15.008	PASS
Band7	20	21100	100	#0	QPSK	18.023	19.843	PASS
Band7	20	21100	100	#0	16QAM	18.004	19.504	PASS


Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 16QAM BW=10MHz Channel=23095 RB Size=50 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 16QAM BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 16QAM BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 16QAM BW=20MHz Channel=18900 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 16QAM BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=100 Position=#0




Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 16QAM BW=3MHz Channel=20175 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 16QAM BW=5MHz Channel=20175 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 16QAM BW=10MHz Channel=20175 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 16QAM BW=15MHz Channel=20175 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Band4 16QAM BW=20MHz Channel=20175 RB Size=100 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20525 RB Size=50 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0



05 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	699.00	-25.19	-13	PASS
Band12	1.4	23017	1	#Max	QPSK	700.17	14.85	30	PASS
Band12	1.4	23017	6	#0	QPSK	698.94	-29.99	-13	PASS
Band12	1.4	23017	1	#0	16QAM	699.00	-21.78	-13	PASS
Band12	1.4	23017	1	#Max	16QAM	700.15	13.68	30	PASS
Band12	1.4	23017	6	#0	16QAM	698.89	-31.13	-13	PASS
Band12	1.4	23173	1	#0	QPSK	714.83	14.40	30	PASS
Band12	1.4	23173	1	#Max	QPSK	716.01	-22.44	-13	PASS
Band12	1.4	23173	6	#0	QPSK	716.17	-23.77	-13	PASS
Band12	1.4	23173	1	#0	16QAM	716.65	-28.14	-13	PASS
Band12	1.4	23173	1	#Max	16QAM	716.00	-21.84	-13	PASS
Band12	1.4	23173	6	#0	16QAM	716.20	-29.70	-13	PASS
Band12	3	23025	1	#0	QPSK	698.99	-15.52	-13	PASS
Band12	3	23025	1	#Max	QPSK	701.72	14.53	30	PASS
Band12	3	23025	15	#0	QPSK	699.00	-25.65	-13	PASS
Band12	3	23025	1	#0	16QAM	699.00	-16.08	-13	PASS
Band12	3	23025	1	#Max	16QAM	701.74	13.18	30	PASS
Band12	3	23025	15	#0	16QAM	698.99	-27.64	-13	PASS
Band12	3	23165	1	#0	QPSK	713.26	14.36	30	PASS
Band12	3	23165	1	#Max	QPSK	716.00	-14.45	-13	PASS
Band12	3	23165	15	#0	QPSK	716.00	-25.48	-13	PASS
Band12	3	23165	1	#0	16QAM	713.20	13.64	30	PASS
Band12	3	23165	1	#Max	16QAM	716.01	-15.42	-13	PASS
Band12	3	23165	15	#0	16QAM	716.01	-27.18	-13	PASS
Band12	5	23035	1	#0	QPSK	698.99	-23.01	-13	PASS
Band12	5	23035	1	#Max	QPSK	703.62	14.54	30	PASS
Band12	5	23035	25	#0	QPSK	698.86	-32.99	-13	PASS
Band12	5	23035	1	#0	16QAM	699.00	-22.76	-13	PASS
Band12	5	23035	1	#Max	16QAM	703.65	13.47	30	PASS
Band12	5	23035	25	#0	16QAM	698.84	-31.70	-13	PASS
Band12	5	23155	1	#0	QPSK	711.31	14.75	30	PASS
Band12	5	23155	1	#Max	QPSK	716.00	-22.34	-13	PASS
Band12	5	23155	25	#0	QPSK	716.12	-30.71	-13	PASS
Band12	5	23155	1	#0	16QAM	711.36	13.76	30	PASS
Band12	5	23155	1	#Max	16QAM	716.00	-22.63	-13	PASS
Band12	5	23155	25	#0	16QAM	716.12	-34.34	-13	PASS
Band12	10	23060	1	#0	QPSK	699.60	16.10	30	PASS
Band12	10	23060	1	#Max	QPSK	708.39	15.96	30	PASS
Band12	10	23060	50	#0	QPSK	698.89	-33.85	-13	PASS
Band12	10	23060	1	#0	16QAM	699.53	15.07	30	PASS
Band12	10	23060	1	#Max	16QAM	708.39	15.47	30	PASS
Band12	10	23060	50	#0	16QAM	698.73	-37.43	-13	PASS

Band12	10	23130	1	#0	QPSK	706.53	15.97	30	PASS
Band12	10	23130	1	#Max	QPSK	715.48	16.03	30	PASS
Band12	10	23130	50	#0	QPSK	716.29	-33.15	-13	PASS
Band12	10	23130	1	#0	16QAM	706.56	14.78	30	PASS
Band12	10	23130	1	#Max	16QAM	715.43	14.93	30	PASS
Band12	10	23130	50	#0	16QAM	716.29	-37.24	-13	PASS
Band17	5	23755	1	#0	QPSK	703.99	-20.79	-13	PASS
Band17	5	23755	1	#Max	QPSK	700.28	-21.81	-13	PASS
Band17	5	23755	25	#0	QPSK	702.69	-21.78	-13	PASS
Band17	5	23755	1	#0	16QAM	703.99	-21.05	-13	PASS
Band17	5	23755	1	#Max	16QAM	700.41	-17.35	-13	PASS
Band17	5	23755	25	#0	16QAM	702.68	-22.82	-13	PASS
Band17	5	23825	1	#0	QPSK	711.34	18.97	30	PASS
Band17	5	23825	1	#Max	QPSK	716.00	-20.02	-13	PASS
Band17	5	23825	25	#0	QPSK	717.18	-22.83	-13	PASS
Band17	5	23825	1	#0	16QAM	711.37	18.16	30	PASS
Band17	5	23825	1	#Max	16QAM	716.02	-20.56	-13	PASS
Band17	5	23825	25	#0	16QAM	717.04	-27.14	-13	PASS
Band17	10	23780	1	#0	QPSK	704.58	20.97	30	PASS
Band17	10	23780	1	#Max	QPSK	713.39	20.98	30	PASS
Band17	10	23780	50	#0	QPSK	702.96	-19.46	-13	PASS
Band17	10	23780	1	#0	16QAM	703.99	-22.28	-13	PASS
Band17	10	23780	1	#Max	16QAM	713.41	19.71	30	PASS
Band17	10	23780	50	#0	16QAM	702.69	-22.33	-13	PASS
Band17	10	23800	1	#0	QPSK	706.56	20.40	30	PASS
Band17	10	23800	1	#Max	QPSK	716.02	-20.85	-13	PASS
Band17	10	23800	50	#0	QPSK	717.74	-23.61	-13	PASS
Band17	10	23800	1	#0	16QAM	706.57	19.94	30	PASS
Band17	10	23800	1	#Max	16QAM	715.39	19.77	30	PASS
Band17	10	23800	50	#0	16QAM	717.32	-27.42	-13	PASS
Band2	1.4	18607	1	#0	QPSK	1848.99	-29.14	-13	PASS
Band2	1.4	18607	1	#Max	QPSK	1851.14	14.36	30	PASS
Band2	1.4	18607	6	#0	QPSK	1848.96	-24.34	-13	PASS
Band2	1.4	18607	1	#0	16QAM	1848.96	-25.25	-13	PASS
Band2	1.4	18607	1	#Max	16QAM	1851.08	13.86	30	PASS
Band2	1.4	18607	6	#0	16QAM	1848.92	-26.38	-13	PASS
Band2	1.4	19193	1	#0	QPSK	1908.83	13.51	30	PASS
Band2	1.4	19193	1	#Max	QPSK	1911.03	-26.02	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1911.00	-21.97	-13	PASS
Band2	1.4	19193	1	#0	16QAM	1911.16	-26.08	-13	PASS
Band2	1.4	19193	1	#Max	16QAM	1911.12	-26.53	-13	PASS
Band2	1.4	19193	6	#0	16QAM	1911.01	-24.48	-13	PASS
Band2	3	18615	1	#0	QPSK	1850.00	-15.69	-13	PASS
Band2	3	18615	1	#Max	QPSK	1852.73	16.13	30	PASS

Band2	3	18615	15	#0	QPSK	1849.99	-26.37	-13	PASS
Band2	3	18615	1	#0	16QAM	1850.00	-15.58	-13	PASS
Band2	3	18615	1	#Max	16QAM	1852.69	16.68	30	PASS
Band2	3	18615	15	#0	16QAM	1850.00	-26.66	-13	PASS
Band2	3	19185	1	#0	QPSK	1907.18	15.83	30	PASS
Band2	3	19185	1	#Max	QPSK	1910.01	-16.10	-13	PASS
Band2	3	19185	15	#0	QPSK	1911.09	-22.87	-13	PASS
Band2	3	19185	1	#0	16QAM	1907.20	15.20	30	PASS
Band2	3	19185	1	#Max	16QAM	1910.00	-15.03	-13	PASS
Band2	3	19185	15	#0	16QAM	1911.06	-23.83	-13	PASS
Band2	5	18625	1	#0	QPSK	1849.99	-20.72	-13	PASS
Band2	5	18625	1	#Max	QPSK	1854.65	18.63	30	PASS
Band2	5	18625	25	#0	QPSK	1848.80	-30.94	-13	PASS
Band2	5	18625	1	#0	16QAM	1849.99	-19.43	-13	PASS
Band2	5	18625	1	#Max	16QAM	1854.60	18.55	30	PASS
Band2	5	18625	25	#0	16QAM	1848.43	-30.33	-13	PASS
Band2	5	19175	1	#0	QPSK	1905.40	17.82	30	PASS
Band2	5	19175	1	#Max	QPSK	1910.01	-20.83	-13	PASS
Band2	5	19175	25	#0	QPSK	1911.03	-27.54	-13	PASS
Band2	5	19175	1	#0	16QAM	1905.30	17.66	30	PASS
Band2	5	19175	1	#Max	16QAM	1910.02	-21.42	-13	PASS
Band2	5	19175	25	#0	16QAM	1911.19	-27.74	-13	PASS
Band2	10	18650	1	#0	QPSK	1850.57	20.76	30	PASS
Band2	10	18650	1	#Max	QPSK	1859.39	20.20	30	PASS
Band2	10	18650	50	#0	QPSK	1848.70	-33.89	-13	PASS
Band2	10	18650	1	#0	16QAM	1850.60	20.08	30	PASS
Band2	10	18650	1	#Max	16QAM	1859.36	19.57	30	PASS
Band2	10	18650	50	#0	16QAM	1848.96	-32.23	-13	PASS
Band2	10	19150	1	#0	QPSK	1900.61	19.80	30	PASS
Band2	10	19150	1	#Max	QPSK	1910.01	-22.29	-13	PASS
Band2	10	19150	50	#0	QPSK	1911.53	-33.40	-13	PASS
Band2	10	19150	1	#0	16QAM	1900.54	20.19	30	PASS
Band2	10	19150	1	#Max	16QAM	1910.00	-22.29	-13	PASS
Band2	10	19150	50	#0	16QAM	1911.25	-32.75	-13	PASS
Band2	15	18675	1	#0	QPSK	1849.97	-19.99	-13	PASS
Band2	15	18675	1	#Max	QPSK	1864.16	21.10	30	PASS
Band2	15	18675	75	#0	QPSK	1850.00	-33.75	-13	PASS
Band2	15	18675	1	#0	16QAM	1850.00	-19.17	-13	PASS
Band2	15	18675	1	#Max	16QAM	1864.13	21.33	30	PASS
Band2	15	18675	75	#0	16QAM	1848.86	-33.92	-13	PASS
Band2	15	19125	1	#0	QPSK	1895.82	21.85	30	PASS
Band2	15	19125	1	#Max	QPSK	1909.15	21.77	30	PASS
Band2	15	19125	75	#0	QPSK	1911.13	-34.05	-13	PASS
Band2	15	19125	1	#0	16QAM	1895.82	20.74	30	PASS

Band2	15	19125	1	#Max	16QAM	1910.00	-21.86	-13	PASS
Band2	15	19125	75	#0	16QAM	1911.35	-34.61	-13	PASS
Band2	20	18700	1	#0	QPSK	1851.06	22.71	30	PASS
Band2	20	18700	1	#Max	QPSK	1868.88	22.00	30	PASS
Band2	20	18700	100	#0	QPSK	1848.94	-36.17	-13	PASS
Band2	20	18700	1	#0	16QAM	1851.08	22.51	30	PASS
Band2	20	18700	1	#Max	16QAM	1868.90	21.57	30	PASS
Band2	20	18700	100	#0	16QAM	1848.62	-34.86	-13	PASS
Band2	20	19100	1	#0	QPSK	1891.06	22.76	30	PASS
Band2	20	19100	1	#Max	QPSK	1908.90	22.16	30	PASS
Band2	20	19100	100	#0	QPSK	1911.87	-36.20	-13	PASS
Band2	20	19100	1	#0	16QAM	1891.06	22.03	30	PASS
Band2	20	19100	1	#Max	16QAM	1908.88	21.72	30	PASS
Band2	20	19100	100	#0	16QAM	1911.15	-35.27	-13	PASS
Band38	5	37775	1	#0	QPSK	2570.00	-16.70	-10	PASS
Band38	5	37775	1	#Max	QPSK	2563.14	-36.88	-25	PASS
Band38	5	37775	25	#0	QPSK	2563.30	-39.17	-25	PASS
Band38	5	37775	1	#0	16QAM	2569.99	-19.17	-10	PASS
Band38	5	37775	1	#Max	16QAM	2563.39	-35.47	-25	PASS
Band38	5	37775	25	#0	16QAM	2563.29	-36.92	-25	PASS
Band38	5	38225	1	#0	QPSK	2626.44	-36.53	-25	PASS
Band38	5	38225	1	#Max	QPSK	2620.01	-19.21	-10	PASS
Band38	5	38225	25	#0	QPSK	2626.39	-35.97	-25	PASS
Band38	5	38225	1	#0	16QAM	2626.10	-34.26	-25	PASS
Band38	5	38225	1	#Max	16QAM	2626.35	-33.53	-25	PASS
Band38	5	38225	25	#0	16QAM	2626.11	-35.36	-25	PASS
Band38	10	37800	1	#0	QPSK	2569.99	-18.33	-10	PASS
Band38	10	37800	1	#Max	QPSK	2579.39	19.38	30	PASS
Band38	10	37800	50	#0	QPSK	2559.46	-39.45	-25	PASS
Band38	10	37800	1	#0	16QAM	2570.60	20.00	30	PASS
Band38	10	37800	1	#Max	16QAM	2579.35	19.58	30	PASS
Band38	10	37800	50	#0	16QAM	2559.98	-38.43	-25	PASS
Band38	10	38200	1	#0	QPSK	2610.56	20.57	30	PASS
Band38	10	38200	1	#Max	QPSK	2620.02	-17.36	-10	PASS
Band38	10	38200	50	#0	QPSK	2630.21	-37.22	-25	PASS
Band38	10	38200	1	#0	16QAM	2610.54	19.46	30	PASS
Band38	10	38200	1	#Max	16QAM	2620.01	-17.87	-10	PASS
Band38	10	38200	50	#0	16QAM	2630.08	-36.46	-25	PASS
Band38	15	37825	1	#0	QPSK	2570.00	-16.65	-10	PASS
Band38	15	37825	1	#Max	QPSK	2584.16	20.36	30	PASS
Band38	15	37825	75	#0	QPSK	2554.74	-39.92	-25	PASS
Band38	15	37825	1	#0	16QAM	2569.94	-19.10	-10	PASS
Band38	15	37825	1	#Max	16QAM	2584.21	18.19	30	PASS
Band38	15	37825	75	#0	16QAM	2554.99	-39.22	-25	PASS

Band38	15	38175	1	#0	QPSK	2605.82	20.11	30	PASS
Band38	15	38175	1	#Max	QPSK	2620.05	-16.20	-10	PASS
Band38	15	38175	75	#0	QPSK	2635.53	-38.69	-25	PASS
Band38	15	38175	1	#0	16QAM	2605.84	19.59	30	PASS
Band38	15	38175	1	#Max	16QAM	2620.01	-17.04	-10	PASS
Band38	15	38175	75	#0	16QAM	2636.17	-38.38	-25	PASS
Band38	20	37850	1	#0	QPSK	2569.96	-20.45	-10	PASS
Band38	20	37850	1	#Max	QPSK	2588.98	20.92	30	PASS
Band38	20	37850	100	#0	QPSK	2545.11	-41.35	-25	PASS
Band38	20	37850	1	#0	16QAM	2548.99	-41.74	-25	PASS
Band38	20	37850	1	#Max	16QAM	2588.90	18.22	30	PASS
Band38	20	37850	100	#0	16QAM	2549.92	-40.20	-25	PASS
Band38	20	38150	1	#0	QPSK	2601.05	19.64	30	PASS
Band38	20	38150	1	#Max	QPSK	2620.04	-18.86	-10	PASS
Band38	20	38150	100	#0	QPSK	2640.64	-39.31	-25	PASS
Band38	20	38150	1	#0	16QAM	2601.07	19.35	30	PASS
Band38	20	38150	1	#Max	16QAM	2620.00	-19.86	-10	PASS
Band38	20	38150	100	#0	16QAM	2640.45	-38.43	-25	PASS
Band4	1.4	19957	1	#0	QPSK	1709.98	-27.09	-13	PASS
Band4	1.4	19957	1	#Max	QPSK	1711.13	13.07	30	PASS
Band4	1.4	19957	6	#0	QPSK	1708.99	-21.98	-13	PASS
Band4	1.4	19957	1	#0	16QAM	1708.97	-26.31	-13	PASS
Band4	1.4	19957	1	#Max	16QAM	1711.12	13.21	30	PASS
Band4	1.4	19957	6	#0	16QAM	1708.89	-23.61	-13	PASS
Band4	1.4	20393	1	#0	QPSK	1753.83	12.90	30	PASS
Band4	1.4	20393	1	#Max	QPSK	1755.02	-25.35	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1756.09	-22.84	-13	PASS
Band4	1.4	20393	1	#0	16QAM	1756.05	-30.50	-13	PASS
Band4	1.4	20393	1	#Max	16QAM	1755.01	-25.07	-13	PASS
Band4	1.4	20393	6	#0	16QAM	1756.03	-25.72	-13	PASS
Band4	3	19965	1	#0	QPSK	1710.00	-15.88	-13	PASS
Band4	3	19965	1	#Max	QPSK	1712.72	15.89	30	PASS
Band4	3	19965	15	#0	QPSK	1709.00	-22.21	-13	PASS
Band4	3	19965	1	#0	16QAM	1710.00	-14.29	-13	PASS
Band4	3	19965	1	#Max	16QAM	1712.69	15.85	30	PASS
Band4	3	19965	15	#0	16QAM	1708.75	-22.86	-13	PASS
Band4	3	20385	1	#0	QPSK	1752.28	15.75	30	PASS
Band4	3	20385	1	#Max	QPSK	1755.01	-16.82	-13	PASS
Band4	3	20385	15	#0	QPSK	1756.31	-23.31	-13	PASS
Band4	3	20385	1	#0	16QAM	1752.19	15.31	30	PASS
Band4	3	20385	1	#Max	16QAM	1755.00	-16.68	-13	PASS
Band4	3	20385	15	#0	16QAM	1756.39	-25.03	-13	PASS
Band4	5	19975	1	#0	QPSK	1709.99	-21.10	-13	PASS
Band4	5	19975	1	#Max	QPSK	1714.61	17.92	30	PASS


Band4	5	19975	25	#0	QPSK	1709.00	-24.71	-13	PASS
Band4	5	19975	1	#0	16QAM	1709.99	-19.11	-13	PASS
Band4	5	19975	1	#Max	16QAM	1714.60	18.03	30	PASS
Band4	5	19975	25	#0	16QAM	1708.91	-26.22	-13	PASS
Band4	5	20375	1	#0	QPSK	1750.35	18.16	30	PASS
Band4	5	20375	1	#Max	QPSK	1755.01	-21.04	-13	PASS
Band4	5	20375	25	#0	QPSK	1756.35	-25.04	-13	PASS
Band4	5	20375	1	#0	16QAM	1750.39	17.01	30	PASS
Band4	5	20375	1	#Max	16QAM	1755.00	-20.96	-13	PASS
Band4	5	20375	25	#0	16QAM	1756.20	-26.52	-13	PASS
Band4	10	20000	1	#0	QPSK	1709.99	-21.62	-13	PASS
Band4	10	20000	1	#Max	QPSK	1719.43	19.49	30	PASS
Band4	10	20000	50	#0	QPSK	1708.87	-26.63	-13	PASS
Band4	10	20000	1	#0	16QAM	1710.00	-21.82	-13	PASS
Band4	10	20000	1	#Max	16QAM	1719.41	19.76	30	PASS
Band4	10	20000	50	#0	16QAM	1708.73	-27.97	-13	PASS
Band4	10	20350	1	#0	QPSK	1745.57	20.20	30	PASS
Band4	10	20350	1	#Max	QPSK	1754.40	20.05	30	PASS
Band4	10	20350	50	#0	QPSK	1756.06	-27.30	-13	PASS
Band4	10	20350	1	#0	16QAM	1745.60	19.50	30	PASS
Band4	10	20350	1	#Max	16QAM	1754.43	19.19	30	PASS
Band4	10	20350	50	#0	16QAM	1756.11	-28.93	-13	PASS
Band4	15	20025	1	#0	QPSK	1710.79	21.50	30	PASS
Band4	15	20025	1	#Max	QPSK	1724.13	21.34	30	PASS
Band4	15	20025	75	#0	QPSK	1708.31	-28.08	-13	PASS
Band4	15	20025	1	#0	16QAM	1709.99	-21.19	-13	PASS
Band4	15	20025	1	#Max	16QAM	1724.15	21.32	30	PASS
Band4	15	20025	75	#0	16QAM	1708.85	-29.14	-13	PASS
Band4	15	20325	1	#0	QPSK	1740.82	21.37	30	PASS
Band4	15	20325	1	#Max	QPSK	1754.13	21.29	30	PASS
Band4	15	20325	75	#0	QPSK	1756.59	-29.31	-13	PASS
Band4	15	20325	1	#0	16QAM	1740.79	21.40	30	PASS
Band4	15	20325	1	#Max	16QAM	1755.03	-21.69	-13	PASS
Band4	15	20325	75	#0	16QAM	1756.81	-30.62	-13	PASS
Band4	20	20050	1	#0	QPSK	1711.08	22.84	30	PASS
Band4	20	20050	1	#Max	QPSK	1728.88	22.39	30	PASS
Band4	20	20050	100	#0	QPSK	1708.35	-29.63	-13	PASS
Band4	20	20050	1	#0	16QAM	1711.06	22.21	30	PASS
Band4	20	20050	1	#Max	16QAM	1728.90	21.71	30	PASS
Band4	20	20050	100	#0	16QAM	1708.98	-30.55	-13	PASS
Band4	20	20300	1	#0	QPSK	1736.10	21.97	30	PASS
Band4	20	20300	1	#Max	QPSK	1753.88	22.06	30	PASS
Band4	20	20300	100	#0	QPSK	1756.78	-31.27	-13	PASS
Band4	20	20300	1	#0	16QAM	1736.08	22.28	30	PASS

Band4	20	20300	1	#Max	16QAM	1753.92	21.78	30	PASS
Band4	20	20300	100	#0	16QAM	1758.83	-32.21	-13	PASS
Band5	1.4	20407	1	#0	QPSK	824.25	13.78	30	PASS
Band5	1.4	20407	1	#Max	QPSK	825.15	14.15	30	PASS
Band5	1.4	20407	6	#0	QPSK	822.99	-20.37	-13	PASS
Band5	1.4	20407	1	#0	64QAM	824.26	11.94	30	PASS
Band5	1.4	20407	1	#Max	64QAM	822.98	-29.91	-13	PASS
Band5	1.4	20407	6	#0	64QAM	822.99	-25.69	-13	PASS
Band5	1.4	20643	1	#0	QPSK	850.03	-29.34	-13	PASS
Band5	1.4	20643	1	#Max	QPSK	848.78	13.09	30	PASS
Band5	1.4	20643	6	#0	QPSK	850.03	-24.77	-13	PASS
Band5	1.4	20643	1	#0	64QAM	850.01	-27.33	-13	PASS
Band5	1.4	20643	1	#Max	64QAM	850.35	-30.84	-13	PASS
Band5	1.4	20643	6	#0	64QAM	850.01	-27.69	-13	PASS
Band5	3	20415	1	#0	QPSK	823.99	-15.92	-13	PASS
Band5	3	20415	1	#Max	QPSK	826.72	15.73	30	PASS
Band5	3	20415	15	#0	QPSK	822.98	-19.72	-13	PASS
Band5	3	20415	1	#0	64QAM	824.00	-16.63	-13	PASS
Band5	3	20415	1	#Max	64QAM	826.69	14.60	30	PASS
Band5	3	20415	15	#0	64QAM	822.94	-24.10	-13	PASS
Band5	3	20635	1	#0	QPSK	846.20	15.75	30	PASS
Band5	3	20635	1	#Max	QPSK	849.01	-16.55	-13	PASS
Band5	3	20635	15	#0	QPSK	850.04	-24.72	-13	PASS
Band5	3	20635	1	#0	64QAM	851.18	-27.10	-13	PASS
Band5	3	20635	1	#Max	64QAM	849.00	-18.82	-13	PASS
Band5	3	20635	15	#0	64QAM	850.01	-25.12	-13	PASS
Band5	5	20425	1	#0	QPSK	823.99	-20.40	-13	PASS
Band5	5	20425	1	#Max	QPSK	828.65	18.13	30	PASS
Band5	5	20425	25	#0	QPSK	822.92	-23.43	-13	PASS
Band5	5	20425	1	#0	64QAM	823.99	-23.35	-13	PASS
Band5	5	20425	1	#Max	64QAM	828.70	16.82	30	PASS
Band5	5	20425	25	#0	64QAM	822.94	-25.60	-13	PASS
Band5	5	20625	1	#0	QPSK	844.32	17.84	30	PASS
Band5	5	20625	1	#Max	QPSK	849.01	-20.48	-13	PASS
Band5	5	20625	25	#0	QPSK	850.12	-26.02	-13	PASS
Band5	5	20625	1	#0	64QAM	844.34	16.51	30	PASS
Band5	5	20625	1	#Max	64QAM	849.00	-21.70	-13	PASS
Band5	5	20625	25	#0	64QAM	850.21	-26.62	-13	PASS
Band5	10	20450	1	#0	QPSK	821.24	-31.32	-13	PASS
Band5	10	20450	1	#Max	QPSK	833.39	19.95	30	PASS
Band5	10	20450	50	#0	QPSK	822.95	-25.98	-13	PASS
Band5	10	20450	1	#0	64QAM	824.00	-22.78	-13	PASS
Band5	10	20450	1	#Max	64QAM	833.42	18.18	30	PASS
Band5	10	20450	50	#0	64QAM	822.30	-28.40	-13	PASS


Band5	10	20600	1	#0	QPSK	839.56	19.49	30	PASS
Band5	10	20600	1	#Max	QPSK	848.40	19.54	30	PASS
Band5	10	20600	50	#0	QPSK	850.05	-28.88	-13	PASS
Band5	10	20600	1	#0	64QAM	839.56	18.23	30	PASS
Band5	10	20600	1	#Max	64QAM	848.41	18.17	30	PASS
Band5	10	20600	50	#0	64QAM	850.05	-30.39	-13	PASS
Band7	5	20775	1	#0	QPSK	2499.98	-17.51	-10	PASS
Band7	5	20775	1	#Max	QPSK	2504.67	19.03	30	PASS
Band7	5	20775	25	#0	QPSK	2493.89	-39.14	-25	PASS
Band7	5	20775	1	#0	16QAM	2499.99	-17.49	-10	PASS
Band7	5	20775	1	#Max	16QAM	2504.63	18.67	30	PASS
Band7	5	20775	25	#0	16QAM	2493.73	-38.78	-25	PASS
Band7	5	21425	1	#0	QPSK	2565.31	18.63	30	PASS
Band7	5	21425	1	#Max	QPSK	2570.00	-17.64	-10	PASS
Band7	5	21425	25	#0	QPSK	2576.11	-40.10	-25	PASS
Band7	5	21425	1	#0	16QAM	2565.34	17.49	30	PASS
Band7	5	21425	1	#Max	16QAM	2570.01	-17.65	-10	PASS
Band7	5	21425	25	#0	16QAM	2576.02	-40.72	-25	PASS
Band7	10	20800	1	#0	QPSK	2500.54	22.00	30	PASS
Band7	10	20800	1	#Max	QPSK	2509.40	21.23	30	PASS
Band7	10	20800	50	#0	QPSK	2490.44	-37.87	-25	PASS
Band7	10	20800	1	#0	16QAM	2500.57	22.66	30	PASS
Band7	10	20800	1	#Max	16QAM	2509.38	21.18	30	PASS
Band7	10	20800	50	#0	16QAM	2489.77	-39.01	-25	PASS
Band7	10	21400	1	#0	QPSK	2560.57	20.74	30	PASS
Band7	10	21400	1	#Max	QPSK	2570.01	-18.36	-10	PASS
Band7	10	21400	50	#0	QPSK	2580.44	-39.41	-25	PASS
Band7	10	21400	1	#0	16QAM	2560.55	20.85	30	PASS
Band7	10	21400	1	#Max	16QAM	2570.02	-18.67	-10	PASS
Band7	10	21400	50	#0	16QAM	2580.02	-40.41	-25	PASS
Band7	15	20825	1	#0	QPSK	2500.00	-17.35	-10	PASS
Band7	15	20825	1	#Max	QPSK	2487.74	-33.51	-25	PASS
Band7	15	20825	75	#0	QPSK	2488.44	-37.24	-25	PASS
Band7	15	20825	1	#0	16QAM	2489.51	-42.05	-25	PASS
Band7	15	20825	1	#Max	16QAM	2487.45	-31.08	-25	PASS
Band7	15	20825	75	#0	16QAM	2490.16	-37.68	-25	PASS
Band7	15	21375	1	#0	QPSK	2555.84	20.79	30	PASS
Band7	15	21375	1	#Max	QPSK	2570.04	-18.60	-10	PASS
Band7	15	21375	75	#0	QPSK	2585.46	-41.53	-25	PASS
Band7	15	21375	1	#0	16QAM	2555.88	21.34	30	PASS
Band7	15	21375	1	#Max	16QAM	2570.00	-17.81	-10	PASS
Band7	15	21375	75	#0	16QAM	2586.48	-41.80	-25	PASS
Band7	20	20850	1	#0	QPSK	2501.15	22.87	30	PASS
Band7	20	20850	1	#Max	QPSK	2483.34	-30.05	-25	PASS

Band7	20	20850	100	#0	QPSK	2490.31	-36.87	-25	PASS
Band7	20	20850	1	#0	16QAM	2501.20	22.15	30	PASS
Band7	20	20850	1	#Max	16QAM	2483.03	-29.84	-25	PASS
Band7	20	20850	100	#0	16QAM	2490.34	-37.18	-25	PASS
Band7	20	21350	1	#0	QPSK	2551.05	21.33	30	PASS
Band7	20	21350	1	#Max	QPSK	2568.90	21.37	30	PASS
Band7	20	21350	100	#0	QPSK	2593.46	-41.81	-25	PASS
Band7	20	21350	1	#0	16QAM	2551.10	20.98	30	PASS
Band7	20	21350	1	#Max	16QAM	2569.00	21.11	30	PASS
Band7	20	21350	100	#0	16QAM	2594.22	-41.75	-25	PASS

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	689.00 MHz	698.90 MHz	100.0 kHz	698.355500 MHz	-30.20 dBm	-17.20 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.995900 MHz	-43.97 dBm	-30.97 dB
3	3	699.00 MHz	709.00 MHz	30.00 kHz	700.170000 MHz	14.85 dBm	-15.15 dB

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	689.00 MHz	698.90 MHz	100.0 kHz	698.890100 MHz	-30.74 dBm	-17.74 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.939900 MHz	-29.99 dBm	-16.99 dB
3	3	699.00 MHz	709.00 MHz	30.00 kHz	699.230000 MHz	-5.164 dBm	-35.16 dB


Band12 16QAM BW=1.4MHz Channel=23017 RB Size=1 Position=#0



Band12 16QAM BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	689.00 MHz	698.90 MHz	100.0 kHz	698.890100 MHz	-31.13 dBm	-18.13 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.900200 MHz	-33.57 dBm	-20.57 dB
3	3	699.00 MHz	709.00 MHz	30.00 kHz	700.120000 MHz	4.575 dBm	-25.43 dB

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	714.830000 MHz	14.40 dBm	-15.60 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.004400 MHz	-43.98 dBm	-30.98 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.684100 MHz	-30.42 dBm	-17.42 dB


Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#Max



Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	714.790000 MHz	13.86 dBm	-16.14 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.003500 MHz	-36.64 dBm	-23.64 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.654400 MHz	-28.14 dBm	-15.14 dB

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	715.720000 MHz	13.32 dBm	-16.68 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.003900 MHz	-21.84 dBm	-8.843 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.129700 MHz	-31.96 dBm	-18.96 dB

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	714.860000 MHz	4.912 dBm	-25.09 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.011000 MHz	-30.80 dBm	-17.80 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.199000 MHz	-29.70 dBm	-16.70 dB

Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	689.00 MHz	698.90 MHz	100.0 kHz	698.840600 MHz	-31.83 dBm	-18.83 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.992900 MHz	-15.52 dBm	-2.520 dB
3	3	699.00 MHz	709.00 MHz	30.00 kHz	699.230000 MHz	14.46 dBm	-15.54 dB


Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#Max




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23025 RB Size=1 Position=#0



Band12 16QAM BW=3MHz Channel=23025 RB Size=1 Position=#Max




Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	689.00 MHz	698.90 MHz	100.0 kHz	698.890100 MHz	-31.22 dBm	-18.22 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.989600 MHz	-27.64 dBm	-14.64 dB
3	3	699.00 MHz	709.00 MHz	30.00 kHz	701.530000 MHz	1.061 dBm	-28.94 dB

Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	713.260000 MHz	14.36 dBm	-15.64 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.001000 MHz	-29.80 dBm	-16.80 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	718.258200 MHz	-35.57 dBm	-22.57 dB


Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#Max



Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23165 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	713.200000 MHz	13.64 dBm	-16.36 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.001300 MHz	-29.75 dBm	-16.75 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	718.238400 MHz	-34.49 dBm	-21.49 dB

Band12 16QAM BW=3MHz Channel=23165 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	715.700000 MHz	13.59 dBm	-16.41 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.009900 MHz	-15.42 dBm	-2.418 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.119800 MHz	-28.02 dBm	-15.02 dB

Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	713.460000 MHz	1.509 dBm	-28.49 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.005200 MHz	-27.18 dBm	-14.18 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.129700 MHz	-32.08 dBm	-19.08 dB

Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	689.00 MHz	698.90 MHz	100.0 kHz	698.890100 MHz	-29.42 dBm	-16.42 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.992100 MHz	-23.01 dBm	-10.01 dB
3	3	699.00 MHz	709.00 MHz	30.00 kHz	699.360000 MHz	14.18 dBm	-15.82 dB


Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#Max



Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 16QAM BW=5MHz Channel=23035 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	689.00 MHz	698.90 MHz	100.0 kHz	698.820800 MHz	-37.91 dBm	-24.91 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.997200 MHz	-22.76 dBm	-9.763 dB
3	3	699.00 MHz	709.00 MHz	30.00 kHz	699.290000 MHz	13.03 dBm	-16.97 dB

Band12 16QAM BW=5MHz Channel=23035 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	689.00 MHz	698.90 MHz	100.0 kHz	695.029100 MHz	-35.46 dBm	-22.46 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.997800 MHz	-41.68 dBm	-28.68 dB
3	3	699.00 MHz	709.00 MHz	30.00 kHz	703.650000 MHz	13.47 dBm	-16.53 dB

Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	689.00 MHz	698.90 MHz	100.0 kHz	698.840600 MHz	-31.70 dBm	-18.70 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.998500 MHz	-32.84 dBm	-19.84 dB
3	3	699.00 MHz	709.00 MHz	30.00 kHz	702.480000 MHz	-0.410 dBm	-30.41 dB

Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	711.310000 MHz	14.75 dBm	-15.25 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.000700 MHz	-40.33 dBm	-27.33 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	719.931300 MHz	-35.35 dBm	-22.35 dB

Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	715.620000 MHz	13.77 dBm	-16.23 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.000400 MHz	-22.34 dBm	-9.336 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.218800 MHz	-39.75 dBm	-26.75 dB

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	712.490000 MHz	0.328 dBm	-29.67 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.003300 MHz	-32.38 dBm	-19.38 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.119800 MHz	-30.71 dBm	-17.71 dB

Band12 16QAM BW=5MHz Channel=23155 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	711.360000 MHz	13.76 dBm	-16.24 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.000500 MHz	-41.13 dBm	-28.13 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	719.911500 MHz	-34.85 dBm	-21.85 dB

Band12 16QAM BW=5MHz Channel=23155 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	715.660000 MHz	13.62 dBm	-16.38 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.001800 MHz	-22.63 dBm	-9.629 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.159400 MHz	-32.13 dBm	-19.13 dB

Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	30.00 kHz	713.110000 MHz	-0.892 dBm	-30.89 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.001100 MHz	-34.44 dBm	-21.44 dB
3	3	716.10 MHz	726.00 MHz	100.0 kHz	716.119800 MHz	-34.34 dBm	-21.34 dB

Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	686.50 MHz	698.90 MHz	100.0 kHz	698.838000 MHz	-36.97 dBm	-23.97 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.997800 MHz	-28.15 dBm	-15.15 dB
3	3	699.00 MHz	711.50 MHz	30.00 kHz	699.600000 MHz	16.10 dBm	-13.90 dB

Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	686.50 MHz	698.90 MHz	100.0 kHz	698.875200 MHz	-50.20 dBm	-37.20 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.996100 MHz	-46.89 dBm	-33.89 dB
3	3	699.00 MHz	711.50 MHz	30.00 kHz	708.387500 MHz	15.96 dBm	-14.04 dB

Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	686.50 MHz	698.90 MHz	100.0 kHz	698.887600 MHz	-33.85 dBm	-20.85 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.988600 MHz	-35.90 dBm	-22.90 dB
3	3	699.00 MHz	711.50 MHz	30.00 kHz	701.887500 MHz	-1.008 dBm	-31.01 dB

Band12 16QAM BW=10MHz Channel=23060 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	686.50 MHz	698.90 MHz	100.0 kHz	698.850400 MHz	-35.93 dBm	-22.93 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.995000 MHz	-28.62 dBm	-15.62 dB
3	3	699.00 MHz	711.50 MHz	30.00 kHz	699.525000 MHz	15.07 dBm	-14.93 dB

Band12 16QAM BW=10MHz Channel=23060 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	686.50 MHz	698.90 MHz	100.0 kHz	698.862800 MHz	-51.03 dBm	-38.03 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.998700 MHz	-46.85 dBm	-33.85 dB
3	3	699.00 MHz	711.50 MHz	30.00 kHz	708.387500 MHz	15.47 dBm	-14.53 dB

Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	686.50 MHz	698.90 MHz	100.0 kHz	698.726400 MHz	-37.43 dBm	-24.43 dB
2	2	698.90 MHz	699.00 MHz	30.00 kHz	698.965700 MHz	-39.60 dBm	-26.60 dB
3	3	699.00 MHz	711.50 MHz	30.00 kHz	702.600000 MHz	-1.620 dBm	-31.62 dB

Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	703.50 MHz	716.00 MHz	30.00 kHz	706.525000 MHz	15.97 dBm	-14.03 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.004800 MHz	-46.99 dBm	-33.99 dB
3	3	716.10 MHz	728.50 MHz	100.0 kHz	724.222000 MHz	-50.79 dBm	-37.79 dB

Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	703.50 MHz	716.00 MHz	30.00 kHz	715.475000 MHz	16.03 dBm	-13.97 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.001200 MHz	-27.16 dBm	-14.16 dB
3	3	716.10 MHz	728.50 MHz	100.0 kHz	716.137200 MHz	-33.21 dBm	-20.21 dB

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	703.50 MHz	716.00 MHz	30.00 kHz	713.062500 MHz	-0.534 dBm	-30.53 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.025100 MHz	-36.13 dBm	-23.13 dB
3	3	716.10 MHz	728.50 MHz	100.0 kHz	716.286000 MHz	-33.15 dBm	-20.15 dB

Band12 16QAM BW=10MHz Channel=23130 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	703.50 MHz	716.00 MHz	30.00 kHz	706.562500 MHz	14.78 dBm	-15.22 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.000500 MHz	-47.36 dBm	-34.36 dB
3	3	716.10 MHz	728.50 MHz	100.0 kHz	724.222000 MHz	-51.82 dBm	-38.82 dB

Band12 16QAM BW=10MHz Channel=23130 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	703.50 MHz	716.00 MHz	30.00 kHz	715.425000 MHz	14.93 dBm	-15.07 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.007200 MHz	-28.58 dBm	-15.58 dB
3	3	716.10 MHz	728.50 MHz	100.0 kHz	716.137200 MHz	-36.71 dBm	-23.71 dB

Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	703.50 MHz	716.00 MHz	30.00 kHz	713.000000 MHz	-1.454 dBm	-31.45 dB
2	2	716.00 MHz	716.10 MHz	30.00 kHz	716.008400 MHz	-38.70 dBm	-25.70 dB
3	3	716.10 MHz	728.50 MHz	100.0 kHz	716.286000 MHz	-37.24 dBm	-24.24 dB

Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	699.00 MHz	703.00 MHz	1.000 MHz	702.340000 MHz	-30.94 dBm	-17.94 dB
2	2	703.00 MHz	704.00 MHz	51.00 kHz	703.989000 MHz	-20.79 dBm	-7.792 dB
3	3	704.00 MHz	709.00 MHz	51.00 kHz	704.335000 MHz	18.54 dBm	-11.46 dB

Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	699.00 MHz	703.00 MHz	1.000 MHz	700.284000 MHz	-21.81 dBm	-8.814 dB
2	2	703.00 MHz	704.00 MHz	51.00 kHz	703.997000 MHz	-38.05 dBm	-25.05 dB
3	3	704.00 MHz	709.00 MHz	51.00 kHz	708.635000 MHz	18.01 dBm	-11.99 dB

Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	699.00 MHz	703.00 MHz	1.000 MHz	702.688000 MHz	-21.78 dBm	-8.782 dB
2	2	703.00 MHz	704.00 MHz	51.00 kHz	703.986000 MHz	-29.10 dBm	-16.10 dB
3	3	704.00 MHz	709.00 MHz	51.00 kHz	704.475000 MHz	4.575 dBm	-25.43 dB


Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#0




Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#Max




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#Max



Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	711.00 MHz	716.00 MHz	51.00 kHz	711.370000 MHz	18.16 dBm	-11.84 dB
2	2	716.00 MHz	717.00 MHz	51.00 kHz	716.011000 MHz	-39.22 dBm	-26.22 dB
3	3	717.00 MHz	721.00 MHz	1.000 MHz	719.780000 MHz	-26.41 dBm	-13.41 dB

Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	711.00 MHz	716.00 MHz	51.00 kHz	715.650000 MHz	17.68 dBm	-12.32 dB
2	2	716.00 MHz	717.00 MHz	51.00 kHz	716.020000 MHz	-20.56 dBm	-7.559 dB
3	3	717.00 MHz	721.00 MHz	1.000 MHz	717.088000 MHz	-28.45 dBm	-15.45 dB

Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	711.00 MHz	716.00 MHz	51.00 kHz	713.260000 MHz	3.470 dBm	-26.53 dB
2	2	716.00 MHz	717.00 MHz	51.00 kHz	716.007000 MHz	-33.21 dBm	-20.21 dB
3	3	717.00 MHz	721.00 MHz	1.000 MHz	717.036000 MHz	-27.14 dBm	-14.14 dB

Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	694.00 MHz	703.00 MHz	1.000 MHz	702.604000 MHz	-35.70 dBm	-22.70 dB
2	2	703.00 MHz	704.00 MHz	100.0 kHz	703.966000 MHz	-23.27 dBm	-10.27 dB
3	3	704.00 MHz	714.00 MHz	100.0 kHz	704.580000 MHz	20.97 dBm	-9.030 dB

Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	694.00 MHz	703.00 MHz	1.000 MHz	695.944000 MHz	-24.21 dBm	-11.21 dB
2	2	703.00 MHz	704.00 MHz	100.0 kHz	703.990000 MHz	-41.22 dBm	-28.22 dB
3	3	704.00 MHz	714.00 MHz	100.0 kHz	713.390000 MHz	20.98 dBm	-9.016 dB

Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	694.00 MHz	703.00 MHz	1.000 MHz	702.964000 MHz	-19.46 dBm	-6.456 dB
2	2	703.00 MHz	704.00 MHz	100.0 kHz	703.819000 MHz	-26.80 dBm	-13.80 dB
3	3	704.00 MHz	714.00 MHz	100.0 kHz	712.300000 MHz	4.420 dBm	-25.58 dB

Band17 16QAM BW=10MHz Channel=23780 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	694.00 MHz	703.00 MHz	1.000 MHz	702.856000 MHz	-29.74 dBm	-16.74 dB
2	2	703.00 MHz	704.00 MHz	100.0 kHz	703.994000 MHz	-22.28 dBm	-9.283 dB
3	3	704.00 MHz	714.00 MHz	100.0 kHz	704.550000 MHz	19.94 dBm	-10.06 dB

Band17 16QAM BW=10MHz Channel=23780 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	694.00 MHz	703.00 MHz	1.000 MHz	695.953000 MHz	-24.02 dBm	-11.02 dB
2	2	703.00 MHz	704.00 MHz	100.0 kHz	703.996000 MHz	-40.22 dBm	-27.22 dB
3	3	704.00 MHz	714.00 MHz	100.0 kHz	713.410000 MHz	19.71 dBm	-10.29 dB


Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0



Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	100.0 kHz	715.430000 MHz	20.62 dBm	-9.377 dB
2	2	716.00 MHz	717.00 MHz	100.0 kHz	716.020000 MHz	-20.85 dBm	-7.851 dB
3	3	717.00 MHz	726.00 MHz	1.000 MHz	717.108000 MHz	-29.87 dBm	-16.87 dB

Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	100.0 kHz	713.050000 MHz	3.849 dBm	-26.15 dB
2	2	716.00 MHz	717.00 MHz	100.0 kHz	716.006000 MHz	-29.80 dBm	-16.80 dB
3	3	717.00 MHz	726.00 MHz	1.000 MHz	717.738000 MHz	-23.61 dBm	-10.61 dB

Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	100.0 kHz	706.570000 MHz	19.94 dBm	-10.06 dB
2	2	716.00 MHz	717.00 MHz	100.0 kHz	716.014000 MHz	-41.86 dBm	-28.86 dB
3	3	717.00 MHz	726.00 MHz	1.000 MHz	717.207000 MHz	-39.95 dBm	-26.95 dB

Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	706.00 MHz	716.00 MHz	100.0 kHz	715.390000 MHz	19.77 dBm	-10.23 dB
2	2	716.00 MHz	717.00 MHz	100.0 kHz	716.009000 MHz	-23.27 dBm	-10.27 dB
3	3	717.00 MHz	726.00 MHz	1.000 MHz	717.576000 MHz	-25.20 dBm	-12.20 dB


Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#Max




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#Max




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude		Δ Limit
1	1	1.9086 GHz	1.9100 GHz	15.00 kHz	1.909815200 GHz	13.53 dBm		-16.47 dB
2	2	1.9100 GHz	1.9110 GHz	15.00 kHz	1.910009000 GHz	-26.12 dBm		-13.12 dB
3	3	1.9110 GHz	1.9114 GHz	1.000 MHz	1.911029200 GHz	-26.02 dBm		-13.02 dB

Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude		Δ Limit
1	1	1.9086 GHz	1.9100 GHz	15.00 kHz	1.908896800 GHz	4.975 dBm		-25.02 dB
2	2	1.9100 GHz	1.9110 GHz	15.00 kHz	1.910067000 GHz	-32.35 dBm		-19.35 dB
3	3	1.9110 GHz	1.9114 GHz	1.000 MHz	1.911002400 GHz	-21.97 dBm		-8.966 dB

Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.9086 GHz	1.9100 GHz	15.00 kHz	1.908807200 GHz	13.05 dBm	-16.95 dB
2	2	1.9100 GHz	1.9110 GHz	15.00 kHz	1.910010000 GHz	-48.62 dBm	-35.62 dB
3	3	1.9110 GHz	1.9114 GHz	1.000 MHz	1.911157600 GHz	-26.08 dBm	-13.08 dB

Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.9086 GHz	1.9100 GHz	15.00 kHz	1.909718600 GHz	13.03 dBm	-16.97 dB
2	2	1.9100 GHz	1.9110 GHz	15.00 kHz	1.910013000 GHz	-29.61 dBm	-16.61 dB
3	3	1.9110 GHz	1.9114 GHz	1.000 MHz	1.911122800 GHz	-26.53 dBm	-13.53 dB

Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude		Δ Limit
1	1	1.9086 GHz	1.9100 GHz	15.00 kHz	1.908985000 GHz	3.879 dBm		-26.12 dB
2	2	1.9100 GHz	1.9110 GHz	15.00 kHz	1.910206000 GHz	-34.55 dBm		-21.55 dB
3	3	1.9110 GHz	1.9114 GHz	1.000 MHz	1.911008400 GHz	-24.48 dBm		-11.48 dB

Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude		Δ Limit
1	1	1.8470 GHz	1.8490 GHz	1.000 MHz	1.848948000 GHz	-33.38 dBm		-20.38 dB
2	2	1.8490 GHz	1.8500 GHz	30.00 kHz	1.849999000 GHz	-15.69 dBm		-2.690 dB
3	3	1.8500 GHz	1.8530 GHz	30.00 kHz	1.850243000 GHz	16.86 dBm		-13.14 dB


Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=19185 RB Size=1 Position=#0



Band2 16QAM BW=3MHz Channel=19185 RB Size=1 Position=#Max




Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.9070 GHz	1.9100 GHz	30.00 kHz	1.907291000 GHz	2.966 dBm	-27.03 dB
2	2	1.9100 GHz	1.9110 GHz	30.00 kHz	1.910003000 GHz	-27.06 dBm	-14.06 dB
3	3	1.9110 GHz	1.9130 GHz	1.000 MHz	1.911058000 GHz	-23.83 dBm	-10.83 dB

Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8450 GHz	1.8490 GHz	1.000 MHz	1.848356000 GHz	-34.34 dBm	-21.34 dB
2	2	1.8490 GHz	1.8500 GHz	51.00 kHz	1.849992000 GHz	-20.72 dBm	-7.718 dB
3	3	1.8500 GHz	1.8550 GHz	51.00 kHz	1.850290000 GHz	19.18 dBm	-10.82 dB


Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=1 Position=#0



Band2 16QAM BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.9050 GHz	1.9100 GHz	51.00 kHz	1.907165000 GHz	3.100 dBm	-26.90 dB
2	2	1.9100 GHz	1.9110 GHz	51.00 kHz	1.910002000 GHz	-32.78 dBm	-19.78 dB
3	3	1.9110 GHz	1.9150 GHz	1.000 MHz	1.911188000 GHz	-27.74 dBm	-14.74 dB

Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8400 GHz	1.8490 GHz	1.000 MHz	1.848964000 GHz	-36.89 dBm	-23.89 dB
2	2	1.8490 GHz	1.8500 GHz	100.0 kHz	1.849994000 GHz	-23.68 dBm	-10.68 dB
3	3	1.8500 GHz	1.8600 GHz	100.0 kHz	1.850570000 GHz	20.76 dBm	-9.241 dB

Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8400 GHz	1.8490 GHz	1.000 MHz	1.841611000 GHz	-36.81 dBm	-23.81 dB
2	2	1.8490 GHz	1.8500 GHz	100.0 kHz	1.849971000 GHz	-41.27 dBm	-28.27 dB
3	3	1.8500 GHz	1.8600 GHz	100.0 kHz	1.859390000 GHz	20.20 dBm	-9.804 dB

Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8400 GHz	1.8490 GHz	1.000 MHz	1.848703000 GHz	-33.89 dBm	-20.89 dB
2	2	1.8490 GHz	1.8500 GHz	100.0 kHz	1.849994000 GHz	-34.65 dBm	-21.65 dB
3	3	1.8500 GHz	1.8600 GHz	100.0 kHz	1.858190000 GHz	3.240 dBm	-26.76 dB


Band2 16QAM BW=10MHz Channel=18650 RB Size=1 Position=#0



Band2 16QAM BW=10MHz Channel=18650 RB Size=1 Position=#Max




Band2 16QAM BW=10MHz Channel=18650 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8400 GHz	1.8490 GHz	1.000 MHz	1.848964000 GHz	-32.23 dBm	-19.23 dB
2	2	1.8490 GHz	1.8500 GHz	100.0 kHz	1.849993000 GHz	-35.81 dBm	-22.81 dB
3	3	1.8500 GHz	1.8600 GHz	100.0 kHz	1.856920000 GHz	2.205 dBm	-27.80 dB

Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.9000 GHz	1.9100 GHz	100.0 kHz	1.900610000 GHz	19.80 dBm	-10.20 dB
2	2	1.9100 GHz	1.9110 GHz	100.0 kHz	1.910447000 GHz	-39.07 dBm	-26.07 dB
3	3	1.9110 GHz	1.9200 GHz	1.000 MHz	1.918245000 GHz	-40.42 dBm	-27.42 dB


Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 16QAM BW=10MHz Channel=19150 RB Size=1 Position=#0




Band2 16QAM BW=10MHz Channel=19150 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 16QAM BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 16QAM BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 16QAM BW=15MHz Channel=18675 RB Size=1 Position=#Max




Band2 16QAM BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 16QAM BW=15MHz Channel=19125 RB Size=1 Position=#0



Band2 16QAM BW=15MHz Channel=19125 RB Size=1 Position=#Max




Band2 16QAM BW=15MHz Channel=19125 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8950 GHz	1.9100 GHz	150.0 kHz	1.901900000 GHz	1.662 dBm	-28.34 dB
2	2	1.9100 GHz	1.9110 GHz	150.0 kHz	1.910052000 GHz	-35.89 dBm	-22.89 dB
3	3	1.9110 GHz	1.9250 GHz	1.000 MHz	1.911350000 GHz	-34.61 dBm	-21.61 dB

Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8300 GHz	1.8490 GHz	1.000 MHz	1.847879000 GHz	-37.47 dBm	-24.47 dB
2	2	1.8490 GHz	1.8500 GHz	200.0 kHz	1.849985000 GHz	-24.47 dBm	-11.47 dB
3	3	1.8500 GHz	1.8700 GHz	200.0 kHz	1.851060000 GHz	22.71 dBm	-7.290 dB


Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#Max




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 16QAM BW=20MHz Channel=18700 RB Size=1 Position=#Max



Band2 16QAM BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 16QAM BW=20MHz Channel=18700 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8300 GHz	1.8490 GHz	1.000 MHz	1.848620000 GHz	-34.86 dBm	-21.86 dB
2	2	1.8490 GHz	1.8500 GHz	200.0 kHz	1.849962000 GHz	-36.20 dBm	-23.20 dB
3	3	1.8500 GHz	1.8700 GHz	200.0 kHz	1.856360000 GHz	2.005 dBm	-27.99 dB

Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8900 GHz	1.9100 GHz	200.0 kHz	1.891060000 GHz	22.76 dBm	-7.237 dB
2	2	1.9100 GHz	1.9110 GHz	200.0 kHz	1.910001000 GHz	-42.45 dBm	-29.45 dB
3	3	1.9110 GHz	1.9300 GHz	1.000 MHz	1.917973000 GHz	-43.18 dBm	-30.18 dB


Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 16QAM BW=20MHz Channel=19100 RB Size=1 Position=#0



Band2 16QAM BW=20MHz Channel=19100 RB Size=1 Position=#Max




Band2 16QAM BW=20MHz Channel=19100 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.8900 GHz	1.9100 GHz	200.0 kHz	1.906860000 GHz	2.205 dBm	-27.79 dB
2	2	1.9100 GHz	1.9110 GHz	200.0 kHz	1.910042000 GHz	-36.95 dBm	-23.95 dB
3	3	1.9110 GHz	1.9300 GHz	1.000 MHz	1.911152000 GHz	-35.27 dBm	-22.27 dB

Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5640 GHz	1.000 MHz	2.563352000 GHz	-36.67 dBm	-11.67 dB
2	2	2.5640 GHz	2.5650 GHz	1.000 MHz	2.564928000 GHz	-33.19 dBm	-20.19 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568556000 GHz	-21.86 dBm	-11.86 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569996000 GHz	-16.70 dBm	-6.697 dB
5	5	2.5700 GHz	2.5800 GHz	100.0 kHz	2.570370000 GHz	16.83 dBm	-13.17 dB

Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5640 GHz	1.000 MHz	2.563144000 GHz	-36.88 dBm	-11.88 dB
2	2	2.5640 GHz	2.5650 GHz	1.000 MHz	2.564137000 GHz	-35.43 dBm	-22.43 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568680000 GHz	-26.90 dBm	-16.90 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569860000 GHz	-36.22 dBm	-26.22 dB
5	5	2.5700 GHz	2.5800 GHz	100.0 kHz	2.574690000 GHz	17.72 dBm	-12.28 dB

Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5640 GHz	1.000 MHz	2.563296000 GHz	-39.17 dBm	-14.17 dB
2	2	2.5640 GHz	2.5650 GHz	1.000 MHz	2.564129000 GHz	-37.82 dBm	-24.82 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568164000 GHz	-28.50 dBm	-18.50 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569689000 GHz	-36.33 dBm	-26.33 dB
5	5	2.5700 GHz	2.5800 GHz	100.0 kHz	2.570610000 GHz	-51.70 dBm	-81.70 dB

Band38 16QAM BW=5MHz Channel=37775 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5640 GHz	1.000 MHz	2.562188000 GHz	-37.61 dBm	-12.61 dB
2	2	2.5640 GHz	2.5650 GHz	1.000 MHz	2.564910000 GHz	-32.57 dBm	-19.57 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568540000 GHz	-21.60 dBm	-11.60 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569987000 GHz	-19.17 dBm	-9.171 dB
5	5	2.5700 GHz	2.5800 GHz	100.0 kHz	2.570350000 GHz	16.95 dBm	-13.05 dB

Band38 16QAM BW=5MHz Channel=37775 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5640 GHz	1.000 MHz	2.563392000 GHz	-35.47 dBm	-10.47 dB
2	2	2.5640 GHz	2.5650 GHz	1.000 MHz	2.564314000 GHz	-33.18 dBm	-20.18 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568276000 GHz	-26.29 dBm	-16.29 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569966000 GHz	-34.65 dBm	-24.65 dB
5	5	2.5700 GHz	2.5800 GHz	100.0 kHz	2.574620000 GHz	16.97 dBm	-13.03 dB

Band38 16QAM BW=5MHz Channel=37775 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5640 GHz	1.000 MHz	2.563288000 GHz	-36.92 dBm	-11.92 dB
2	2	2.5640 GHz	2.5650 GHz	1.000 MHz	2.564488000 GHz	-34.92 dBm	-21.92 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568168000 GHz	-27.78 dBm	-17.78 dB
4	4	2.5690 GHz	2.5700 GHz	100.0 kHz	2.569995000 GHz	-30.12 dBm	-20.12 dB
5	5	2.5700 GHz	2.5800 GHz	100.0 kHz	2.572760000 GHz	3.034 dBm	-26.97 dB

Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6100 GHz	2.6200 GHz	100.0 kHz	2.615300000 GHz	17.90 dBm	-12.10 dB
2	2	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620032000 GHz	-33.75 dBm	-23.75 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621300000 GHz	-25.69 dBm	-15.69 dB
4	4	2.6250 GHz	2.6260 GHz	1.000 MHz	2.625139000 GHz	-33.79 dBm	-20.79 dB
5	5	2.6260 GHz	2.6300 GHz	1.000 MHz	2.626444000 GHz	-36.53 dBm	-11.53 dB

Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6100 GHz	2.6200 GHz	100.0 kHz	2.619640000 GHz	17.21 dBm	-12.79 dB
2	2	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620007000 GHz	-19.21 dBm	-9.213 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621292000 GHz	-20.39 dBm	-10.39 dB
4	4	2.6250 GHz	2.6260 GHz	1.000 MHz	2.625307000 GHz	-31.37 dBm	-18.37 dB
5	5	2.6260 GHz	2.6300 GHz	1.000 MHz	2.626604000 GHz	-35.69 dBm	-10.69 dB

Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6100 GHz	2.6200 GHz	100.0 kHz	2.618150000 GHz	4.445 dBm	-25.56 dB
2	2	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620003000 GHz	-28.24 dBm	-18.24 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621640000 GHz	-26.39 dBm	-16.39 dB
4	4	2.6250 GHz	2.6260 GHz	1.000 MHz	2.625080000 GHz	-34.82 dBm	-21.82 dB
5	5	2.6260 GHz	2.6300 GHz	1.000 MHz	2.626388000 GHz	-35.97 dBm	-10.97 dB

Band38 16QAM BW=5MHz Channel=38225 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6100 GHz	2.6200 GHz	100.0 kHz	2.615310000 GHz	16.21 dBm	-13.79 dB
2	2	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620019000 GHz	-32.74 dBm	-22.74 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621516000 GHz	-26.05 dBm	-16.05 dB
4	4	2.6250 GHz	2.6260 GHz	1.000 MHz	2.625512000 GHz	-34.29 dBm	-21.29 dB
5	5	2.6260 GHz	2.6300 GHz	1.000 MHz	2.626104000 GHz	-34.26 dBm	-9.262 dB

Band38 16QAM BW=5MHz Channel=38225 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6100 GHz	2.6200 GHz	100.0 kHz	2.619660000 GHz	17.55 dBm	-12.45 dB
2	2	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620015000 GHz	-19.32 dBm	-9.325 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621140000 GHz	-21.00 dBm	-11.00 dB
4	4	2.6250 GHz	2.6260 GHz	1.000 MHz	2.625376000 GHz	-31.87 dBm	-18.87 dB
5	5	2.6260 GHz	2.6300 GHz	1.000 MHz	2.626352000 GHz	-33.53 dBm	-8.534 dB

Band38 16QAM BW=5MHz Channel=38225 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6100 GHz	2.6200 GHz	100.0 kHz	2.618470000 GHz	3.462 dBm	-26.54 dB
2	2	2.6200 GHz	2.6210 GHz	100.0 kHz	2.620028000 GHz	-29.60 dBm	-19.60 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621576000 GHz	-23.98 dBm	-13.98 dB
4	4	2.6250 GHz	2.6260 GHz	1.000 MHz	2.625658000 GHz	-34.04 dBm	-21.04 dB
5	5	2.6260 GHz	2.6300 GHz	1.000 MHz	2.626112000 GHz	-35.36 dBm	-10.36 dB

Band38 QPSK BW=10MHz Channel=37800 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5600 GHz	1.000 MHz	2.558927500 GHz	-41.71 dBm	-16.71 dB
2	2	2.5600 GHz	2.5650 GHz	1.000 MHz	2.564645000 GHz	-36.59 dBm	-23.59 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568744000 GHz	-23.22 dBm	-13.22 dB
4	4	2.5690 GHz	2.5700 GHz	200.0 kHz	2.569991000 GHz	-18.33 dBm	-8.329 dB
5	5	2.5700 GHz	2.5825 GHz	200.0 kHz	2.570550000 GHz	20.27 dBm	-9.730 dB

Band38 QPSK BW=10MHz Channel=37800 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5600 GHz	1.000 MHz	2.559915000 GHz	-41.55 dBm	-16.55 dB
2	2	2.5600 GHz	2.5650 GHz	1.000 MHz	2.562005000 GHz	-35.07 dBm	-22.07 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.567752000 GHz	-32.56 dBm	-22.56 dB
4	4	2.5690 GHz	2.5700 GHz	200.0 kHz	2.569997000 GHz	-33.85 dBm	-23.85 dB
5	5	2.5700 GHz	2.5825 GHz	200.0 kHz	2.579387500 GHz	19.38 dBm	-10.62 dB

Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5600 GHz	1.000 MHz	2.559465000 GHz	-39.45 dBm	-14.45 dB
2	2	2.5600 GHz	2.5650 GHz	1.000 MHz	2.564775000 GHz	-31.77 dBm	-18.77 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568428000 GHz	-28.59 dBm	-18.59 dB
4	4	2.5690 GHz	2.5700 GHz	200.0 kHz	2.569997000 GHz	-30.56 dBm	-20.56 dB
5	5	2.5700 GHz	2.5825 GHz	200.0 kHz	2.577587500 GHz	4.752 dBm	-25.25 dB

Band38 16QAM BW=10MHz Channel=37800 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5600 GHz	1.000 MHz	2.557597500 GHz	-41.91 dBm	-16.91 dB
2	2	2.5600 GHz	2.5650 GHz	1.000 MHz	2.564620000 GHz	-35.68 dBm	-22.68 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568764000 GHz	-23.07 dBm	-13.07 dB
4	4	2.5690 GHz	2.5700 GHz	200.0 kHz	2.569952000 GHz	-21.89 dBm	-11.89 dB
5	5	2.5700 GHz	2.5825 GHz	200.0 kHz	2.570600000 GHz	20.00 dBm	-10.00 dB

Band38 16QAM BW=10MHz Channel=37800 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5600 GHz	1.000 MHz	2.558297500 GHz	-41.84 dBm	-16.84 dB
2	2	2.5600 GHz	2.5650 GHz	1.000 MHz	2.563830000 GHz	-37.49 dBm	-24.49 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568476000 GHz	-31.11 dBm	-21.11 dB
4	4	2.5690 GHz	2.5700 GHz	200.0 kHz	2.569942000 GHz	-33.51 dBm	-23.51 dB
5	5	2.5700 GHz	2.5825 GHz	200.0 kHz	2.579350000 GHz	19.58 dBm	-10.42 dB

Band38 16QAM BW=10MHz Channel=37800 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5600 GHz	1.000 MHz	2.559982500 GHz	-38.43 dBm	-13.43 dB
2	2	2.5600 GHz	2.5650 GHz	1.000 MHz	2.564850000 GHz	-32.25 dBm	-19.25 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568496000 GHz	-28.48 dBm	-18.48 dB
4	4	2.5690 GHz	2.5700 GHz	200.0 kHz	2.569970000 GHz	-30.30 dBm	-20.30 dB
5	5	2.5700 GHz	2.5825 GHz	200.0 kHz	2.579100000 GHz	3.295 dBm	-26.70 dB

Band38 QPSK BW=10MHz Channel=38200 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6075 GHz	2.6200 GHz	200.0 kHz	2.610562500 GHz	20.57 dBm	-9.430 dB
2	2	2.6200 GHz	2.6210 GHz	200.0 kHz	2.620120000 GHz	-34.61 dBm	-24.61 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621300000 GHz	-28.54 dBm	-18.54 dB
4	4	2.6250 GHz	2.6300 GHz	1.000 MHz	2.628205000 GHz	-32.24 dBm	-19.24 dB
5	5	2.6300 GHz	2.6325 GHz	1.000 MHz	2.632427500 GHz	-41.33 dBm	-16.33 dB

Band38 QPSK BW=10MHz Channel=38200 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6075 GHz	2.6200 GHz	200.0 kHz	2.619412500 GHz	20.00 dBm	-10.00 dB
2	2	2.6200 GHz	2.6210 GHz	200.0 kHz	2.620024000 GHz	-17.36 dBm	-7.360 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621180000 GHz	-23.95 dBm	-13.95 dB
4	4	2.6250 GHz	2.6300 GHz	1.000 MHz	2.626880000 GHz	-37.33 dBm	-24.33 dB
5	5	2.6300 GHz	2.6325 GHz	1.000 MHz	2.630057500 GHz	-41.05 dBm	-16.05 dB

Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6075 GHz	2.6200 GHz	200.0 kHz	2.618412500 GHz	5.220 dBm	-24.78 dB
2	2	2.6200 GHz	2.6210 GHz	200.0 kHz	2.620018000 GHz	-31.22 dBm	-21.22 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621172000 GHz	-27.43 dBm	-17.43 dB
4	4	2.6250 GHz	2.6300 GHz	1.000 MHz	2.627000000 GHz	-30.59 dBm	-17.59 dB
5	5	2.6300 GHz	2.6325 GHz	1.000 MHz	2.630215000 GHz	-37.22 dBm	-12.22 dB

Band38 16QAM BW=10MHz Channel=38200 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6075 GHz	2.6200 GHz	200.0 kHz	2.610537500 GHz	19.46 dBm	-10.54 dB
2	2	2.6200 GHz	2.6210 GHz	200.0 kHz	2.620027000 GHz	-35.40 dBm	-25.40 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621552000 GHz	-31.10 dBm	-21.10 dB
4	4	2.6250 GHz	2.6300 GHz	1.000 MHz	2.628585000 GHz	-35.06 dBm	-22.06 dB
5	5	2.6300 GHz	2.6325 GHz	1.000 MHz	2.630137500 GHz	-41.50 dBm	-16.50 dB

Band38 16QAM BW=10MHz Channel=38200 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6075 GHz	2.6200 GHz	200.0 kHz	2.619375000 GHz	19.18 dBm	-10.82 dB
2	2	2.6200 GHz	2.6210 GHz	200.0 kHz	2.620014000 GHz	-17.87 dBm	-7.872 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621028000 GHz	-21.41 dBm	-11.41 dB
4	4	2.6250 GHz	2.6300 GHz	1.000 MHz	2.628190000 GHz	-36.90 dBm	-23.90 dB
5	5	2.6300 GHz	2.6325 GHz	1.000 MHz	2.630332500 GHz	-40.79 dBm	-15.79 dB

Band38 16QAM BW=10MHz Channel=38200 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6075 GHz	2.6200 GHz	200.0 kHz	2.614325000 GHz	3.559 dBm	-26.44 dB
2	2	2.6200 GHz	2.6210 GHz	200.0 kHz	2.620006000 GHz	-30.04 dBm	-20.04 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621056000 GHz	-28.60 dBm	-18.60 dB
4	4	2.6250 GHz	2.6300 GHz	1.000 MHz	2.625095000 GHz	-31.87 dBm	-18.87 dB
5	5	2.6300 GHz	2.6325 GHz	1.000 MHz	2.630082500 GHz	-36.46 dBm	-11.46 dB

Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5550 GHz	1.000 MHz	2.554861250 GHz	-41.83 dBm	-16.83 dB
2	2	2.5550 GHz	2.5650 GHz	1.000 MHz	2.564700000 GHz	-36.35 dBm	-23.35 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568764000 GHz	-26.56 dBm	-16.56 dB
4	4	2.5690 GHz	2.5700 GHz	300.0 kHz	2.569999000 GHz	-16.65 dBm	-6.646 dB
5	5	2.5700 GHz	2.5888 GHz	300.0 kHz	2.570825000 GHz	18.92 dBm	-11.08 dB

Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5550 GHz	1.000 MHz	2.554936250 GHz	-41.88 dBm	-16.88 dB
2	2	2.5550 GHz	2.5650 GHz	1.000 MHz	2.557530000 GHz	-37.78 dBm	-24.78 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568688000 GHz	-35.42 dBm	-25.42 dB
4	4	2.5690 GHz	2.5700 GHz	300.0 kHz	2.569979000 GHz	-36.77 dBm	-26.77 dB
5	5	2.5700 GHz	2.5888 GHz	300.0 kHz	2.584156250 GHz	20.36 dBm	-9.638 dB

Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5550 GHz	1.000 MHz	2.554741250 GHz	-39.92 dBm	-14.92 dB
2	2	2.5550 GHz	2.5650 GHz	1.000 MHz	2.564600000 GHz	-30.68 dBm	-17.68 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568764000 GHz	-27.89 dBm	-17.89 dB
4	4	2.5690 GHz	2.5700 GHz	300.0 kHz	2.569988000 GHz	-28.64 dBm	-18.64 dB
5	5	2.5700 GHz	2.5888 GHz	300.0 kHz	2.583706250 GHz	3.659 dBm	-26.34 dB

Band38 16QAM BW=15MHz Channel=37825 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5550 GHz	1.000 MHz	2.554231250 GHz	-41.54 dBm	-16.54 dB
2	2	2.5550 GHz	2.5650 GHz	1.000 MHz	2.564690000 GHz	-37.01 dBm	-24.01 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568516000 GHz	-27.38 dBm	-17.38 dB
4	4	2.5690 GHz	2.5700 GHz	300.0 kHz	2.569941000 GHz	-19.10 dBm	-9.101 dB
5	5	2.5700 GHz	2.5888 GHz	300.0 kHz	2.570843750 GHz	19.24 dBm	-10.76 dB

Band38 16QAM BW=15MHz Channel=37825 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5550 GHz	1.000 MHz	2.553728750 GHz	-41.89 dBm	-16.89 dB
2	2	2.5550 GHz	2.5650 GHz	1.000 MHz	2.557420000 GHz	-37.23 dBm	-24.23 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568488000 GHz	-34.76 dBm	-24.76 dB
4	4	2.5690 GHz	2.5700 GHz	300.0 kHz	2.569974000 GHz	-36.08 dBm	-26.08 dB
5	5	2.5700 GHz	2.5888 GHz	300.0 kHz	2.584212500 GHz	18.19 dBm	-11.81 dB

Band38 16QAM BW=15MHz Channel=37825 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5550 GHz	1.000 MHz	2.554988750 GHz	-39.22 dBm	-14.22 dB
2	2	2.5550 GHz	2.5650 GHz	1.000 MHz	2.564210000 GHz	-31.45 dBm	-18.45 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568936000 GHz	-29.78 dBm	-19.78 dB
4	4	2.5690 GHz	2.5700 GHz	300.0 kHz	2.569972000 GHz	-29.97 dBm	-19.97 dB
5	5	2.5700 GHz	2.5888 GHz	300.0 kHz	2.581887500 GHz	2.388 dBm	-27.61 dB

Band38 QPSK BW=15MHz Channel=38175 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6013 GHz	2.6200 GHz	300.0 kHz	2.605825000 GHz	20.11 dBm	-9.893 dB
2	2	2.6200 GHz	2.6210 GHz	300.0 kHz	2.620156000 GHz	-36.92 dBm	-26.92 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621116000 GHz	-36.02 dBm	-26.02 dB
4	4	2.6250 GHz	2.6350 GHz	1.000 MHz	2.632770000 GHz	-33.84 dBm	-20.84 dB
5	5	2.6350 GHz	2.6388 GHz	1.000 MHz	2.636897500 GHz	-41.16 dBm	-16.16 dB

Band38 QPSK BW=15MHz Channel=38175 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6013 GHz	2.6200 GHz	300.0 kHz	2.619193750 GHz	20.57 dBm	-9.434 dB
2	2	2.6200 GHz	2.6210 GHz	300.0 kHz	2.620047000 GHz	-16.20 dBm	-6.203 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621124000 GHz	-26.58 dBm	-16.58 dB
4	4	2.6250 GHz	2.6350 GHz	1.000 MHz	2.632300000 GHz	-35.01 dBm	-22.01 dB
5	5	2.6350 GHz	2.6388 GHz	1.000 MHz	2.636650000 GHz	-41.17 dBm	-16.17 dB

Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6013 GHz	2.6200 GHz	300.0 kHz	2.606200000 GHz	3.539 dBm	-26.46 dB
2	2	2.6200 GHz	2.6210 GHz	300.0 kHz	2.620034000 GHz	-30.09 dBm	-20.09 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621424000 GHz	-31.42 dBm	-21.42 dB
4	4	2.6250 GHz	2.6350 GHz	1.000 MHz	2.632140000 GHz	-32.34 dBm	-19.34 dB
5	5	2.6350 GHz	2.6388 GHz	1.000 MHz	2.635528750 GHz	-38.69 dBm	-13.69 dB

Band38 16QAM BW=15MHz Channel=38175 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6013 GHz	2.6200 GHz	300.0 kHz	2.605843750 GHz	19.59 dBm	-10.41 dB
2	2	2.6200 GHz	2.6210 GHz	300.0 kHz	2.620046000 GHz	-37.80 dBm	-27.80 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.623680000 GHz	-35.79 dBm	-25.79 dB
4	4	2.6250 GHz	2.6350 GHz	1.000 MHz	2.625370000 GHz	-36.69 dBm	-23.69 dB
5	5	2.6350 GHz	2.6388 GHz	1.000 MHz	2.637973750 GHz	-41.29 dBm	-16.29 dB

Band38 16QAM BW=15MHz Channel=38175 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6013 GHz	2.6200 GHz	300.0 kHz	2.619193750 GHz	18.52 dBm	-11.48 dB
2	2	2.6200 GHz	2.6210 GHz	300.0 kHz	2.620010000 GHz	-17.04 dBm	-7.037 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621368000 GHz	-25.74 dBm	-15.74 dB
4	4	2.6250 GHz	2.6350 GHz	1.000 MHz	2.632430000 GHz	-36.98 dBm	-23.98 dB
5	5	2.6350 GHz	2.6388 GHz	1.000 MHz	2.636732500 GHz	-41.20 dBm	-16.20 dB

Band38 16QAM BW=15MHz Channel=38175 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.6013 GHz	2.6200 GHz	300.0 kHz	2.609012500 GHz	3.279 dBm	-26.72 dB
2	2	2.6200 GHz	2.6210 GHz	300.0 kHz	2.620022000 GHz	-30.49 dBm	-20.49 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621572000 GHz	-30.96 dBm	-20.96 dB
4	4	2.6250 GHz	2.6350 GHz	1.000 MHz	2.626000000 GHz	-32.32 dBm	-19.32 dB
5	5	2.6350 GHz	2.6388 GHz	1.000 MHz	2.636166250 GHz	-38.38 dBm	-13.38 dB

Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.545450000 GHz	-41.71 dBm	-16.71 dB
2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.562390000 GHz	-37.66 dBm	-24.66 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568640000 GHz	-28.05 dBm	-18.05 dB
4	4	2.5690 GHz	2.5700 GHz	430.0 kHz	2.569958000 GHz	-20.45 dBm	-10.45 dB
5	5	2.5700 GHz	2.5950 GHz	430.0 kHz	2.571100000 GHz	19.37 dBm	-10.63 dB

Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.546530000 GHz	-41.87 dBm	-16.87 dB
2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.553210000 GHz	-35.59 dBm	-22.59 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568640000 GHz	-35.86 dBm	-25.86 dB
4	4	2.5690 GHz	2.5700 GHz	430.0 kHz	2.569932000 GHz	-34.68 dBm	-24.68 dB
5	5	2.5700 GHz	2.5950 GHz	430.0 kHz	2.588975000 GHz	20.92 dBm	-9.084 dB

Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.545115000 GHz	-41.35 dBm	-16.35 dB
2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.563635000 GHz	-41.90 dBm	-28.90 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.566988000 GHz	-38.69 dBm	-28.69 dB
4	4	2.5690 GHz	2.5700 GHz	430.0 kHz	2.569928000 GHz	-29.64 dBm	-19.64 dB
5	5	2.5700 GHz	2.5950 GHz	430.0 kHz	2.591625000 GHz	-45.36 dBm	-75.36 dB

Band38 16QAM BW=20MHz Channel=37850 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.548990000 GHz	-41.74 dBm	-16.74 dB
2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.551080000 GHz	-41.85 dBm	-28.85 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568208000 GHz	-41.88 dBm	-31.88 dB
4	4	2.5690 GHz	2.5700 GHz	430.0 kHz	2.569990000 GHz	-44.84 dBm	-34.84 dB
5	5	2.5700 GHz	2.5950 GHz	430.0 kHz	2.589025000 GHz	-45.28 dBm	-75.28 dB

Band38 16QAM BW=20MHz Channel=37850 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.547250000 GHz	-41.70 dBm	-16.70 dB
2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.553615000 GHz	-30.44 dBm	-17.44 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.568364000 GHz	-36.71 dBm	-26.71 dB
4	4	2.5690 GHz	2.5700 GHz	430.0 kHz	2.569751000 GHz	-35.56 dBm	-25.56 dB
5	5	2.5700 GHz	2.5950 GHz	430.0 kHz	2.588900000 GHz	18.22 dBm	-11.78 dB

Band38 16QAM BW=20MHz Channel=37850 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5500 GHz	1.000 MHz	2.549915000 GHz	-40.20 dBm	-15.20 dB
2	2	2.5500 GHz	2.5650 GHz	1.000 MHz	2.564880000 GHz	-32.72 dBm	-19.72 dB
3	3	2.5650 GHz	2.5690 GHz	1.000 MHz	2.567828000 GHz	-31.07 dBm	-21.07 dB
4	4	2.5690 GHz	2.5700 GHz	430.0 kHz	2.569846000 GHz	-30.48 dBm	-20.48 dB
5	5	2.5700 GHz	2.5950 GHz	430.0 kHz	2.587200000 GHz	2.874 dBm	-27.13 dB

Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5950 GHz	2.6200 GHz	430.0 kHz	2.601050000 GHz	19.64 dBm	-10.36 dB
2	2	2.6200 GHz	2.6210 GHz	430.0 kHz	2.620015000 GHz	-34.36 dBm	-24.36 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621016000 GHz	-34.95 dBm	-24.95 dB
4	4	2.6250 GHz	2.6400 GHz	1.000 MHz	2.636550000 GHz	-35.81 dBm	-22.81 dB
5	5	2.6400 GHz	2.6450 GHz	1.000 MHz	2.643380000 GHz	-41.19 dBm	-16.19 dB

Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5950 GHz	2.6200 GHz	430.0 kHz	2.618900000 GHz	20.90 dBm	-9.100 dB
2	2	2.6200 GHz	2.6210 GHz	430.0 kHz	2.620038000 GHz	-18.86 dBm	-8.865 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621008000 GHz	-25.99 dBm	-15.99 dB
4	4	2.6250 GHz	2.6400 GHz	1.000 MHz	2.636610000 GHz	-35.64 dBm	-22.64 dB
5	5	2.6400 GHz	2.6450 GHz	1.000 MHz	2.643930000 GHz	-41.20 dBm	-16.20 dB

Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5950 GHz	2.6200 GHz	430.0 kHz	2.615075000 GHz	4.750 dBm	-25.25 dB
2	2	2.6200 GHz	2.6210 GHz	430.0 kHz	2.620084000 GHz	-31.27 dBm	-21.27 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621592000 GHz	-32.33 dBm	-22.33 dB
4	4	2.6250 GHz	2.6400 GHz	1.000 MHz	2.625225000 GHz	-33.94 dBm	-20.94 dB
5	5	2.6400 GHz	2.6450 GHz	1.000 MHz	2.640635000 GHz	-39.31 dBm	-14.31 dB

Band38 16QAM BW=20MHz Channel=38150 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5950 GHz	2.6200 GHz	430.0 kHz	2.601075000 GHz	19.35 dBm	-10.65 dB
2	2	2.6200 GHz	2.6210 GHz	430.0 kHz	2.620404000 GHz	-34.36 dBm	-24.36 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621724000 GHz	-36.36 dBm	-26.36 dB
4	4	2.6250 GHz	2.6400 GHz	1.000 MHz	2.627805000 GHz	-38.11 dBm	-25.11 dB
5	5	2.6400 GHz	2.6450 GHz	1.000 MHz	2.642115000 GHz	-41.31 dBm	-16.31 dB

Band38 16QAM BW=20MHz Channel=38150 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5950 GHz	2.6200 GHz	430.0 kHz	2.618900000 GHz	19.41 dBm	-10.59 dB
2	2	2.6200 GHz	2.6210 GHz	430.0 kHz	2.620003000 GHz	-19.86 dBm	-9.864 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621224000 GHz	-29.26 dBm	-19.26 dB
4	4	2.6250 GHz	2.6400 GHz	1.000 MHz	2.625165000 GHz	-36.13 dBm	-23.13 dB
5	5	2.6400 GHz	2.6450 GHz	1.000 MHz	2.644130000 GHz	-41.21 dBm	-16.21 dB

Band38 16QAM BW=20MHz Channel=38150 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5950 GHz	2.6200 GHz	430.0 kHz	2.616875000 GHz	3.337 dBm	-26.66 dB
2	2	2.6200 GHz	2.6210 GHz	430.0 kHz	2.620143000 GHz	-31.01 dBm	-21.01 dB
3	3	2.6210 GHz	2.6250 GHz	1.000 MHz	2.621184000 GHz	-31.99 dBm	-21.99 dB
4	4	2.6250 GHz	2.6400 GHz	1.000 MHz	2.626245000 GHz	-33.85 dBm	-20.85 dB
5	5	2.6400 GHz	2.6450 GHz	1.000 MHz	2.640445000 GHz	-38.43 dBm	-13.43 dB

Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7086 GHz	1.7090 GHz	1.000 MHz	1.708920400 GHz	-30.79 dBm	-17.79 dB
2	2	1.7090 GHz	1.7100 GHz	15.00 kHz	1.709977000 GHz	-27.09 dBm	-14.09 dB
3	3	1.7100 GHz	1.7114 GHz	15.00 kHz	1.710198800 GHz	13.41 dBm	-16.59 dB


Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#Max




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=19957 RB Size=1 Position=#0



Band4 16QAM BW=1.4MHz Channel=19957 RB Size=1 Position=#Max




Band4 16QAM BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7086 GHz	1.7090 GHz	1.000 MHz	1.708894000 GHz	-23.61 dBm	-10.61 dB
2	2	1.7090 GHz	1.7100 GHz	15.00 kHz	1.709994000 GHz	-34.13 dBm	-21.13 dB
3	3	1.7100 GHz	1.7114 GHz	15.00 kHz	1.711073800 GHz	3.385 dBm	-26.61 dB

Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7536 GHz	1.7550 GHz	15.00 kHz	1.753833800 GHz	12.90 dBm	-17.10 dB
2	2	1.7550 GHz	1.7560 GHz	15.00 kHz	1.755638000 GHz	-42.85 dBm	-29.85 dB
3	3	1.7560 GHz	1.7564 GHz	1.000 MHz	1.756019600 GHz	-30.76 dBm	-17.76 dB


Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=1 Position=#Max




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#Max




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Band4 16QAM BW=3MHz Channel=19965 RB Size=1 Position=#0



Band4 16QAM BW=3MHz Channel=19965 RB Size=1 Position=#Max




Band4 16QAM BW=3MHz Channel=19965 RB Size=15 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude		Δ Limit
1	1	1.7070 GHz	1.7090 GHz	1.000 MHz	1.708750000 GHz	-22.86 dBm		-9.861 dB
2	2	1.7090 GHz	1.7100 GHz	30.00 kHz	1.709998000 GHz	-28.47 dBm		-15.47 dB
3	3	1.7100 GHz	1.7130 GHz	30.00 kHz	1.711815000 GHz	2.777 dBm		-27.22 dB

Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude		Δ Limit
1	1	1.7520 GHz	1.7550 GHz	30.00 kHz	1.752279000 GHz	15.75 dBm		-14.25 dB
2	2	1.7550 GHz	1.7560 GHz	30.00 kHz	1.755004000 GHz	-30.84 dBm		-17.84 dB
3	3	1.7560 GHz	1.7580 GHz	1.000 MHz	1.757222000 GHz	-29.75 dBm		-16.75 dB


Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#Max




Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 16QAM BW=3MHz Channel=20385 RB Size=1 Position=#0




Band4 16QAM BW=3MHz Channel=20385 RB Size=1 Position=#Max




Band4 16QAM BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#Max




Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 16QAM BW=5MHz Channel=19975 RB Size=1 Position=#0



Band4 16QAM BW=5MHz Channel=19975 RB Size=1 Position=#Max




Band4 16QAM BW=5MHz Channel=19975 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7050 GHz	1.7090 GHz	1.000 MHz	1.708908000 GHz	-26.22 dBm	-13.22 dB
2	2	1.7090 GHz	1.7100 GHz	51.00 kHz	1.709989000 GHz	-32.74 dBm	-19.74 dB
3	3	1.7100 GHz	1.7150 GHz	51.00 kHz	1.710765000 GHz	2.748 dBm	-27.25 dB

Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7500 GHz	1.7550 GHz	51.00 kHz	1.750350000 GHz	18.16 dBm	-11.84 dB
2	2	1.7550 GHz	1.7560 GHz	51.00 kHz	1.755012000 GHz	-39.25 dBm	-26.25 dB
3	3	1.7560 GHz	1.7600 GHz	1.000 MHz	1.759128000 GHz	-30.26 dBm	-17.26 dB


Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#Max




Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 16QAM BW=5MHz Channel=20375 RB Size=1 Position=#0




Band4 16QAM BW=5MHz Channel=20375 RB Size=1 Position=#Max




Band4 16QAM BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#0




Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#Max




Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0




Band4 16QAM BW=10MHz Channel=20000 RB Size=1 Position=#0



Band4 16QAM BW=10MHz Channel=20000 RB Size=1 Position=#Max




Band4 16QAM BW=10MHz Channel=20000 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7000 GHz	1.7090 GHz	1.000 MHz	1.708730000 GHz	-27.97 dBm	-14.97 dB
2	2	1.7090 GHz	1.7100 GHz	100.0 kHz	1.709971000 GHz	-34.44 dBm	-21.44 dB
3	3	1.7100 GHz	1.7200 GHz	100.0 kHz	1.718400000 GHz	1.598 dBm	-28.40 dB

Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7450 GHz	1.7550 GHz	100.0 kHz	1.745570000 GHz	20.20 dBm	-9.802 dB
2	2	1.7550 GHz	1.7560 GHz	100.0 kHz	1.755009000 GHz	-41.69 dBm	-28.69 dB
3	3	1.7560 GHz	1.7650 GHz	1.000 MHz	1.763164000 GHz	-31.18 dBm	-18.18 dB


Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#Max




Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 16QAM BW=10MHz Channel=20350 RB Size=1 Position=#0




Band4 16QAM BW=10MHz Channel=20350 RB Size=1 Position=#Max




Band4 16QAM BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#Max




Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0




Band4 16QAM BW=15MHz Channel=20025 RB Size=1 Position=#0



Band4 16QAM BW=15MHz Channel=20025 RB Size=1 Position=#Max




Band4 16QAM BW=15MHz Channel=20025 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.6950 GHz	1.7090 GHz	1.000 MHz	1.708846000 GHz	-29.14 dBm	-16.14 dB
2	2	1.7090 GHz	1.7100 GHz	150.0 kHz	1.709977000 GHz	-32.56 dBm	-19.56 dB
3	3	1.7100 GHz	1.7250 GHz	150.0 kHz	1.711230000 GHz	1.363 dBm	-28.64 dB

Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7400 GHz	1.7550 GHz	150.0 kHz	1.740825000 GHz	21.37 dBm	-8.632 dB
2	2	1.7550 GHz	1.7560 GHz	150.0 kHz	1.755007000 GHz	-43.63 dBm	-30.63 dB
3	3	1.7560 GHz	1.7700 GHz	1.000 MHz	1.767536000 GHz	-32.16 dBm	-19.16 dB

Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#Max



Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 16QAM BW=15MHz Channel=20325 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7400 GHz	1.7550 GHz	150.0 kHz	1.740795000 GHz	21.40 dBm	-8.597 dB
2	2	1.7550 GHz	1.7560 GHz	150.0 kHz	1.755015000 GHz	-42.17 dBm	-29.17 dB
3	3	1.7560 GHz	1.7700 GHz	1.000 MHz	1.767634000 GHz	-31.88 dBm	-18.88 dB

Band4 16QAM BW=15MHz Channel=20325 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7400 GHz	1.7550 GHz	150.0 kHz	1.754160000 GHz	21.20 dBm	-8.796 dB
2	2	1.7550 GHz	1.7560 GHz	150.0 kHz	1.755026000 GHz	-21.69 dBm	-8.694 dB
3	3	1.7560 GHz	1.7700 GHz	1.000 MHz	1.756182000 GHz	-30.96 dBm	-17.96 dB

Band4 16QAM BW=15MHz Channel=20325 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7400 GHz	1.7550 GHz	150.0 kHz	1.750980000 GHz	1.638 dBm	-28.36 dB
2	2	1.7550 GHz	1.7560 GHz	150.0 kHz	1.755018000 GHz	-34.12 dBm	-21.12 dB
3	3	1.7560 GHz	1.7700 GHz	1.000 MHz	1.756812000 GHz	-30.62 dBm	-17.62 dB

Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.6900 GHz	1.7090 GHz	1.000 MHz	1.705504000 GHz	-35.76 dBm	-22.76 dB
2	2	1.7090 GHz	1.7100 GHz	200.0 kHz	1.709970000 GHz	-23.76 dBm	-10.76 dB
3	3	1.7100 GHz	1.7300 GHz	200.0 kHz	1.711080000 GHz	22.84 dBm	-7.160 dB


Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#Max




Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 16QAM BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 16QAM BW=20MHz Channel=20050 RB Size=1 Position=#Max




Band4 16QAM BW=20MHz Channel=20050 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.6900 GHz	1.7090 GHz	1.000 MHz	1.708981000 GHz	-30.55 dBm	-17.55 dB
2	2	1.7090 GHz	1.7100 GHz	200.0 kHz	1.709985000 GHz	-34.51 dBm	-21.51 dB
3	3	1.7100 GHz	1.7300 GHz	200.0 kHz	1.711840000 GHz	1.850 dBm	-28.15 dB

Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	1.7350 GHz	1.7550 GHz	200.0 kHz	1.736100000 GHz	21.97 dBm	-8.027 dB
2	2	1.7550 GHz	1.7560 GHz	200.0 kHz	1.755427000 GHz	-26.60 dBm	-13.60 dB
3	3	1.7560 GHz	1.7750 GHz	1.000 MHz	1.771884000 GHz	-31.39 dBm	-18.39 dB


Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#Max




Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




Band4 16QAM BW=20MHz Channel=20300 RB Size=1 Position=#0




Band4 16QAM BW=20MHz Channel=20300 RB Size=1 Position=#Max




Band4 16QAM BW=20MHz Channel=20300 RB Size=100 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 64QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	822.60 MHz	823.00 MHz	1.000 MHz	822.965200 MHz	-33.28 dBm	-20.28 dB
2	2	823.00 MHz	824.00 MHz	15.00 kHz	823.973000 MHz	-35.33 dBm	-22.33 dB
3	3	824.00 MHz	825.40 MHz	15.00 kHz	824.264600 MHz	11.94 dBm	-18.06 dB

Band5 64QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	822.60 MHz	823.00 MHz	1.000 MHz	822.980800 MHz	-29.91 dBm	-16.91 dB
2	2	823.00 MHz	824.00 MHz	15.00 kHz	823.401000 MHz	-44.80 dBm	-31.80 dB
3	3	824.00 MHz	825.40 MHz	15.00 kHz	825.166200 MHz	11.87 dBm	-18.13 dB


Band5 64QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 64QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	847.60 MHz	849.00 MHz	15.00 kHz	847.812800 MHz	11.51 dBm	-18.49 dB
2	2	849.00 MHz	850.00 MHz	15.00 kHz	849.639000 MHz	-41.72 dBm	-28.72 dB
3	3	850.00 MHz	850.40 MHz	1.000 MHz	850.006800 MHz	-27.33 dBm	-14.33 dB

Band5 64QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	847.60 MHz	849.00 MHz	15.00 kHz	848.832000 MHz	11.16 dBm	-18.84 dB
2	2	849.00 MHz	850.00 MHz	15.00 kHz	849.016000 MHz	-36.09 dBm	-23.09 dB
3	3	850.00 MHz	850.40 MHz	1.000 MHz	850.348400 MHz	-30.84 dBm	-17.84 dB


Band5 64QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 64QAM BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 64QAM BW=3MHz Channel=20415 RB Size=1 Position=#Max




Band5 64QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	821.00 MHz	823.00 MHz	1.000 MHz	822.944000 MHz	-24.10 dBm	-11.10 dB
2	2	823.00 MHz	824.00 MHz	30.00 kHz	823.994000 MHz	-28.74 dBm	-15.74 dB
3	3	824.00 MHz	827.00 MHz	30.00 kHz	826.115000 MHz	2.243 dBm	-27.76 dB

Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	846.00 MHz	849.00 MHz	30.00 kHz	846.204000 MHz	15.75 dBm	-14.25 dB
2	2	849.00 MHz	850.00 MHz	30.00 kHz	849.002000 MHz	-30.84 dBm	-17.84 dB
3	3	850.00 MHz	852.00 MHz	1.000 MHz	851.312000 MHz	-29.81 dBm	-16.81 dB


Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#Max




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 64QAM BW=3MHz Channel=20635 RB Size=1 Position=#0




Band5 64QAM BW=3MHz Channel=20635 RB Size=1 Position=#Max




Band5 64QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 64QAM BW=5MHz Channel=20425 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	819.00 MHz	823.00 MHz	1.000 MHz	822.944000 MHz	-34.66 dBm	-21.66 dB
2	2	823.00 MHz	824.00 MHz	51.00 kHz	823.987000 MHz	-23.35 dBm	-10.35 dB
3	3	824.00 MHz	829.00 MHz	51.00 kHz	824.365000 MHz	16.95 dBm	-13.05 dB

Band5 64QAM BW=5MHz Channel=20425 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	819.00 MHz	823.00 MHz	1.000 MHz	820.236000 MHz	-29.14 dBm	-16.14 dB
2	2	823.00 MHz	824.00 MHz	51.00 kHz	823.993000 MHz	-40.33 dBm	-27.33 dB
3	3	824.00 MHz	829.00 MHz	51.00 kHz	828.695000 MHz	16.82 dBm	-13.18 dB


Band5 64QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	844.00 MHz	849.00 MHz	51.00 kHz	848.630000 MHz	17.69 dBm	-12.31 dB
2	2	849.00 MHz	850.00 MHz	51.00 kHz	849.005000 MHz	-20.48 dBm	-7.484 dB
3	3	850.00 MHz	854.00 MHz	1.000 MHz	850.188000 MHz	-38.41 dBm	-25.41 dB

Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	844.00 MHz	849.00 MHz	51.00 kHz	846.745000 MHz	3.735 dBm	-26.27 dB
2	2	849.00 MHz	850.00 MHz	51.00 kHz	849.001000 MHz	-31.49 dBm	-18.49 dB
3	3	850.00 MHz	854.00 MHz	1.000 MHz	850.116000 MHz	-26.02 dBm	-13.02 dB


Band5 64QAM BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 64QAM BW=5MHz Channel=20625 RB Size=1 Position=#Max




Band5 64QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	844.00 MHz	849.00 MHz	51.00 kHz	847.455000 MHz	2.513 dBm	-27.49 dB
2	2	849.00 MHz	850.00 MHz	51.00 kHz	849.006000 MHz	-32.46 dBm	-19.46 dB
3	3	850.00 MHz	854.00 MHz	1.000 MHz	850.212000 MHz	-26.62 dBm	-13.62 dB

Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	814.00 MHz	823.00 MHz	1.000 MHz	821.236000 MHz	-31.32 dBm	-18.32 dB
2	2	823.00 MHz	824.00 MHz	100.0 kHz	823.835000 MHz	-34.25 dBm	-21.25 dB
3	3	824.00 MHz	834.00 MHz	100.0 kHz	825.960000 MHz	5.409 dBm	-24.59 dB

Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	814.00 MHz	823.00 MHz	1.000 MHz	822.946000 MHz	-35.19 dBm	-22.19 dB
2	2	823.00 MHz	824.00 MHz	100.0 kHz	823.975000 MHz	-41.20 dBm	-28.20 dB
3	3	824.00 MHz	834.00 MHz	100.0 kHz	833.390000 MHz	19.95 dBm	-10.05 dB

Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	814.00 MHz	823.00 MHz	1.000 MHz	822.946000 MHz	-25.98 dBm	-12.98 dB
2	2	823.00 MHz	824.00 MHz	100.0 kHz	823.988000 MHz	-32.85 dBm	-19.85 dB
3	3	824.00 MHz	834.00 MHz	100.0 kHz	832.240000 MHz	3.010 dBm	-26.99 dB


Band5 64QAM BW=10MHz Channel=20450 RB Size=1 Position=#0




Band5 64QAM BW=10MHz Channel=20450 RB Size=1 Position=#Max




Band5 64QAM BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	839.00 MHz	849.00 MHz	100.0 kHz	848.400000 MHz	19.54 dBm	-10.46 dB
2	2	849.00 MHz	850.00 MHz	100.0 kHz	849.009000 MHz	-23.73 dBm	-10.73 dB
3	3	850.00 MHz	859.00 MHz	1.000 MHz	850.189000 MHz	-37.39 dBm	-24.39 dB

Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	839.00 MHz	849.00 MHz	100.0 kHz	845.970000 MHz	2.201 dBm	-27.80 dB
2	2	849.00 MHz	850.00 MHz	100.0 kHz	849.048000 MHz	-35.13 dBm	-22.13 dB
3	3	850.00 MHz	859.00 MHz	1.000 MHz	850.045000 MHz	-28.88 dBm	-15.88 dB

Band5 64QAM BW=10MHz Channel=20600 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	839.00 MHz	849.00 MHz	100.0 kHz	839.560000 MHz	18.23 dBm	-11.77 dB
2	2	849.00 MHz	850.00 MHz	100.0 kHz	849.002000 MHz	-42.09 dBm	-29.09 dB
3	3	850.00 MHz	859.00 MHz	1.000 MHz	857.488000 MHz	-39.29 dBm	-26.29 dB

Band5 64QAM BW=10MHz Channel=20600 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	839.00 MHz	849.00 MHz	100.0 kHz	848.410000 MHz	18.17 dBm	-11.83 dB
2	2	849.00 MHz	850.00 MHz	100.0 kHz	849.025000 MHz	-25.62 dBm	-12.62 dB
3	3	850.00 MHz	859.00 MHz	1.000 MHz	850.027000 MHz	-40.49 dBm	-27.49 dB

Band5 64QAM BW=10MHz Channel=20600 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	839.00 MHz	849.00 MHz	100.0 kHz	846.610000 MHz	0.844 dBm	-29.16 dB
2	2	849.00 MHz	850.00 MHz	100.0 kHz	849.005000 MHz	-35.50 dBm	-22.50 dB
3	3	850.00 MHz	859.00 MHz	1.000 MHz	850.045000 MHz	-30.39 dBm	-17.39 dB

Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4940 GHz	1.000 MHz	2.490257000 GHz	-41.67 dBm	-16.67 dB
2	2	2.4940 GHz	2.4960 GHz	1.000 MHz	2.495726000 GHz	-38.36 dBm	-25.36 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498469000 GHz	-30.75 dBm	-20.75 dB
4	4	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499979000 GHz	-17.51 dBm	-7.506 dB
5	5	2.5000 GHz	2.5100 GHz	100.0 kHz	2.500310000 GHz	19.84 dBm	-10.16 dB

Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4940 GHz	1.000 MHz	2.481783000 GHz	-41.86 dBm	-16.86 dB
2	2	2.4940 GHz	2.4960 GHz	1.000 MHz	2.495764000 GHz	-40.60 dBm	-27.60 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498328000 GHz	-37.95 dBm	-27.95 dB
4	4	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499986000 GHz	-35.15 dBm	-25.15 dB
5	5	2.5000 GHz	2.5100 GHz	100.0 kHz	2.504670000 GHz	19.03 dBm	-10.97 dB

Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4940 GHz	1.000 MHz	2.493886000 GHz	-39.14 dBm	-14.14 dB
2	2	2.4940 GHz	2.4960 GHz	1.000 MHz	2.495994000 GHz	-31.26 dBm	-18.26 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498742000 GHz	-27.96 dBm	-17.96 dB
4	4	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499995000 GHz	-29.14 dBm	-19.14 dB
5	5	2.5000 GHz	2.5100 GHz	100.0 kHz	2.502940000 GHz	4.388 dBm	-25.61 dB

Band7 16QAM BW=5MHz Channel=20775 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4940 GHz	1.000 MHz	2.491720000 GHz	-41.91 dBm	-16.91 dB
2	2	2.4940 GHz	2.4960 GHz	1.000 MHz	2.495664000 GHz	-35.51 dBm	-22.51 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498991000 GHz	-33.29 dBm	-23.29 dB
4	4	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499986000 GHz	-17.49 dBm	-7.490 dB
5	5	2.5000 GHz	2.5100 GHz	100.0 kHz	2.500340000 GHz	18.65 dBm	-11.35 dB

Band7 16QAM BW=5MHz Channel=20775 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4940 GHz	1.000 MHz	2.491036000 GHz	-41.83 dBm	-16.83 dB
2	2	2.4940 GHz	2.4960 GHz	1.000 MHz	2.495886000 GHz	-35.59 dBm	-22.59 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496264000 GHz	-35.94 dBm	-25.94 dB
4	4	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499985000 GHz	-36.88 dBm	-26.88 dB
5	5	2.5000 GHz	2.5100 GHz	100.0 kHz	2.504630000 GHz	18.67 dBm	-11.33 dB

Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4940 GHz	1.000 MHz	2.493734000 GHz	-38.78 dBm	-13.78 dB
2	2	2.4940 GHz	2.4960 GHz	1.000 MHz	2.495810000 GHz	-33.37 dBm	-20.37 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498931000 GHz	-27.87 dBm	-17.87 dB
4	4	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499981000 GHz	-30.17 dBm	-20.17 dB
5	5	2.5000 GHz	2.5100 GHz	100.0 kHz	2.502380000 GHz	3.757 dBm	-26.24 dB

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.565310000 GHz	18.63 dBm	-11.37 dB
2	2	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570017000 GHz	-37.38 dBm	-27.38 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.573760000 GHz	-38.31 dBm	-28.31 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575167000 GHz	-41.85 dBm	-28.85 dB
5	5	2.5760 GHz	2.5950 GHz	1.000 MHz	2.578052000 GHz	-41.86 dBm	-16.86 dB

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.569630000 GHz	18.76 dBm	-11.24 dB
2	2	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570004000 GHz	-17.64 dBm	-7.638 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571028000 GHz	-35.84 dBm	-25.84 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575058000 GHz	-40.61 dBm	-27.61 dB
5	5	2.5760 GHz	2.5950 GHz	1.000 MHz	2.578527000 GHz	-41.59 dBm	-16.59 dB

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.567720000 GHz	4.101 dBm	-25.90 dB
2	2	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570007000 GHz	-30.37 dBm	-20.37 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571048000 GHz	-29.52 dBm	-19.52 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575016000 GHz	-36.53 dBm	-23.53 dB
5	5	2.5760 GHz	2.5950 GHz	1.000 MHz	2.576114000 GHz	-40.10 dBm	-15.10 dB

Band7 16QAM BW=5MHz Channel=21425 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.565340000 GHz	17.49 dBm	-12.51 dB
2	2	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570008000 GHz	-39.16 dBm	-29.16 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.573820000 GHz	-38.46 dBm	-28.46 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575042000 GHz	-41.81 dBm	-28.81 dB
5	5	2.5760 GHz	2.5950 GHz	1.000 MHz	2.590364000 GHz	-41.97 dBm	-16.97 dB

Band7 16QAM BW=5MHz Channel=21425 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.569630000 GHz	17.74 dBm	-12.26 dB
2	2	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570011000 GHz	-17.65 dBm	-7.651 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571516000 GHz	-33.90 dBm	-23.90 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575164000 GHz	-41.59 dBm	-28.59 dB
5	5	2.5760 GHz	2.5950 GHz	1.000 MHz	2.578508000 GHz	-41.70 dBm	-16.70 dB

Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	100.0 kHz	2.565950000 GHz	3.359 dBm	-26.64 dB
2	2	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570011000 GHz	-31.28 dBm	-21.28 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571096000 GHz	-29.61 dBm	-19.61 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575260000 GHz	-37.78 dBm	-24.78 dB
5	5	2.5760 GHz	2.5950 GHz	1.000 MHz	2.576019000 GHz	-40.72 dBm	-15.72 dB

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.487307000 GHz	-41.83 dBm	-16.83 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495879000 GHz	-37.37 dBm	-24.37 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496012000 GHz	-36.40 dBm	-26.40 dB
4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499980000 GHz	-19.02 dBm	-9.017 dB
5	5	2.5000 GHz	2.5125 GHz	200.0 kHz	2.500537500 GHz	22.00 dBm	-7.996 dB

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.477681500 GHz	-42.02 dBm	-17.02 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.491919000 GHz	-33.47 dBm	-20.47 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496171000 GHz	-36.63 dBm	-26.63 dB
4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499962000 GHz	-38.85 dBm	-28.85 dB
5	5	2.5000 GHz	2.5125 GHz	200.0 kHz	2.509400000 GHz	21.23 dBm	-8.773 dB

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.490438000 GHz	-37.87 dBm	-12.87 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495901000 GHz	-33.22 dBm	-20.22 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498964000 GHz	-29.97 dBm	-19.97 dB
4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499993000 GHz	-30.71 dBm	-20.71 dB
5	5	2.5000 GHz	2.5125 GHz	200.0 kHz	2.508787500 GHz	5.053 dBm	-24.95 dB

Band7 16QAM BW=10MHz Channel=20800 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.482843000 GHz	-41.13 dBm	-16.13 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495939500 GHz	-33.78 dBm	-20.78 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496720000 GHz	-32.01 dBm	-22.01 dB
4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499996000 GHz	-20.09 dBm	-10.09 dB
5	5	2.5000 GHz	2.5125 GHz	200.0 kHz	2.500575000 GHz	22.66 dBm	-7.343 dB

Band7 16QAM BW=10MHz Channel=20800 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.489260000 GHz	-41.93 dBm	-16.93 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.491847500 GHz	-32.81 dBm	-19.81 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496102000 GHz	-36.96 dBm	-26.96 dB
4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499964000 GHz	-37.76 dBm	-27.76 dB
5	5	2.5000 GHz	2.5125 GHz	200.0 kHz	2.509375000 GHz	21.18 dBm	-8.819 dB

Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.489771500 GHz	-39.01 dBm	-14.01 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495802000 GHz	-32.88 dBm	-19.88 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498811000 GHz	-30.42 dBm	-20.42 dB
4	4	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499993000 GHz	-31.91 dBm	-21.91 dB
5	5	2.5000 GHz	2.5125 GHz	200.0 kHz	2.508400000 GHz	4.625 dBm	-25.37 dB

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5700 GHz	200.0 kHz	2.560575000 GHz	20.74 dBm	-9.263 dB
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570014000 GHz	-38.52 dBm	-28.52 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.573764000 GHz	-38.90 dBm	-28.90 dB
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.578490000 GHz	-36.06 dBm	-23.06 dB
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.583360000 GHz	-42.08 dBm	-17.08 dB

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5700 GHz	200.0 kHz	2.569375000 GHz	21.44 dBm	-8.561 dB
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570011000 GHz	-18.36 dBm	-8.363 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571452000 GHz	-33.45 dBm	-23.45 dB
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.578105000 GHz	-35.20 dBm	-22.20 dB
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.583300000 GHz	-41.96 dBm	-16.96 dB

Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5700 GHz	200.0 kHz	2.562375000 GHz	4.570 dBm	-25.43 dB
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570019000 GHz	-33.16 dBm	-23.16 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571044000 GHz	-31.80 dBm	-21.80 dB
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.575215000 GHz	-35.14 dBm	-22.14 dB
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.580435000 GHz	-39.41 dBm	-14.41 dB

Band7 16QAM BW=10MHz Channel=21400 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5700 GHz	200.0 kHz	2.560550000 GHz	20.85 dBm	-9.155 dB
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570002000 GHz	-36.97 dBm	-26.97 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.573760000 GHz	-38.57 dBm	-28.57 dB
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.578425000 GHz	-35.45 dBm	-22.45 dB
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.592090000 GHz	-41.91 dBm	-16.91 dB

Band7 16QAM BW=10MHz Channel=21400 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5700 GHz	200.0 kHz	2.569387500 GHz	20.99 dBm	-9.008 dB
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570018000 GHz	-18.67 dBm	-8.674 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571052000 GHz	-28.59 dBm	-18.59 dB
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.578095000 GHz	-32.31 dBm	-19.31 dB
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.588805000 GHz	-41.77 dBm	-16.77 dB

Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5575 GHz	2.5700 GHz	200.0 kHz	2.562125000 GHz	3.653 dBm	-26.35 dB
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570007000 GHz	-31.81 dBm	-21.81 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571128000 GHz	-32.15 dBm	-22.15 dB
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.575125000 GHz	-35.66 dBm	-22.66 dB
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.580015000 GHz	-40.41 dBm	-15.41 dB

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.487431000 GHz	-39.40 dBm	-14.40 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494509500 GHz	-36.06 dBm	-23.06 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498928000 GHz	-37.97 dBm	-27.97 dB
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499996000 GHz	-17.35 dBm	-7.350 dB
5	5	2.5000 GHz	2.5188 GHz	300.0 kHz	2.500881250 GHz	22.59 dBm	-7.409 dB

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.487741000 GHz	-33.51 dBm	-8.507 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494020000 GHz	-36.69 dBm	-23.69 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496432000 GHz	-36.25 dBm	-26.25 dB
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499952000 GHz	-41.04 dBm	-31.04 dB
5	5	2.5000 GHz	2.5188 GHz	300.0 kHz	2.514212500 GHz	20.80 dBm	-9.200 dB

Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.488438500 GHz	-37.24 dBm	-12.24 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495587500 GHz	-39.38 dBm	-26.38 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498631000 GHz	-33.34 dBm	-23.34 dB
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499994000 GHz	-29.72 dBm	-19.72 dB
5	5	2.5000 GHz	2.5188 GHz	300.0 kHz	2.506225000 GHz	-46.88 dBm	-76.88 dB

Band7 16QAM BW=15MHz Channel=20825 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.489508000 GHz	-42.05 dBm	-17.05 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495714000 GHz	-41.95 dBm	-28.95 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498322000 GHz	-41.82 dBm	-31.82 dB
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499291000 GHz	-45.87 dBm	-35.87 dB
5	5	2.5000 GHz	2.5188 GHz	300.0 kHz	2.513518750 GHz	-46.84 dBm	-76.84 dB

Band7 16QAM BW=15MHz Channel=20825 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.487446500 GHz	-31.08 dBm	-6.082 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.494080500 GHz	-36.93 dBm	-23.93 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.497659000 GHz	-41.84 dBm	-31.84 dB
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499986000 GHz	-39.77 dBm	-29.77 dB
5	5	2.5000 GHz	2.5188 GHz	300.0 kHz	2.514156250 GHz	20.51 dBm	-9.493 dB

Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.490159000 GHz	-37.68 dBm	-12.68 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495664500 GHz	-33.64 dBm	-20.64 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498625000 GHz	-31.72 dBm	-21.72 dB
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499996000 GHz	-30.00 dBm	-20.00 dB
5	5	2.5000 GHz	2.5188 GHz	300.0 kHz	2.503600000 GHz	3.982 dBm	-26.02 dB

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5700 GHz	300.0 kHz	2.555843750 GHz	20.79 dBm	-9.206 dB
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.570036000 GHz	-41.71 dBm	-31.71 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572300000 GHz	-41.78 dBm	-31.78 dB
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.582450000 GHz	-37.25 dBm	-24.25 dB
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.586180000 GHz	-41.91 dBm	-16.91 dB

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5700 GHz	300.0 kHz	2.569156250 GHz	21.22 dBm	-8.784 dB
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.570043000 GHz	-18.60 dBm	-8.595 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571316000 GHz	-38.58 dBm	-28.58 dB
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.582440000 GHz	-38.23 dBm	-25.23 dB
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.588520000 GHz	-41.84 dBm	-16.84 dB

Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5700 GHz	300.0 kHz	2.558075000 GHz	4.385 dBm	-25.62 dB
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.570029000 GHz	-32.34 dBm	-22.34 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571112000 GHz	-34.06 dBm	-24.06 dB
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575090000 GHz	-36.47 dBm	-23.47 dB
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.585460000 GHz	-41.53 dBm	-16.53 dB

Band7 16QAM BW=15MHz Channel=21375 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5700 GHz	300.0 kHz	2.555881250 GHz	21.34 dBm	-8.663 dB
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.570023000 GHz	-41.11 dBm	-31.11 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571572000 GHz	-41.76 dBm	-31.76 dB
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.582350000 GHz	-36.71 dBm	-23.71 dB
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.594090000 GHz	-41.97 dBm	-16.97 dB

Band7 16QAM BW=15MHz Channel=21375 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5700 GHz	300.0 kHz	2.569175000 GHz	21.72 dBm	-8.284 dB
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.570001000 GHz	-17.81 dBm	-7.812 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571024000 GHz	-33.35 dBm	-23.35 dB
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.582720000 GHz	-36.49 dBm	-23.49 dB
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.590970000 GHz	-41.95 dBm	-16.95 dB

Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5513 GHz	2.5700 GHz	300.0 kHz	2.557512500 GHz	3.292 dBm	-26.71 dB
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.570004000 GHz	-31.48 dBm	-21.48 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571016000 GHz	-34.92 dBm	-24.92 dB
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575010000 GHz	-36.91 dBm	-23.91 dB
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.586480000 GHz	-41.80 dBm	-16.80 dB

Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.483556000 GHz	-37.56 dBm	-12.56 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492639500 GHz	-34.85 dBm	-21.85 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.497821000 GHz	-36.80 dBm	-26.80 dB
4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499995000 GHz	-20.20 dBm	-10.20 dB
5	5	2.5000 GHz	2.5250 GHz	430.0 kHz	2.501150000 GHz	22.87 dBm	-7.135 dB

Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.483339000 GHz	-30.05 dBm	-5.045 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492150000 GHz	-34.58 dBm	-21.58 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498370000 GHz	-41.42 dBm	-31.42 dB
4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499971000 GHz	-38.99 dBm	-28.99 dB
5	5	2.5000 GHz	2.5250 GHz	430.0 kHz	2.518875000 GHz	20.82 dBm	-9.184 dB

Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.490314000 GHz	-36.87 dBm	-11.87 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495659000 GHz	-34.80 dBm	-21.80 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498889000 GHz	-33.02 dBm	-23.02 dB
4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499997000 GHz	-31.27 dBm	-21.27 dB
5	5	2.5000 GHz	2.5250 GHz	430.0 kHz	2.518025000 GHz	4.846 dBm	-25.15 dB

Band7 16QAM BW=20MHz Channel=20850 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude		Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.483091000 GHz	-36.03 dBm		-11.03 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495835000 GHz	-27.26 dBm		-14.26 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.496357000 GHz	-25.82 dBm		-15.82 dB
4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499982000 GHz	-20.66 dBm		-10.66 dB
5	5	2.5000 GHz	2.5250 GHz	430.0 kHz	2.501200000 GHz	22.15 dBm		-7.848 dB

Band7 16QAM BW=20MHz Channel=20850 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude		Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.483029000 GHz	-29.84 dBm		-4.836 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.492276500 GHz	-34.57 dBm		-21.57 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498430000 GHz	-40.57 dBm		-30.57 dB
4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499995000 GHz	-39.59 dBm		-29.59 dB
5	5	2.5000 GHz	2.5250 GHz	430.0 kHz	2.518925000 GHz	20.29 dBm		-9.709 dB

Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.490345000 GHz	-37.18 dBm	-12.18 dB
2	2	2.4905 GHz	2.4960 GHz	1.000 MHz	2.495901000 GHz	-34.36 dBm	-21.36 dB
3	3	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498757000 GHz	-32.58 dBm	-22.58 dB
4	4	2.4990 GHz	2.5000 GHz	430.0 kHz	2.499988000 GHz	-32.36 dBm	-22.36 dB
5	5	2.5000 GHz	2.5250 GHz	430.0 kHz	2.516525000 GHz	4.214 dBm	-25.79 dB

Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5700 GHz	430.0 kHz	2.551050000 GHz	21.33 dBm	-8.671 dB
2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570053000 GHz	-40.53 dBm	-30.53 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.573520000 GHz	-41.62 dBm	-31.62 dB
4	4	2.5750 GHz	2.5900 GHz	1.000 MHz	2.577730000 GHz	-35.94 dBm	-22.94 dB
5	5	2.5900 GHz	2.5950 GHz	1.000 MHz	2.593710000 GHz	-42.02 dBm	-17.02 dB

Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#Max




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5700 GHz	430.0 kHz	2.568900000 GHz	21.37 dBm	-8.631 dB
2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570001000 GHz	-19.86 dBm	-9.864 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.573364000 GHz	-36.66 dBm	-26.66 dB
4	4	2.5750 GHz	2.5900 GHz	1.000 MHz	2.577145000 GHz	-36.37 dBm	-23.37 dB
5	5	2.5900 GHz	2.5950 GHz	1.000 MHz	2.590385000 GHz	-41.94 dBm	-16.94 dB

Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5700 GHz	430.0 kHz	2.556250000 GHz	4.336 dBm	-25.66 dB
2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570037000 GHz	-33.85 dBm	-23.85 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571332000 GHz	-34.59 dBm	-24.59 dB
4	4	2.5750 GHz	2.5900 GHz	1.000 MHz	2.575870000 GHz	-36.92 dBm	-23.92 dB
5	5	2.5900 GHz	2.5950 GHz	1.000 MHz	2.593460000 GHz	-41.81 dBm	-16.81 dB

Band7 16QAM BW=20MHz Channel=21350 RB Size=1 Position=#0




Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5700 GHz	430.0 kHz	2.551100000 GHz	20.98 dBm	-9.016 dB
2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570046000 GHz	-40.72 dBm	-30.72 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571336000 GHz	-41.27 dBm	-31.27 dB
4	4	2.5750 GHz	2.5900 GHz	1.000 MHz	2.577850000 GHz	-36.18 dBm	-23.18 dB
5	5	2.5900 GHz	2.5950 GHz	1.000 MHz	2.592700000 GHz	-41.77 dBm	-16.77 dB

Band7 16QAM BW=20MHz Channel=21350 RB Size=1 Position=#Max



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5700 GHz	430.0 kHz	2.569000000 GHz	21.11 dBm	-8.889 dB
2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570008000 GHz	-19.43 dBm	-9.435 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.573728000 GHz	-22.07 dBm	-12.07 dB
4	4	2.5750 GHz	2.5900 GHz	1.000 MHz	2.575645000 GHz	-34.65 dBm	-21.65 dB
5	5	2.5900 GHz	2.5950 GHz	1.000 MHz	2.592775000 GHz	-42.04 dBm	-17.04 dB

Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5450 GHz	2.5700 GHz	430.0 kHz	2.553675000 GHz	3.589 dBm	-26.41 dB
2	2	2.5700 GHz	2.5710 GHz	430.0 kHz	2.570023000 GHz	-34.17 dBm	-24.17 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571308000 GHz	-35.81 dBm	-25.81 dB
4	4	2.5750 GHz	2.5900 GHz	1.000 MHz	2.575255000 GHz	-37.73 dBm	-24.73 dB
5	5	2.5900 GHz	2.5950 GHz	1.000 MHz	2.594220000 GHz	-41.75 dBm	-16.75 dB

06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	3587.50	-45.14	-13	PASS
Band12	1.4	23017	6	#0	QPSK	3520.00	-45.48	-13	PASS
Band12	1.4	23017	1	#0	16QAM	3038.50	-45.49	-13	PASS
Band12	1.4	23017	6	#0	16QAM	6903.10	-45.03	-13	PASS
Band12	1.4	23095	1	#0	QPSK	3165.40	-44.77	-13	PASS
Band12	1.4	23095	6	#0	QPSK	2974.60	-45.52	-13	PASS
Band12	1.4	23095	1	#0	16QAM	1897.30	-41.93	-13	PASS
Band12	1.4	23095	6	#0	16QAM	3086.20	-45.67	-13	PASS
Band12	1.4	23173	1	#0	QPSK	3131.20	-45.24	-13	PASS
Band12	1.4	23173	6	#0	QPSK	2887.30	-45.22	-13	PASS
Band12	1.4	23173	1	#0	16QAM	2638.00	-45.36	-13	PASS
Band12	1.4	23173	6	#0	16QAM	3134.80	-45.92	-13	PASS
Band12	3	23025	1	#0	QPSK	3145.60	-45.31	-13	PASS
Band12	3	23025	15	#0	QPSK	3592.90	-45.13	-13	PASS
Band12	3	23025	1	#0	16QAM	6793.30	-44.96	-13	PASS
Band12	3	23025	15	#0	16QAM	3012.40	-45.92	-13	PASS
Band12	3	23095	1	#0	QPSK	3235.60	-45.23	-13	PASS
Band12	3	23095	15	#0	QPSK	3427.30	-45.37	-13	PASS
Band12	3	23095	1	#0	16QAM	1891.90	-45.05	-13	PASS
Band12	3	23095	15	#0	16QAM	3168.10	-45.13	-13	PASS

Band12	3	23165	1	#0	QPSK	3055.60	-45.13	-13	PASS
Band12	3	23165	15	#0	QPSK	3287.80	-45.54	-13	PASS
Band12	3	23165	1	#0	16QAM	2534.50	-44.73	-13	PASS
Band12	3	23165	15	#0	16QAM	6076.90	-44.83	-13	PASS
Band12	5	23035	1	#0	QPSK	3013.30	-45.33	-13	PASS
Band12	5	23035	25	#0	QPSK	6976.00	-44.53	-13	PASS
Band12	5	23035	1	#0	16QAM	3178.00	-44.93	-13	PASS
Band12	5	23035	25	#0	16QAM	3508.30	-45.34	-13	PASS
Band12	5	23095	1	#0	QPSK	3281.50	-44.54	-13	PASS
Band12	5	23095	25	#0	QPSK	3043.00	-44.94	-13	PASS
Band12	5	23095	1	#0	16QAM	3162.70	-45.45	-13	PASS
Band12	5	23095	25	#0	16QAM	3038.50	-45.32	-13	PASS
Band12	5	23155	1	#0	QPSK	3192.40	-45.18	-13	PASS
Band12	5	23155	25	#0	QPSK	3024.10	-45.05	-13	PASS
Band12	5	23155	1	#0	16QAM	3172.60	-44.94	-13	PASS
Band12	5	23155	25	#0	16QAM	3011.50	-45.50	-13	PASS
Band12	10	23060	1	#0	QPSK	3169.90	-44.89	-13	PASS
Band12	10	23060	50	#0	QPSK	3259.90	-45.53	-13	PASS
Band12	10	23060	1	#0	16QAM	6116.50	-45.58	-13	PASS
Band12	10	23060	50	#0	16QAM	3250.90	-44.58	-13	PASS
Band12	10	23095	1	#0	QPSK	3152.80	-45.59	-13	PASS
Band12	10	23095	50	#0	QPSK	6891.40	-45.66	-13	PASS
Band12	10	23095	1	#0	16QAM	3075.40	-45.18	-13	PASS
Band12	10	23095	50	#0	16QAM	2547.10	-45.30	-13	PASS
Band12	10	23130	1	#0	QPSK	3133.00	-45.12	-13	PASS
Band12	10	23130	50	#0	QPSK	2988.10	-45.49	-13	PASS
Band12	10	23130	1	#0	16QAM	1891.90	-44.92	-13	PASS
Band12	10	23130	50	#0	16QAM	1898.20	-45.50	-13	PASS
Band17	5	23755	1	#0	QPSK	3020.50	-45.81	-13	PASS
Band17	5	23755	25	#0	QPSK	3122.20	-45.04	-13	PASS
Band17	5	23755	1	#0	16QAM	3416.50	-46.19	-13	PASS
Band17	5	23755	25	#0	16QAM	3023.20	-45.73	-13	PASS
Band17	5	23790	1	#0	QPSK	1899.10	-44.58	-13	PASS
Band17	5	23790	25	#0	QPSK	3286.90	-45.30	-13	PASS
Band17	5	23790	1	#0	16QAM	2661.40	-45.82	-13	PASS
Band17	5	23790	25	#0	16QAM	3174.40	-45.37	-13	PASS
Band17	5	23825	1	#0	QPSK	3014.20	-45.18	-13	PASS
Band17	5	23825	25	#0	QPSK	3581.20	-44.24	-13	PASS
Band17	5	23825	1	#0	16QAM	3279.70	-45.85	-13	PASS
Band17	5	23825	25	#0	16QAM	3147.40	-45.13	-13	PASS
Band17	10	23780	1	#0	QPSK	3154.60	-45.13	-13	PASS
Band17	10	23780	50	#0	QPSK	3147.40	-45.96	-13	PASS
Band17	10	23780	1	#0	16QAM	1898.20	-42.80	-13	PASS
Band17	10	23780	50	#0	16QAM	6888.70	-45.75	-13	PASS

Band17	10	23790	1	#0	QPSK	2588.50	-45.71	-13	PASS
Band17	10	23790	50	#0	QPSK	3574.90	-45.03	-13	PASS
Band17	10	23790	1	#0	16QAM	2634.40	-45.33	-13	PASS
Band17	10	23790	50	#0	16QAM	2662.30	-45.44	-13	PASS
Band17	10	23800	1	#0	QPSK	7410.70	-45.62	-13	PASS
Band17	10	23800	50	#0	QPSK	2285.20	-46.25	-13	PASS
Band17	10	23800	1	#0	16QAM	2620.90	-45.06	-13	PASS
Band17	10	23800	50	#0	16QAM	3325.60	-45.20	-13	PASS
Band2	1.4	18607	1	#0	QPSK	17730.00	-39.79	-13	PASS
Band2	1.4	18607	6	#0	QPSK	17273.00	-39.46	-13	PASS
Band2	1.4	18607	1	#0	16QAM	17758.00	-39.76	-13	PASS
Band2	1.4	18607	6	#0	16QAM	17162.00	-39.39	-13	PASS
Band2	1.4	18900	1	#0	QPSK	18223.00	-38.91	-13	PASS
Band2	1.4	18900	6	#0	QPSK	18161.00	-39.37	-13	PASS
Band2	1.4	18900	1	#0	16QAM	18125.00	-39.09	-13	PASS
Band2	1.4	18900	6	#0	16QAM	17669.00	-39.11	-13	PASS
Band2	1.4	19193	1	#0	QPSK	17674.00	-39.53	-13	PASS
Band2	1.4	19193	6	#0	QPSK	17909.00	-38.57	-13	PASS
Band2	1.4	19193	1	#0	16QAM	18975.00	-39.01	-13	PASS
Band2	1.4	19193	6	#0	16QAM	18625.00	-39.07	-13	PASS
Band2	3	18615	1	#0	QPSK	17731.00	-38.75	-13	PASS
Band2	3	18615	15	#0	QPSK	17750.00	-38.93	-13	PASS
Band2	3	18615	1	#0	16QAM	19999.00	-39.07	-13	PASS
Band2	3	18615	15	#0	16QAM	17813.00	-38.66	-13	PASS
Band2	3	18900	1	#0	QPSK	17806.00	-39.36	-13	PASS
Band2	3	18900	15	#0	QPSK	18182.00	-38.91	-13	PASS
Band2	3	18900	1	#0	16QAM	18588.00	-39.12	-13	PASS
Band2	3	18900	15	#0	16QAM	17700.00	-39.20	-13	PASS
Band2	3	19185	1	#0	QPSK	17781.00	-39.73	-13	PASS
Band2	3	19185	15	#0	QPSK	17169.00	-39.12	-13	PASS
Band2	3	19185	1	#0	16QAM	17716.00	-37.11	-13	PASS
Band2	3	19185	15	#0	16QAM	17794.00	-37.79	-13	PASS
Band2	5	18625	1	#0	QPSK	18079.00	-39.09	-13	PASS
Band2	5	18625	25	#0	QPSK	17177.00	-39.82	-13	PASS
Band2	5	18625	1	#0	16QAM	18455.00	-39.70	-13	PASS
Band2	5	18625	25	#0	16QAM	17643.00	-38.93	-13	PASS
Band2	5	18900	1	#0	QPSK	17286.00	-38.86	-13	PASS
Band2	5	18900	25	#0	QPSK	18780.00	-39.22	-13	PASS
Band2	5	18900	1	#0	16QAM	17747.00	-40.02	-13	PASS
Band2	5	18900	25	#0	16QAM	17678.00	-38.53	-13	PASS
Band2	5	19175	1	#0	QPSK	17794.00	-38.28	-13	PASS
Band2	5	19175	25	#0	QPSK	18176.00	-37.99	-13	PASS
Band2	5	19175	1	#0	16QAM	18074.00	-39.14	-13	PASS
Band2	5	19175	25	#0	16QAM	17622.00	-39.28	-13	PASS

Band2	10	18650	1	#0	QPSK	19239.00	-39.33	-13	PASS
Band2	10	18650	50	#0	QPSK	17648.00	-38.89	-13	PASS
Band2	10	18650	1	#0	16QAM	17803.00	-38.77	-13	PASS
Band2	10	18650	50	#0	16QAM	17029.00	-39.23	-13	PASS
Band2	10	18900	1	#0	QPSK	18140.00	-39.15	-13	PASS
Band2	10	18900	50	#0	QPSK	18870.00	-38.43	-13	PASS
Band2	10	18900	1	#0	16QAM	18389.00	-39.69	-13	PASS
Band2	10	18900	50	#0	16QAM	18161.00	-39.11	-13	PASS
Band2	10	19150	1	#0	QPSK	19026.00	-39.31	-13	PASS
Band2	10	19150	50	#0	QPSK	17204.00	-38.97	-13	PASS
Band2	10	19150	1	#0	16QAM	18154.00	-39.38	-13	PASS
Band2	10	19150	50	#0	16QAM	18005.00	-38.99	-13	PASS
Band2	15	18675	1	#0	QPSK	17624.00	-38.86	-13	PASS
Band2	15	18675	75	#0	QPSK	19370.00	-39.26	-13	PASS
Band2	15	18675	1	#0	16QAM	17221.00	-38.96	-13	PASS
Band2	15	18675	75	#0	16QAM	18126.00	-39.84	-13	PASS
Band2	15	18900	1	#0	QPSK	19029.00	-39.24	-13	PASS
Band2	15	18900	75	#0	QPSK	18494.00	-38.62	-13	PASS
Band2	15	18900	1	#0	16QAM	17928.00	-39.23	-13	PASS
Band2	15	18900	75	#0	16QAM	17807.00	-39.26	-13	PASS
Band2	15	19125	1	#0	QPSK	18068.00	-39.69	-13	PASS
Band2	15	19125	75	#0	QPSK	17264.00	-38.70	-13	PASS
Band2	15	19125	1	#0	16QAM	18534.00	-38.84	-13	PASS
Band2	15	19125	75	#0	16QAM	19037.00	-39.39	-13	PASS
Band2	20	18700	1	#0	QPSK	18182.00	-39.40	-13	PASS
Band2	20	18700	100	#0	QPSK	18081.00	-39.37	-13	PASS
Band2	20	18700	1	#0	16QAM	18895.00	-38.54	-13	PASS
Band2	20	18700	100	#0	16QAM	18124.00	-39.46	-13	PASS
Band2	20	18900	1	#0	QPSK	18145.00	-38.99	-13	PASS
Band2	20	18900	100	#0	QPSK	18561.00	-38.35	-13	PASS
Band2	20	18900	1	#0	16QAM	17196.00	-39.42	-13	PASS
Band2	20	18900	100	#0	16QAM	17630.00	-38.11	-13	PASS
Band2	20	19100	1	#0	QPSK	17785.00	-39.26	-13	PASS
Band2	20	19100	100	#0	QPSK	19003.00	-39.77	-13	PASS
Band2	20	19100	1	#0	16QAM	18039.00	-39.28	-13	PASS
Band2	20	19100	100	#0	16QAM	17197.00	-38.57	-13	PASS
Band38	5	37775	1	#0	QPSK	26867.40	-31.81	-25	PASS
Band38	5	37775	25	#0	QPSK	2538.10	-31.01	-25	PASS
Band38	5	37775	1	#0	16QAM	26826.60	-31.27	-25	PASS
Band38	5	37775	25	#0	16QAM	26758.60	-31.84	-25	PASS
Band38	5	38000	1	#0	QPSK	25427.50	-31.54	-25	PASS
Band38	5	38000	25	#0	QPSK	26617.50	-31.56	-25	PASS
Band38	5	38000	1	#0	16QAM	26745.00	-31.57	-25	PASS
Band38	5	38000	25	#0	16QAM	26173.80	-32.38	-25	PASS

Band38	5	38225	1	#0	QPSK	26721.20	-30.75	-25	PASS
Band38	5	38225	25	#0	QPSK	26501.90	-31.23	-25	PASS
Band38	5	38225	1	#0	16QAM	26889.50	-32.19	-25	PASS
Band38	5	38225	25	#0	16QAM	25555.00	-31.65	-25	PASS
Band38	10	37800	1	#0	QPSK	25228.60	-31.95	-25	PASS
Band38	10	37800	50	#0	QPSK	26920.10	-32.35	-25	PASS
Band38	10	37800	1	#0	16QAM	26835.10	-31.51	-25	PASS
Band38	10	37800	50	#0	16QAM	26588.60	-31.59	-25	PASS
Band38	10	38000	1	#0	QPSK	26065.00	-32.09	-25	PASS
Band38	10	38000	50	#0	QPSK	26892.90	-31.87	-25	PASS
Band38	10	38000	1	#0	16QAM	25653.60	-31.88	-25	PASS
Band38	10	38000	50	#0	16QAM	26478.10	-31.99	-25	PASS
Band38	10	38200	1	#0	QPSK	25680.80	-31.84	-25	PASS
Band38	10	38200	50	#0	QPSK	26794.30	-31.77	-25	PASS
Band38	10	38200	1	#0	16QAM	25679.10	-31.90	-25	PASS
Band38	10	38200	50	#0	16QAM	25699.50	-32.31	-25	PASS
Band38	15	37825	1	#0	QPSK	25624.70	-32.20	-25	PASS
Band38	15	37825	75	#0	QPSK	26500.20	-32.15	-25	PASS
Band38	15	37825	1	#0	16QAM	26467.90	-32.14	-25	PASS
Band38	15	37825	75	#0	16QAM	26857.20	-32.46	-25	PASS
Band38	15	38000	1	#0	QPSK	25267.70	-32.33	-25	PASS
Band38	15	38000	75	#0	QPSK	25220.10	-31.13	-25	PASS
Band38	15	38000	1	#0	16QAM	25573.70	-32.19	-25	PASS
Band38	15	38000	75	#0	16QAM	25655.30	-31.63	-25	PASS
Band38	15	38175	1	#0	QPSK	25702.90	-31.78	-25	PASS
Band38	15	38175	75	#0	QPSK	26678.70	-31.99	-25	PASS
Band38	15	38175	1	#0	16QAM	25653.60	-31.94	-25	PASS
Band38	15	38175	75	#0	16QAM	26797.70	-32.32	-25	PASS
Band38	20	37850	1	#0	QPSK	25701.20	-32.12	-25	PASS
Band38	20	37850	100	#0	QPSK	26634.50	-32.09	-25	PASS
Band38	20	37850	1	#0	16QAM	26989.80	-32.10	-25	PASS
Band38	20	37850	100	#0	16QAM	26950.70	-32.10	-25	PASS
Band38	20	38000	1	#0	QPSK	25534.60	-32.00	-25	PASS
Band38	20	38000	100	#0	QPSK	25655.30	-30.93	-25	PASS
Band38	20	38000	1	#0	16QAM	26809.60	-31.86	-25	PASS
Band38	20	38000	100	#0	16QAM	25317.00	-31.66	-25	PASS
Band38	20	38150	1	#0	QPSK	25514.20	-32.07	-25	PASS
Band38	20	38150	100	#0	QPSK	26976.20	-31.91	-25	PASS
Band38	20	38150	1	#0	16QAM	26726.30	-32.06	-25	PASS
Band38	20	38150	100	#0	16QAM	25225.20	-31.59	-25	PASS
Band4	1.4	19957	1	#0	QPSK	17508.00	-39.63	-13	PASS
Band4	1.4	19957	6	#0	QPSK	17637.00	-39.82	-13	PASS
Band4	1.4	19957	1	#0	16QAM	17668.00	-39.91	-13	PASS
Band4	1.4	19957	6	#0	16QAM	17677.00	-39.72	-13	PASS


Band4	1.4	20175	1	#0	QPSK	17761.00	-39.11	-13	PASS
Band4	1.4	20175	6	#0	QPSK	17692.00	-39.60	-13	PASS
Band4	1.4	20175	1	#0	16QAM	17603.00	-39.69	-13	PASS
Band4	1.4	20175	6	#0	16QAM	17690.00	-39.58	-13	PASS
Band4	1.4	20393	1	#0	QPSK	17178.00	-39.66	-13	PASS
Band4	1.4	20393	6	#0	QPSK	17744.00	-38.86	-13	PASS
Band4	1.4	20393	1	#0	16QAM	17787.00	-39.81	-13	PASS
Band4	1.4	20393	6	#0	16QAM	17602.00	-39.44	-13	PASS
Band4	3	19965	1	#0	QPSK	17658.00	-39.87	-13	PASS
Band4	3	19965	15	#0	QPSK	18546.00	-39.45	-13	PASS
Band4	3	19965	1	#0	16QAM	17789.00	-38.01	-13	PASS
Band4	3	19965	15	#0	16QAM	17853.00	-39.52	-13	PASS
Band4	3	20175	1	#0	QPSK	17643.00	-39.07	-13	PASS
Band4	3	20175	15	#0	QPSK	18067.00	-39.17	-13	PASS
Band4	3	20175	1	#0	16QAM	17774.00	-40.06	-13	PASS
Band4	3	20175	15	#0	16QAM	17696.00	-38.89	-13	PASS
Band4	3	20385	1	#0	QPSK	18471.00	-39.54	-13	PASS
Band4	3	20385	15	#0	QPSK	18140.00	-40.12	-13	PASS
Band4	3	20385	1	#0	16QAM	19954.00	-39.11	-13	PASS
Band4	3	20385	15	#0	16QAM	17761.00	-39.49	-13	PASS
Band4	5	19975	1	#0	QPSK	17630.00	-38.96	-13	PASS
Band4	5	19975	25	#0	QPSK	18197.00	-39.58	-13	PASS
Band4	5	19975	1	#0	16QAM	18862.00	-39.49	-13	PASS
Band4	5	19975	25	#0	16QAM	17695.00	-39.95	-13	PASS
Band4	5	20175	1	#0	QPSK	17839.00	-40.14	-13	PASS
Band4	5	20175	25	#0	QPSK	17856.00	-39.83	-13	PASS
Band4	5	20175	1	#0	16QAM	17689.00	-39.07	-13	PASS
Band4	5	20175	25	#0	16QAM	19791.00	-39.78	-13	PASS
Band4	5	20375	1	#0	QPSK	17680.00	-39.20	-13	PASS
Band4	5	20375	25	#0	QPSK	18092.00	-39.86	-13	PASS
Band4	5	20375	1	#0	16QAM	18163.00	-39.30	-13	PASS
Band4	5	20375	25	#0	16QAM	17205.00	-38.91	-13	PASS
Band4	10	20000	1	#0	QPSK	18061.00	-39.80	-13	PASS
Band4	10	20000	50	#0	QPSK	17718.00	-38.07	-13	PASS
Band4	10	20000	1	#0	16QAM	18055.00	-39.17	-13	PASS
Band4	10	20000	50	#0	16QAM	17821.00	-39.61	-13	PASS
Band4	10	20175	1	#0	QPSK	17708.00	-39.34	-13	PASS
Band4	10	20175	50	#0	QPSK	17614.00	-39.21	-13	PASS
Band4	10	20175	1	#0	16QAM	17682.00	-39.72	-13	PASS
Band4	10	20175	50	#0	16QAM	19252.00	-39.30	-13	PASS
Band4	10	20350	1	#0	QPSK	18037.00	-39.19	-13	PASS
Band4	10	20350	50	#0	QPSK	18279.00	-39.70	-13	PASS
Band4	10	20350	1	#0	16QAM	17302.00	-39.70	-13	PASS
Band4	10	20350	50	#0	16QAM	18037.00	-39.68	-13	PASS

Band4	15	20025	1	#0	QPSK	17187.00	-39.31	-13	PASS
Band4	15	20025	75	#0	QPSK	18459.00	-38.54	-13	PASS
Band4	15	20025	1	#0	16QAM	17960.00	-39.91	-13	PASS
Band4	15	20025	75	#0	16QAM	17616.00	-39.25	-13	PASS
Band4	15	20175	1	#0	QPSK	18083.00	-39.77	-13	PASS
Band4	15	20175	75	#0	QPSK	17431.00	-39.47	-13	PASS
Band4	15	20175	1	#0	16QAM	17942.00	-39.71	-13	PASS
Band4	15	20175	75	#0	16QAM	17392.00	-39.94	-13	PASS
Band4	15	20325	1	#0	QPSK	17845.00	-39.19	-13	PASS
Band4	15	20325	75	#0	QPSK	18062.00	-38.90	-13	PASS
Band4	15	20325	1	#0	16QAM	17698.00	-39.10	-13	PASS
Band4	15	20325	75	#0	16QAM	17249.00	-38.97	-13	PASS
Band4	20	20050	1	#0	QPSK	17592.00	-39.96	-13	PASS
Band4	20	20050	100	#0	QPSK	19891.00	-39.44	-13	PASS
Band4	20	20050	1	#0	16QAM	17289.00	-39.50	-13	PASS
Band4	20	20050	100	#0	16QAM	17648.00	-39.09	-13	PASS
Band4	20	20175	1	#0	QPSK	17807.00	-39.27	-13	PASS
Band4	20	20175	100	#0	QPSK	17623.00	-39.67	-13	PASS
Band4	20	20175	1	#0	16QAM	18013.00	-40.12	-13	PASS
Band4	20	20175	100	#0	16QAM	17606.00	-38.37	-13	PASS
Band4	20	20300	1	#0	QPSK	18619.00	-39.44	-13	PASS
Band4	20	20300	100	#0	QPSK	17678.00	-39.64	-13	PASS
Band4	20	20300	1	#0	16QAM	17192.00	-38.46	-13	PASS
Band4	20	20300	100	#0	16QAM	17983.00	-39.31	-13	PASS
Band5	1.4	20407	1	#0	QPSK	3157.30	-44.78	-13	PASS
Band5	1.4	20407	6	#0	QPSK	3146.50	-45.28	-13	PASS
Band5	1.4	20407	1	#0	16QAM	1896.40	-43.04	-13	PASS
Band5	1.4	20407	6	#0	16QAM	3011.50	-45.70	-13	PASS
Band5	1.4	20525	1	#0	QPSK	3181.60	-45.34	-13	PASS
Band5	1.4	20525	6	#0	QPSK	2507.50	-44.57	-13	PASS
Band5	1.4	20525	1	#0	16QAM	1893.70	-35.10	-13	PASS
Band5	1.4	20525	6	#0	16QAM	3267.10	-45.21	-13	PASS
Band5	1.4	20643	1	#0	QPSK	3147.40	-44.99	-13	PASS
Band5	1.4	20643	6	#0	QPSK	3534.40	-45.67	-13	PASS
Band5	1.4	20643	1	#0	16QAM	1895.50	-41.93	-13	PASS
Band5	1.4	20643	6	#0	16QAM	3592.90	-44.86	-13	PASS
Band5	3	20415	1	#0	QPSK	3016.90	-45.67	-13	PASS
Band5	3	20415	15	#0	QPSK	3011.50	-44.81	-13	PASS
Band5	3	20415	1	#0	16QAM	3273.40	-45.33	-13	PASS
Band5	3	20415	15	#0	16QAM	3330.10	-45.32	-13	PASS
Band5	3	20525	1	#0	QPSK	3138.40	-45.40	-13	PASS
Band5	3	20525	15	#0	QPSK	2993.50	-45.41	-13	PASS
Band5	3	20525	1	#0	16QAM	2998.00	-45.10	-13	PASS
Band5	3	20525	15	#0	16QAM	7046.20	-44.88	-13	PASS

Band5	3	20635	1	#0	QPSK	3138.40	-45.02	-13	PASS
Band5	3	20635	15	#0	QPSK	2505.70	-45.26	-13	PASS
Band5	3	20635	1	#0	16QAM	3207.70	-45.33	-13	PASS
Band5	3	20635	15	#0	16QAM	6716.80	-45.60	-13	PASS
Band5	5	20425	1	#0	QPSK	3181.60	-45.21	-13	PASS
Band5	5	20425	25	#0	QPSK	6743.80	-44.91	-13	PASS
Band5	5	20425	1	#0	16QAM	3188.80	-45.08	-13	PASS
Band5	5	20425	25	#0	16QAM	3284.20	-45.81	-13	PASS
Band5	5	20525	1	#0	QPSK	3166.30	-45.35	-13	PASS
Band5	5	20525	25	#0	QPSK	6879.70	-44.96	-13	PASS
Band5	5	20525	1	#0	16QAM	2764.00	-45.11	-13	PASS
Band5	5	20525	25	#0	16QAM	3288.70	-44.50	-13	PASS
Band5	5	20625	1	#0	QPSK	3254.50	-45.06	-13	PASS
Band5	5	20625	25	#0	QPSK	3172.60	-45.35	-13	PASS
Band5	5	20625	1	#0	16QAM	3130.30	-44.96	-13	PASS
Band5	5	20625	25	#0	16QAM	6121.90	-45.12	-13	PASS
Band5	10	20450	1	#0	QPSK	3592.00	-44.82	-13	PASS
Band5	10	20450	50	#0	QPSK	3279.70	-45.31	-13	PASS
Band5	10	20450	1	#0	16QAM	3146.50	-44.78	-13	PASS
Band5	10	20450	50	#0	16QAM	3128.50	-44.33	-13	PASS
Band5	10	20525	1	#0	QPSK	6359.50	-45.21	-13	PASS
Band5	10	20525	50	#0	QPSK	2483.20	-45.56	-13	PASS
Band5	10	20525	1	#0	16QAM	3166.30	-45.44	-13	PASS
Band5	10	20525	50	#0	16QAM	2653.30	-45.37	-13	PASS
Band5	10	20600	1	#0	QPSK	3596.50	-45.35	-13	PASS
Band5	10	20600	50	#0	QPSK	7118.20	-45.58	-13	PASS
Band5	10	20600	1	#0	16QAM	3173.50	-45.30	-13	PASS
Band5	10	20600	50	#0	16QAM	3133.00	-45.70	-13	PASS
Band7	5	20775	1	#0	QPSK	26762.00	-31.54	-25	PASS
Band7	5	20775	25	#0	QPSK	26986.40	-32.80	-25	PASS
Band7	5	20775	1	#0	16QAM	25529.50	-31.69	-25	PASS
Band7	5	20775	25	#0	16QAM	26831.70	-31.21	-25	PASS
Band7	5	21100	1	#0	QPSK	26085.40	-32.21	-25	PASS
Band7	5	21100	25	#0	QPSK	26952.40	-31.14	-25	PASS
Band7	5	21100	1	#0	16QAM	25288.10	-32.15	-25	PASS
Band7	5	21100	25	#0	16QAM	25279.60	-31.61	-25	PASS
Band7	5	21425	1	#0	QPSK	26617.50	-31.46	-25	PASS
Band7	5	21425	25	#0	QPSK	25617.90	-32.50	-25	PASS
Band7	5	21425	1	#0	16QAM	25621.30	-31.77	-25	PASS
Band7	5	21425	25	#0	16QAM	25668.90	-32.00	-25	PASS
Band7	10	20800	1	#0	QPSK	26558.00	-32.25	-25	PASS
Band7	10	20800	50	#0	QPSK	26775.60	-32.06	-25	PASS
Band7	10	20800	1	#0	16QAM	26671.90	-31.79	-25	PASS
Band7	10	20800	50	#0	16QAM	25577.10	-31.44	-25	PASS


Band7	10	21100	1	#0	QPSK	26942.20	-31.61	-25	PASS
Band7	10	21100	50	#0	QPSK	25323.80	-32.18	-25	PASS
Band7	10	21100	1	#0	16QAM	26932.00	-31.82	-25	PASS
Band7	10	21100	50	#0	16QAM	25325.50	-30.80	-25	PASS
Band7	10	21400	1	#0	QPSK	25631.50	-32.29	-25	PASS
Band7	10	21400	50	#0	QPSK	26809.60	-31.42	-25	PASS
Band7	10	21400	1	#0	16QAM	26988.10	-31.28	-25	PASS
Band7	10	21400	50	#0	16QAM	26032.70	-30.74	-25	PASS
Band7	15	20825	1	#0	QPSK	26826.60	-31.83	-25	PASS
Band7	15	20825	75	#0	QPSK	25708.00	-31.39	-25	PASS
Band7	15	20825	1	#0	16QAM	25250.70	-31.91	-25	PASS
Band7	15	20825	75	#0	16QAM	26993.20	-31.29	-25	PASS
Band7	15	21100	1	#0	QPSK	26889.50	-30.93	-25	PASS
Band7	15	21100	75	#0	QPSK	25675.70	-32.12	-25	PASS
Band7	15	21100	1	#0	16QAM	26792.60	-32.44	-25	PASS
Band7	15	21100	75	#0	16QAM	25663.80	-31.18	-25	PASS
Band7	15	21375	1	#0	QPSK	26802.80	-31.69	-25	PASS
Band7	15	21375	75	#0	QPSK	26869.10	-32.24	-25	PASS
Band7	15	21375	1	#0	16QAM	25237.10	-31.42	-25	PASS
Band7	15	21375	75	#0	16QAM	26430.50	-31.85	-25	PASS
Band7	20	20850	1	#0	QPSK	25573.70	-31.73	-25	PASS
Band7	20	20850	100	#0	QPSK	26818.10	-31.39	-25	PASS
Band7	20	20850	1	#0	16QAM	26566.50	-32.00	-25	PASS
Band7	20	20850	100	#0	16QAM	25641.70	-31.11	-25	PASS
Band7	20	21100	1	#0	QPSK	25582.20	-32.09	-25	PASS
Band7	20	21100	100	#0	QPSK	25403.70	-31.68	-25	PASS
Band7	20	21100	1	#0	16QAM	25641.70	-31.70	-25	PASS
Band7	20	21100	100	#0	16QAM	25674.00	-31.84	-25	PASS
Band7	20	21350	1	#0	QPSK	25687.60	-31.33	-25	PASS
Band7	20	21350	100	#0	QPSK	25653.60	-30.60	-25	PASS
Band7	20	21350	1	#0	16QAM	26433.90	-32.34	-25	PASS
Band7	20	21350	100	#0	16QAM	26813.00	-31.75	-25	PASS

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	832.481	-58.84	-13
2	1000	10000	1000	3587.5	-45.14	-13

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	917.065	-58.2	-13
2	1000	10000	1000	3520	-45.48	-13

Band12 16QAM BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	868.759	-58.1	-13
2	1000	10000	1000	3038.5	-45.49	-13

Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	816.573	-58.13	-13
2	1000	10000	1000	6903.1	-45.03	-13


Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0



Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	780.198	-57.73	-13
2	1000	10000	1000	1897.3	-41.93	-13

Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	853.433	-57.54	-13
2	1000	10000	1000	3086.2	-45.67	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	771.468	-56.22	-13
2	1000	10000	1000	3131.2	-45.24	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	977.205	-58.71	-13
2	1000	10000	1000	2887.3	-45.22	-13

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	896.986	-57.67	-13
2	1000	10000	1000	2638	-45.36	-13

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	990.009	-58.24	-13
2	1000	10000	1000	3134.8	-45.92	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.006	-56.29	-13
2	1000	10000	1000	3145.6	-45.31	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	766.909	-57.5	-13
2	1000	10000	1000	3592.9	-45.13	-13

Band12 16QAM BW=3MHz Channel=23025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	886.607	-57.64	-13
2	1000	10000	1000	6793.3	-44.96	-13

Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.2	-56.84	-13
2	1000	10000	1000	3012.4	-45.92	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.2	-56.72	-13
2	1000	10000	1000	3235.6	-45.23	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.2	-58.61	-13
2	1000	10000	1000	3427.3	-45.37	-13

Band12 16QAM BW=3MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	904.067	-57.88	-13
2	1000	10000	1000	1891.9	-45.05	-13

Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	919.199	-58.38	-13
2	1000	10000	1000	3168.1	-45.13	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	878.847	-57.92	-13
2	1000	10000	1000	3055.6	-45.13	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	890.002	-58.1	-13
2	1000	10000	1000	3287.8	-45.54	-13

Band12 16QAM BW=3MHz Channel=23165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	986.905	-58.38	-13
2	1000	10000	1000	2534.5	-44.73	-13

Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	764.096	-56.06	-13
2	1000	10000	1000	6076.9	-44.83	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	886.801	-58.23	-13
2	1000	10000	1000	3013.3	-45.33	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	855.567	-58.17	-13
2	1000	10000	1000	6976	-44.53	-13

Band12 16QAM BW=5MHz Channel=23035 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	999.709	-58.21	-13
2	1000	10000	1000	3178	-44.93	-13

Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	953.44	-57.79	-13
2	1000	10000	1000	3508.3	-45.34	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	763.223	-56.84	-13
2	1000	10000	1000	3281.5	-44.54	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	763.126	-58.28	-13
2	1000	10000	1000	3043	-44.94	-13

Band12 16QAM BW=5MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	450.01	-58.35	-13
2	1000	10000	1000	3162.7	-45.45	-13

Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.491	-57.46	-13
2	1000	10000	1000	3038.5	-45.32	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.103	-57.36	-13
2	1000	10000	1000	3192.4	-45.18	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	776.318	-57.49	-13
2	1000	10000	1000	3024.1	-45.05	-13

Band12 16QAM BW=5MHz Channel=23155 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	854.888	-57.39	-13
2	1000	10000	1000	3172.6	-44.94	-13

Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.297	-58.37	-13
2	1000	10000	1000	3011.5	-45.5	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	979.824	-58.07	-13
2	1000	10000	1000	3169.9	-44.89	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	885.928	-58.13	-13
2	1000	10000	1000	3259.9	-45.53	-13

Band12 16QAM BW=10MHz Channel=23060 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	867.013	-58.65	-13
2	1000	10000	1000	6116.5	-45.58	-13

Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	933.846	-58.22	-13
2	1000	10000	1000	3250.9	-44.58	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	766.715	-57.62	-13
2	1000	10000	1000	3152.8	-45.59	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	802.702	-58.53	-13
2	1000	10000	1000	6891.4	-45.66	-13

Band12 16QAM BW=10MHz Channel=23095 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	885.055	-58.27	-13
2	1000	10000	1000	3075.4	-45.18	-13

Band12 16QAM BW=10MHz Channel=23095 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	818.222	-58.26	-13
2	1000	10000	1000	2547.1	-45.3	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	833.063	-58.38	-13
2	1000	10000	1000	3133	-45.12	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.2	-56.62	-13
2	1000	10000	1000	2988.1	-45.49	-13

Band12 16QAM BW=10MHz Channel=23130 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	759.246	-58.5	-13
2	1000	10000	1000	1891.9	-44.92	-13

Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	432.356	-57.96	-13
2	1000	10000	1000	1898.2	-45.5	-13

Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	776.124	-58.71	-13
2	1000	10000	1000	3020.5	-45.81	-13

Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.103	-58.02	-13
2	1000	10000	1000	3122.2	-45.04	-13

Band17 16QAM BW=5MHz Channel=23755 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	849.553	-58.65	-13
2	1000	10000	1000	3416.5	-46.19	-13

Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	786.212	-57.06	-13
2	1000	10000	1000	3023.2	-45.73	-13

Band17 QPSK BW=5MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	949.948	-57.84	-13
2	1000	10000	1000	1899.1	-44.58	-13

Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	948.105	-58.19	-13
2	1000	10000	1000	3286.9	-45.3	-13

Band17 16QAM BW=5MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	911.827	-57.34	-13
2	1000	10000	1000	2661.4	-45.82	-13

Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	912.312	-58.35	-13
2	1000	10000	1000	3174.4	-45.37	-13

Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	993.404	-58.01	-13
2	1000	10000	1000	3014.2	-45.18	-13

Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	779.422	-58.42	-13
2	1000	10000	1000	3581.2	-44.24	-13

Band17 16QAM BW=5MHz Channel=23825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	760.313	-58.17	-13
2	1000	10000	1000	3279.7	-45.85	-13

Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	252.13	-58.47	-13
2	1000	10000	1000	3147.4	-45.13	-13

Band17 QPSK BW=10MHz Channel=23780 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	763.999	-55.54	-13
2	1000	10000	1000	3154.6	-45.13	-13

Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	824.43	-58.43	-13
2	1000	10000	1000	3147.4	-45.96	-13

Band17 16QAM BW=10MHz Channel=23780 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	821.326	-58.69	-13
2	1000	10000	1000	1898.2	-42.8	-13

Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	838.301	-57.58	-13
2	1000	10000	1000	6888.7	-45.75	-13

Band17 QPSK BW=10MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	759.44	-57.86	-13
2	1000	10000	1000	2588.5	-45.71	-13

Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	931.13	-58.63	-13
2	1000	10000	1000	3574.9	-45.03	-13

Band17 16QAM BW=10MHz Channel=23790 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	913.67	-58.77	-13
2	1000	10000	1000	2634.4	-45.33	-13

Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	826.758	-57.26	-13
2	1000	10000	1000	2662.3	-45.44	-13

Band17 QPSK BW=10MHz Channel=23800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	872.057	-57.66	-13
2	1000	10000	1000	7410.7	-45.62	-13

Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	759.149	-58.13	-13
2	1000	10000	1000	2285.2	-46.25	-13

Band17 16QAM BW=10MHz Channel=23800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	879.526	-58.23	-13
2	1000	10000	1000	2620.9	-45.06	-13

Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.297	-57.83	-13
2	1000	10000	1000	3325.6	-45.2	-13

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	973.907	-48.24	-13
2	1000	10000	1000	3085.3	-44.21	-13
3	10000	20000	1000	17730	-39.79	-13

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	856.343	-47.95	-13
2	1000	10000	1000	3026.8	-42.69	-13
3	10000	20000	1000	17273	-39.46	-13

Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	932.1	-47.38	-13
2	1000	10000	1000	7011.1	-44.13	-13
3	10000	20000	1000	17758	-39.76	-13

Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	699.591	-47.91	-13
2	1000	10000	1000	3136.6	-44.56	-13
3	10000	20000	1000	17162	-39.39	-13

Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	793.972	-47.83	-13
2	1000	10000	1000	3273.4	-43.62	-13
3	10000	20000	1000	18223	-38.91	-13

Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	989.912	-47.21	-13
2	1000	10000	1000	3143.8	-43.09	-13
3	10000	20000	1000	18161	-39.37	-13

Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.32	-47.45	-13
2	1000	10000	1000	3115	-44.15	-13
3	10000	20000	1000	18125	-39.09	-13

Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	984.383	-46.52	-13
2	1000	10000	1000	3063.7	-43.87	-13
3	10000	20000	1000	17669	-39.11	-13

Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	766.521	-46.59	-13
2	1000	10000	1000	2587.6	-43.87	-13
3	10000	20000	1000	17674	-39.53	-13

Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	722.58	-47.49	-13
2	1000	10000	1000	3255.4	-43.24	-13
3	10000	20000	1000	17909	-38.57	-13

Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.648	-47.32	-13
2	1000	10000	1000	2941.3	-43.76	-13
3	10000	20000	1000	18975	-39.01	-13

Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	818.416	-45.88	-13
2	1000	10000	1000	3025.9	-44.47	-13
3	10000	20000	1000	18625	-39.07	-13

Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.029	-46.1	-13
2	1000	10000	1000	6382.9	-43.97	-13
3	10000	20000	1000	17731	-38.75	-13

Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.417	-46.46	-13
2	1000	10000	1000	3215.8	-43.77	-13
3	10000	20000	1000	17750	-38.93	-13

Band2 16QAM BW=3MHz Channel=18615 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.29	-46.86	-13
2	1000	10000	1000	3153.7	-44.01	-13
3	10000	20000	1000	19999	-39.07	-13

Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	804.157	-47.65	-13
2	1000	10000	1000	2999.8	-43.64	-13
3	10000	20000	1000	17813	-38.66	-13

Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	902.127	-47.85	-13
2	1000	10000	1000	3166.3	-43.05	-13
3	10000	20000	1000	17806	-39.36	-13

Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	794.069	-47.33	-13
2	1000	10000	1000	3169	-43.89	-13
3	10000	20000	1000	18182	-38.91	-13

Band2 16QAM BW=3MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	770.401	-44.59	-13
2	1000	10000	1000	3066.4	-43.29	-13
3	10000	20000	1000	18588	-39.12	-13

Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	849.941	-47.22	-13
2	1000	10000	1000	3133	-43.96	-13
3	10000	20000	1000	17700	-39.2	-13

Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.26	-46.46	-13
2	1000	10000	1000	6907.6	-44.26	-13
3	10000	20000	1000	17781	-39.73	-13

Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	916.289	-48.06	-13
2	1000	10000	1000	6839.2	-42.98	-13
3	10000	20000	1000	17169	-39.12	-13

Band2 16QAM BW=3MHz Channel=19185 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	767.588	-44.77	-13
2	1000	10000	1000	6531.4	-43.43	-13
3	10000	20000	1000	17716	-37.11	-13

Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	817.446	-47.27	-13
2	1000	10000	1000	3142.9	-43.52	-13
3	10000	20000	1000	17794	-37.79	-13

Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	958.484	-47.01	-13
2	1000	10000	1000	6978.7	-44.1	-13
3	10000	20000	1000	18079	-39.09	-13

Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.223	-46.19	-13
2	1000	10000	1000	3043.9	-44.01	-13
3	10000	20000	1000	17177	-39.82	-13

Band2 16QAM BW=5MHz Channel=18625 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	813.081	-46.88	-13
2	1000	10000	1000	3396.7	-42.35	-13
3	10000	20000	1000	18455	-39.7	-13

Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	870.99	-47.19	-13
2	1000	10000	1000	3587.5	-44.11	-13
3	10000	20000	1000	17643	-38.93	-13

Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	935.398	-48.17	-13
2	1000	10000	1000	6897.7	-43.91	-13
3	10000	20000	1000	17286	-38.86	-13

Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	768.946	-45.1	-13
2	1000	10000	1000	6592.6	-43.05	-13
3	10000	20000	1000	18780	-39.22	-13

Band2 16QAM BW=5MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	783.011	-48.01	-13
2	1000	10000	1000	3277	-43.85	-13
3	10000	20000	1000	17747	-40.02	-13

Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	909.79	-47.68	-13
2	1000	10000	1000	3598.3	-44.03	-13
3	10000	20000	1000	17678	-38.53	-13

Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	965.662	-46.71	-13
2	1000	10000	1000	3039.4	-43.79	-13
3	10000	20000	1000	17794	-38.28	-13

Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.775	-47.42	-13
2	1000	10000	1000	3253.6	-44.1	-13
3	10000	20000	1000	18176	-37.99	-13

Band2 16QAM BW=5MHz Channel=19175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	846.546	-47.2	-13
2	1000	10000	1000	2489.5	-43.75	-13
3	10000	20000	1000	18074	-39.14	-13

Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	942.188	-47.6	-13
2	1000	10000	1000	3033.1	-44.08	-13
3	10000	20000	1000	17622	-39.28	-13

Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	959.939	-48.25	-13
2	1000	10000	1000	2607.4	-43.81	-13
3	10000	20000	1000	19239	-39.33	-13

Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.969	-43.65	-13
2	1000	10000	1000	3509.2	-43.92	-13
3	10000	20000	1000	17648	-38.89	-13

Band2 16QAM BW=10MHz Channel=18650 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	743.92	-47.46	-13
2	1000	10000	1000	3277	-43.6	-13
3	10000	20000	1000	17803	-38.77	-13

Band2 16QAM BW=10MHz Channel=18650 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	880.496	-47.68	-13
2	1000	10000	1000	3128.5	-44.14	-13
3	10000	20000	1000	17029	-39.23	-13

Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.26	-46.23	-13
2	1000	10000	1000	6987.7	-43.91	-13
3	10000	20000	1000	18140	-39.15	-13

Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.26	-46.69	-13
2	1000	10000	1000	6931.9	-44.29	-13
3	10000	20000	1000	18870	-38.43	-13

Band2 16QAM BW=10MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	888.062	-45.9	-13
2	1000	10000	1000	6047.2	-43.85	-13
3	10000	20000	1000	18389	-39.69	-13

Band2 16QAM BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	875.646	-47.52	-13
2	1000	10000	1000	3007	-43.92	-13
3	10000	20000	1000	18161	-39.11	-13

Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.648	-45.16	-13
2	1000	10000	1000	3244.6	-43.46	-13
3	10000	20000	1000	19026	-39.31	-13

Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	867.983	-47.2	-13
2	1000	10000	1000	3186.1	-43.83	-13
3	10000	20000	1000	17204	-38.97	-13

Band2 16QAM BW=10MHz Channel=19150 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	962.267	-48.2	-13
2	1000	10000	1000	2638	-43.61	-13
3	10000	20000	1000	18154	-39.38	-13

Band2 16QAM BW=10MHz Channel=19150 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	870.408	-47.69	-13
2	1000	10000	1000	3174.4	-43.52	-13
3	10000	20000	1000	18005	-38.99	-13

Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	726.363	-47.68	-13
2	1000	10000	1000	3285.1	-43.61	-13
3	10000	20000	1000	17624	-38.86	-13

Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	954.313	-47.94	-13
2	1000	10000	1000	6649.3	-43.97	-13
3	10000	20000	1000	19370	-39.26	-13

Band2 16QAM BW=15MHz Channel=18675 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	761.768	-47.51	-13
2	1000	10000	1000	6399.1	-43.6	-13
3	10000	20000	1000	17221	-38.96	-13

Band2 16QAM BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.678	-45.03	-13
2	1000	10000	1000	3296.8	-43.77	-13
3	10000	20000	1000	18126	-39.84	-13

Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	708.321	-47.09	-13
2	1000	10000	1000	2643.4	-44.31	-13
3	10000	20000	1000	19029	-39.24	-13

Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	782.526	-47.33	-13
2	1000	10000	1000	3058.3	-43.64	-13
3	10000	20000	1000	18494	-38.62	-13

Band2 16QAM BW=15MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	747.218	-47.51	-13
2	1000	10000	1000	6976.9	-43.08	-13
3	10000	20000	1000	17928	-39.23	-13

Band2 16QAM BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	902.418	-47.8	-13
2	1000	10000	1000	3250.9	-43.99	-13
3	10000	20000	1000	17807	-39.26	-13

Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	818.319	-47.18	-13
2	1000	10000	1000	3020.5	-43.6	-13
3	10000	20000	1000	18068	-39.69	-13

Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	730.049	-47.32	-13
2	1000	10000	1000	6112.9	-43.22	-13
3	10000	20000	1000	17264	-38.7	-13

Band2 16QAM BW=15MHz Channel=19125 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	806.194	-47.94	-13
2	1000	10000	1000	3304.9	-43.94	-13
3	10000	20000	1000	18534	-38.84	-13

Band2 16QAM BW=15MHz Channel=19125 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	944.419	-47.06	-13
2	1000	10000	1000	3151.9	-44.03	-13
3	10000	20000	1000	19037	-39.39	-13

Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	930.742	-47.83	-13
2	1000	10000	1000	3322	-44.27	-13
3	10000	20000	1000	18182	-39.4	-13

Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	817.64	-46.98	-13
2	1000	10000	1000	3141.1	-43.15	-13
3	10000	20000	1000	18081	-39.37	-13

Band2 16QAM BW=20MHz Channel=18700 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	827.243	-47.47	-13
2	1000	10000	1000	2537.2	-43.52	-13
3	10000	20000	1000	18895	-38.54	-13

Band2 16QAM BW=20MHz Channel=18700 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	905.813	-48.09	-13
2	1000	10000	1000	3282.4	-43.15	-13
3	10000	20000	1000	18124	-39.46	-13

Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	608.799	-47.59	-13
2	1000	10000	1000	6976.9	-44.33	-13
3	10000	20000	1000	18145	-38.99	-13

Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.999	-44.93	-13
2	1000	10000	1000	2967.4	-44.24	-13
3	10000	20000	1000	18561	-38.35	-13

Band2 16QAM BW=20MHz Channel=18900 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	726.848	-46.42	-13
2	1000	10000	1000	3588.4	-43.64	-13
3	10000	20000	1000	17196	-39.42	-13

Band2 16QAM BW=20MHz Channel=18900 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	822.49	-47.45	-13
2	1000	10000	1000	6945.4	-44.08	-13
3	10000	20000	1000	17630	-38.11	-13

Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	935.786	-47.49	-13
2	1000	10000	1000	3145.6	-44.11	-13
3	10000	20000	1000	17785	-39.26	-13

Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	801.053	-47.69	-13
2	1000	10000	1000	5809.6	-44.25	-13
3	10000	20000	1000	19003	-39.77	-13

Band2 16QAM BW=20MHz Channel=19100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	938.696	-47.62	-13
2	1000	10000	1000	3044.8	-43.47	-13
3	10000	20000	1000	18039	-39.28	-13

Band2 16QAM BW=20MHz Channel=19100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	802.702	-47.46	-13
2	1000	10000	1000	3130.3	-43.45	-13
3	10000	20000	1000	17197	-38.57	-13

Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	871.766	-46.79	-25
2	1000	10000	1000	3340.9	-43.24	-25
3	10000	27000	1000	26867.4	-31.81	-25

Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	796.106	-47.3	-25
2	1000	10000	1000	2538.1	-31.01	-25
3	10000	27000	1000	26799.4	-32.32	-25

Band38 16QAM BW=5MHz Channel=37775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	766.424	-47.47	-25
2	1000	10000	1000	2525.5	-34.67	-25
3	10000	27000	1000	26826.6	-31.27	-25

Band38 16QAM BW=5MHz Channel=37775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	907.85	-47.13	-25
2	1000	10000	1000	3560.5	-43.3	-25
3	10000	27000	1000	26758.6	-31.84	-25

Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	566.119	-47.33	-25
2	1000	10000	1000	2312.2	-43.21	-25
3	10000	27000	1000	25427.5	-31.54	-25

Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	958.969	-46.87	-25
2	1000	10000	1000	3030.4	-42.19	-25
3	10000	27000	1000	26617.5	-31.56	-25

Band38 16QAM BW=5MHz Channel=38000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	818.61	-46.85	-25
2	1000	10000	1000	3142.9	-43.12	-25
3	10000	27000	1000	26745	-31.57	-25

Band38 16QAM BW=5MHz Channel=38000 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.29	-45.85	-25
2	1000	10000	1000	3299.5	-42.85	-25
3	10000	27000	1000	26173.8	-32.38	-25

Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	803.187	-45.82	-25
2	1000	10000	1000	3561.4	-43.05	-25
3	10000	27000	1000	26721.2	-30.75	-25

Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.611	-47.52	-25
2	1000	10000	1000	3291.4	-43.55	-25
3	10000	27000	1000	26501.9	-31.23	-25

Band38 16QAM BW=5MHz Channel=38225 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	762.544	-45.54	-25
2	1000	10000	1000	2804.5	-43.42	-25
3	10000	27000	1000	26889.5	-32.19	-25

Band38 16QAM BW=5MHz Channel=38225 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	920.654	-47.2	-25
2	1000	10000	1000	3567.7	-43.34	-25
3	10000	27000	1000	25555	-31.65	-25

Band38 QPSK BW=10MHz Channel=37800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	945.001	-46.7	-25
2	1000	10000	1000	3133	-42.85	-25
3	10000	27000	1000	25228.6	-31.95	-25

Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	973.325	-47.2	-25
2	1000	10000	1000	3008.8	-42.88	-25
3	10000	27000	1000	26920.1	-32.35	-25

Band38 16QAM BW=10MHz Channel=37800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.29	-46.3	-25
2	1000	10000	1000	3554.2	-43.08	-25
3	10000	27000	1000	26835.1	-31.51	-25

Band38 16QAM BW=10MHz Channel=37800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	788.249	-47.47	-25
2	1000	10000	1000	3551.5	-41.78	-25
3	10000	27000	1000	26588.6	-31.59	-25

Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	785.921	-46.03	-25
2	1000	10000	1000	2518.3	-43.13	-25
3	10000	27000	1000	26065	-32.09	-25

Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	759.246	-45.87	-25
2	1000	10000	1000	3161.8	-40.88	-25
3	10000	27000	1000	26892.9	-31.87	-25

Band38 16QAM BW=10MHz Channel=38000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	950.918	-46.52	-25
2	1000	10000	1000	3137.5	-43.04	-25
3	10000	27000	1000	25653.6	-31.88	-25

Band38 16QAM BW=10MHz Channel=38000 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	766.812	-45.47	-25
2	1000	10000	1000	6015.7	-43.61	-25
3	10000	27000	1000	26478.1	-31.99	-25

Band38 QPSK BW=10MHz Channel=38200 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	857.022	-46.37	-25
2	1000	10000	1000	2670.4	-38.06	-25
3	10000	27000	1000	25680.8	-31.84	-25

Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	860.902	-45.72	-25
2	1000	10000	1000	3057.4	-43.4	-25
3	10000	27000	1000	26794.3	-31.77	-25

Band38 16QAM BW=10MHz Channel=38200 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	760.992	-46.53	-25
2	1000	10000	1000	3133.9	-43.1	-25
3	10000	27000	1000	25679.1	-31.9	-25

Band38 16QAM BW=10MHz Channel=38200 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	827.34	-46.77	-25
2	1000	10000	1000	2683	-42.61	-25
3	10000	27000	1000	25699.5	-32.31	-25

Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	770.013	-46.71	-25
2	1000	10000	1000	3262.6	-43.34	-25
3	10000	27000	1000	25624.7	-32.2	-25

Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	840.92	-47.7	-25
2	1000	10000	1000	6967.9	-42.68	-25
3	10000	27000	1000	26500.2	-32.15	-25

Band38 16QAM BW=15MHz Channel=37825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	849.068	-46.08	-25
2	1000	10000	1000	7040.8	-42.94	-25
3	10000	27000	1000	26467.9	-32.14	-25

Band38 16QAM BW=15MHz Channel=37825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	976.526	-45.54	-25
2	1000	10000	1000	3279.7	-42.82	-25
3	10000	27000	1000	26857.2	-32.46	-25

Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	799.21	-47.57	-25
2	1000	10000	1000	3243.7	-41.82	-25
3	10000	27000	1000	25267.7	-32.33	-25

Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	805.03	-47.61	-25
2	1000	10000	1000	6979.6	-42.8	-25
3	10000	27000	1000	25220.1	-31.13	-25

Band38 16QAM BW=15MHz Channel=38000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	886.801	-46.51	-25
2	1000	10000	1000	3592.9	-43.3	-25
3	10000	27000	1000	25573.7	-32.19	-25

Band38 16QAM BW=15MHz Channel=38000 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	885.734	-46.63	-25
2	1000	10000	1000	3135.7	-43.6	-25
3	10000	27000	1000	25655.3	-31.63	-25

Band38 QPSK BW=15MHz Channel=38175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	890.681	-46.66	-25
2	1000	10000	1000	6787.9	-42.68	-25
3	10000	27000	1000	25702.9	-31.78	-25

Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	815.409	-46.64	-25
2	1000	10000	1000	3019.6	-42.52	-25
3	10000	27000	1000	26678.7	-31.99	-25

Band38 16QAM BW=15MHz Channel=38175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	860.805	-47.74	-25
2	1000	10000	1000	2693.8	-42.72	-25
3	10000	27000	1000	25653.6	-31.94	-25

Band38 16QAM BW=15MHz Channel=38175 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	913.379	-46.88	-25
2	1000	10000	1000	3060.1	-43.41	-25
3	10000	27000	1000	26797.7	-32.32	-25

Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	992.919	-47.49	-25
2	1000	10000	1000	6988.6	-43.97	-25
3	10000	27000	1000	25701.2	-32.12	-25

Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	881.951	-47.02	-25
2	1000	10000	1000	3145.6	-42.8	-25
3	10000	27000	1000	26634.5	-32.09	-25

Band38 16QAM BW=20MHz Channel=37850 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	956.35	-46.43	-25
2	1000	10000	1000	3283.3	-43.15	-25
3	10000	27000	1000	26989.8	-32.1	-25

Band38 16QAM BW=20MHz Channel=37850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	813.469	-47.63	-25
2	1000	10000	1000	6949.9	-42.69	-25
3	10000	27000	1000	26950.7	-32.1	-25

Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	971.967	-47.16	-25
2	1000	10000	1000	6994.9	-42.56	-25
3	10000	27000	1000	25534.6	-32	-25

Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	735.481	-46.41	-25
2	1000	10000	1000	3068.2	-43.72	-25
3	10000	27000	1000	25655.3	-30.93	-25

Band38 16QAM BW=20MHz Channel=38000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	802.993	-47.29	-25
2	1000	10000	1000	3245.5	-42.82	-25
3	10000	27000	1000	26809.6	-31.86	-25

Band38 16QAM BW=20MHz Channel=38000 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	737.518	-47.12	-25
2	1000	10000	1000	3263.5	-43.3	-25
3	10000	27000	1000	25317	-31.66	-25

Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	456.509	-47.61	-25
2	1000	10000	1000	3151	-42.66	-25
3	10000	27000	1000	25514.2	-32.07	-25

Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	984.771	-47.47	-25
2	1000	10000	1000	3156.4	-43.39	-25
3	10000	27000	1000	26976.2	-31.91	-25

Band38 16QAM BW=20MHz Channel=38150 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	907.462	-46.55	-25
2	1000	10000	1000	3043.9	-42.76	-25
3	10000	27000	1000	26726.3	-32.06	-25

Band38 16QAM BW=20MHz Channel=38150 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	733.735	-46.84	-25
2	1000	10000	1000	3145.6	-43.44	-25
3	10000	27000	1000	25225.2	-31.59	-25

Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	915.416	-47.85	-13
2	1000	10000	1000	6916.6	-44.09	-13
3	10000	20000	1000	17508	-39.63	-13

Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	761.768	-48.17	-13
2	1000	10000	1000	3161.8	-43.98	-13
3	10000	20000	1000	17637	-39.82	-13

Band4 16QAM BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	860.708	-48.31	-13
2	1000	10000	1000	6570.1	-44.18	-13
3	10000	20000	1000	17668	-39.91	-13

Band4 16QAM BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	756.142	-47.47	-13
2	1000	10000	1000	3306.7	-44.1	-13
3	10000	20000	1000	17677	-39.72	-13

Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	926.862	-48.56	-13
2	1000	10000	1000	3171.7	-43.67	-13
3	10000	20000	1000	17761	-39.11	-13

Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	905.328	-46.84	-13
2	1000	10000	1000	3306.7	-43.87	-13
3	10000	20000	1000	17692	-39.6	-13

Band4 16QAM BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	825.303	-47.39	-13
2	1000	10000	1000	3166.3	-43.2	-13
3	10000	20000	1000	17603	-39.69	-13

Band4 16QAM BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	442.153	-48.23	-13
2	1000	10000	1000	3260.8	-43.44	-13
3	10000	20000	1000	17690	-39.58	-13

Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	787.861	-47.89	-13
2	1000	10000	1000	3150.1	-43.15	-13
3	10000	20000	1000	17178	-39.66	-13

Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	809.007	-47.75	-13
2	1000	10000	1000	6976	-43.56	-13
3	10000	20000	1000	17744	-38.86	-13

Band4 16QAM BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	950.045	-47.22	-13
2	1000	10000	1000	3130.3	-43.81	-13
3	10000	20000	1000	17787	-39.81	-13

Band4 16QAM BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	843.054	-48.16	-13
2	1000	10000	1000	7286.5	-43.94	-13
3	10000	20000	1000	17602	-39.44	-13

Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	805.224	-47.51	-13
2	1000	10000	1000	3054.7	-43.81	-13
3	10000	20000	1000	17658	-39.87	-13

Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	788.928	-47.67	-13
2	1000	10000	1000	3312.1	-44.27	-13
3	10000	20000	1000	18546	-39.45	-13

Band4 16QAM BW=3MHz Channel=19965 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	904.843	-46.81	-13
2	1000	10000	1000	3295	-43.88	-13
3	10000	20000	1000	17789	-38.01	-13

Band4 16QAM BW=3MHz Channel=19965 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	954.41	-47.41	-13
2	1000	10000	1000	6977.8	-44.55	-13
3	10000	20000	1000	17853	-39.52	-13

Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	953.246	-47.28	-13
2	1000	10000	1000	3403.9	-43.84	-13
3	10000	20000	1000	17643	-39.07	-13

Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	771.662	-46.46	-13
2	1000	10000	1000	3169.9	-43.72	-13
3	10000	20000	1000	18067	-39.17	-13

Band4 16QAM BW=3MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	858.38	-47.93	-13
2	1000	10000	1000	3029.5	-44.13	-13
3	10000	20000	1000	17774	-40.06	-13

Band4 16QAM BW=3MHz Channel=20175 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	906.104	-47.75	-13
2	1000	10000	1000	3174.4	-43.73	-13
3	10000	20000	1000	17696	-38.89	-13

Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	984.189	-48.42	-13
2	1000	10000	1000	3160	-44.26	-13
3	10000	20000	1000	18471	-39.54	-13

Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	951.112	-47.69	-13
2	1000	10000	1000	2518.3	-44.7	-13
3	10000	20000	1000	18140	-40.12	-13

Band4 16QAM BW=3MHz Channel=20385 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.939	-44.81	-13
2	1000	10000	1000	6920.2	-44.04	-13
3	10000	20000	1000	19954	-39.11	-13

Band4 16QAM BW=3MHz Channel=20385 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	767.588	-46.98	-13
2	1000	10000	1000	3129.4	-44.23	-13
3	10000	20000	1000	17761	-39.49	-13

Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	828.31	-48.47	-13
2	1000	10000	1000	7009.3	-43.71	-13
3	10000	20000	1000	17630	-38.96	-13

Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	897.568	-48.02	-13
2	1000	10000	1000	3084.4	-44.04	-13
3	10000	20000	1000	18197	-39.58	-13

Band4 16QAM BW=5MHz Channel=19975 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.223	-48.57	-13
2	1000	10000	1000	3259	-44.29	-13
3	10000	20000	1000	18862	-39.49	-13

Band4 16QAM BW=5MHz Channel=19975 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	439.534	-48.69	-13
2	1000	10000	1000	3093.4	-43.82	-13
3	10000	20000	1000	17695	-39.95	-13

Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	780.489	-48.21	-13
2	1000	10000	1000	6623.2	-43.51	-13
3	10000	20000	1000	17839	-40.14	-13

Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	945.874	-47.98	-13
2	1000	10000	1000	3172.6	-43.48	-13
3	10000	20000	1000	17856	-39.83	-13

Band4 16QAM BW=5MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.872	-44.91	-13
2	1000	10000	1000	3334.6	-44.21	-13
3	10000	20000	1000	17689	-39.07	-13

Band4 16QAM BW=5MHz Channel=20175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	451.271	-47.02	-13
2	1000	10000	1000	3159.1	-43.91	-13
3	10000	20000	1000	19791	-39.78	-13

Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	901.157	-46.11	-13
2	1000	10000	1000	6820.3	-43.93	-13
3	10000	20000	1000	17680	-39.2	-13

Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	953.537	-48.02	-13
2	1000	10000	1000	6940	-43.51	-13
3	10000	20000	1000	18092	-39.86	-13

Band4 16QAM BW=5MHz Channel=20375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	954.313	-47.54	-13
2	1000	10000	1000	3038.5	-43.91	-13
3	10000	20000	1000	18163	-39.3	-13

Band4 16QAM BW=5MHz Channel=20375 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	735.966	-47.25	-13
2	1000	10000	1000	3176.2	-43.7	-13
3	10000	20000	1000	17205	-38.91	-13

Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	759.925	-47.82	-13
2	1000	10000	1000	3176.2	-44.53	-13
3	10000	20000	1000	18061	-39.8	-13

Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	825.788	-47.37	-13
2	1000	10000	1000	3701.8	-44.12	-13
3	10000	20000	1000	17718	-38.07	-13

Band4 16QAM BW=10MHz Channel=20000 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	447.973	-47.63	-13
2	1000	10000	1000	3369.7	-42.61	-13
3	10000	20000	1000	18055	-39.17	-13

Band4 16QAM BW=10MHz Channel=20000 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	964.498	-48.12	-13
2	1000	10000	1000	3155.5	-43.59	-13
3	10000	20000	1000	17821	-39.61	-13

Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	950.724	-47.88	-13
2	1000	10000	1000	3189.7	-43.88	-13
3	10000	20000	1000	17708	-39.34	-13

Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	854.015	-47.57	-13
2	1000	10000	1000	3212.2	-43.88	-13
3	10000	20000	1000	17614	-39.21	-13

Band4 16QAM BW=10MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	805.515	-48.03	-13
2	1000	10000	1000	3292.3	-44.37	-13
3	10000	20000	1000	17682	-39.72	-13

Band4 16QAM BW=10MHz Channel=20175 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	984.965	-48.19	-13
2	1000	10000	1000	3288.7	-44.23	-13
3	10000	20000	1000	19252	-39.3	-13

Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	890.972	-47.98	-13
2	1000	10000	1000	3023.2	-43.19	-13
3	10000	20000	1000	18037	-39.19	-13

Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	923.952	-48.05	-13
2	1000	10000	1000	6694.3	-44.69	-13
3	10000	20000	1000	18279	-39.7	-13

Band4 16QAM BW=10MHz Channel=20350 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	717.73	-48.62	-13
2	1000	10000	1000	3261.7	-43.07	-13
3	10000	20000	1000	17302	-39.7	-13

Band4 16QAM BW=10MHz Channel=20350 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	751.583	-47.2	-13
2	1000	10000	1000	3009.7	-44.13	-13
3	10000	20000	1000	18037	-39.68	-13

Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	662.925	-47.71	-13
2	1000	10000	1000	3397.6	-43.82	-13
3	10000	20000	1000	17187	-39.31	-13

Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	879.817	-47.92	-13
2	1000	10000	1000	1891.9	-42.81	-13
3	10000	20000	1000	18459	-38.54	-13

Band4 16QAM BW=15MHz Channel=20025 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	766.521	-46.98	-13
2	1000	10000	1000	1897.3	-42.16	-13
3	10000	20000	1000	17960	-39.91	-13

Band4 16QAM BW=15MHz Channel=20025 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	965.08	-46.82	-13
2	1000	10000	1000	6968.8	-44.65	-13
3	10000	20000	1000	17616	-39.25	-13

Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	458.643	-47.45	-13
2	1000	10000	1000	3272.5	-44.64	-13
3	10000	20000	1000	18083	-39.77	-13

Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	903.873	-47.45	-13
2	1000	10000	1000	3106	-43.82	-13
3	10000	20000	1000	17431	-39.47	-13

Band4 16QAM BW=15MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	776.609	-46.78	-13
2	1000	10000	1000	3590.2	-44.54	-13
3	10000	20000	1000	17942	-39.71	-13

Band4 16QAM BW=15MHz Channel=20175 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	775.93	-46.92	-13
2	1000	10000	1000	2526.4	-43.11	-13
3	10000	20000	1000	17392	-39.94	-13

Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	930.645	-48.29	-13
2	1000	10000	1000	3152.8	-43.73	-13
3	10000	20000	1000	17845	-39.19	-13

Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	842.084	-47.11	-13
2	1000	10000	1000	6982.3	-44.34	-13
3	10000	20000	1000	18062	-38.9	-13

Band4 16QAM BW=15MHz Channel=20325 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	469.701	-48.51	-13
2	1000	10000	1000	3597.4	-44.35	-13
3	10000	20000	1000	17698	-39.1	-13

Band4 16QAM BW=15MHz Channel=20325 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	960.23	-48.01	-13
2	1000	10000	1000	2679.4	-43.9	-13
3	10000	20000	1000	17249	-38.97	-13

Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	776.415	-46.04	-13
2	1000	10000	1000	3277	-44.22	-13
3	10000	20000	1000	17592	-39.96	-13

Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	933.07	-47.09	-13
2	1000	10000	1000	2996.2	-43.73	-13
3	10000	20000	1000	19891	-39.44	-13

Band4 16QAM BW=20MHz Channel=20050 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	846.255	-48.08	-13
2	1000	10000	1000	2517.4	-44.2	-13
3	10000	20000	1000	17289	-39.5	-13

Band4 16QAM BW=20MHz Channel=20050 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	894.561	-47.75	-13
2	1000	10000	1000	3166.3	-44.27	-13
3	10000	20000	1000	17648	-39.09	-13

Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	868.468	-48.01	-13
2	1000	10000	1000	3179.8	-43.83	-13
3	10000	20000	1000	17807	-39.27	-13

Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	939.569	-47.94	-13
2	1000	10000	1000	2932.3	-44.08	-13
3	10000	20000	1000	17623	-39.67	-13

Band4 16QAM BW=20MHz Channel=20175 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	440.019	-48.41	-13
2	1000	10000	1000	3009.7	-44.25	-13
3	10000	20000	1000	18013	-40.12	-13

Band4 16QAM BW=20MHz Channel=20175 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	762.932	-47.46	-13
2	1000	10000	1000	3243.7	-43.46	-13
3	10000	20000	1000	17606	-38.37	-13

Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	389.676	-48.53	-13
2	1000	10000	1000	3556	-43.62	-13
3	10000	20000	1000	18619	-39.44	-13

Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	847.419	-47.79	-13
2	1000	10000	1000	7011.1	-44.3	-13
3	10000	20000	1000	17678	-39.64	-13

Band4 16QAM BW=20MHz Channel=20300 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	820.938	-48.02	-13
2	1000	10000	1000	3007	-43.63	-13
3	10000	20000	1000	17192	-38.46	-13

Band4 16QAM BW=20MHz Channel=20300 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	996.411	-48.28	-13
2	1000	10000	1000	3138.4	-44.04	-13
3	10000	20000	1000	17983	-39.31	-13

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	768.558	-57.57	-13
2	1000	10000	1000	3157.3	-44.78	-13

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.551	-58.2	-13
2	1000	10000	1000	3146.5	-45.28	-13

Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	879.041	-58.69	-13
2	1000	10000	1000	1896.4	-43.04	-13

Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	764.969	-56.93	-13
2	1000	10000	1000	3011.5	-45.7	-13

Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	768.461	-55.25	-13
2	1000	10000	1000	3181.6	-45.34	-13

Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	766.133	-57.82	-13
2	1000	10000	1000	2507.5	-44.57	-13

Band5 16QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	766.715	-57.7	-13
2	1000	10000	1000	1893.7	-35.1	-13

Band5 16QAM BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	759.246	-56.96	-13
2	1000	10000	1000	3267.1	-45.21	-13

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	789.025	-57.6	-13
2	1000	10000	1000	3147.4	-44.99	-13

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.685	-57.6	-13
2	1000	10000	1000	3534.4	-45.67	-13

Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	763.126	-56.09	-13
2	1000	10000	1000	1895.5	-41.93	-13

Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.006	-56.72	-13
2	1000	10000	1000	3592.9	-44.86	-13

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.2	-56.84	-13
2	1000	10000	1000	3016.9	-45.67	-13

Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	768.655	-56.98	-13
2	1000	10000	1000	3011.5	-44.81	-13

Band5 16QAM BW=3MHz Channel=20415 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.879	-56.52	-13
2	1000	10000	1000	3273.4	-45.33	-13

Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	768.17	-56.01	-13
2	1000	10000	1000	3330.1	-45.32	-13

Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.939	-58.17	-13
2	1000	10000	1000	3138.4	-45.4	-13

Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.939	-55.13	-13
2	1000	10000	1000	2993.5	-45.41	-13

Band5 16QAM BW=3MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.551	-55.65	-13
2	1000	10000	1000	2998	-45.1	-13

Band5 16QAM BW=3MHz Channel=20525 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	764.484	-56	-13
2	1000	10000	1000	7046.2	-44.88	-13

Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	764.581	-55.02	-13
2	1000	10000	1000	3138.4	-45.02	-13

Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	766.036	-55.77	-13
2	1000	10000	1000	2505.7	-45.26	-13

Band5 16QAM BW=3MHz Channel=20635 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	763.417	-56.83	-13
2	1000	10000	1000	3207.7	-45.33	-13

Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.939	-57.48	-13
2	1000	10000	1000	6716.8	-45.6	-13

Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	763.902	-55.78	-13
2	1000	10000	1000	3181.6	-45.21	-13

Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	764.29	-55.36	-13
2	1000	10000	1000	6743.8	-44.91	-13

Band5 16QAM BW=5MHz Channel=20425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	767.491	-56.71	-13
2	1000	10000	1000	3188.8	-45.08	-13

Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	770.692	-58.46	-13
2	1000	10000	1000	3284.2	-45.81	-13

Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.842	-56.01	-13
2	1000	10000	1000	3166.3	-45.35	-13

Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	764.29	-54.71	-13
2	1000	10000	1000	6879.7	-44.96	-13

Band5 16QAM BW=5MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.551	-57.53	-13
2	1000	10000	1000	2764	-45.11	-13

Band5 16QAM BW=5MHz Channel=20525 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	388.415	-57.81	-13
2	1000	10000	1000	3288.7	-44.5	-13

Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.26	-57.94	-13
2	1000	10000	1000	3254.5	-45.06	-13

Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	768.655	-56.89	-13
2	1000	10000	1000	3172.6	-45.35	-13

Band5 16QAM BW=5MHz Channel=20625 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	898.15	-58.56	-13
2	1000	10000	1000	3130.3	-44.96	-13

Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.551	-56.83	-13
2	1000	10000	1000	6121.9	-45.12	-13

Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	765.357	-57.41	-13
2	1000	10000	1000	3592	-44.82	-13

Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	768.461	-56.76	-13
2	1000	10000	1000	3279.7	-45.31	-13

Band5 16QAM BW=10MHz Channel=20450 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	768.461	-56.85	-13
2	1000	10000	1000	3146.5	-44.78	-13

Band5 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	917.453	-58.03	-13
2	1000	10000	1000	3128.5	-44.33	-13

Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	956.35	-57.49	-13
2	1000	10000	1000	6359.5	-45.21	-13

Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	758.664	-57.61	-13
2	1000	10000	1000	2483.2	-45.56	-13

Band5 16QAM BW=10MHz Channel=20525 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	919.296	-58.52	-13
2	1000	10000	1000	3166.3	-45.44	-13

Band5 16QAM BW=10MHz Channel=20525 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	510.344	-58.03	-13
2	1000	10000	1000	2653.3	-45.37	-13

Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	761.089	-57.64	-13
2	1000	10000	1000	3596.5	-45.35	-13

Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	764.193	-55.82	-13
2	1000	10000	1000	7118.2	-45.58	-13

Band5 16QAM BW=10MHz Channel=20600 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	911.633	-57.18	-13
2	1000	10000	1000	3173.5	-45.3	-13

Band5 16QAM BW=10MHz Channel=20600 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	100	768.364	-57.06	-13
2	1000	10000	1000	3133	-45.7	-13

Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.357	-47.17	-25
2	1000	10000	1000	3157.3	-43.03	-25
3	10000	27000	1000	26762	-31.54	-25

Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.484	-44.28	-25
2	1000	10000	1000	3021.4	-43.54	-25
3	10000	27000	1000	26986.4	-32.8	-25

Band7 16QAM BW=5MHz Channel=20775 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.708	-46.08	-25
2	1000	10000	1000	6972.4	-43.17	-25
3	10000	27000	1000	25529.5	-31.69	-25

Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.745	-44.69	-25
2	1000	10000	1000	3138.4	-43.09	-25
3	10000	27000	1000	26831.7	-31.21	-25

Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	766.327	-46.01	-25
2	1000	10000	1000	3284.2	-43.3	-25
3	10000	27000	1000	26085.4	-32.21	-25

Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	440.019	-47.28	-25
2	1000	10000	1000	1889.2	-40.78	-25
3	10000	27000	1000	26952.4	-31.14	-25

Band7 16QAM BW=5MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	762.544	-45.62	-25
2	1000	10000	1000	1900	-42.54	-25
3	10000	27000	1000	25288.1	-32.15	-25

Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	357.957	-47.19	-25
2	1000	10000	1000	3150.1	-43.28	-25
3	10000	27000	1000	25279.6	-31.61	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	771.468	-45.12	-25
2	1000	10000	1000	1888.3	-40.56	-25
3	10000	27000	1000	26617.5	-31.46	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	960.327	-46.97	-25
2	1000	10000	1000	3306.7	-42.69	-25
3	10000	27000	1000	25617.9	-32.5	-25

Band7 16QAM BW=5MHz Channel=21425 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	768.558	-45.28	-25
2	1000	10000	1000	1889.2	-38.93	-25
3	10000	27000	1000	25621.3	-31.77	-25

Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.581	-44.69	-25
2	1000	10000	1000	3052	-42.09	-25
3	10000	27000	1000	25668.9	-32	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	881.563	-47.16	-25
2	1000	10000	1000	3014.2	-42.8	-25
3	10000	27000	1000	26558	-32.25	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	883.212	-46.39	-25
2	1000	10000	1000	5482	-43.58	-25
3	10000	27000	1000	26775.6	-32.06	-25

Band7 16QAM BW=10MHz Channel=20800 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.484	-45.11	-25
2	1000	10000	1000	3590.2	-43.09	-25
3	10000	27000	1000	26671.9	-31.79	-25

Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	802.993	-46.86	-25
2	1000	10000	1000	6081.4	-42.73	-25
3	10000	27000	1000	25577.1	-31.44	-25

Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	977.981	-46.69	-25
2	1000	10000	1000	2672.2	-43.16	-25
3	10000	27000	1000	26942.2	-31.61	-25

Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	917.259	-46.27	-25
2	1000	10000	1000	2664.1	-43.9	-25
3	10000	27000	1000	25323.8	-32.18	-25

Band7 16QAM BW=10MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	768.267	-44.02	-25
2	1000	10000	1000	3230.2	-43.19	-25
3	10000	27000	1000	26932	-31.82	-25

Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	803.672	-46.16	-25
2	1000	10000	1000	3595.6	-42.08	-25
3	10000	27000	1000	25325.5	-30.8	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.708	-45.55	-25
2	1000	10000	1000	1887.4	-42.07	-25
3	10000	27000	1000	25631.5	-32.29	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	764.387	-46.88	-25
2	1000	10000	1000	6911.2	-43.6	-25
3	10000	27000	1000	26809.6	-31.42	-25

Band7 16QAM BW=10MHz Channel=21400 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	768.073	-46.12	-25
2	1000	10000	1000	6048.1	-42.98	-25
3	10000	27000	1000	26988.1	-31.28	-25

Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	833.839	-46.15	-25
2	1000	10000	1000	6942.7	-43.39	-25
3	10000	27000	1000	26032.7	-30.74	-25

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	765.26	-44.09	-25
2	1000	10000	1000	3291.4	-43.68	-25
3	10000	27000	1000	26826.6	-31.83	-25

Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	938.696	-46.65	-25
2	1000	10000	1000	3050.2	-43.51	-25
3	10000	27000	1000	25708	-31.39	-25

Band7 16QAM BW=15MHz Channel=20825 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	469.701	-46.62	-25
2	1000	10000	1000	7302.7	-43.01	-25
3	10000	27000	1000	25250.7	-31.91	-25

Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	767.685	-45.81	-25
2	1000	10000	1000	6894.1	-43.57	-25
3	10000	27000	1000	26993.2	-31.29	-25

Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	767.491	-45.31	-25
2	1000	10000	1000	3151.9	-43.32	-25
3	10000	27000	1000	26889.5	-30.93	-25

Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	681.355	-47	-25
2	1000	10000	1000	3147.4	-43.07	-25
3	10000	27000	1000	25675.7	-32.12	-25

Band7 16QAM BW=15MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	762.447	-46.58	-25
2	1000	10000	1000	6930.1	-42.11	-25
3	10000	27000	1000	26792.6	-32.44	-25

Band7 16QAM BW=15MHz Channel=21100 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	817.64	-47.9	-25
2	1000	10000	1000	3154.6	-42.27	-25
3	10000	27000	1000	25663.8	-31.18	-25

Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	805.903	-47.16	-25
2	1000	10000	1000	3322	-42.96	-25
3	10000	27000	1000	26802.8	-31.69	-25

Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	964.789	-47.4	-25
2	1000	10000	1000	3204.1	-43.02	-25
3	10000	27000	1000	26869.1	-32.24	-25

Band7 16QAM BW=15MHz Channel=21375 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	768.946	-46.73	-25
2	1000	10000	1000	3005.2	-43.09	-25
3	10000	27000	1000	25237.1	-31.42	-25

Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	888.062	-46.63	-25
2	1000	10000	1000	3146.5	-43.13	-25
3	10000	27000	1000	26430.5	-31.85	-25

Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	763.611	-43.08	-25
2	1000	10000	1000	3159.1	-42.94	-25
3	10000	27000	1000	25573.7	-31.73	-25

Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	868.662	-47.02	-25
2	1000	10000	1000	3103.3	-43.6	-25
3	10000	27000	1000	26818.1	-31.39	-25

Band7 16QAM BW=20MHz Channel=20850 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	922.885	-46.36	-25
2	1000	10000	1000	7391.8	-42.93	-25
3	10000	27000	1000	26566.5	-32	-25

Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	768.946	-45.28	-25
2	1000	10000	1000	3059.2	-43.47	-25
3	10000	27000	1000	25641.7	-31.11	-25

Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	782.914	-47.19	-25
2	1000	10000	1000	2657.8	-43.34	-25
3	10000	27000	1000	25582.2	-32.09	-25

Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	762.156	-46.79	-25
2	1000	10000	1000	2969.2	-43.62	-25
3	10000	27000	1000	25403.7	-31.68	-25

Band7 16QAM BW=20MHz Channel=21100 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	767.2	-46.72	-25
2	1000	10000	1000	3543.4	-42.49	-25
3	10000	27000	1000	25641.7	-31.7	-25

Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	800.859	-47.18	-25
2	1000	10000	1000	3232.9	-42.75	-25
3	10000	27000	1000	25674	-31.84	-25

Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	767.976	-44.77	-25
2	1000	10000	1000	7198.3	-43.15	-25
3	10000	27000	1000	25687.6	-31.33	-25

Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	948.784	-47.54	-25
2	1000	10000	1000	3256.3	-43.22	-25
3	10000	27000	1000	25653.6	-30.6	-25

Band7 16QAM BW=20MHz Channel=21350 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	751.195	-47.54	-25
2	1000	10000	1000	3131.2	-43.25	-25
3	10000	27000	1000	26433.9	-32.34	-25

Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	771.177	-43.96	-25
2	1000	10000	1000	1890.1	-42.7	-25
3	10000	27000	1000	26813	-31.75	-25