

Appendix for Band 3

Report No.: BCTC2504944206-10E

Applicant: Shenzhen Huafurui Technology Co., Ltd.

Product Name: Smartphone


Test Model: KINGKONG ES 3

Tested Date: 2025-04-09 to 2025-05-26

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1.Transmitter maximum output power.....	2
Appendix 2.Transmitter spectrum emission mask	3
Appendix 3.Transmitter Spurious Emissions	64
Appendix 4.Transmitter minimum output power.....	189
Appendix 5.Transmitter adjacent channel leakage power ratio.....	190
Appendix 6.Receiver adjacent channel selectivity	250
Appendix 7.Receiver blocking characteristics in-band.....	252
Appendix 8.Receiver blocking characteristics narrow-band.....	262
Appendix 9.Receiver intermodulation characteristics	263
Appendix 10.Receiver Reference Sensitivity Level.....	264
Appendix 11.Receiver spurious emissions	265



Appendix 1. Transmitter maximum output power

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
NVNT	Band3	1.4	19207	1	#0	QPSK	23.14	18.8	25.7	PASS
NVNT	Band3	1.4	19207	1	#Max	QPSK	23.17	18.8	25.7	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	23.12	18.8	25.7	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	23.12	18.8	25.7	PASS
NVNT	Band3	1.4	19575	1	#0	QPSK	23.40	20.3	25.7	PASS
NVNT	Band3	1.4	19575	1	#Max	QPSK	23.38	20.3	25.7	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	23.35	20.3	25.7	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	23.36	20.3	25.7	PASS
NVNT	Band3	1.4	19943	1	#0	QPSK	23.16	18.8	25.7	PASS
NVNT	Band3	1.4	19943	1	#Max	QPSK	22.63	18.8	25.7	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	21.64	18.8	25.7	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	21.38	18.8	25.7	PASS
NVNT	Band3	5	19225	1	#0	QPSK	23.07	18.8	25.7	PASS
NVNT	Band3	5	19225	1	#Max	QPSK	23.11	20.3	25.7	PASS
NVNT	Band3	5	19225	8	#0	QPSK	23.13	18.8	25.7	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	23.17	20.3	25.7	PASS
NVNT	Band3	5	19575	1	#0	QPSK	23.23	20.3	25.7	PASS
NVNT	Band3	5	19575	1	#Max	QPSK	23.20	20.3	25.7	PASS
NVNT	Band3	5	19575	8	#0	QPSK	23.31	20.3	25.7	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	23.32	20.3	25.7	PASS
NVNT	Band3	5	19925	1	#0	QPSK	23.21	20.3	25.7	PASS
NVNT	Band3	5	19925	1	#Max	QPSK	22.96	18.8	25.7	PASS
NVNT	Band3	5	19925	8	#0	QPSK	23.28	20.3	25.7	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	23.05	18.8	25.7	PASS
NVNT	Band3	20	19300	1	#0	QPSK	23.13	18.8	25.7	PASS
NVNT	Band3	20	19300	1	#Max	QPSK	23.52	20.3	25.7	PASS
NVNT	Band3	20	19300	18	#0	QPSK	23.11	18.8	25.7	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	23.34	20.3	25.7	PASS
NVNT	Band3	20	19575	1	#0	QPSK	23.48	20.3	25.7	PASS
NVNT	Band3	20	19575	1	#Max	QPSK	23.50	20.3	25.7	PASS
NVNT	Band3	20	19575	18	#0	QPSK	23.39	20.3	25.7	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	23.29	20.3	25.7	PASS
NVNT	Band3	20	19850	1	#0	QPSK	23.54	20.3	25.7	PASS
NVNT	Band3	20	19850	1	#Max	QPSK	23.28	18.8	25.7	PASS
NVNT	Band3	20	19850	18	#0	QPSK	23.49	20.3	25.7	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	23.21	18.8	25.7	PASS

Appendix 2. Transmitter spectrum emission mask

<i>Condition</i>	<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Offset (MHz)</i>	<i>SEM Margin (dB)</i>	<i>Verdict</i>
NVNT	Band3	1.4	19207	5	#0	QPSK	-0.715	15.53	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	-2.2	21.89	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	-3.7	11.73	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	0.715	16.77	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	2.2	23.92	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	3.7	11.61	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	-0.715	17.91	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	-2.2	23.97	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	-3.7	11.77	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	0.715	15.54	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	2.2	21.50	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	3.7	11.64	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	-0.715	20.35	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	-2.2	22.33	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	-3.7	11.73	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	0.715	20.96	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	2.2	22.52	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	3.7	11.63	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	-0.75	18.23	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	-2.2	23.22	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	-3.7	11.95	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	0.715	19.03	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	2.2	24.81	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	3.7	11.88	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	-0.715	20.87	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	-2.2	24.89	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	-3.7	11.88	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	0.75	19.09	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	2.2	23.49	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	3.7	11.90	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	-0.715	20.76	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	-2.2	23.40	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	-3.7	11.93	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	0.735	21.83	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	2.2	23.40	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	3.7	11.78	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	-0.715	17.55	PASS

NVNT	Band3	1.4	19575	5	#0	QPSK	-2.2	22.29	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	-3.7	11.56	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	0.715	19.73	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	2.2	24.28	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	3.7	11.57	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	-0.715	20.46	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	-2.2	24.09	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	-3.7	11.65	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	0.9	19.12	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	2.2	22.47	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	3.7	11.55	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	-0.715	20.74	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	-2.2	21.63	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	-3.7	11.36	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	0.715	20.29	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	2.2	21.94	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	3.7	11.59	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	-0.715	16.80	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	-2.2	22.80	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	-3.7	11.71	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	0.715	20.86	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	2.2	24.53	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	3.7	11.80	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	-0.81	19.97	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	-2.2	24.45	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	-3.7	11.74	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	0.715	18.16	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	2.2	22.95	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	3.7	11.59	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	-0.78	21.54	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	-2.2	23.57	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	-3.7	11.78	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	0.78	22.27	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	2.2	23.62	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	3.7	11.66	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	-0.735	11.85	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	-2.2	18.86	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	-3.7	11.39	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	0.75	15.92	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	2.2	23.10	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	3.7	11.82	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	-0.715	13.51	PASS

NVNT	Band3	1.4	19943	5	#Max	QPSK	-2.2	20.47	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	-3.7	11.19	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	0.75	13.12	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	2.2	24.89	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	3.7	11.94	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	-0.715	12.46	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	-2.2	17.97	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	-3.7	11.68	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	0.735	14.57	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	2.2	25.33	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	3.7	12.88	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	-0.735	9.63	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	-2.2	19.11	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	-3.7	12.17	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	0.715	15.25	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	2.2	26.45	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	3.7	13.10	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	-0.735	12.80	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	-2.2	21.30	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	-3.7	12.25	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	0.715	12.26	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	2.2	25.41	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	3.7	12.91	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	-0.735	18.67	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	-2.2	20.59	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	-3.7	12.42	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	0.715	21.39	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	2.2	22.80	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	3.7	12.83	PASS
NVNT	Band3	5	19225	8	#0	QPSK	-2.515	12.09	PASS
NVNT	Band3	5	19225	8	#0	QPSK	-4	16.39	PASS
NVNT	Band3	5	19225	8	#0	QPSK	-8	23.71	PASS
NVNT	Band3	5	19225	8	#0	QPSK	-12	11.92	PASS
NVNT	Band3	5	19225	8	#0	QPSK	2.515	28.24	PASS
NVNT	Band3	5	19225	8	#0	QPSK	4	26.46	PASS
NVNT	Band3	5	19225	8	#0	QPSK	8	24.05	PASS
NVNT	Band3	5	19225	8	#0	QPSK	9.72	12.05	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	-2.515	29.16	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	-4.23	25.73	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	-8	24.17	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	-11.88	11.98	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	2.515	13.40	PASS

NVNT	Band3	5	19225	8	#Max	QPSK	4	17.28	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	8	23.64	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	9.72	11.77	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-2.515	19.40	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-4	15.68	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-8	22.29	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-9	11.20	PASS
NVNT	Band3	5	19225	25	#0	QPSK	2.515	20.69	PASS
NVNT	Band3	5	19225	25	#0	QPSK	4	16.24	PASS
NVNT	Band3	5	19225	25	#0	QPSK	8	22.04	PASS
NVNT	Band3	5	19225	25	#0	QPSK	9	11.12	PASS
NVNT	Band3	5	19225	8	#0	16QAM	-2.515	14.37	PASS
NVNT	Band3	5	19225	8	#0	16QAM	-4	19.54	PASS
NVNT	Band3	5	19225	8	#0	16QAM	-8	23.88	PASS
NVNT	Band3	5	19225	8	#0	16QAM	-9	11.93	PASS
NVNT	Band3	5	19225	8	#0	16QAM	2.515	29.32	PASS
NVNT	Band3	5	19225	8	#0	16QAM	4	26.65	PASS
NVNT	Band3	5	19225	8	#0	16QAM	8	24.11	PASS
NVNT	Band3	5	19225	8	#0	16QAM	10.08	11.97	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	-2.515	30.20	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	-4.68	26.16	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	-8	24.12	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	-11.43	11.95	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	2.515	16.39	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	4	20.06	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	8	23.75	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	9	11.91	PASS
NVNT	Band3	5	19225	25	#0	16QAM	-2.515	21.75	PASS
NVNT	Band3	5	19225	25	#0	16QAM	-4	16.61	PASS
NVNT	Band3	5	19225	25	#0	16QAM	-8	23.21	PASS
NVNT	Band3	5	19225	25	#0	16QAM	-9	11.70	PASS
NVNT	Band3	5	19225	25	#0	16QAM	2.515	21.04	PASS
NVNT	Band3	5	19225	25	#0	16QAM	4	17.27	PASS
NVNT	Band3	5	19225	25	#0	16QAM	8	23.03	PASS
NVNT	Band3	5	19225	25	#0	16QAM	9	11.54	PASS
NVNT	Band3	5	19575	8	#0	QPSK	-2.515	14.41	PASS
NVNT	Band3	5	19575	8	#0	QPSK	-4	16.82	PASS
NVNT	Band3	5	19575	8	#0	QPSK	-8	23.68	PASS
NVNT	Band3	5	19575	8	#0	QPSK	-9.18	11.72	PASS
NVNT	Band3	5	19575	8	#0	QPSK	2.515	28.63	PASS
NVNT	Band3	5	19575	8	#0	QPSK	4.32	25.86	PASS
NVNT	Band3	5	19575	8	#0	QPSK	8	23.98	PASS

NVNT	Band3	5	19575	8	#0	QPSK	10.98	11.75	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	-2.515	27.80	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	-4	25.90	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	-8	24.03	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	-12	11.81	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	2.515	14.50	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	4	17.28	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	8	23.70	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	9	11.80	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-2.515	20.29	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-4	17.02	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-8	22.27	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-9	11.22	PASS
NVNT	Band3	5	19575	25	#0	QPSK	2.515	20.90	PASS
NVNT	Band3	5	19575	25	#0	QPSK	4	18.32	PASS
NVNT	Band3	5	19575	25	#0	QPSK	8	22.59	PASS
NVNT	Band3	5	19575	25	#0	QPSK	9.45	11.36	PASS
NVNT	Band3	5	19575	8	#0	16QAM	-2.515	14.10	PASS
NVNT	Band3	5	19575	8	#0	16QAM	-4	18.13	PASS
NVNT	Band3	5	19575	8	#0	16QAM	-8	23.65	PASS
NVNT	Band3	5	19575	8	#0	16QAM	-11.79	11.78	PASS
NVNT	Band3	5	19575	8	#0	16QAM	2.515	29.43	PASS
NVNT	Band3	5	19575	8	#0	16QAM	4	26.10	PASS
NVNT	Band3	5	19575	8	#0	16QAM	8	23.88	PASS
NVNT	Band3	5	19575	8	#0	16QAM	10.26	11.88	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	-2.515	28.34	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	-4	25.79	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	-8	23.91	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	-11.79	11.87	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	2.515	16.65	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	4	19.04	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	8	23.70	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	9	11.78	PASS
NVNT	Band3	5	19575	25	#0	16QAM	-2.515	19.31	PASS
NVNT	Band3	5	19575	25	#0	16QAM	-4	16.84	PASS
NVNT	Band3	5	19575	25	#0	16QAM	-8	22.93	PASS
NVNT	Band3	5	19575	25	#0	16QAM	-9.99	11.55	PASS
NVNT	Band3	5	19575	25	#0	16QAM	2.515	21.20	PASS
NVNT	Band3	5	19575	25	#0	16QAM	4	17.87	PASS
NVNT	Band3	5	19575	25	#0	16QAM	8	22.82	PASS
NVNT	Band3	5	19575	25	#0	16QAM	9	11.58	PASS
NVNT	Band3	5	19925	8	#0	QPSK	-2.515	12.55	PASS

NVNT	Band3	5	19925	8	#0	QPSK	-4	14.72	PASS
NVNT	Band3	5	19925	8	#0	QPSK	-8	23.47	PASS
NVNT	Band3	5	19925	8	#0	QPSK	-9	11.59	PASS
NVNT	Band3	5	19925	8	#0	QPSK	2.515	30.20	PASS
NVNT	Band3	5	19925	8	#0	QPSK	4.23	25.03	PASS
NVNT	Band3	5	19925	8	#0	QPSK	8	23.90	PASS
NVNT	Band3	5	19925	8	#0	QPSK	12	11.77	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	-2.515	27.58	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	-4.5	22.13	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	-8	23.75	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	-11.61	11.66	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	2.515	8.70	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	4	17.31	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	8	24.00	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	9.99	11.86	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-2.515	21.62	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-4	16.81	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-8	20.45	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-9	10.23	PASS
NVNT	Band3	5	19925	25	#0	QPSK	2.515	22.27	PASS
NVNT	Band3	5	19925	25	#0	QPSK	4	18.64	PASS
NVNT	Band3	5	19925	25	#0	QPSK	8	23.88	PASS
NVNT	Band3	5	19925	25	#0	QPSK	12	11.77	PASS
NVNT	Band3	5	19925	8	#0	16QAM	-2.515	18.04	PASS
NVNT	Band3	5	19925	8	#0	16QAM	-4	17.59	PASS
NVNT	Band3	5	19925	8	#0	16QAM	-8	23.63	PASS
NVNT	Band3	5	19925	8	#0	16QAM	-12	11.59	PASS
NVNT	Band3	5	19925	8	#0	16QAM	2.515	29.93	PASS
NVNT	Band3	5	19925	8	#0	16QAM	4.23	25.31	PASS
NVNT	Band3	5	19925	8	#0	16QAM	8	24.04	PASS
NVNT	Band3	5	19925	8	#0	16QAM	11.07	11.89	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	-2.515	28.66	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	-4.23	24.65	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	-8	23.82	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	-9.9	11.69	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	2.55	14.82	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	4	18.75	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	8	23.93	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	9.9	11.86	PASS
NVNT	Band3	5	19925	25	#0	16QAM	-2.515	23.92	PASS
NVNT	Band3	5	19925	25	#0	16QAM	-4	18.56	PASS
NVNT	Band3	5	19925	25	#0	16QAM	-8	22.19	PASS

NVNT	Band3	5	19925	25	#0	16QAM	-9	11.57	PASS
NVNT	Band3	5	19925	25	#0	16QAM	2.515	22.77	PASS
NVNT	Band3	5	19925	25	#0	16QAM	4	19.83	PASS
NVNT	Band3	5	19925	25	#0	16QAM	8	24.43	PASS
NVNT	Band3	5	19925	25	#0	16QAM	11.16	12.81	PASS
NVNT	Band3	10	19250	12	#0	QPSK	-5.015	12.57	PASS
NVNT	Band3	10	19250	12	#0	QPSK	-6.5	14.17	PASS
NVNT	Band3	10	19250	12	#0	QPSK	-10.62	23.40	PASS
NVNT	Band3	10	19250	12	#0	QPSK	-19.5	11.03	PASS
NVNT	Band3	10	19250	12	#0	QPSK	5.025	30.66	PASS
NVNT	Band3	10	19250	12	#0	QPSK	6.5	26.73	PASS
NVNT	Band3	10	19250	12	#0	QPSK	10.89	23.69	PASS
NVNT	Band3	10	19250	12	#0	QPSK	17.37	11.87	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	-5.015	30.46	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	-9.5	26.26	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	-10.5	23.13	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	-19.5	10.87	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	5.115	14.71	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	6.5	15.62	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	10.5	23.48	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	17.46	11.61	PASS
NVNT	Band3	10	19250	50	#0	QPSK	-5.28	21.66	PASS
NVNT	Band3	10	19250	50	#0	QPSK	-6.5	17.44	PASS
NVNT	Band3	10	19250	50	#0	QPSK	-10.5	17.98	PASS
NVNT	Band3	10	19250	50	#0	QPSK	-19.5	10.89	PASS
NVNT	Band3	10	19250	50	#0	QPSK	5.015	20.56	PASS
NVNT	Band3	10	19250	50	#0	QPSK	6.5	18.31	PASS
NVNT	Band3	10	19250	50	#0	QPSK	10.5	17.53	PASS
NVNT	Band3	10	19250	50	#0	QPSK	15.5	10.35	PASS
NVNT	Band3	10	19250	12	#0	16QAM	-5.015	12.56	PASS
NVNT	Band3	10	19250	12	#0	16QAM	-6.5	16.68	PASS
NVNT	Band3	10	19250	12	#0	16QAM	-14.31	23.64	PASS
NVNT	Band3	10	19250	12	#0	16QAM	-19.5	11.12	PASS
NVNT	Band3	10	19250	12	#0	16QAM	5.015	29.04	PASS
NVNT	Band3	10	19250	12	#0	16QAM	9.5	26.85	PASS
NVNT	Band3	10	19250	12	#0	16QAM	10.5	23.86	PASS
NVNT	Band3	10	19250	12	#0	16QAM	19.17	11.73	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	-5.015	30.23	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	-9.5	26.50	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	-10.71	23.41	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	-19.5	10.83	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	5.015	15.83	PASS

NVNT	Band3	10	19250	12	#Max	16QAM	6.5	17.48	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	10.5	23.70	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	17.1	11.74	PASS
NVNT	Band3	10	19250	50	#0	16QAM	-5.055	22.08	PASS
NVNT	Band3	10	19250	50	#0	16QAM	-6.5	18.33	PASS
NVNT	Band3	10	19250	50	#0	16QAM	-10.5	19.10	PASS
NVNT	Band3	10	19250	50	#0	16QAM	-19.5	11.92	PASS
NVNT	Band3	10	19250	50	#0	16QAM	5.015	20.89	PASS
NVNT	Band3	10	19250	50	#0	16QAM	6.5	18.85	PASS
NVNT	Band3	10	19250	50	#0	16QAM	10.5	18.44	PASS
NVNT	Band3	10	19250	50	#0	16QAM	15.5	11.55	PASS
NVNT	Band3	10	19575	12	#0	QPSK	-5.015	14.55	PASS
NVNT	Band3	10	19575	12	#0	QPSK	-6.5	14.73	PASS
NVNT	Band3	10	19575	12	#0	QPSK	-10.5	23.30	PASS
NVNT	Band3	10	19575	12	#0	QPSK	-19.5	10.93	PASS
NVNT	Band3	10	19575	12	#0	QPSK	5.015	30.10	PASS
NVNT	Band3	10	19575	12	#0	QPSK	9.5	26.44	PASS
NVNT	Band3	10	19575	12	#0	QPSK	10.8	23.49	PASS
NVNT	Band3	10	19575	12	#0	QPSK	18.9	11.71	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	-5.015	29.88	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	-8.82	26.51	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	-10.8	23.48	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	-19.5	10.90	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	5.015	16.20	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	6.5	16.31	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	10.5	23.48	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	15.57	11.65	PASS
NVNT	Band3	10	19575	50	#0	QPSK	-5.055	22.28	PASS
NVNT	Band3	10	19575	50	#0	QPSK	-6.5	18.48	PASS
NVNT	Band3	10	19575	50	#0	QPSK	-10.71	18.17	PASS
NVNT	Band3	10	19575	50	#0	QPSK	-15.5	10.55	PASS
NVNT	Band3	10	19575	50	#0	QPSK	5.015	23.41	PASS
NVNT	Band3	10	19575	50	#0	QPSK	6.5	20.01	PASS
NVNT	Band3	10	19575	50	#0	QPSK	10.5	19.13	PASS
NVNT	Band3	10	19575	50	#0	QPSK	15.57	10.77	PASS
NVNT	Band3	10	19575	12	#0	16QAM	-5.015	15.46	PASS
NVNT	Band3	10	19575	12	#0	16QAM	-6.5	17.47	PASS
NVNT	Band3	10	19575	12	#0	16QAM	-14.22	23.60	PASS
NVNT	Band3	10	19575	12	#0	16QAM	-19.5	10.88	PASS
NVNT	Band3	10	19575	12	#0	16QAM	5.015	29.54	PASS
NVNT	Band3	10	19575	12	#0	16QAM	9.18	26.57	PASS
NVNT	Band3	10	19575	12	#0	16QAM	10.62	23.57	PASS


NVNT	Band3	10	19575	12	#0	16QAM	19.35	11.77	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	-5.015	28.22	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	-9.45	26.75	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	-10.5	23.56	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	-19.5	10.74	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	5.015	14.65	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	6.5	18.61	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	10.71	23.57	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	17.73	11.62	PASS
NVNT	Band3	10	19575	50	#0	16QAM	-5.115	21.90	PASS
NVNT	Band3	10	19575	50	#0	16QAM	-6.5	18.43	PASS
NVNT	Band3	10	19575	50	#0	16QAM	-10.5	18.89	PASS
NVNT	Band3	10	19575	50	#0	16QAM	-15.5	10.66	PASS
NVNT	Band3	10	19575	50	#0	16QAM	5.025	22.30	PASS
NVNT	Band3	10	19575	50	#0	16QAM	6.5	19.51	PASS
NVNT	Band3	10	19575	50	#0	16QAM	10.5	19.28	PASS
NVNT	Band3	10	19575	50	#0	16QAM	15.5	10.99	PASS
NVNT	Band3	10	19900	12	#0	QPSK	-5.025	13.81	PASS
NVNT	Band3	10	19900	12	#0	QPSK	-6.5	14.43	PASS
NVNT	Band3	10	19900	12	#0	QPSK	-10.5	22.65	PASS
NVNT	Band3	10	19900	12	#0	QPSK	-19.5	10.60	PASS
NVNT	Band3	10	19900	12	#0	QPSK	5.015	30.05	PASS
NVNT	Band3	10	19900	12	#0	QPSK	8.91	26.27	PASS
NVNT	Band3	10	19900	12	#0	QPSK	10.71	23.66	PASS
NVNT	Band3	10	19900	12	#0	QPSK	18.36	11.68	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	-5.015	28.43	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	-9.5	25.35	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	-10.5	22.37	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	-19.5	10.79	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	5.07	11.78	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	6.5	15.05	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	13.86	23.75	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	19.44	11.65	PASS
NVNT	Band3	10	19900	50	#0	QPSK	-5.015	22.49	PASS
NVNT	Band3	10	19900	50	#0	QPSK	-6.57	19.61	PASS
NVNT	Band3	10	19900	50	#0	QPSK	-10.71	17.79	PASS
NVNT	Band3	10	19900	50	#0	QPSK	-15.5	9.71	PASS
NVNT	Band3	10	19900	50	#0	QPSK	5.015	25.00	PASS
NVNT	Band3	10	19900	50	#0	QPSK	6.5	22.39	PASS
NVNT	Band3	10	19900	50	#0	QPSK	10.5	23.04	PASS
NVNT	Band3	10	19900	50	#0	QPSK	16.38	11.69	PASS
NVNT	Band3	10	19900	12	#0	16QAM	-5.015	15.01	PASS

NVNT	Band3	10	19900	12	#0	16QAM	-6.5	16.04	PASS
NVNT	Band3	10	19900	12	#0	16QAM	-10.5	23.16	PASS
NVNT	Band3	10	19900	12	#0	16QAM	-19.5	10.75	PASS
NVNT	Band3	10	19900	12	#0	16QAM	5.015	31.37	PASS
NVNT	Band3	10	19900	12	#0	16QAM	9.36	26.40	PASS
NVNT	Band3	10	19900	12	#0	16QAM	10.5	23.77	PASS
NVNT	Band3	10	19900	12	#0	16QAM	19.26	11.66	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	-5.015	30.23	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	-9.5	25.88	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	-10.5	22.85	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	-19.5	10.81	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	5.015	14.79	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	6.5	17.63	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	14.13	23.77	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	19.44	11.66	PASS
NVNT	Band3	10	19900	50	#0	16QAM	-5.015	21.37	PASS
NVNT	Band3	10	19900	50	#0	16QAM	-6.5	18.57	PASS
NVNT	Band3	10	19900	50	#0	16QAM	-10.5	17.99	PASS
NVNT	Band3	10	19900	50	#0	16QAM	-15.5	10.37	PASS
NVNT	Band3	10	19900	50	#0	16QAM	5.015	22.56	PASS
NVNT	Band3	10	19900	50	#0	16QAM	6.5	21.15	PASS
NVNT	Band3	10	19900	50	#0	16QAM	10.5	22.49	PASS
NVNT	Band3	10	19900	50	#0	16QAM	19.5	11.77	PASS
NVNT	Band3	20	19300	18	#0	QPSK	-10.015	12.35	PASS
NVNT	Band3	20	19300	18	#0	QPSK	-11.5	14.02	PASS
NVNT	Band3	20	19300	18	#0	QPSK	-19.71	22.69	PASS
NVNT	Band3	20	19300	18	#0	QPSK	-30.96	12.34	PASS
NVNT	Band3	20	19300	18	#0	QPSK	10.05	28.46	PASS
NVNT	Band3	20	19300	18	#0	QPSK	11.5	26.76	PASS
NVNT	Band3	20	19300	18	#0	QPSK	19.35	23.73	PASS
NVNT	Band3	20	19300	18	#0	QPSK	33.57	12.10	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	-10.08	29.57	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	-14.5	26.66	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	-19.71	22.83	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	-32.4	12.45	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	10.035	16.61	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	11.5	17.06	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	15.57	23.33	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	34.2	11.98	PASS
NVNT	Band3	20	19300	100	#0	QPSK	-10.05	20.61	PASS
NVNT	Band3	20	19300	100	#0	QPSK	-11.61	19.00	PASS
NVNT	Band3	20	19300	100	#0	QPSK	-15.5	18.21	PASS


NVNT	Band3	20	19300	100	#0	QPSK	-32.67	12.38	PASS
NVNT	Band3	20	19300	100	#0	QPSK	10.015	21.41	PASS
NVNT	Band3	20	19300	100	#0	QPSK	11.5	21.00	PASS
NVNT	Band3	20	19300	100	#0	QPSK	19.35	19.63	PASS
NVNT	Band3	20	19300	100	#0	QPSK	30.5	11.16	PASS
NVNT	Band3	20	19300	18	#0	16QAM	-10.08	12.67	PASS
NVNT	Band3	20	19300	18	#0	16QAM	-11.5	15.74	PASS
NVNT	Band3	20	19300	18	#0	16QAM	-19.71	22.77	PASS
NVNT	Band3	20	19300	18	#0	16QAM	-31.77	12.24	PASS
NVNT	Band3	20	19300	18	#0	16QAM	10.015	29.48	PASS
NVNT	Band3	20	19300	18	#0	16QAM	13.59	26.77	PASS
NVNT	Band3	20	19300	18	#0	16QAM	19.71	23.69	PASS
NVNT	Band3	20	19300	18	#0	16QAM	30.5	12.08	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	-10.015	29.81	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	-14.5	26.72	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	-19.71	22.75	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	-34.2	12.38	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	10.015	16.58	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	11.5	17.87	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	15.5	23.42	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	33.12	11.99	PASS
NVNT	Band3	20	19300	100	#0	16QAM	-10.095	21.03	PASS
NVNT	Band3	20	19300	100	#0	16QAM	-11.5	20.32	PASS
NVNT	Band3	20	19300	100	#0	16QAM	-15.5	19.04	PASS
NVNT	Band3	20	19300	100	#0	16QAM	-31.77	12.35	PASS
NVNT	Band3	20	19300	100	#0	16QAM	10.035	22.16	PASS
NVNT	Band3	20	19300	100	#0	16QAM	11.61	21.22	PASS
NVNT	Band3	20	19300	100	#0	16QAM	15.66	19.46	PASS
NVNT	Band3	20	19300	100	#0	16QAM	30.5	11.56	PASS
NVNT	Band3	20	19575	18	#0	QPSK	-10.015	13.65	PASS
NVNT	Band3	20	19575	18	#0	QPSK	-11.5	14.68	PASS
NVNT	Band3	20	19575	18	#0	QPSK	-15.93	22.46	PASS
NVNT	Band3	20	19575	18	#0	QPSK	-30.96	12.17	PASS
NVNT	Band3	20	19575	18	#0	QPSK	10.015	29.72	PASS
NVNT	Band3	20	19575	18	#0	QPSK	12.69	26.74	PASS
NVNT	Band3	20	19575	18	#0	QPSK	18.09	23.45	PASS
NVNT	Band3	20	19575	18	#0	QPSK	30.5	12.06	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	-10.015	29.05	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	-14.4	26.49	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	-19.62	22.82	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	-30.5	12.26	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	10.015	16.88	PASS


NVNT	Band3	20	19575	18	#Max	QPSK	11.5	17.65	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	16.65	22.53	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	31.95	11.89	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-10.08	20.49	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-11.5	19.94	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-16.38	18.77	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-30.5	11.53	PASS
NVNT	Band3	20	19575	100	#0	QPSK	10.015	22.87	PASS
NVNT	Band3	20	19575	100	#0	QPSK	11.5	22.13	PASS
NVNT	Band3	20	19575	100	#0	QPSK	21.6	20.37	PASS
NVNT	Band3	20	19575	100	#0	QPSK	30.5	11.25	PASS
NVNT	Band3	20	19575	18	#0	16QAM	-10.065	14.56	PASS
NVNT	Band3	20	19575	18	#0	16QAM	-11.5	16.31	PASS
NVNT	Band3	20	19575	18	#0	16QAM	-16.65	22.60	PASS
NVNT	Band3	20	19575	18	#0	16QAM	-30.78	12.20	PASS
NVNT	Band3	20	19575	18	#0	16QAM	10.05	29.81	PASS
NVNT	Band3	20	19575	18	#0	16QAM	14.5	26.72	PASS
NVNT	Band3	20	19575	18	#0	16QAM	17.82	23.54	PASS
NVNT	Band3	20	19575	18	#0	16QAM	34.02	12.01	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	-10.015	29.18	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	-12.96	26.48	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	-19.71	22.76	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	-31.41	12.29	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	10.015	17.15	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	11.5	18.91	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	16.56	22.78	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	33.3	11.94	PASS
NVNT	Band3	20	19575	100	#0	16QAM	-10.05	21.96	PASS
NVNT	Band3	20	19575	100	#0	16QAM	-11.5	20.71	PASS
NVNT	Band3	20	19575	100	#0	16QAM	-15.5	19.36	PASS
NVNT	Band3	20	19575	100	#0	16QAM	-31.32	11.84	PASS
NVNT	Band3	20	19575	100	#0	16QAM	10.065	23.64	PASS
NVNT	Band3	20	19575	100	#0	16QAM	11.61	22.07	PASS
NVNT	Band3	20	19575	100	#0	16QAM	15.66	20.14	PASS
NVNT	Band3	20	19575	100	#0	16QAM	32.22	11.71	PASS
NVNT	Band3	20	19850	18	#0	QPSK	-10.425	15.50	PASS
NVNT	Band3	20	19850	18	#0	QPSK	-11.5	15.07	PASS
NVNT	Band3	20	19850	18	#0	QPSK	-19.71	22.49	PASS
NVNT	Band3	20	19850	18	#0	QPSK	-31.86	12.09	PASS
NVNT	Band3	20	19850	18	#0	QPSK	10.015	29.66	PASS
NVNT	Band3	20	19850	18	#0	QPSK	14.04	26.74	PASS
NVNT	Band3	20	19850	18	#0	QPSK	18.18	23.71	PASS


NVNT	Band3	20	19850	18	#0	QPSK	33.39	11.95	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	-10.14	29.27	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	-13.86	26.39	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	-19.71	22.39	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	-33.93	12.12	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	10.2	13.73	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	11.5	15.63	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	19.71	23.64	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	33.57	11.91	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-10.015	21.16	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-11.5	20.16	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-19.17	18.25	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-30.5	10.91	PASS
NVNT	Band3	20	19850	100	#0	QPSK	10.05	24.84	PASS
NVNT	Band3	20	19850	100	#0	QPSK	11.7	23.29	PASS
NVNT	Band3	20	19850	100	#0	QPSK	15.5	22.81	PASS
NVNT	Band3	20	19850	100	#0	QPSK	30.5	11.96	PASS
NVNT	Band3	20	19850	18	#0	16QAM	-10.015	15.58	PASS
NVNT	Band3	20	19850	18	#0	16QAM	-11.5	16.90	PASS
NVNT	Band3	20	19850	18	#0	16QAM	-19.71	22.54	PASS
NVNT	Band3	20	19850	18	#0	16QAM	-31.86	11.97	PASS
NVNT	Band3	20	19850	18	#0	16QAM	10.125	29.99	PASS
NVNT	Band3	20	19850	18	#0	16QAM	13.05	26.78	PASS
NVNT	Band3	20	19850	18	#0	16QAM	19.71	23.61	PASS
NVNT	Band3	20	19850	18	#0	16QAM	32.04	12.02	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	-10.015	29.28	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	-14.5	26.41	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	-19.71	22.43	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	-31.32	12.18	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	10.05	14.76	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	11.5	17.23	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	18.09	23.68	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	32.85	11.90	PASS
NVNT	Band3	20	19850	100	#0	16QAM	-10.14	22.13	PASS
NVNT	Band3	20	19850	100	#0	16QAM	-11.61	20.65	PASS
NVNT	Band3	20	19850	100	#0	16QAM	-15.5	18.73	PASS
NVNT	Band3	20	19850	100	#0	16QAM	-30.5	11.21	PASS
NVNT	Band3	20	19850	100	#0	16QAM	10.125	24.52	PASS
NVNT	Band3	20	19850	100	#0	16QAM	11.5	22.97	PASS
NVNT	Band3	20	19850	100	#0	16QAM	15.5	22.47	PASS
NVNT	Band3	20	19850	100	#0	16QAM	32.67	11.88	PASS




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0 NVNT










Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#0 NVNT










Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0 NVNT










Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#0 NVNT










Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0 NVNT










Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#0 NVNT










Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0 NVNT










Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#0 NVNT










Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0 NVNT










Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#0 NVNT










Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0 NVNT










Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#0 NVNT










Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0 NVNT










Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#0 NVNT










Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0 NVNT










Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#0 NVNT










Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0 NVNT










Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#0 NVNT










Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0 NVNT










Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#0 NVNT










Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0 NVNT










Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#0 NVNT










Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0 NVNT








Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#0 NVNT





Appendix 3. Transmitter Spurious Emissions

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RB W	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	Band 3	1.4	19207	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.30	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.40	-54.43	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.24	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-44.24	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-47.74	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.46	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2130.04	-59.97	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.90	-60.19	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2641.77	-58.87	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.12	-60.15	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.06	-60.48	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-59.14	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.58	-59.97	-50	PASS

							MHz					
NVNT	Band 3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.85	-60.9 7	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.8 1	-60.3 3	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.9 8	-59.9 7	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.8 1	-59.9 5	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.9 0	-58.8 5	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.3 0	-59.6 7	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.8 0	-58.9 8	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.2 0	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2165.3 5	-60.0 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.40	-60.3 0	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.31	-60.0 5	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.01	-50.9 7	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	0.58	-55.8 4	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.5 0	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	1000 MHz-1707. MHz	1 MHz	1707.2 0	-46.2 3	-30	PASS

							20 MHz					
NVNT	Band 3	1.4	19207	1	#Max	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.2 7	-46.7 8	-30	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.1 3	-30	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2169.1 0	-59.9 4	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1876.0 3	-60.1 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2664.5 2	-58.8 8	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	926.54	-60.1 4	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	800.21	-60.5 8	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.7 6	-59.1 1	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	797.78	-59.9 0	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.62	-60.9 6	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1479.9 4	-60.3 1	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1919.7 0	-59.9 5	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2018.4 5	-59.9 4	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2618.6 5	-58.7 8	-50	PASS

NVNT	Band 3	1.4	19207	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2387.0 0	-59.6 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3599.4 0	-58.9 5	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.1 0	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2131.3 3	-60.0 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	756.20	-60.3 3	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	781.35	-60.0 3	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	9 kHz-150 kHz	1 kHz	0.11	-52.2 2	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	150 kHz-30 MHz	10 kHz	6.01	-55.2 5	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	30 MHz-1000 MHz	100 kHz	870.60	-59.8 4	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1000 MHz-1707. 20 MHz	1 MHz	1707.2 0	-43.4 7	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.2 7	-47.0 4	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.3 8	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.4 2	-59.9 4	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.8 0	-60.2 2	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2664.5 9	-58.8 2	-50	PASS

NVNT	Band 3	1.4	19207	6	#0	QPSK	925 MHz-960 MHz	1 MHz	934.66	-60.1 1	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	791 MHz-821 MHz	1 MHz	797.99	-60.5 8	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.1 2	-59.0 9	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	758 MHz-803 MHz	1 MHz	795.76	-59.9 3	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.36	-60.8 7	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.4 1	-60.2 7	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.9 6	-59.9 2	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.9 3	-59.9 0	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.6 0	-58.8 2	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.2 0	-59.6 1	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.4 0	-58.9 1	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.2 1	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2132.3 2	-60.0 0	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	QPSK	738 MHz-758 MHz	1 MHz	749.46	-60.3 0	-50	PASS
NVNT	Band	1.4	19207	6	#0	QPSK	753	1	782.82	-60.0	-50	PASS

	3						MHz-783 MHz	MHz		4		
NVNT	Band 3	1.4	19207	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.1 6	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.55	-54.8 7	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.2 8	-36	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	1000 MHz-1707. 20 MHz	1 MHz	1707.2 0	-44.0 6	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	1714.20 MHz-3000 MHz	1 MHz	1715.2 7	-47.6 1	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.9 9	-30	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2139.5 8	-59.9 6	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1878.2 8	-60.1 9	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2654.8 6	-58.8 7	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	925 MHz-960 MHz	1 MHz	939.63	-60.1 3	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	791 MHz-821 MHz	1 MHz	800.54	-60.5 4	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3586.6 4	-59.1 4	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	758 MHz-803 MHz	1 MHz	799.99	-59.9 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.24	-60.9 7	-50	PASS
NVNT	Band	1.4	19207	1	#0	16QAM	1452	1	1478.6	-60.3	-50	PASS

	3						MHz-1496 MHz	MHz	2	3		
NVNT	Band 3	1.4	19207	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1910.8 6	-59.9 1	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2017.9 4	-59.9 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2615.3 5	-58.8 9	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2382.0 0	-59.7 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3596.8 0	-58.9 7	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.2 1	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2139.9 7	-60.0 4	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	738 MHz-758 MHz	1 MHz	757.92	-60.2 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#0	16QAM	753 MHz-783 MHz	1 MHz	782.58	-59.9 9	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.0 2	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.74	-56.3 0	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.3 2	-36	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1000 MHz-1707. 20 MHz	1 MHz	1707.2 0	-46.2 8	-30	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1714.20 MHz-3000 MHz	1 MHz	1715.2 7	-47.1 4	-30	PASS
NVNT	Band	1.4	19207	1	#Max	16QAM	3000	1	9599.9	-51.1	-30	PASS

	3						MHz-12.75 GHz	MHz	4	5		
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2168.3 8	-59.9 6	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1856.6 0	-60.1 8	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2669.7 0	-58.8 7	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	925.35	-60.1 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	792.89	-60.5 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3587.1 2	-59.1 1	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	799.94	-59.9 4	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	465.81	-60.8 9	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1456.8 4	-60.3 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1915.0 2	-59.9 4	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2019.9 2	-59.9 0	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2616.2 5	-58.9 2	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2392.9 0	-59.6 5	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3600.0 0	-58.8 5	-50	PASS

							MHz					
NVNT	Band 3	1.4	19207	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.2 3	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2139.7 0	-60.0 1	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	750.78	-60.2 9	-50	PASS
NVNT	Band 3	1.4	19207	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	777.66	-60.0 1	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.7 8	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	150 kHz-30 MHz	10 kHz	6.16	-54.9 1	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	30 MHz-1000 MHz	100 kHz	795.23	-59.8 0	-36	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1000 MHz-1707. 20 MHz	1 MHz	1707.2 0	-44.5 3	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1714.20 MHz-3000 MHz	1 MHz	1715.2 7	-47.5 8	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.2 5	-30	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2129.6 8	-59.9 5	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1870.9 3	-60.2 3	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2655.7 0	-58.8 5	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	925 MHz-960 MHz	1 MHz	936.10	-60.0 2	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	791 MHz-821 MHz	1 MHz	800.21	-60.5 6	-50	PASS

							MHz					
NVNT	Band 3	1.4	19207	6	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.7 6	-59.1 5	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	758 MHz-803 MHz	1 MHz	791.62	-59.9 3	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.43	-60.9 4	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1491.4 2	-60.2 6	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1919.0 2	-59.8 9	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2010.7 1	-59.9 8	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2617.4 5	-58.9 4	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2386.5 0	-59.6 6	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3600.0 0	-58.9 8	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.1 9	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2153.2 0	-60.0 3	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	738 MHz-758 MHz	1 MHz	756.84	-60.2 3	-50	PASS
NVNT	Band 3	1.4	19207	6	#0	16QAM	753 MHz-783 MHz	1 MHz	781.89	-60.0 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.5 6	-36	PASS
NVNT	Band	1.4	19575	1	#0	QPSK	150 kHz-30	10	0.60	-55.6	-36	PASS

	3						MHz	kHz		5		
NVNT	Band 3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.5 7	-36	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1000 MHz-1744. 00 MHz	1 MHz	1744.0 0	-45.6 2	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.0 4	-48.5 9	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.7 0	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.9 4	-60.0 1	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.8 8	-60.2 3	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.9 8	-58.8 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.05	-60.1 5	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.97	-60.5 4	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.6 8	-59.1 7	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	785.77	-59.9 7	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.77	-60.9 6	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1462.5 2	-60.2 7	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.3 6	-59.9 6	-50	PASS

NVNT	Band 3	1.4	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.9 6	-59.9 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.1 5	-58.8 9	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.1 0	-59.6 8	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.0 0	-58.7 9	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.1 6	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.3 5	-60.0 1	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.82	-60.2 7	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.04	-60.0 7	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.01	-52.5 4	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.08	-55.0 2	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.5 4	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	1000 MHz-1744. 00 MHz	1 MHz	1744.0 0	-46.9 0	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.0 4	-48.0 4	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.3 5	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2161.9 6	-60.0 2	-50	PASS

NVNT	Band 3	1.4	19575	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1875.2 8	-60.2 3	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2671.5 2	-58.8 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	932.98	-60.0 9	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	795.05	-60.5 3	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3587.7 6	-59.1 4	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	799.81	-59.9 6	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.91	-60.9 6	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1478.2 2	-60.3 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1919.2 8	-59.9 5	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.7 7	-59.9 5	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2619.2 0	-58.8 7	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2398.1 0	-59.6 9	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3597.8 0	-58.9 5	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.2 0	-59.1 7	-50	PASS
NVNT	Band	1.4	19575	1	#Max	QPSK	2110	1	2139.6	-60.0	-50	PASS

	3						MHz-2200 MHz	MHz	1	4		
NVNT	Band 3	1.4	19575	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	756.50	-60.3 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	782.91	-60.0 8	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.3 9	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	150 kHz-30 MHz	10 kHz	5.96	-56.1 1	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	30 MHz-1000 MHz	100 kHz	761.96	-59.6 5	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1000 MHz-1744. 00 MHz	1 MHz	1744.0 0	-44.2 4	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.0 4	-47.6 6	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.2 0	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.8 8	-60.0 5	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.4 3	-60.2 1	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2668.9 3	-58.8 6	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	925 MHz-960 MHz	1 MHz	936.73	-60.1 3	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	791 MHz-821 MHz	1 MHz	799.82	-60.5 9	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.7 2	-59.1 8	-50	PASS
NVNT	Band	1.4	19575	6	#0	QPSK	758	1	795.26	-59.9	-50	PASS

	3						MHz-803 MHz	MHz		5		
NVNT	Band 3	1.4	19575	6	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.34	-60.9 3	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.9 5	-60.3 3	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.2 0	-59.9 4	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.4 8	-59.9 4	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.6 5	-58.8 7	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.4 0	-59.6 8	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.0 0	-58.9 0	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.2 7	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2185.3 3	-60.0 0	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	738 MHz-758 MHz	1 MHz	757.88	-60.2 6	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	QPSK	753 MHz-783 MHz	1 MHz	771.90	-60.1 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.6 2	-36	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	150 kHz-30 MHz	10 kHz	5.82	-54.9 9	-36	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-58.8 6	-36	PASS
NVNT	Band	1.4	19575	1	#0	16QAM	1000	1	1744.0	-45.6	-30	PASS

	3						MHz-1744.00 MHz	MHz	0	2		
NVNT	Band 3	1.4	19575	1	#0	16QAM	1751.00 MHz-3000 MHz	1 MHz	1752.04	-48.62	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.46	-30	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2160.04	-60.06	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1877.00	-59.69	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2642.26	-58.93	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	925 MHz-960 MHz	1 MHz	929.03	-60.17	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	791 MHz-821 MHz	1 MHz	801.29	-60.55	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.04	-59.13	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	758 MHz-803 MHz	1 MHz	797.74	-59.96	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	466.42	-61.01	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1489.97	-60.34	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.94	-60.01	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2016.15	-59.99	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2617.80	-58.97	-50	PASS

							MHz					
NVNT	Band 3	1.4	19575	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2381.8 0	-59.7 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3600.0 0	-59.0 4	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.2 0	-59.2 7	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2153.2 0	-60.1 0	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	738 MHz-758 MHz	1 MHz	756.04	-60.3 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#0	16QAM	753 MHz-783 MHz	1 MHz	774.06	-60.1 4	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.12	-50.9 3	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	2.78	-55.9 6	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.3 3	-36	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1000 MHz-1744. 00 MHz	1 MHz	1744.0 0	-46.7 6	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1751.00 MHz-3000 MHz	1 MHz	1752.0 4	-47.9 5	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.6 2	-30	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2157.4 6	-60.0 0	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1877.8 3	-59.7 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2665.2 2	-58.9 3	-50	PASS

							MHz					
NVNT	Band 3	1.4	19575	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	928.75	-60.1 6	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	798.65	-60.6 4	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3588.4 8	-59.2 4	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	799.54	-60.0 0	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	467.47	-61.0 2	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1454.4 6	-60.3 5	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1919.6 8	-59.9 7	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2016.9 9	-59.9 8	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2618.1 5	-58.9 5	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2397.6 0	-59.7 5	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3598.4 0	-58.9 7	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.1 3	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2127.5 5	-60.0 4	-50	PASS
NVNT	Band 3	1.4	19575	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	749.64	-60.3 7	-50	PASS

NVNT	Band 3	1.4	19575	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	776.61	-60.1 2	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-50.4 7	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	150 kHz-30 MHz	10 kHz	6.50	-53.4 4	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	30 MHz-1000 MHz	100 kHz	798.73	-59.7 8	-36	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	1000 MHz-1744. 00 MHz	1 MHz	1744.0 0	-45.2 7	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	1751.00 MHz-3000 MHz	1 MHz	1752.0 4	-48.5 4	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.0 0	-30	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2143.9 0	-59.9 8	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1877.8 3	-59.7 2	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2656.8 2	-58.8 4	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	925 MHz-960 MHz	1 MHz	937.95	-60.1 9	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	791 MHz-821 MHz	1 MHz	795.83	-60.5 7	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.5 2	-59.2 1	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	758 MHz-803 MHz	1 MHz	800.21	-59.9 6	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.03	-60.9 9	-50	PASS

NVNT	Band 3	1.4	19575	6	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1475.5 0	-60.3 3	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1902.5 0	-59.9 4	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2010.4 4	-60.0 1	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.8 5	-58.9 3	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2384.6 0	-59.7 2	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.8 0	-59.0 6	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.2 8	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2129.9 8	-60.0 9	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	738 MHz-758 MHz	1 MHz	755.94	-60.3 4	-50	PASS
NVNT	Band 3	1.4	19575	6	#0	16QAM	753 MHz-783 MHz	1 MHz	782.22	-60.0 7	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-50.0 9	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.08	-50.4 5	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.2 8	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1000 MHz-1780. 80 MHz	1 MHz	1780.8 0	-44.3 6	-30	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	2991.9 2	-49.5 7	-30	PASS

NVNT	Band 3	1.4	19943	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.4 9	-30	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.2 4	-59.9 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.6 8	-59.6 5	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2671.0 3	-58.8 9	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.63	-60.1 7	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.12	-60.5 7	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3510.7 2	-58.3 8	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	782.98	-59.9 9	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.55	-60.8 8	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.1 6	-60.3 1	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.6 0	-59.9 9	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.7 8	-59.9 5	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.9 0	-58.9 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.1 0	-59.7 2	-50	PASS
NVNT	Band	1.4	19943	1	#0	QPSK	3400	1	3592.4	-59.0	-50	PASS

	3						MHz-3600 MHz	MHz	0	9		
NVNT	Band 3	1.4	19943	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.1 6	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2185.1 5	-60.0 7	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.20	-60.3 1	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.99	-60.0 9	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.01	-52.1 8	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	5.99	-54.2 0	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	855.18	-59.6 8	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1000 MHz-1780. 80 MHz	1 MHz	1780.8 0	-45.7 0	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1787.80 MHz-3000 MHz	1 MHz	2996.9 7	-49.4 6	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.8 6	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2157.1 0	-60.0 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1849.4 0	-59.6 8	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2666.0 6	-58.9 0	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	927.70	-60.1 6	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	791	1	800.33	-60.5	-50	PASS

	3						MHz-821 MHz	MHz		7		
NVNT	Band 3	1.4	19943	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3585.4 4	-59.2 3	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	800.21	-59.9 8	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.12	-60.8 8	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1492.1 7	-60.3 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1918.7 8	-59.9 9	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2010.8 9	-59.9 9	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2617.0 0	-58.9 2	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2395.8 0	-59.7 3	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3596.0 0	-59.0 3	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.2 0	-59.1 5	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2139.3 4	-60.0 1	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	749.84	-60.3 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	781.89	-60.0 6	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.2 0	-36	PASS

NVNT	Band 3	1.4	19943	6	#0	QPSK	150 kHz-30 MHz	10 kHz	6.54	-55.3 8	-36	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	30 MHz-1000 MHz	100 kHz	795.62	-59.8 4	-36	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1000 MHz-1780. 80 MHz	1 MHz	1780.8 0	-39.6 8	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	3000.0 0	-49.4 2	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.2 5	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2159.2 0	-60.0 3	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1848.6 5	-59.7 0	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.8 7	-58.9 3	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	925 MHz-960 MHz	1 MHz	941.45	-60.0 6	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	791 MHz-821 MHz	1 MHz	800.12	-60.5 5	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.8 4	-59.1 8	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	758 MHz-803 MHz	1 MHz	800.03	-59.9 5	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.16	-61.0 2	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.5 1	-60.3 9	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.2 2	-59.9 8	-50	PASS

							MHz					
NVNT	Band 3	1.4	19943	6	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.49	-59.92	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.95	-58.91	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.60	-59.74	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.00	-59.03	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.80	-59.19	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2144.83	-60.06	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	738 MHz-758 MHz	1 MHz	748.18	-60.33	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	QPSK	753 MHz-783 MHz	1 MHz	779.28	-60.03	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.03	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.71	-53.09	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.45	-36	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	1000 MHz-1780.80 MHz	1 MHz	1780.80	-44.23	-30	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	1787.80 MHz-3000 MHz	1 MHz	3000.00	-49.50	-30	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.94	-51.42	-30	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2135.98	-60.02	-50	PASS

							MHz					
NVNT	Band 3	1.4	19943	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1878.2 0	-59.6 6	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2663.2 6	-58.8 8	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	925 MHz-960 MHz	1 MHz	925.95	-60.1 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	791 MHz-821 MHz	1 MHz	795.26	-60.5 0	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3590.0 0	-59.2 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	758 MHz-803 MHz	1 MHz	781.54	-60.0 0	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	462.68	-60.9 9	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1462.2 5	-60.3 5	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1916.0 6	-60.0 0	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2011.3 1	-59.9 5	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2615.3 5	-58.8 6	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2380.5 0	-59.6 7	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.8 0	-58.9 7	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.1 3	-50	PASS

NVNT	Band 3	1.4	19943	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2120.0 8	-60.0 6	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	738 MHz-758 MHz	1 MHz	757.44	-60.2 9	-50	PASS
NVNT	Band 3	1.4	19943	1	#0	16QAM	753 MHz-783 MHz	1 MHz	781.65	-60.0 7	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.7 2	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.11	-53.3 8	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	951.60	-59.6 5	-36	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1000 MHz-1780. 80 MHz	1 MHz	1780.8 0	-45.7 2	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1787.80 MHz-3000 MHz	1 MHz	3000.0 0	-49.4 5	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.1 3	-30	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2139.7 0	-60.0 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1876.4 0	-59.7 2	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2652.9 7	-58.8 8	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	934.38	-60.1 5	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	799.91	-60.6 1	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3587.9 2	-59.1 9	-50	PASS

NVNT	Band 3	1.4	19943	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	786.35	-60.0 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.65	-60.9 9	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1481.2 6	-60.3 2	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1919.8 2	-60.0 1	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2021.3 6	-60.0 2	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2618.4 0	-58.9 7	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2380.4 0	-59.7 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3596.8 0	-59.0 1	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.2 0	-59.1 4	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2119.8 1	-60.0 5	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	749.98	-60.3 1	-50	PASS
NVNT	Band 3	1.4	19943	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	772.92	-60.1 3	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.1 8	-36	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	150 kHz-30 MHz	10 kHz	6.18	-52.6 8	-36	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.5 5	-36	PASS

NVNT	Band 3	1.4	19943	6	#0	16QAM	1000 MHz-1780. 80 MHz	1 MHz	1780.8 0	-40.0 1	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	1787.80 MHz-3000 MHz	1 MHz	3000.0 0	-49.4 0	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.5 7	-30	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2139.8 2	-60.0 4	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1878.2 8	-59.7 3	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2660.0 4	-58.8 5	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	925 MHz-960 MHz	1 MHz	925.56	-60.1 8	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	791 MHz-821 MHz	1 MHz	796.40	-60.5 9	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.1 2	-59.1 6	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	758 MHz-803 MHz	1 MHz	797.47	-59.9 8	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.84	-61.0 0	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1461.8 6	-60.3 3	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1912.4 8	-60.0 1	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2020.4 6	-59.9 7	-50	PASS
NVNT	Band	1.4	19943	6	#0	16QAM	2570	1	2619.3	-58.9	-50	PASS

	3						MHz-2620 MHz	MHz	5	5		
NVNT	Band 3	1.4	19943	6	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2388.8 0	-59.7 2	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.4 0	-59.0 3	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.2 0	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2142.8 5	-60.0 4	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	738 MHz-758 MHz	1 MHz	749.74	-60.2 9	-50	PASS
NVNT	Band 3	1.4	19943	6	#0	16QAM	753 MHz-783 MHz	1 MHz	777.18	-60.1 3	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.3 1	-36	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.09	-54.8 0	-36	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.5 5	-36	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1000 MHz-1700. 00 MHz	1 MHz	1700.0 0	-50.7 5	-30	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	2997.8 8	-49.5 7	-30	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.9 5	-30	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2149.8 4	-60.0 6	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1858.1 0	-59.7 4	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2620	1	2655.4	-58.8	-50	PASS

	3						MHz-2690 MHz	MHz	9	7		
NVNT	Band 3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.10	-60.1 7	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.90	-60.6 1	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.4 4	-59.2 1	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.45	-60.0 0	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.00	-60.9 6	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1478.0 0	-60.3 5	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.4 2	-59.9 9	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.2 5	-59.9 8	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.9 0	-58.9 4	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.8 0	-59.6 4	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.0 0	-59.1 0	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.8 0	-59.1 3	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2130.0 7	-60.0 8	-50	PASS
NVNT	Band 3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.94	-60.3 6	-50	PASS

							MHz					
NVNT	Band 3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.18	-60.0 2	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.7 7	-36	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.10	-52.6 8	-36	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.3 9	-36	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	1000 MHz-1700. 00 MHz	1 MHz	1700.0 0	-50.8 0	-30	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	1725.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.4 4	-30	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.0 2	-30	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2157.4 6	-59.9 5	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1876.3 3	-60.1 7	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2658.2 2	-58.8 3	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	929.20	-60.6 9	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	799.79	-60.5 0	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3588.4 0	-59.1 6	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	794.59	-59.9 6	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.79	-60.9 5	-50	PASS

							MHz					
NVNT	Band 3	5	19225	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1485.4 8	-60.2 4	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1919.7 2	-59.9 1	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2021.4 5	-59.9 2	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2618.2 5	-58.8 7	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2377.6 0	-59.6 6	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3598.6 0	-58.9 3	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3655.2 0	-59.2 1	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2146.0 9	-59.9 6	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	757.52	-60.2 9	-50	PASS
NVNT	Band 3	5	19225	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	782.04	-59.9 7	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-50.9 6	-36	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	150 kHz-30 MHz	10 kHz	5.80	-54.5 9	-36	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.3 2	-36	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1000 MHz-1700. 00 MHz	1 MHz	1700.0 0	-49.1 3	-30	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1725.00 MHz-3000	1 MHz	1726.0 6	-49.2 3	-30	PASS

							MHz					
NVNT	Band 3	5	19225	25	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.6 7	-30	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.1 8	-60.0 4	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.9 3	-60.2 0	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2665.7 1	-58.8 5	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	925 MHz-960 MHz	1 MHz	926.65	-60.7 7	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	791 MHz-821 MHz	1 MHz	800.09	-60.5 8	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.1 2	-59.1 1	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	758 MHz-803 MHz	1 MHz	791.89	-59.9 8	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.67	-60.9 8	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1478.7 1	-60.3 3	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.5 0	-59.9 9	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.8 6	-59.9 4	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.2 5	-58.8 4	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.2 0	-59.7 1	-50	PASS

NVNT	Band 3	5	19225	25	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.2 0	-58.9 9	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.2 0	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.2 9	-59.9 1	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	738 MHz-758 MHz	1 MHz	757.74	-60.1 8	-50	PASS
NVNT	Band 3	5	19225	25	#0	QPSK	753 MHz-783 MHz	1 MHz	781.74	-60.0 8	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.5 1	-36	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.15	-54.8 2	-36	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	798.34	-59.8 2	-36	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1000 MHz-1700. 00 MHz	1 MHz	1700.0 0	-50.7 2	-30	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1725.00 MHz-3000 MHz	1 MHz	2998.9 4	-49.4 0	-30	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.8 9	-30	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2120.0 8	-60.0 1	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1878.7 3	-60.2 2	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2667.4 6	-58.8 4	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	925 MHz-960 MHz	1 MHz	938.58	-60.7 5	-50	PASS

NVNT	Band 3	5	19225	1	#0	16QAM	791 MHz-821 MHz	1 MHz	801.02	-60.5 2	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3588.0 0	-59.1 1	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	758 MHz-803 MHz	1 MHz	796.93	-59.9 8	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	466.42	-60.8 8	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1493.8 9	-60.3 0	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.8 2	-59.9 2	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2019.6 8	-59.9 6	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.6 0	-58.8 4	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2381.3 0	-59.6 3	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3594.8 0	-58.9 4	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.8 0	-59.2 0	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2138.5 3	-60.0 2	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	738 MHz-758 MHz	1 MHz	755.62	-60.2 6	-50	PASS
NVNT	Band 3	5	19225	1	#0	16QAM	753 MHz-783 MHz	1 MHz	781.11	-60.0 4	-50	PASS
NVNT	Band	5	19225	1	#Max	16QAM	9 kHz-150	1	0.01	-52.6	-36	PASS

	3						kHz	kHz		7		
NVNT	Band 3	5	19225	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.13	-52.6 5	-36	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	815.60	-59.8 4	-36	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	1000 MHz-1700. 00 MHz	1 MHz	1699.3 0	-50.9 5	-30	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	1725.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.4 9	-30	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.7 5	-30	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2140.1 2	-59.9 4	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1875.6 5	-60.2 0	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2667.3 2	-58.8 3	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	926.05	-60.7 4	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	800.00	-60.5 6	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3589.6 8	-59.1 1	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	784.42	-59.9 9	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	467.07	-60.9 5	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1478.7 1	-60.2 8	-50	PASS
NVNT	Band	5	19225	1	#Max	16QAM	1900	1	1918.3	-59.9	-50	PASS

	3						MHz-1920 MHz	MHz	4	4		
NVNT	Band 3	5	19225	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2018.6 9	-59.9 5	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2618.0 0	-58.8 2	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2380.2 0	-59.6 7	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3596.4 0	-58.9 6	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.1 3	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2145.6 4	-60.0 2	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	757.42	-60.2 3	-50	PASS
NVNT	Band 3	5	19225	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.77	-60.0 5	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.3 2	-36	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	150 kHz-30 MHz	10 kHz	6.55	-55.3 3	-36	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	30 MHz-1000 MHz	100 kHz	938.21	-59.8 9	-36	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	1000 MHz-1700. 00 MHz	1 MHz	1700.0 0	-49.5 6	-30	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	1725.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.4 4	-30	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.3 0	-30	PASS
NVNT	Band	5	19225	25	#0	16QAM	2110	1	2130.8	-59.9	-50	PASS

	3						MHz-2170 MHz	MHz	2	1		
NVNT	Band 3	5	19225	25	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1875.4 3	-60.0 7	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2668.0 2	-58.8 7	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	925 MHz-960 MHz	1 MHz	926.51	-60.6 7	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	791 MHz-821 MHz	1 MHz	800.33	-60.5 5	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3588.2 4	-59.0 6	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	758 MHz-803 MHz	1 MHz	795.22	-59.9 9	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.01	-60.9 2	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1486.1 4	-60.3 2	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1919.0 2	-59.9 2	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2011.2 0	-59.8 6	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2617.3 5	-58.8 8	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2379.9 0	-59.6 4	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.2 0	-58.9 0	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.3 2	-50	PASS

							MHz					
NVNT	Band 3	5	19225	25	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2161.9 3	-59.9 8	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	738 MHz-758 MHz	1 MHz	757.52	-60.2 6	-50	PASS
NVNT	Band 3	5	19225	25	#0	16QAM	753 MHz-783 MHz	1 MHz	768.18	-60.0 5	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-52.3 9	-36	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.16	-57.2 6	-36	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	797.27	-59.6 9	-36	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1000 MHz-1735. 00 MHz	1 MHz	1735.0 0	-49.7 6	-30	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.2 6	-30	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.0 9	-30	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2145.7 6	-60.0 2	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.7 5	-60.2 4	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2669.1 4	-58.8 4	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.26	-60.7 2	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.44	-60.5 6	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.6 0	-59.1 5	-50	PASS

							MHz					
NVNT	Band 3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.31	-59.9 4	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.16	-60.9 3	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.8 7	-60.3 3	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.1 8	-59.9 7	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.0 5	-59.9 5	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.9 5	-58.8 9	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.9 0	-59.7 1	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.6 0	-58.9 5	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.2 1	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2153.1 1	-60.0 4	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.78	-60.3 0	-50	PASS
NVNT	Band 3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.47	-60.0 7	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.01	-50.8 3	-36	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.13	-55.0 8	-36	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	30 MHz-1000 kHz	100 kHz	899.99	-59.4 1	-36	PASS

							MHz					
NVNT	Band 3	5	19575	1	#Max	QPSK	1000 MHz-1735. 00 MHz	1 MHz	1735.0 0	-49.9 7	-30	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	1760.00 MHz-3000 MHz	1 MHz	1765.1 7	-48.8 9	-30	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.4 8	-30	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2166.4 6	-60.0 1	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1870.8 5	-60.2 2	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2673.6 9	-58.8 1	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	933.86	-60.7 2	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	793.25	-60.5 4	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.2 0	-59.1 9	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	798.14	-59.9 3	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.17	-60.9 6	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1480.0 3	-60.3 1	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1917.4 6	-59.9 7	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2016.8 0	-59.9 3	-50	PASS

NVNT	Band 3	5	19575	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2617.3 0	-58.9 2	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2305.0 0	-59.7 1	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3597.8 0	-58.9 7	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.2 0	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2183.2 6	-59.9 8	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	755.16	-60.2 6	-50	PASS
NVNT	Band 3	5	19575	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	777.33	-60.0 5	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	9 kHz-150 kHz	1 kHz	0.11	-52.4 5	-36	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-56.3 9	-36	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	30 MHz-1000 MHz	100 kHz	770.79	-59.7 1	-36	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1000 MHz-1735. 00 MHz	1 MHz	1735.0 0	-47.6 9	-30	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	1761.0 3	-48.6 6	-30	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3411.1 3	-50.3 7	-30	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2156.8 0	-60.0 4	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.9 5	-60.2 5	-50	PASS

NVNT	Band 3	5	19575	25	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2666.9 7	-58.8 8	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	925 MHz-960 MHz	1 MHz	926.79	-60.7 7	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	791 MHz-821 MHz	1 MHz	793.94	-60.6 2	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.6 8	-59.1 3	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	758 MHz-803 MHz	1 MHz	801.25	-59.9 5	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.73	-60.9 7	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.3 9	-60.2 8	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.9 8	-59.9 9	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.5 6	-59.9 0	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.1 0	-58.8 3	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2365.2 0	-59.6 3	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3454.8 0	-53.8 3	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.2 0	-59.2 2	-50	PASS
NVNT	Band 3	5	19575	25	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.6 3	-60.0 2	-50	PASS
NVNT	Band	5	19575	25	#0	QPSK	738	1	744.94	-60.2	-50	PASS

	3						MHz-758 MHz	MHz		9		
NVNT	Band 3	5	19575	25	#0	QPSK	753 MHz-783 MHz	1 MHz	780.12	-60.0 8	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.4 1	-36	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.36	-55.8 2	-36	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.5 5	-36	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	1000 MHz-1735. 00 MHz	1 MHz	1735.0 0	-50.0 4	-30	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	1760.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.4 5	-30	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.4 1	-30	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2129.4 4	-59.9 6	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1877.2 3	-60.2 7	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2655.0 7	-58.8 8	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	925 MHz-960 MHz	1 MHz	925.18	-60.7 5	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	791 MHz-821 MHz	1 MHz	799.79	-60.5 3	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3588.7 2	-59.1 2	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	758 MHz-803 MHz	1 MHz	798.14	-59.9 9	-50	PASS
NVNT	Band	5	19575	1	#0	16QAM	462.5	1	465.74	-60.8	-50	PASS

	3						MHz-467.5 MHz	MHz		7		
NVNT	Band 3	5	19575	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1485.5 3	-60.2 7	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1916.1 4	-59.9 5	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2010.1 1	-59.8 6	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2617.3 0	-58.8 9	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2389.5 0	-59.6 1	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.6 0	-59.0 0	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.0 5	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2134.4 8	-60.0 0	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	738 MHz-758 MHz	1 MHz	749.76	-60.2 8	-50	PASS
NVNT	Band 3	5	19575	1	#0	16QAM	753 MHz-783 MHz	1 MHz	780.81	-60.0 9	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.5 7	-36	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.46	-55.7 8	-36	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	794.07	-59.6 6	-36	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	1000 MHz-1735. 00 MHz	1 MHz	1734.2 7	-50.1 0	-30	PASS
NVNT	Band	5	19575	1	#Max	16QAM	1760.00	1	3000.0	-49.4	-30	PASS

	3						MHz-3000 MHz	MHz	0	2		
NVNT	Band 3	5	19575	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.9 3	-30	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2149.3 0	-59.9 6	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1876.4 0	-60.2 0	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2658.2 9	-58.8 3	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	925.42	-60.7 8	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	792.62	-60.5 8	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3587.5 2	-59.0 4	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	791.44	-59.9 8	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	467.26	-60.9 5	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1470.2 6	-60.3 1	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1915.7 2	-59.9 3	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2020.0 4	-59.8 9	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2618.9 0	-58.9 0	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2370.0 0	-59.6 7	-50	PASS

							MHz					
NVNT	Band 3	5	19575	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3599.8 0	-58.9 5	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.1 5	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2134.0 3	-59.9 8	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	751.88	-60.2 9	-50	PASS
NVNT	Band 3	5	19575	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	775.11	-60.0 9	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-51.5 1	-36	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	150 kHz-30 MHz	10 kHz	6.10	-52.9 0	-36	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	30 MHz-1000 MHz	100 kHz	831.71	-59.6 0	-36	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1000 MHz-1735. 00 MHz	1 MHz	1735.0 0	-48.2 6	-30	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1760.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.4 5	-30	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.4 6	-30	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2149.1 2	-60.0 2	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1854.8 8	-60.2 1	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2646.8 8	-58.7 4	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	925 MHz-960 MHz	1 MHz	931.97	-60.7 7	-50	PASS

							MHz					
NVNT	Band 3	5	19575	25	#0	16QAM	791 MHz-821 MHz	1 MHz	799.28	-60.5 1	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3585.3 6	-59.1 6	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	758 MHz-803 MHz	1 MHz	794.14	-59.9 1	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.64	-60.8 6	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1457.8 5	-60.3 1	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1916.9 2	-59.9 3	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2021.6 7	-59.9 4	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.8 0	-58.9 3	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2366.5 0	-59.6 7	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.6 0	-58.9 8	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.8 0	-59.2 0	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2132.4 1	-60.0 1	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	738 MHz-758 MHz	1 MHz	745.02	-60.3 2	-50	PASS
NVNT	Band 3	5	19575	25	#0	16QAM	753 MHz-783 MHz	1 MHz	782.40	-60.0 4	-50	PASS

NVNT	Band 3	5	19925	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.3 9	-36	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.11	-50.4 2	-36	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	927.93	-59.6 2	-36	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	1000 MHz-1770. 00 MHz	1 MHz	1770.0 0	-49.5 3	-30	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.8 4	-30	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.0 7	-30	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2138.0 2	-59.9 8	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.5 8	-60.1 4	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2673.7 6	-58.8 5	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.93	-60.7 4	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.76	-60.4 8	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.2 8	-59.0 4	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.94	-59.9 1	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.78	-60.9 7	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.3 1	-60.2 7	-50	PASS

NVNT	Band 3	5	19925	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.6 0	-59.9 5	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.0 2	-59.9 1	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.4 5	-58.9 0	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.4 0	-59.6 4	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.4 0	-58.9 1	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.1 1	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2141.2 3	-59.9 8	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.86	-60.1 6	-50	PASS
NVNT	Band 3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.56	-60.0 5	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.6 1	-36	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.00	-54.7 9	-36	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	813.86	-59.8 2	-36	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	1000 MHz-1770. 00 MHz	1 MHz	1767.6 9	-49.5 6	-30	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	1795.00 MHz-3000 MHz	1 MHz	2996.9 9	-49.8 7	-30	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.7 3	-30	PASS

NVNT	Band 3	5	19925	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2156.9 8	-59.9 9	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1875.5 8	-60.2 0	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2668.0 9	-58.8 5	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	930.29	-60.6 9	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	799.91	-60.4 9	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3588.7 2	-59.1 5	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	799.90	-59.9 3	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.60	-60.9 2	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1484.1 2	-60.3 1	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1917.8 8	-59.9 9	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2015.0 9	-59.9 2	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2615.1 5	-58.8 7	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2383.4 0	-59.6 3	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3590.6 0	-59.0 1	-50	PASS
NVNT	Band	5	19925	1	#Max	QPSK	3600	1	3654.4	-59.1	-50	PASS

	3						MHz-3800 MHz	MHz	0	7		
NVNT	Band 3	5	19925	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2143.1 2	-60.0 0	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	750.06	-60.2 5	-50	PASS
NVNT	Band 3	5	19925	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	782.01	-60.0 6	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.3 7	-36	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	150 kHz-30 MHz	10 kHz	6.39	-55.4 8	-36	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	30 MHz-1000 MHz	100 kHz	793.68	-59.2 2	-36	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1000 MHz-1770. 00 MHz	1 MHz	1770.0 0	-45.8 8	-30	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.9 1	-30	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.0 9	-30	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.0 0	-59.9 9	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.3 5	-60.1 9	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.3 7	-58.7 8	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	925 MHz-960 MHz	1 MHz	928.19	-60.7 4	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	791 MHz-821 MHz	1 MHz	800.00	-60.4 4	-50	PASS
NVNT	Band	5	19925	25	#0	QPSK	3510	1	3587.9	-59.1	-50	PASS

	3						MHz-3590 MHz	MHz	2	1		
NVNT	Band 3	5	19925	25	#0	QPSK	758 MHz-803 MHz	1 MHz	800.21	-59.9 7	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.27	-60.9 5	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1478.8 0	-60.2 2	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1910.3 0	-59.9 3	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.7 6	-59.9 2	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.8 0	-58.8 6	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.2 0	-59.6 1	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.4 0	-59.0 2	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.2 0	-59.0 9	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2121.3 4	-60.0 0	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	738 MHz-758 MHz	1 MHz	756.68	-60.2 5	-50	PASS
NVNT	Band 3	5	19925	25	#0	QPSK	753 MHz-783 MHz	1 MHz	782.97	-60.0 3	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.0 9	-36	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.51	-57.2 7	-36	PASS
NVNT	Band	5	19925	1	#0	16QAM	30	100	826.47	-59.6	-36	PASS

	3						MHz-1000 MHz	kHz		9		
NVNT	Band 3	5	19925	1	#0	16QAM	1000 MHz-1770. 00 MHz	1 MHz	1767.6 9	-49.7 0	-30	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	1795.00 MHz-3000 MHz	1 MHz	2999.0 0	-49.9 1	-30	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.5 5	-30	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2119.5 4	-60.0 1	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1873.5 5	-60.1 3	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2672.8 5	-58.8 0	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	925 MHz-960 MHz	1 MHz	928.33	-60.7 4	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	791 MHz-821 MHz	1 MHz	793.88	-60.4 5	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3585.2 0	-59.1 0	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	758 MHz-803 MHz	1 MHz	800.12	-59.9 1	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.90	-60.9 0	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1473.8 7	-60.3 1	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1919.1 6	-59.9 4	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2019.5 0	-59.8 9	-50	PASS

							MHz					
NVNT	Band 3	5	19925	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.3 0	-58.8 3	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2393.7 0	-59.6 2	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.4 0	-58.8 9	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.8 0	-59.1 8	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2117.8 3	-59.9 8	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	738 MHz-758 MHz	1 MHz	755.30	-60.2 8	-50	PASS
NVNT	Band 3	5	19925	1	#0	16QAM	753 MHz-783 MHz	1 MHz	781.02	-60.0 4	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.4 1	-36	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.04	-54.3 2	-36	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.4 2	-36	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1000 MHz-1770. 00 MHz	1 MHz	1767.6 9	-49.4 8	-30	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1795.00 MHz-3000 MHz	1 MHz	2999.0 0	-49.8 6	-30	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.5 9	-30	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2124.4 0	-59.9 6	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1879.8 5	-60.2 3	-50	PASS

							MHz					
NVNT	Band 3	5	19925	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2668.7 9	-58.8 3	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	938.06	-60.1 5	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	800.12	-60.4 7	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3589.1 2	-59.1 2	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	792.61	-59.9 3	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	462.80	-60.9 0	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1462.1 6	-60.3 1	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1915.8 6	-59.9 6	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2019.9 8	-59.8 9	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2615.3 5	-58.8 9	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2387.6 0	-59.6 4	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3599.6 0	-58.9 4	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.1 9	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2168.4 1	-60.0 0	-50	PASS

NVNT	Band 3	5	19925	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	748.58	-60.3 2	-50	PASS
NVNT	Band 3	5	19925	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.08	-60.0 0	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.2 4	-36	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	150 kHz-30 MHz	10 kHz	6.44	-55.3 7	-36	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-59.8 3	-36	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	1000 MHz-1770. 00 MHz	1 MHz	1770.0 0	-46.9 2	-30	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	1795.00 MHz-3000 MHz	1 MHz	2999.0 0	-49.9 5	-30	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.4 6	-30	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2140.0 0	-59.9 5	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1844.4 5	-60.1 9	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2661.5 1	-58.8 3	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	925 MHz-960 MHz	1 MHz	927.07	-60.1 1	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	791 MHz-821 MHz	1 MHz	794.78	-60.5 3	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3589.2 8	-59.1 1	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	758 MHz-803 MHz	1 MHz	797.56	-59.9 2	-50	PASS

NVNT	Band 3	5	19925	25	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	465.74	-60.9 3	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1466.3 4	-60.2 5	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.9 4	-59.9 9	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2021.8 7	-59.9 0	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.4 5	-58.8 7	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2385.5 0	-59.6 6	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.6 0	-58.9 5	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.1 9	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2161.5 7	-60.0 1	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	738 MHz-758 MHz	1 MHz	753.56	-60.2 6	-50	PASS
NVNT	Band 3	5	19925	25	#0	16QAM	753 MHz-783 MHz	1 MHz	781.53	-60.0 2	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.4 1	-36	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.37	-54.5 2	-36	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	919.30	-59.4 3	-36	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	1000 MHz-1685. 00 MHz	1 MHz	1626.0 9	-51.6 6	-30	PASS

NVNT	Band 3	20	19300	1	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	1772.6 4	-43.9 1	-30	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.8 8	-30	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.0 4	-59.9 6	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.5 5	-60.2 0	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2669.3 5	-58.8 6	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.88	-60.1 1	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.73	-60.5 2	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.3 6	-59.1 2	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.85	-59.9 0	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.11	-60.9 6	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.5 1	-60.3 0	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.3 0	-59.9 2	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.8 2	-59.8 9	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.9 5	-58.7 7	-50	PASS
NVNT	Band	20	19300	1	#0	QPSK	2300	1	2385.3	-59.6	-50	PASS

	3						MHz-2400 MHz	MHz	0	3		
NVNT	Band 3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.8 0	-58.9 6	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.2 7	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.1 5	-59.8 4	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.24	-60.2 4	-50	PASS
NVNT	Band 3	20	19300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.01	-60.0 0	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-52.7 6	-36	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.09	-53.1 8	-36	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.0 7	-36	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1000 MHz-1685. 00 MHz	1 MHz	1650.7 5	-51.8 0	-30	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1755.00 MHz-3000 MHz	1 MHz	1764.3 4	-46.1 4	-30	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-52.0 8	-30	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2136.8 2	-59.9 5	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1878.8 8	-60.2 2	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2654.9 3	-58.8 0	-50	PASS
NVNT	Band	20	19300	1	#Max	QPSK	925	1	927.49	-60.1	-50	PASS

	3						MHz-960 MHz	MHz		0		
NVNT	Band 3	20	19300	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	801.59	-60.5 2	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3587.7 6	-59.1 4	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	793.01	-59.9 4	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.74	-60.9 4	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1489.2 2	-60.2 6	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1918.6 2	-59.8 8	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2015.8 2	-59.9 2	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2616.8 5	-58.9 2	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2395.0 0	-59.6 5	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3597.8 0	-59.0 1	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.1 9	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2162.2 9	-59.9 4	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	756.16	-60.2 1	-50	PASS
NVNT	Band 3	20	19300	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	781.83	-60.0 0	-50	PASS

							MHz					
NVNT	Band 3	20	19300	100	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.7 2	-36	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	150 kHz-30 MHz	10 kHz	6.47	-57.4 7	-36	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	30 MHz-1000 MHz	100 kHz	787.18	-59.6 6	-36	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	1000 MHz-1685. 00 MHz	1 MHz	1633.6 3	-51.8 3	-30	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	1757.0 8	-45.9 2	-30	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.0 2	-30	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2140.1 2	-59.9 5	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.3 5	-60.2 4	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2669.0 7	-58.7 2	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	925 MHz-960 MHz	1 MHz	935.40	-60.1 3	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	791 MHz-821 MHz	1 MHz	795.41	-60.4 8	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.8 4	-59.1 1	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	758 MHz-803 MHz	1 MHz	800.08	-59.9 5	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.20	-60.9 3	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.5 4	-60.2 7	-50	PASS

							MHz					
NVNT	Band 3	20	19300	100	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.8 2	-59.8 8	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.2 4	-59.8 8	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.5 0	-58.8 3	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.8 0	-59.6 8	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.6 0	-59.0 3	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.0 4	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2143.7 5	-60.0 0	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	738 MHz-758 MHz	1 MHz	757.94	-60.2 7	-50	PASS
NVNT	Band 3	20	19300	100	#0	QPSK	753 MHz-783 MHz	1 MHz	783.00	-60.0 4	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-50.4 1	-36	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.11	-55.7 9	-36	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	801.34	-59.8 7	-36	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1000 MHz-1685. 00 MHz	1 MHz	1631.5 7	-51.7 9	-30	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1755.00 MHz-3000 MHz	1 MHz	1772.6 4	-44.2 6	-30	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	3000 MHz-12.75 MHz	1 MHz	9599.9 4	-51.4 4	-30	PASS

							GHz					
NVNT	Band 3	20	19300	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2139.5 8	-59.9 9	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1875.0 5	-60.1 6	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2659.1 3	-58.8 4	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	925 MHz-960 MHz	1 MHz	929.38	-60.1 0	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	791 MHz-821 MHz	1 MHz	799.91	-60.4 9	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3585.6 8	-59.1 7	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	758 MHz-803 MHz	1 MHz	799.63	-59.8 6	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.61	-60.9 0	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1474.0 0	-60.2 6	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1918.3 4	-59.9 3	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2020.3 5	-59.9 1	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2615.9 5	-58.8 8	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2382.9 0	-59.6 8	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3593.8 0	-59.0 5	-50	PASS

NVNT	Band 3	20	19300	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.2 0	-59.2 4	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2135.3 8	-60.0 6	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	738 MHz-758 MHz	1 MHz	756.92	-60.3 4	-50	PASS
NVNT	Band 3	20	19300	1	#0	16QAM	753 MHz-783 MHz	1 MHz	781.56	-60.1 1	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.11	-52.5 4	-36	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	0.35	-56.6 5	-36	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	889.52	-57.3 6	-36	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1000 MHz-1685. 00 MHz	1 MHz	1621.3 0	-51.8 8	-30	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1755.00 MHz-3000 MHz	1 MHz	1764.3 4	-46.3 6	-30	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.3 3	-30	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2147.3 8	-60.0 1	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1877.6 8	-59.7 0	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2668.3 7	-58.8 6	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	928.19	-60.1 3	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	800.12	-60.5 8	-50	PASS

NVNT	Band 3	20	19300	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3589.5 2	-59.1 9	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	795.26	-60.0 4	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	466.34	-61.0 1	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1484.4 7	-60.3 7	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1911.7 2	-60.0 1	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2024.9 9	-59.9 6	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2616.9 0	-58.9 4	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2384.1 0	-59.7 2	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3599.6 0	-59.0 1	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.1 7	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2187.3 1	-60.0 4	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	751.28	-60.3 5	-50	PASS
NVNT	Band 3	20	19300	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.98	-60.0 9	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-51.9 2	-36	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	150 kHz-30 MHz	10 kHz	6.40	-54.5 9	-36	PASS

NVNT	Band 3	20	19300	100	#0	16QAM	30 MHz-1000 MHz	100 kHz	791.45	-59.6 9	-36	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	1000 MHz-1685. 00 MHz	1 MHz	1682.2 6	-51.7 9	-30	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	1755.00 MHz-3000 MHz	1 MHz	1756.0 4	-47.2 5	-30	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.1 3	-30	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2126.4 4	-60.0 7	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1874.6 8	-59.7 3	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2655.9 8	-58.9 0	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	925 MHz-960 MHz	1 MHz	934.42	-60.1 7	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	791 MHz-821 MHz	1 MHz	800.12	-60.6 0	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3588.8 8	-59.1 9	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	758 MHz-803 MHz	1 MHz	785.86	-59.9 8	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.86	-60.9 8	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1490.3 2	-60.3 7	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1916.8 6	-60.0 0	-50	PASS
NVNT	Band	20	19300	100	#0	16QAM	2010	1	2010.9	-60.0	-50	PASS

	3						MHz-2025 MHz	MHz	0	0		
NVNT	Band 3	20	19300	100	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.7 5	-58.9 8	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2375.8 0	-59.6 9	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3417.0 0	-58.3 1	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.2 3	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2121.4 3	-60.0 1	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	738 MHz-758 MHz	1 MHz	749.48	-60.3 2	-50	PASS
NVNT	Band 3	20	19300	100	#0	16QAM	753 MHz-783 MHz	1 MHz	782.07	-60.1 2	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.11	-52.5 4	-36	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.49	-53.2 3	-36	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	796.40	-59.8 7	-36	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	1000 MHz-1712. 50 MHz	1 MHz	1703.2 4	-48.6 5	-30	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	2994.9 3	-49.4 7	-30	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.3 2	-30	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2148.6 4	-60.0 7	-50	PASS
NVNT	Band	20	19575	1	#0	QPSK	1805	1	1877.7	-59.6	-50	PASS

	3						MHz-1880 MHz	MHz	5	9		
NVNT	Band 3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.6 7	-58.9 0	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.08	-60.1 6	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.25	-60.6 1	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.4 0	-59.2 5	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.33	-60.0 1	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.46	-60.9 5	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1454.5 1	-60.3 9	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.7 4	-60.0 1	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.9 9	-60.0 1	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.5 0	-58.9 6	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.9 0	-59.7 2	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3588.8 0	-58.7 5	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.0 0	-59.0 9	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2167.4 2	-60.0 4	-50	PASS

							MHz					
NVNT	Band 3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.94	-60.3 3	-50	PASS
NVNT	Band 3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.83	-60.1 2	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.0 0	-36	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	150 kHz-30 MHz	10 kHz	6.00	-55.7 5	-36	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	807.16	-59.7 1	-36	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1000 MHz-1712. 50 MHz	1 MHz	1710.3 6	-51.4 8	-30	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1782.50 MHz-3000 MHz	1 MHz	2996.9 6	-49.5 2	-30	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.2 6	-30	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2142.7 0	-60.0 3	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1861.1 8	-59.7 1	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2654.3 0	-58.9 0	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	928.54	-60.2 1	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	794.81	-60.6 6	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3563.6 8	-59.0 7	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	794.72	-59.9 4	-50	PASS

							MHz					
NVNT	Band 3	20	19575	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.11	-61.0 0	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1495.6	-60.3 6	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1915.8	-59.9 1	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2018.6	-60.0 0	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2619.7	-58.8 7	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2368.6	-59.7 5	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3599.4	-59.0 2	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.2	-59.1 7	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2161.8	-60.0 4	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	749.74	-60.3 9	-50	PASS
NVNT	Band 3	20	19575	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	776.97	-60.0 5	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	9 kHz-150 kHz	1 kHz	0.12	-51.5 6	-36	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	150 kHz-30 MHz	10 kHz	6.69	-53.5 7	-36	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	30 MHz-1000 MHz	100 kHz	804.64	-59.9 2	-36	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	1000 MHz-1712. MHz	1 MHz	1712.5	-47.2 3	-30	PASS

							50 MHz					
NVNT	Band 3	20	19575	100	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	1783.5 1	-48.6 9	-30	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.2 1	-30	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2164.4 2	-60.0 6	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.9 3	-59.7 4	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.9 6	-58.9 2	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	925 MHz-960 MHz	1 MHz	926.54	-60.1 9	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	791 MHz-821 MHz	1 MHz	796.82	-60.6 1	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.6 8	-59.2 6	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	758 MHz-803 MHz	1 MHz	799.94	-60.0 1	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.21	-61.0 0	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1457.9 4	-60.3 7	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.3 6	-60.0 7	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.7 2	-60.0 1	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.6 5	-58.8 9	-50	PASS

NVNT	Band 3	20	19575	100	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2368.5 0	-59.6 9	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.2 0	-59.1 1	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.1 6	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2154.1 0	-60.0 7	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	738 MHz-758 MHz	1 MHz	752.46	-60.3 2	-50	PASS
NVNT	Band 3	20	19575	100	#0	QPSK	753 MHz-783 MHz	1 MHz	781.77	-60.0 9	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.2 3	-36	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.53	-53.1 8	-36	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	927.83	-59.7 4	-36	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1000 MHz-1712. 50 MHz	1 MHz	1703.2 4	-48.8 3	-30	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1782.50 MHz-3000 MHz	1 MHz	3000.0 0	-49.3 9	-30	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.3 6	-30	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2143.4 8	-60.0 3	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1871.3 8	-59.7 4	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2664.9 4	-58.9 3	-50	PASS

NVNT	Band 3	20	19575	1	#0	16QAM	925 MHz-960 MHz	1 MHz	927.91	-60.1 7	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	791 MHz-821 MHz	1 MHz	795.35	-60.6 2	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3590.0 0	-59.2 4	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	758 MHz-803 MHz	1 MHz	799.90	-59.9 1	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	466.30	-61.0 1	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1480.5 1	-60.2 9	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1917.3 4	-60.0 0	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2019.6 5	-60.0 1	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2617.9 5	-58.9 8	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2382.8 0	-59.7 3	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.4 0	-59.0 5	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.8 0	-59.2 4	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2199.9 1	-60.1 0	-50	PASS
NVNT	Band 3	20	19575	1	#0	16QAM	738 MHz-758 MHz	1 MHz	751.66	-60.3 7	-50	PASS
NVNT	Band	20	19575	1	#0	16QAM	753	1	779.97	-60.1	-50	PASS

	3						MHz-783 MHz	MHz		4		
NVNT	Band 3	20	19575	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.12	-52.1 6	-36	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.64	-56.5 1	-36	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	821.91	-59.3 2	-36	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	1000 MHz-1712. 50 MHz	1 MHz	1711.0 8	-50.8 7	-30	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	1782.50 MHz-3000 MHz	1 MHz	3000.0 0	-49.3 9	-30	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.0 1	-30	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2128.0 0	-60.0 7	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1879.7 0	-59.6 7	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2666.9 0	-58.8 9	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	934.21	-60.1 8	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	793.76	-60.6 1	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3589.7 6	-59.1 6	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	791.53	-60.0 1	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	464.14	-61.0 5	-50	PASS
NVNT	Band	20	19575	1	#Max	16QAM	1452	1	1486.1	-60.3	-50	PASS

	3						MHz-1496 MHz	MHz	0	9		
NVNT	Band 3	20	19575	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1916.9 4	-60.0 2	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2017.6 4	-60.0 3	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2617.8 0	-58.9 3	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2382.2 0	-59.7 7	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3599.6 0	-59.0 0	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.1 3	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2126.7 4	-60.1 2	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	756.30	-60.3 8	-50	PASS
NVNT	Band 3	20	19575	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.47	-60.0 8	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	9 kHz-150 kHz	1 kHz	0.01	-51.6 2	-36	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	150 kHz-30 MHz	10 kHz	6.01	-55.5 3	-36	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	30 MHz-1000 MHz	100 kHz	956.16	-59.8 4	-36	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1000 MHz-1712. 50 MHz	1 MHz	1712.5 0	-47.8 0	-30	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1782.50 MHz-3000 MHz	1 MHz	2998.9 9	-49.3 9	-30	PASS
NVNT	Band	20	19575	100	#0	16QAM	3000	1	9599.9	-51.1	-30	PASS

	3						MHz-12.75 GHz	MHz	4	3		
NVNT	Band 3	20	19575	100	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2140.3 0	-60.0 6	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1872.8 8	-60.2 8	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2660.8 8	-58.9 5	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	925 MHz-960 MHz	1 MHz	925.49	-60.1 9	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	791 MHz-821 MHz	1 MHz	799.88	-60.6 0	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3586.6 4	-59.2 5	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	758 MHz-803 MHz	1 MHz	792.79	-59.9 4	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	463.01	-61.0 4	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1474.0 0	-60.4 0	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1917.1 8	-59.9 9	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2017.9 2	-59.9 8	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2618.1 0	-58.9 7	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2373.9 0	-59.7 5	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3596.4 0	-59.0 2	-50	PASS

							MHz					
NVNT	Band 3	20	19575	100	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.2 3	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2154.2 8	-60.0 0	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	738 MHz-758 MHz	1 MHz	752.78	-60.3 4	-50	PASS
NVNT	Band 3	20	19575	100	#0	16QAM	753 MHz-783 MHz	1 MHz	781.47	-60.1 0	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-51.8 5	-36	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	6.73	-55.3 7	-36	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.4 3	-36	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1000 MHz-1740. 00 MHz	1 MHz	1704.4 8	-48.9 2	-30	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2449.6 3	-46.4 7	-30	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.7 8	-30	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2143.3 6	-60.0 7	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1866.2 8	-60.2 8	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2664.5 2	-58.9 1	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.85	-60.1 8	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.27	-60.5 5	-50	PASS

							MHz					
NVNT	Band 3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.2 0	-59.1 1	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.74	-59.9 7	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.27	-61.0 0	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1472.0 6	-60.3 5	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.3 8	-59.9 8	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.0 9	-60.0 2	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.6 0	-58.9 7	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.5 0	-59.6 8	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.6 0	-58.9 9	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3654.8 0	-59.2 1	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.5 1	-60.0 8	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.14	-60.3 3	-50	PASS
NVNT	Band 3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.89	-60.0 0	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	9 kHz-150 kHz	1 kHz	0.01	-52.9 9	-36	PASS
NVNT	Band	20	19850	1	#Max	QPSK	150 kHz-30	10	6.67	-52.1	-36	PASS

	3						MHz	kHz		8		
NVNT	Band 3	20	19850	1	#Max	QPSK	30 MHz-1000 MHz	100 kHz	901.93	-59.6 2	-36	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1000 MHz-1740. 00 MHz	1 MHz	1722.2 4	-40.2 6	-30	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1810.00 MHz-3000 MHz	1 MHz	2455.5 8	-50.0 3	-30	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.1 3	-30	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	2110 MHz-2170 MHz	1 MHz	2128.8 4	-60.0 8	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1805 MHz-1880 MHz	1 MHz	1875.0 5	-60.3 3	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	2620 MHz-2690 MHz	1 MHz	2660.9 5	-58.8 9	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	925 MHz-960 MHz	1 MHz	928.50	-60.1 3	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	791 MHz-821 MHz	1 MHz	799.97	-60.6 5	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	3510 MHz-3590 MHz	1 MHz	3589.7 6	-59.1 7	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	758 MHz-803 MHz	1 MHz	794.68	-59.9 8	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.66	-60.9 9	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1452 MHz-1496 MHz	1 MHz	1478.9 3	-60.3 6	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	1900 MHz-1920 MHz	1 MHz	1919.6 6	-60.0 4	-50	PASS

NVNT	Band 3	20	19850	1	#Max	QPSK	2010 MHz-2025 MHz	1 MHz	2019.2 1	-59.9 8	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	2570 MHz-2620 MHz	1 MHz	2618.7 0	-58.9 3	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	2300 MHz-2400 MHz	1 MHz	2392.2 0	-59.7 4	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	3400 MHz-3600 MHz	1 MHz	3598.4 0	-59.0 2	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.1 1	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	2110 MHz-2200 MHz	1 MHz	2133.4 0	-60.1 0	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	738 MHz-758 MHz	1 MHz	749.60	-60.3 8	-50	PASS
NVNT	Band 3	20	19850	1	#Max	QPSK	753 MHz-783 MHz	1 MHz	781.53	-60.1 5	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-52.0 6	-36	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	150 kHz-30 MHz	10 kHz	6.10	-53.8 7	-36	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-59.6 2	-36	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	1000 MHz-1740. 00 MHz	1 MHz	1740.0 0	-46.5 8	-30	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.8 4	-30	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.2 7	-30	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2149.9 6	-59.9 9	-50	PASS

NVNT	Band 3	20	19850	100	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.1 5	-60.3 0	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.0 9	-58.8 8	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	925 MHz-960 MHz	1 MHz	940.96	-60.1 8	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	791 MHz-821 MHz	1 MHz	798.38	-60.5 9	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3590.0 0	-59.2 2	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	758 MHz-803 MHz	1 MHz	799.85	-60.0 3	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.07	-61.0 5	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1480.6 9	-60.3 3	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.0 4	-60.0 6	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.9 1	-60.0 0	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.9 0	-58.9 6	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.5 0	-59.7 2	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.8 0	-58.9 8	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3653.8 0	-59.2 1	-50	PASS
NVNT	Band	20	19850	100	#0	QPSK	2110	1	2135.0	-60.0	-50	PASS

	3						MHz-2200 MHz	MHz	2	7		
NVNT	Band 3	20	19850	100	#0	QPSK	738 MHz-758 MHz	1 MHz	757.14	-60.2 9	-50	PASS
NVNT	Band 3	20	19850	100	#0	QPSK	753 MHz-783 MHz	1 MHz	781.86	-60.0 9	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-50.8 4	-36	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	150 kHz-30 MHz	10 kHz	6.00	-54.4 4	-36	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	30 MHz-1000 MHz	100 kHz	900.48	-59.6 7	-36	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1000 MHz-1740. 00 MHz	1 MHz	1730.3 8	-48.9 7	-30	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1810.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.8 9	-30	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-50.7 5	-30	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2145.6 4	-60.0 4	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1864.4 0	-60.2 5	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2673.6 9	-58.9 5	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	925 MHz-960 MHz	1 MHz	928.57	-60.1 5	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	791 MHz-821 MHz	1 MHz	796.88	-60.6 1	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3588.7 2	-59.1 6	-50	PASS
NVNT	Band	20	19850	1	#0	16QAM	758	1	799.54	-59.9	-50	PASS


	3						MHz-803 MHz	MHz		8		
NVNT	Band 3	20	19850	1	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	467.48	-61.0 1	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1455.3 9	-60.3 6	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1914.2 0	-60.0 4	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2019.7 7	-60.0 0	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.1 0	-58.8 9	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2390.4 0	-59.7 7	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3599.8 0	-58.9 9	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.1 9	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2187.3 1	-60.0 9	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	738 MHz-758 MHz	1 MHz	746.76	-60.2 3	-50	PASS
NVNT	Band 3	20	19850	1	#0	16QAM	753 MHz-783 MHz	1 MHz	776.25	-60.0 6	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	9 kHz-150 kHz	1 kHz	0.01	-52.1 5	-36	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	150 kHz-30 MHz	10 kHz	6.11	-53.3 9	-36	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	30 MHz-1000 MHz	100 kHz	821.13	-59.6 1	-36	PASS
NVNT	Band	20	19850	1	#Max	16QAM	1000	1	1722.2	-40.6	-30	PASS



	3						MHz-1740. 00 MHz	MHz	4	3		
NVNT	Band 3	20	19850	1	#Max	16QAM	1810.00 MHz-3000 MHz	1 MHz	2450.6 2	-43.8 7	-30	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.3 8	-30	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2110 MHz-2170 MHz	1 MHz	2161.7 2	-60.0 1	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	1805 MHz-1880 MHz	1 MHz	1872.8 8	-60.1 5	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2620 MHz-2690 MHz	1 MHz	2663.4 0	-58.8 4	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	925 MHz-960 MHz	1 MHz	925.95	-60.7 4	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	791 MHz-821 MHz	1 MHz	798.62	-60.5 1	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	3510 MHz-3590 MHz	1 MHz	3585.9 2	-59.1 2	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	758 MHz-803 MHz	1 MHz	792.79	-59.9 5	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	462.5 MHz-467.5 MHz	1 MHz	462.60	-60.9 1	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	1452 MHz-1496 MHz	1 MHz	1454.1 6	-60.2 9	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	1900 MHz-1920 MHz	1 MHz	1917.8 6	-59.9 7	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2010 MHz-2025 MHz	1 MHz	2019.8 3	-59.8 9	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2570 MHz-2620 MHz	1 MHz	2619.4 0	-58.8 7	-50	PASS



							MHz					
NVNT	Band 3	20	19850	1	#Max	16QAM	2300 MHz-2400 MHz	1 MHz	2382.6 0	-59.6 3	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	3400 MHz-3600 MHz	1 MHz	3595.0 0	-58.9 4	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	3600 MHz-3800 MHz	1 MHz	3654.4 0	-59.2 2	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	2110 MHz-2200 MHz	1 MHz	2132.8 6	-60.0 1	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	738 MHz-758 MHz	1 MHz	750.04	-60.2 5	-50	PASS
NVNT	Band 3	20	19850	1	#Max	16QAM	753 MHz-783 MHz	1 MHz	781.83	-60.0 3	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	9 kHz-150 kHz	1 kHz	0.12	-51.4 7	-36	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	150 kHz-30 MHz	10 kHz	6.14	-54.2 8	-36	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	30 MHz-1000 MHz	100 kHz	751.49	-59.7 1	-36	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1000 MHz-1740. 00 MHz	1 MHz	1740.0 0	-47.7 4	-30	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1810.00 MHz-3000 MHz	1 MHz	3000.0 0	-49.8 7	-30	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	3000 MHz-12.75 GHz	1 MHz	9599.9 4	-51.1 9	-30	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2110 MHz-2170 MHz	1 MHz	2160.6 4	-59.9 9	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1805 MHz-1880 MHz	1 MHz	1874.3 0	-60.2 3	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2620 MHz-2690 MHz	1 MHz	2676.6 3	-58.8 6	-50	PASS



							MHz					
NVNT	Band 3	20	19850	100	#0	16QAM	925 MHz-960 MHz	1 MHz	928.47	-60.7 6	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	791 MHz-821 MHz	1 MHz	793.61	-60.5 2	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	3510 MHz-3590 MHz	1 MHz	3587.8 4	-59.0 7	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	758 MHz-803 MHz	1 MHz	800.21	-59.9 4	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	462.5 MHz-467.5 MHz	1 MHz	465.00	-60.9 4	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1452 MHz-1496 MHz	1 MHz	1472.8 6	-60.2 7	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	1900 MHz-1920 MHz	1 MHz	1912.1 4	-59.8 9	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2010 MHz-2025 MHz	1 MHz	2016.7 1	-59.8 8	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2570 MHz-2620 MHz	1 MHz	2619.1 0	-58.8 3	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2300 MHz-2400 MHz	1 MHz	2374.7 0	-59.7 1	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	3400 MHz-3600 MHz	1 MHz	3598.8 0	-58.9 3	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	3600 MHz-3800 MHz	1 MHz	3654.6 0	-59.2 5	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	2110 MHz-2200 MHz	1 MHz	2139.5 2	-59.9 1	-50	PASS
NVNT	Band 3	20	19850	100	#0	16QAM	738 MHz-758 MHz	1 MHz	757.82	-60.2 5	-50	PASS

NVNT	Band	20	19850	100	#0	16QAM	753	1	782.64	-59.9	-50	PASS
	3						MHz-783	MHz		8		
							MHz					

















Band3 16QAM BW=1.4MHz Channel=19207 RB Size=1 Position=#Max NVNT




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=6 Position=#0 NVNT









Band3 16QAM BW=1.4MHz Channel=19575 RB Size=1 Position=#Max NVNT




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=6 Position=#0 NVNT








Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#Max NVNT





Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0 NVNT






Band3 16QAM BW=1.4MHz Channel=19943 RB Size=1 Position=#Max NVNT






Band3 16QAM BW=1.4MHz Channel=19943 RB Size=6 Position=#0 NVNT









































Band3 16QAM BW=5MHz Channel=19925 RB Size=1 Position=#Max NVNT






Band3 16QAM BW=5MHz Channel=19925 RB Size=25 Position=#0 NVNT


































Band3 16QAM BW=20MHz Channel=19850 RB Size=1 Position=#Max NVNT



Band3 16QAM BW=20MHz Channel=19850 RB Size=100 Position=#0 NVNT

Appendix 4. Transmitter minimum output power

<i>Condition</i>	<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Power (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
NVNT	Band3	1.4	19207	6	#0	QPSK	-43.99	-39	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	-43.73	-39	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	-44.32	-39	PASS
NVNT	Band3	5	19225	25	#0	QPSK	-43.89	-39	PASS
NVNT	Band3	5	19575	25	#0	QPSK	-43.74	-39	PASS
NVNT	Band3	5	19925	25	#0	QPSK	-44.20	-39	PASS
NVNT	Band3	20	19300	100	#0	QPSK	-43.80	-39	PASS
NVNT	Band3	20	19575	100	#0	QPSK	-43.34	-39	PASS
NVNT	Band3	20	19850	100	#0	QPSK	-43.35	-39	PASS



Appendix 5. Transmitter adjacent channel leakage power ratio

Condition	Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
NVNT	Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	44.64	32.2	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	E-ACLR-	39.38	29.2	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	E-ACLR+	41.92	29.2	PASS
NVNT	Band3	1.4	19207	5	#0	QPSK	U-ACLR+	47.20	32.2	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	47.07	32.2	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	E-ACLR-	42.00	29.2	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	E-ACLR+	38.99	29.2	PASS
NVNT	Band3	1.4	19207	5	#Max	QPSK	U-ACLR+	44.52	32.2	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	46.75	32.2	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	E-ACLR-	43.21	29.2	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	E-ACLR+	43.49	29.2	PASS
NVNT	Band3	1.4	19207	6	#0	QPSK	U-ACLR+	46.97	32.2	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	U-ACLR1-	45.94	32.2	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	E-ACLR-	40.70	29.2	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	E-ACLR+	43.48	29.2	PASS
NVNT	Band3	1.4	19207	5	#0	16QAM	U-ACLR+	48.13	32.2	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	U-ACLR1-	48.28	32.2	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	E-ACLR-	44.10	29.2	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	E-ACLR+	40.57	29.2	PASS
NVNT	Band3	1.4	19207	5	#Max	16QAM	U-ACLR+	46.04	32.2	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	U-ACLR1-	47.06	32.2	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	E-ACLR-	43.36	29.2	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	E-ACLR+	43.34	29.2	PASS
NVNT	Band3	1.4	19207	6	#0	16QAM	U-ACLR+	47.10	32.2	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	46.15	32.2	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	E-ACLR-	41.75	29.2	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	E-ACLR+	44.70	29.2	PASS
NVNT	Band3	1.4	19575	5	#0	QPSK	U-ACLR+	48.50	32.2	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	48.00	32.2	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	E-ACLR-	44.39	29.2	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	EUTRA	0.00	0	PASS

NVNT	Band3	1.4	19575	5	#Max	QPSK	E-ACLR+	41.83	29.2	PASS
NVNT	Band3	1.4	19575	5	#Max	QPSK	U-ACLR+	46.52	32.2	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	46.90	32.2	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	E-ACLR-	43.47	29.2	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	E-ACLR+	44.09	29.2	PASS
NVNT	Band3	1.4	19575	6	#0	QPSK	U-ACLR+	47.20	32.2	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	U-ACLR1-	46.49	32.2	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	E-ACLR-	41.82	29.2	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	E-ACLR+	44.86	29.2	PASS
NVNT	Band3	1.4	19575	5	#0	16QAM	U-ACLR+	48.56	32.2	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	U-ACLR1-	48.40	32.2	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	E-ACLR-	44.77	29.2	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	E-ACLR+	42.00	29.2	PASS
NVNT	Band3	1.4	19575	5	#Max	16QAM	U-ACLR+	46.56	32.2	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	U-ACLR1-	47.27	32.2	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	E-ACLR-	43.65	29.2	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	E-ACLR+	44.19	29.2	PASS
NVNT	Band3	1.4	19575	6	#0	16QAM	U-ACLR+	47.40	32.2	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	38.87	32.2	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	E-ACLR-	31.81	29.2	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	E-ACLR+	39.11	29.2	PASS
NVNT	Band3	1.4	19943	5	#0	QPSK	U-ACLR+	46.91	32.2	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	42.96	32.2	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	E-ACLR-	36.55	29.2	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	E-ACLR+	36.48	29.2	PASS
NVNT	Band3	1.4	19943	5	#Max	QPSK	U-ACLR+	44.02	32.2	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	38.79	32.2	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	E-ACLR-	33.57	29.2	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	E-ACLR+	36.17	29.2	PASS
NVNT	Band3	1.4	19943	6	#0	QPSK	U-ACLR+	43.03	32.2	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	U-ACLR1-	40.28	32.2	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	E-ACLR-	33.34	29.2	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	E-ACLR+	40.18	29.2	PASS
NVNT	Band3	1.4	19943	5	#0	16QAM	U-ACLR+	48.29	32.2	PASS

NVNT	Band3	1.4	19943	5	#Max	16QAM	U-ACLR1-	43.68	32.2	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	E-ACLR-	36.91	29.2	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	E-ACLR+	36.01	29.2	PASS
NVNT	Band3	1.4	19943	5	#Max	16QAM	U-ACLR+	44.35	32.2	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	U-ACLR1-	38.98	32.2	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	E-ACLR-	33.84	29.2	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	E-ACLR+	34.97	29.2	PASS
NVNT	Band3	1.4	19943	6	#0	16QAM	U-ACLR+	42.62	32.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	U-ACLR2-	52.74	35.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	U-ACLR1-	43.44	32.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	E-ACLR-	41.27	29.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	8	#0	QPSK	E-ACLR+	51.49	29.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	U-ACLR+	52.22	32.2	PASS
NVNT	Band3	5	19225	8	#0	QPSK	U-ACLR2+	52.79	35.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	U-ACLR2-	52.89	35.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	U-ACLR1-	51.89	32.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	E-ACLR-	51.23	29.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	E-ACLR+	41.93	29.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	U-ACLR+	44.06	32.2	PASS
NVNT	Band3	5	19225	8	#Max	QPSK	U-ACLR2+	52.73	35.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	U-ACLR2-	51.40	35.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	U-ACLR1-	42.36	32.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	E-ACLR-	41.46	29.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	25	#0	QPSK	E-ACLR+	42.01	29.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	U-ACLR+	42.87	32.2	PASS
NVNT	Band3	5	19225	25	#0	QPSK	U-ACLR2+	51.28	35.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	U-ACLR2-	52.06	35.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	U-ACLR1-	44.43	32.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	E-ACLR-	41.92	29.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	8	#0	16QAM	E-ACLR+	51.01	29.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	U-ACLR+	51.74	32.2	PASS
NVNT	Band3	5	19225	8	#0	16QAM	U-ACLR2+	52.14	35.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	U-ACLR2-	52.16	35.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	U-ACLR1-	51.43	32.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	E-ACLR-	50.75	29.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	5	19225	8	#Max	16QAM	E-ACLR+	42.83	29.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	U-ACLR+	45.36	32.2	PASS
NVNT	Band3	5	19225	8	#Max	16QAM	U-ACLR2+	52.07	35.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	U-ACLR2-	50.87	35.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	U-ACLR1-	42.77	32.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	E-ACLR-	41.91	29.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19225	25	#0	16QAM	E-ACLR+	42.25	29.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	U-ACLR+	43.11	32.2	PASS
NVNT	Band3	5	19225	25	#0	16QAM	U-ACLR2+	50.75	35.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	U-ACLR2-	52.84	35.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	U-ACLR1-	44.19	32.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	E-ACLR-	42.08	29.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	8	#0	QPSK	E-ACLR+	51.43	29.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	U-ACLR+	52.12	32.2	PASS
NVNT	Band3	5	19575	8	#0	QPSK	U-ACLR2+	52.87	35.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	U-ACLR2-	52.74	35.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	U-ACLR1-	52.08	32.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	E-ACLR-	51.37	29.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	E-ACLR+	43.88	29.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	U-ACLR+	45.70	32.2	PASS
NVNT	Band3	5	19575	8	#Max	QPSK	U-ACLR2+	52.69	35.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	U-ACLR2-	51.39	35.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	U-ACLR1-	43.84	32.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	E-ACLR-	42.93	29.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	25	#0	QPSK	E-ACLR+	44.28	29.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	U-ACLR+	45.13	32.2	PASS
NVNT	Band3	5	19575	25	#0	QPSK	U-ACLR2+	51.48	35.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	U-ACLR2-	52.06	35.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	U-ACLR1-	44.34	32.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	E-ACLR-	42.05	29.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	8	#0	16QAM	E-ACLR+	50.75	29.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	U-ACLR+	51.45	32.2	PASS
NVNT	Band3	5	19575	8	#0	16QAM	U-ACLR2+	52.12	35.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	U-ACLR2-	52.10	35.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	U-ACLR1-	51.32	32.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	E-ACLR-	50.61	29.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	5	19575	8	#Max	16QAM	E-ACLR+	43.32	29.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	U-ACLR+	45.54	32.2	PASS
NVNT	Band3	5	19575	8	#Max	16QAM	U-ACLR2+	51.99	35.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	U-ACLR2-	50.73	35.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	U-ACLR1-	43.26	32.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	E-ACLR-	42.36	29.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19575	25	#0	16QAM	E-ACLR+	43.32	29.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	U-ACLR+	44.21	32.2	PASS
NVNT	Band3	5	19575	25	#0	16QAM	U-ACLR2+	50.71	35.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	U-ACLR2-	52.58	35.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	U-ACLR1-	41.83	32.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	E-ACLR-	39.72	29.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	8	#0	QPSK	E-ACLR+	51.00	29.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	U-ACLR+	51.65	32.2	PASS
NVNT	Band3	5	19925	8	#0	QPSK	U-ACLR2+	52.74	35.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	U-ACLR2-	50.86	35.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	U-ACLR1-	46.72	32.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	E-ACLR-	46.15	29.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	E-ACLR+	36.34	29.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	U-ACLR+	40.54	32.2	PASS
NVNT	Band3	5	19925	8	#Max	QPSK	U-ACLR2+	51.05	35.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	U-ACLR2-	50.48	35.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	U-ACLR1-	41.16	32.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	E-ACLR-	40.44	29.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	25	#0	QPSK	E-ACLR+	43.72	29.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	U-ACLR+	44.70	32.2	PASS
NVNT	Band3	5	19925	25	#0	QPSK	U-ACLR2+	51.84	35.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	U-ACLR2-	51.78	35.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	U-ACLR1-	43.76	32.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	E-ACLR-	41.94	29.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	8	#0	16QAM	E-ACLR+	50.33	29.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	U-ACLR+	50.96	32.2	PASS
NVNT	Band3	5	19925	8	#0	16QAM	U-ACLR2+	52.00	35.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	U-ACLR2-	51.65	35.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	U-ACLR1-	49.62	32.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	E-ACLR-	49.05	29.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	5	19925	8	#Max	16QAM	E-ACLR+	40.88	29.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	U-ACLR+	43.66	32.2	PASS
NVNT	Band3	5	19925	8	#Max	16QAM	U-ACLR2+	51.81	35.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	U-ACLR2-	49.92	35.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	U-ACLR1-	43.03	32.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	E-ACLR-	42.29	29.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	5	19925	25	#0	16QAM	E-ACLR+	44.29	29.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	U-ACLR+	45.15	32.2	PASS
NVNT	Band3	5	19925	25	#0	16QAM	U-ACLR2+	50.83	35.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	U-ACLR2-	52.48	35.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	U-ACLR1-	42.43	32.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	E-ACLR-	41.58	29.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	12	#0	QPSK	E-ACLR+	48.89	29.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	U-ACLR+	52.58	32.2	PASS
NVNT	Band3	10	19250	12	#0	QPSK	U-ACLR2+	52.67	35.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	U-ACLR2-	52.57	35.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	U-ACLR1-	52.72	32.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	E-ACLR-	48.85	29.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	E-ACLR+	43.15	29.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	U-ACLR+	44.10	32.2	PASS
NVNT	Band3	10	19250	12	#Max	QPSK	U-ACLR2+	52.79	35.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	U-ACLR2-	47.99	35.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	U-ACLR1-	43.23	32.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	E-ACLR-	41.30	29.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	50	#0	QPSK	E-ACLR+	41.68	29.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	U-ACLR+	44.03	32.2	PASS
NVNT	Band3	10	19250	50	#0	QPSK	U-ACLR2+	47.40	35.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	U-ACLR2-	51.69	35.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	U-ACLR1-	43.32	32.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	E-ACLR-	42.12	29.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	12	#0	16QAM	E-ACLR+	48.08	29.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	U-ACLR+	51.77	32.2	PASS
NVNT	Band3	10	19250	12	#0	16QAM	U-ACLR2+	51.83	35.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	U-ACLR2-	51.74	35.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	U-ACLR1-	51.93	32.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	E-ACLR-	48.06	29.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	10	19250	12	#Max	16QAM	E-ACLR+	43.24	29.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	U-ACLR+	44.49	32.2	PASS
NVNT	Band3	10	19250	12	#Max	16QAM	U-ACLR2+	51.94	35.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	U-ACLR2-	48.22	35.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	U-ACLR1-	43.38	32.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	E-ACLR-	41.46	29.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19250	50	#0	16QAM	E-ACLR+	41.48	29.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	U-ACLR+	43.68	32.2	PASS
NVNT	Band3	10	19250	50	#0	16QAM	U-ACLR2+	47.58	35.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	U-ACLR2-	52.56	35.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	U-ACLR1-	43.13	32.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	E-ACLR-	42.22	29.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	12	#0	QPSK	E-ACLR+	49.00	29.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	U-ACLR+	52.75	32.2	PASS
NVNT	Band3	10	19575	12	#0	QPSK	U-ACLR2+	52.74	35.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	U-ACLR2-	52.53	35.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	U-ACLR1-	52.59	32.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	E-ACLR-	48.82	29.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	E-ACLR+	43.83	29.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	U-ACLR+	44.99	32.2	PASS
NVNT	Band3	10	19575	12	#Max	QPSK	U-ACLR2+	52.69	35.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	U-ACLR2-	48.28	35.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	U-ACLR1-	44.63	32.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	E-ACLR-	42.39	29.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	50	#0	QPSK	E-ACLR+	43.49	29.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	U-ACLR+	46.04	32.2	PASS
NVNT	Band3	10	19575	50	#0	QPSK	U-ACLR2+	48.87	35.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	U-ACLR2-	51.79	35.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	U-ACLR1-	44.27	32.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	E-ACLR-	43.00	29.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	12	#0	16QAM	E-ACLR+	48.13	29.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	U-ACLR+	51.86	32.2	PASS
NVNT	Band3	10	19575	12	#0	16QAM	U-ACLR2+	51.87	35.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	U-ACLR2-	51.68	35.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	U-ACLR1-	51.82	32.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	E-ACLR-	48.02	29.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	EUTRA	0.00	0	PASS


NVNT	Band3	10	19575	12	#Max	16QAM	E-ACLR+	44.14	29.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	U-ACLR+	45.59	32.2	PASS
NVNT	Band3	10	19575	12	#Max	16QAM	U-ACLR2+	51.85	35.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	U-ACLR2-	48.02	35.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	U-ACLR1-	43.62	32.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	E-ACLR-	41.60	29.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19575	50	#0	16QAM	E-ACLR+	42.52	29.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	U-ACLR+	44.84	32.2	PASS
NVNT	Band3	10	19575	50	#0	16QAM	U-ACLR2+	48.32	35.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	U-ACLR2-	52.25	35.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	U-ACLR1-	43.38	32.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	E-ACLR-	42.41	29.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	12	#0	QPSK	E-ACLR+	48.97	29.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	U-ACLR+	52.54	32.2	PASS
NVNT	Band3	10	19900	12	#0	QPSK	U-ACLR2+	52.88	35.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	U-ACLR2-	51.42	35.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	U-ACLR1-	51.59	32.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	E-ACLR-	47.62	29.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	E-ACLR+	41.35	29.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	U-ACLR+	42.19	32.2	PASS
NVNT	Band3	10	19900	12	#Max	QPSK	U-ACLR2+	52.62	35.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	U-ACLR2-	46.66	35.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	U-ACLR1-	45.17	32.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	E-ACLR-	42.12	29.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	50	#0	QPSK	E-ACLR+	46.03	29.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	U-ACLR+	48.18	32.2	PASS
NVNT	Band3	10	19900	50	#0	QPSK	U-ACLR2+	51.73	35.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	U-ACLR2-	51.49	35.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	U-ACLR1-	43.53	32.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	E-ACLR-	42.37	29.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	12	#0	16QAM	E-ACLR+	48.20	29.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	U-ACLR+	51.84	32.2	PASS
NVNT	Band3	10	19900	12	#0	16QAM	U-ACLR2+	52.04	35.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	U-ACLR2-	51.19	35.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	U-ACLR1-	51.29	32.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	E-ACLR-	47.45	29.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	EUTRA	0.00	0	PASS


NVNT	Band3	10	19900	12	#Max	16QAM	E-ACLR+	42.66	29.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	U-ACLR+	43.82	32.2	PASS
NVNT	Band3	10	19900	12	#Max	16QAM	U-ACLR2+	51.85	35.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	U-ACLR2-	46.77	35.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	U-ACLR1-	43.42	32.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	E-ACLR-	41.07	29.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	10	19900	50	#0	16QAM	E-ACLR+	44.25	29.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	U-ACLR+	46.13	32.2	PASS
NVNT	Band3	10	19900	50	#0	16QAM	U-ACLR2+	50.71	35.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	U-ACLR2-	52.04	35.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	U-ACLR1-	42.08	32.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	E-ACLR-	42.01	29.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	18	#0	QPSK	E-ACLR+	46.03	29.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	U-ACLR+	52.71	32.2	PASS
NVNT	Band3	20	19300	18	#0	QPSK	U-ACLR2+	52.65	35.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	U-ACLR2-	52.51	35.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	U-ACLR1-	52.96	32.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	E-ACLR-	46.30	29.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	E-ACLR+	43.65	29.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	U-ACLR+	45.15	32.2	PASS
NVNT	Band3	20	19300	18	#Max	QPSK	U-ACLR2+	52.72	35.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	U-ACLR2-	46.81	35.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	U-ACLR1-	44.78	32.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	E-ACLR-	41.03	29.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	100	#0	QPSK	E-ACLR+	41.64	29.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	U-ACLR+	46.73	32.2	PASS
NVNT	Band3	20	19300	100	#0	QPSK	U-ACLR2+	48.12	35.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	U-ACLR2-	50.99	35.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	U-ACLR1-	42.75	32.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	E-ACLR-	42.17	29.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	18	#0	16QAM	E-ACLR+	45.00	29.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	U-ACLR+	51.74	32.2	PASS
NVNT	Band3	20	19300	18	#0	16QAM	U-ACLR2+	51.62	35.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	U-ACLR2-	51.39	35.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	U-ACLR1-	51.89	32.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	E-ACLR-	45.22	29.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	EUTRA	0.00	0	PASS

NVNT	Band3	20	19300	18	#Max	16QAM	E-ACLR+	43.37	29.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	U-ACLR+	45.24	32.2	PASS
NVNT	Band3	20	19300	18	#Max	16QAM	U-ACLR2+	51.77	35.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	U-ACLR2-	46.82	35.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	U-ACLR1-	44.88	32.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	E-ACLR-	40.96	29.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19300	100	#0	16QAM	E-ACLR+	40.94	29.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	U-ACLR+	46.00	32.2	PASS
NVNT	Band3	20	19300	100	#0	16QAM	U-ACLR2+	47.17	35.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	U-ACLR2-	51.79	35.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	U-ACLR1-	43.09	32.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	E-ACLR-	42.51	29.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	18	#0	QPSK	E-ACLR+	46.11	29.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	U-ACLR+	52.80	32.2	PASS
NVNT	Band3	20	19575	18	#0	QPSK	U-ACLR2+	52.62	35.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	U-ACLR2-	52.10	35.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	U-ACLR1-	52.60	32.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	E-ACLR-	45.91	29.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	E-ACLR+	43.77	29.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	U-ACLR+	45.79	32.2	PASS
NVNT	Band3	20	19575	18	#Max	QPSK	U-ACLR2+	52.11	35.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	U-ACLR2-	46.94	35.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	U-ACLR1-	45.45	32.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	E-ACLR-	40.95	29.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	100	#0	QPSK	E-ACLR+	42.34	29.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	U-ACLR+	47.88	32.2	PASS
NVNT	Band3	20	19575	100	#0	QPSK	U-ACLR2+	48.83	35.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	U-ACLR2-	51.00	35.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	U-ACLR1-	43.76	32.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	E-ACLR-	42.59	29.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	18	#0	16QAM	E-ACLR+	45.24	29.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	U-ACLR+	51.91	32.2	PASS
NVNT	Band3	20	19575	18	#0	16QAM	U-ACLR2+	51.78	35.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	U-ACLR2-	51.28	35.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	U-ACLR1-	51.82	32.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	E-ACLR-	45.11	29.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	EUTRA	0.00	0	PASS


NVNT	Band3	20	19575	18	#Max	16QAM	E-ACLR+	43.51	29.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	U-ACLR+	45.87	32.2	PASS
NVNT	Band3	20	19575	18	#Max	16QAM	U-ACLR2+	51.46	35.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	U-ACLR2-	46.86	35.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	U-ACLR1-	45.34	32.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	E-ACLR-	40.78	29.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19575	100	#0	16QAM	E-ACLR+	41.48	29.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	U-ACLR+	46.76	32.2	PASS
NVNT	Band3	20	19575	100	#0	16QAM	U-ACLR2+	47.75	35.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	U-ACLR2-	51.99	35.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	U-ACLR1-	43.60	32.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	E-ACLR-	42.67	29.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	18	#0	QPSK	E-ACLR+	46.36	29.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	U-ACLR+	53.00	32.2	PASS
NVNT	Band3	20	19850	18	#0	QPSK	U-ACLR2+	52.94	35.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	U-ACLR2-	51.87	35.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	U-ACLR1-	52.33	32.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	E-ACLR-	45.57	29.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	E-ACLR+	43.20	29.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	U-ACLR+	43.54	32.2	PASS
NVNT	Band3	20	19850	18	#Max	QPSK	U-ACLR2+	52.59	35.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	U-ACLR2-	46.52	35.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	U-ACLR1-	45.66	32.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	E-ACLR-	40.51	29.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	100	#0	QPSK	E-ACLR+	44.43	29.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	U-ACLR+	49.00	32.2	PASS
NVNT	Band3	20	19850	100	#0	QPSK	U-ACLR2+	51.76	35.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	U-ACLR2-	51.26	35.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	U-ACLR1-	44.17	32.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	E-ACLR-	42.78	29.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	18	#0	16QAM	E-ACLR+	45.46	29.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	U-ACLR+	52.12	32.2	PASS
NVNT	Band3	20	19850	18	#0	16QAM	U-ACLR2+	52.02	35.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	U-ACLR2-	51.25	35.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	U-ACLR1-	51.63	32.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	E-ACLR-	44.89	29.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	EUTRA	0.00	0	PASS


NVNT	Band3	20	19850	18	#Max	16QAM	E-ACLR+	43.21	29.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	U-ACLR+	44.52	32.2	PASS
NVNT	Band3	20	19850	18	#Max	16QAM	U-ACLR2+	51.84	35.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	U-ACLR2-	46.39	35.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	U-ACLR1-	45.08	32.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	E-ACLR-	40.28	29.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	EUTRA	0.00	0	PASS
NVNT	Band3	20	19850	100	#0	16QAM	E-ACLR+	43.53	29.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	U-ACLR+	47.98	32.2	PASS
NVNT	Band3	20	19850	100	#0	16QAM	U-ACLR2+	50.83	35.2	PASS







Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0 NVNT










Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#0 NVNT










Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0 NVNT










Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#0 NVNT










Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0 NVNT










Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#0 NVNT










Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0 NVNT










Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#0 NVNT










Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0 NVNT










Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#0 NVNT










Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0 NVNT










Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#0 NVNT










Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0 NVNT










Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#0 NVNT









Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0 NVNT










Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#0 NVNT










Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0 NVNT









Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#0 NVNT









Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0 NVNT









Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#0 NVNT










Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0 NVNT









Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#0 NVNT










Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0 NVNT








Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#0 NVNT






Appendix 6.Receiver adjacent channel selectivity

Condition	Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
NVNT	Band 3	1.4	19575	6	QPSK	Case 1	1841.0975	-56.2	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 1	1843.9025	-56.2	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1841.0975	-25	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1843.9025	-25	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 1	1841.0975	-56.2	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 1	1843.9025	-56.2	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1841.0975	-25	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1843.9025	-25	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 1	1837.4975	-51.5	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 1	1847.5025	-51.5	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1837.4975	-25	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1847.5025	-25	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 1	1837.4975	-51.5	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 1	1847.5025	-51.5	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1837.4975	-25	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1847.5025	-25	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 1	1829.9975	-51.5	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 1	1855.0025	-51.5	100.00	95	PASS

NVNT	Band 3	20	19575	100	QPSK	Case 2	1829.9975	-25	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1855.0025	-25	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 1	1829.9975	-51.5	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 1	1855.0025	-51.5	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1829.9975	-25	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1855.0025	-25	100.00	95	PASS



Appendix 7.Receiver blocking characteristics in-band

Condition	Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
NVNT	Band 3	1.4	19575	6	QPSK	Case 1	1839.6875	-56	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 1	1845.3125	-56	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1838.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1836.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1835.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1834.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1832.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1831.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1829.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1828.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1827.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1825.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1824.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1822.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1821.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1820.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1818.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1817.2925	-44	100.00	95	PASS

NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1815.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1814.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1813.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1811.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1810.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1808.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1807.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1806.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1804.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1803.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1801.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1800.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1799.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1797.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1796.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1794.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1793.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1792.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1790.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1846.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1848.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1849.5075	-44	100.00	95	PASS

	3				2						
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1850.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1852.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1853.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1855.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1856.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1857.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1859.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1860.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1862.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1863.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1864.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1866.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1867.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1869.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1870.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1871.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1873.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1874.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1876.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1877.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1878.9075	-44	100.00	95	PASS

NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1880.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1881.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1883.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1884.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1885.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1887.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1888.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1890.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1891.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1892.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	QPSK	Case 2	1894.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 1	1839.6875	-56	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 1	1845.3125	-56	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1838.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1836.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1835.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1834.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1832.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1831.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1829.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1828.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1827.0925	-44	100.00	95	PASS

	3				2						
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1825.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1824.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1822.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1821.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1820.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1818.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1817.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1815.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1814.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1813.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1811.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1810.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1808.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1807.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1806.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1804.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1803.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1801.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1800.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1799.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1797.6925	-44	100.00	95	PASS

NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1796.2925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1794.8925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1793.4925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1792.0925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1790.6925	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1846.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1848.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1849.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1850.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1852.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1853.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1855.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1856.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1857.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1859.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1860.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1862.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1863.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1864.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1866.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1867.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1869.1075	-44	100.00	95	PASS

	3				2						
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1870.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1871.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1873.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1874.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1876.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1877.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1878.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1880.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1881.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1883.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1884.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1885.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1887.3075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1888.7075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1890.1075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1891.5075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1892.9075	-44	100.00	95	PASS
NVNT	Band 3	1.4	19575	6	16QAM	Case 2	1894.3075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 1	1832.4875	-56	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 1	1852.5125	-56	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1827.4925	-44	100.00	95	PASS

NVNT	Band 3	5	19575	25	QPSK	Case 2	1822.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1817.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1812.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1807.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1802.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1797.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1792.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1857.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1862.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1867.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1872.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1877.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1882.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1887.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	QPSK	Case 2	1892.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 1	1832.4875	-56	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 1	1852.5125	-56	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1827.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1822.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1817.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1812.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1807.4925	-44	100.00	95	PASS

	3				2						
NVNT	Band 3	5	19575	25	16QAM	Case 2	1802.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1797.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1792.4925	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1857.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1862.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1867.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1872.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1877.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1882.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1887.5075	-44	100.00	95	PASS
NVNT	Band 3	5	19575	25	16QAM	Case 2	1892.5075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 1	1824.9875	-56	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 1	1860.0125	-56	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1819.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1814.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1809.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1804.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1799.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1794.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1865.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1870.0075	-44	100.00	95	PASS

NVNT	Band 3	20	19575	100	QPSK	Case 2	1875.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1880.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1885.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	QPSK	Case 2	1890.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 1	1824.9875	-56	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 1	1860.0125	-56	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1819.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1814.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1809.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1804.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1799.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1794.9925	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1865.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1870.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1875.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1880.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1885.0075	-44	100.00	95	PASS
NVNT	Band 3	20	19575	100	16QAM	Case 2	1890.0075	-44	100.00	95	PASS

Appendix 8.Receiver blocking characteristics narrow-band

Condition	Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
NVNT	Band3	1.4	19575	6	QPSK	1841.5925	-55	100.00	95	PASS
NVNT	Band3	1.4	19575	6	QPSK	1843.4075	-55	100.00	95	PASS
NVNT	Band3	1.4	19575	6	16QAM	1841.5925	-55	100.00	95	PASS
NVNT	Band3	1.4	19575	6	16QAM	1843.4075	-55	100.00	95	PASS
NVNT	Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
NVNT	Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS
NVNT	Band3	5	19575	25	16QAM	1839.7925	-55	100.00	95	PASS
NVNT	Band3	5	19575	25	16QAM	1845.2075	-55	100.00	95	PASS
NVNT	Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
NVNT	Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
NVNT	Band3	20	19575	100	16QAM	1832.2925	-55	100.00	95	PASS
NVNT	Band3	20	19575	100	16QAM	1852.7075	-55	100.00	95	PASS

Appendix 9.Receiver intermodulation characteristics

Condit ion	Ban d	Bandwi dth (MHz)	UL Chan nel	UL RB Siz e	Modulat ion	Interfere nce1 Freq (MHz)	Interfere nce1 Level (dBm)	Interfere nce2 Freq (MHz)	Interfere nce2 Level (dBm)	Through put (%)	Li mit (%)	Verd ict
NVNT	Ban d3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PAS S
NVNT	Ban d3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PAS S
NVNT	Ban d3	1.4	19575	6	16QAM	1839.7	-46	1836.9	-46	100.00	95	PAS S
NVNT	Ban d3	1.4	19575	6	16QAM	1845.3	-46	1848.1	-46	100.00	95	PAS S
NVNT	Ban d3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PAS S
NVNT	Ban d3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PAS S
NVNT	Ban d3	5	19575	25	16QAM	1832.5	-46	1822.5	-46	100.00	95	PAS S
NVNT	Ban d3	5	19575	25	16QAM	1852.5	-46	1862.5	-46	100.00	95	PAS S
NVNT	Ban d3	20	19575	10 0	QPSK	1825	-46	1807.5	-46	100.00	95	PAS S
NVNT	Ban d3	20	19575	10 0	QPSK	1860	-46	1877.5	-46	100.00	95	PAS S
NVNT	Ban d3	20	19575	10 0	16QAM	1825	-46	1807.5	-46	100.00	95	PAS S
NVNT	Ban d3	20	19575	10 0	16QAM	1860	-46	1877.5	-46	100.00	95	PAS S

Appendix 10.Receiver Reference Sensitivity Level

<i>Condition</i>	<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>UL RB Size</i>	<i>Modulation</i>	<i>Ref Sensitivity (dBm)</i>	<i>Throughput (%)</i>	<i>Limit (%)</i>	<i>Verdict</i>
NVNT	Band3	1.4	19207	6	QPSK	-100.3	99.88	95	PASS
NVNT	Band3	1.4	19207	6	16QAM	-100.3	100.00	95	PASS
NVNT	Band3	1.4	19575	6	QPSK	-100.3	100.00	95	PASS
NVNT	Band3	1.4	19575	6	16QAM	-100.3	100.00	95	PASS
NVNT	Band3	1.4	19943	6	QPSK	-100.3	100.00	95	PASS
NVNT	Band3	1.4	19943	6	16QAM	-100.3	100.00	95	PASS
NVNT	Band3	5	19225	25	QPSK	-95.6	100.00	95	PASS
NVNT	Band3	5	19225	25	16QAM	-95.6	100.00	95	PASS
NVNT	Band3	5	19575	25	QPSK	-95.6	100.00	95	PASS
NVNT	Band3	5	19575	25	16QAM	-95.6	100.00	95	PASS
NVNT	Band3	5	19925	25	QPSK	-95.6	100.00	95	PASS
NVNT	Band3	5	19925	25	16QAM	-95.6	99.89	95	PASS
NVNT	Band3	20	19300	100	QPSK	-89.6	100.00	95	PASS
NVNT	Band3	20	19300	100	16QAM	-89.6	100.00	95	PASS
NVNT	Band3	20	19575	100	QPSK	-89.6	100.00	95	PASS
NVNT	Band3	20	19575	100	16QAM	-89.6	100.00	95	PASS
NVNT	Band3	20	19850	100	QPSK	-89.6	100.00	95	PASS
NVNT	Band3	20	19850	100	16QAM	-89.6	100.00	95	PASS

Appendix 11.Receiver spurious emissions

<i>Condition</i>	<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>Modulation</i>	<i>Range (MHz)</i>	<i>RBW</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
NVNT	Band3	1.4	19207	QPSK	30 MHz-1000 MHz	100 kHz	30.78	-90.91	-57	PASS
NVNT	Band3	1.4	19207	QPSK	1000 MHz-12.75 GHz	1 MHz	5183.00	-63.86	-47	PASS
NVNT	Band3	1.4	19207	16QAM	30 MHz-1000 MHz	100 kHz	899.99	-91.20	-57	PASS
NVNT	Band3	1.4	19207	16QAM	1000 MHz-12.75 GHz	1 MHz	5181.04	-69.58	-47	PASS
NVNT	Band3	1.4	19575	QPSK	30 MHz-1000 MHz	100 kHz	899.99	-91.29	-57	PASS
NVNT	Band3	1.4	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	9600.02	-74.99	-47	PASS
NVNT	Band3	1.4	19575	16QAM	30 MHz-1000 MHz	100 kHz	933.46	-62.76	-57	PASS
NVNT	Band3	1.4	19575	16QAM	1000 MHz-12.75 GHz	1 MHz	1742.21	-69.49	-47	PASS
NVNT	Band3	1.4	19943	QPSK	30 MHz-1000 MHz	100 kHz	748.96	-61.19	-57	PASS
NVNT	Band3	1.4	19943	QPSK	1000 MHz-12.75 GHz	1 MHz	5175.17	-62.61	-47	PASS
NVNT	Band3	1.4	19943	16QAM	30 MHz-1000 MHz	100 kHz	749.35	-68.83	-57	PASS
NVNT	Band3	1.4	19943	16QAM	1000 MHz-12.75 GHz	1 MHz	2242.56	-63.95	-47	PASS
NVNT	Band3	5	19225	QPSK	30	100	864.88	-63.61	-57	PASS

					MHz-1000 MHz	kHz				
NVNT	Band3	5	19225	QPSK	1000 MHz-12.75 GHz	1 MHz	3421.48	-69.78	-47	PASS
NVNT	Band3	5	19225	16QAM	30 MHz-1000 MHz	100 kHz	861.68	-62.75	-57	PASS
NVNT	Band3	5	19225	16QAM	1000 MHz-12.75 GHz	1 MHz	1706.96	-61.87	-47	PASS
NVNT	Band3	5	19575	QPSK	30 MHz-1000 MHz	100 kHz	77.72	-67.45	-57	PASS
NVNT	Band3	5	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	1986.02	-68.04	-47	PASS
NVNT	Band3	5	19575	16QAM	30 MHz-1000 MHz	100 kHz	958.97	-59.88	-57	PASS
NVNT	Band3	5	19575	16QAM	1000 MHz-12.75 GHz	1 MHz	1746.13	-61.99	-47	PASS
NVNT	Band3	5	19925	QPSK	30 MHz-1000 MHz	100 kHz	890.68	-64.64	-57	PASS
NVNT	Band3	5	19925	QPSK	1000 MHz-12.75 GHz	1 MHz	1927.27	-66.38	-47	PASS
NVNT	Band3	5	19925	16QAM	30 MHz-1000 MHz	100 kHz	742.47	-60.54	-57	PASS
NVNT	Band3	5	19925	16QAM	1000 MHz-12.75 GHz	1 MHz	1001.96	-61.19	-47	PASS
NVNT	Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	122.25	-73.66	-57	PASS
NVNT	Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	5174.19	-65.14	-47	PASS
NVNT	Band3	20	19300	16QAM	30 MHz-1000 MHz	100 kHz	861.48	-59.31	-57	PASS

					MHz					
NVNT	Band3	20	19300	16QAM	1000 MHz-12.75 GHz	1 MHz	1714.79	-69.66	-47	PASS
NVNT	Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	642.65	-66.36	-57	PASS
NVNT	Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	1744.17	-66.74	-47	PASS
NVNT	Band3	20	19575	16QAM	30 MHz-1000 MHz	100 kHz	187.43	-57.77	-57	PASS
NVNT	Band3	20	19575	16QAM	1000 MHz-12.75 GHz	1 MHz	1747.10	-67.29	-47	PASS
NVNT	Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	89.66	-69.70	-57	PASS
NVNT	Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	1767.67	-68.56	-47	PASS
NVNT	Band3	20	19850	16QAM	30 MHz-1000 MHz	100 kHz	974.00	-63.18	-57	PASS
NVNT	Band3	20	19850	16QAM	1000 MHz-12.75 GHz	1 MHz	1783.33	-68.46	-47	PASS

