

## Appendix for LTE Band 3

### TABLE OF CONTENTS

Summary of Test Results Data and Graph .....	2
Transmitter Maximum Output Power .....	2
Transmitter Minimum Output Power .....	7
Transmitter Spectrum Emission Mask .....	9
Transmitter Adjacent Channel Leakage Power Ratio(ACLR) .....	24
Transmitter Spurious Emissions .....	39
Receiver Spurious Emissions .....	68
Receiver Adjacent Channel Selectivity (ACS) .....	69
Receiver blocking characteristics .....	70
Receiver Intermodulation Characteristics .....	72
ReceiverReference Sensitivity Level .....	73

## Summary of Test Results Data and Graph

### Transmitter Maximum Output Power

#### Test Result

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	Result (dBm)	Verdict
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	21.35	PASS
LTLV	Band3	1.4MHz	QPSK	19207	1RB#0	21.68	PASS
LTHV	Band3	1.4MHz	QPSK	19207	1RB#0	21.40	PASS
HTLV	Band3	1.4MHz	QPSK	19207	1RB#0	21.32	PASS
HTHV	Band3	1.4MHz	QPSK	19207	1RB#0	21.33	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	21.35	PASS
LTLV	Band3	1.4MHz	QPSK	19207	1RB#5	21.71	PASS
LTHV	Band3	1.4MHz	QPSK	19207	1RB#5	21.30	PASS
HTLV	Band3	1.4MHz	QPSK	19207	1RB#5	21.36	PASS
HTHV	Band3	1.4MHz	QPSK	19207	1RB#5	21.36	PASS
NTNV	Band3	1.4MHz	QPSK	19207	5RB#0	21.35	PASS
LTLV	Band3	1.4MHz	QPSK	19207	5RB#0	21.75	PASS
LTHV	Band3	1.4MHz	QPSK	19207	5RB#0	21.36	PASS
HTLV	Band3	1.4MHz	QPSK	19207	5RB#0	21.43	PASS
HTHV	Band3	1.4MHz	QPSK	19207	5RB#0	21.36	PASS
NTNV	Band3	1.4MHz	QPSK	19207	5RB#1	21.38	PASS
LTLV	Band3	1.4MHz	QPSK	19207	5RB#1	21.73	PASS
LTHV	Band3	1.4MHz	QPSK	19207	5RB#1	21.37	PASS
HTLV	Band3	1.4MHz	QPSK	19207	5RB#1	21.45	PASS
HTHV	Band3	1.4MHz	QPSK	19207	5RB#1	21.39	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	21.09	PASS
LTLV	Band3	1.4MHz	QPSK	19575	1RB#0	23.03	PASS
LTHV	Band3	1.4MHz	QPSK	19575	1RB#0	21.11	PASS
HTLV	Band3	1.4MHz	QPSK	19575	1RB#0	21.13	PASS
HTHV	Band3	1.4MHz	QPSK	19575	1RB#0	21.11	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	21.04	PASS
LTLV	Band3	1.4MHz	QPSK	19575	1RB#5	23.00	PASS
LTHV	Band3	1.4MHz	QPSK	19575	1RB#5	21.16	PASS
HTLV	Band3	1.4MHz	QPSK	19575	1RB#5	21.05	PASS
HTHV	Band3	1.4MHz	QPSK	19575	1RB#5	21.06	PASS
NTNV	Band3	1.4MHz	QPSK	19575	5RB#0	21.20	PASS

LTLV	Band3	1.4MHz	QPSK	19575	5RB#0	22.98	PASS
LTHV	Band3	1.4MHz	QPSK	19575	5RB#0	21.20	PASS
HTLV	Band3	1.4MHz	QPSK	19575	5RB#0	21.25	PASS
HTHV	Band3	1.4MHz	QPSK	19575	5RB#0	21.22	PASS
NTNV	Band3	1.4MHz	QPSK	19575	5RB#1	21.17	PASS
LTLV	Band3	1.4MHz	QPSK	19575	5RB#1	22.70	PASS
LTHV	Band3	1.4MHz	QPSK	19575	5RB#1	21.15	PASS
HTLV	Band3	1.4MHz	QPSK	19575	5RB#1	21.21	PASS
HTHV	Band3	1.4MHz	QPSK	19575	5RB#1	21.24	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	20.59	PASS
LTLV	Band3	1.4MHz	QPSK	19943	1RB#0	21.06	PASS
LTHV	Band3	1.4MHz	QPSK	19943	1RB#0	20.55	PASS
HTLV	Band3	1.4MHz	QPSK	19943	1RB#0	20.61	PASS
HTHV	Band3	1.4MHz	QPSK	19943	1RB#0	20.66	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	20.59	PASS
LTLV	Band3	1.4MHz	QPSK	19943	1RB#5	20.46	PASS
LTHV	Band3	1.4MHz	QPSK	19943	1RB#5	20.56	PASS
HTLV	Band3	1.4MHz	QPSK	19943	1RB#5	20.60	PASS
HTHV	Band3	1.4MHz	QPSK	19943	1RB#5	20.60	PASS
NTNV	Band3	1.4MHz	QPSK	19943	5RB#0	20.65	PASS
LTLV	Band3	1.4MHz	QPSK	19943	5RB#0	20.68	PASS
LTHV	Band3	1.4MHz	QPSK	19943	5RB#0	20.72	PASS
HTLV	Band3	1.4MHz	QPSK	19943	5RB#0	20.63	PASS
HTHV	Band3	1.4MHz	QPSK	19943	5RB#0	20.68	PASS
NTNV	Band3	1.4MHz	QPSK	19943	5RB#1	20.66	PASS
LTLV	Band3	1.4MHz	QPSK	19943	5RB#1	20.80	PASS
LTHV	Band3	1.4MHz	QPSK	19943	5RB#1	20.68	PASS
HTLV	Band3	1.4MHz	QPSK	19943	5RB#1	20.59	PASS
HTHV	Band3	1.4MHz	QPSK	19943	5RB#1	20.69	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	21.62	PASS
LTLV	Band3	5MHz	QPSK	19225	1RB#0	22.01	PASS
LTHV	Band3	5MHz	QPSK	19225	1RB#0	21.72	PASS
HTLV	Band3	5MHz	QPSK	19225	1RB#0	21.63	PASS
HTHV	Band3	5MHz	QPSK	19225	1RB#0	21.62	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	21.58	PASS
LTLV	Band3	5MHz	QPSK	19225	1RB#24	21.99	PASS
LTHV	Band3	5MHz	QPSK	19225	1RB#24	21.69	PASS
HTLV	Band3	5MHz	QPSK	19225	1RB#24	21.61	PASS

HTHV	Band3	5MHz	QPSK	19225	1RB#24	21.61	PASS
NTNV	Band3	5MHz	QPSK	19225	8RB#0	21.61	PASS
LTLV	Band3	5MHz	QPSK	19225	8RB#0	21.99	PASS
LTHV	Band3	5MHz	QPSK	19225	8RB#0	21.57	PASS
HTLV	Band3	5MHz	QPSK	19225	8RB#0	21.60	PASS
HTHV	Band3	5MHz	QPSK	19225	8RB#0	21.59	PASS
NTNV	Band3	5MHz	QPSK	19225	8RB#17	21.63	PASS
LTLV	Band3	5MHz	QPSK	19225	8RB#17	22.00	PASS
LTHV	Band3	5MHz	QPSK	19225	8RB#17	21.69	PASS
HTLV	Band3	5MHz	QPSK	19225	8RB#17	21.64	PASS
HTHV	Band3	5MHz	QPSK	19225	8RB#17	21.65	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	21.44	PASS
LTLV	Band3	5MHz	QPSK	19575	1RB#0	23.32	PASS
LTHV	Band3	5MHz	QPSK	19575	1RB#0	21.64	PASS
HTLV	Band3	5MHz	QPSK	19575	1RB#0	21.49	PASS
HTHV	Band3	5MHz	QPSK	19575	1RB#0	21.49	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	21.34	PASS
LTLV	Band3	5MHz	QPSK	19575	1RB#24	23.22	PASS
LTHV	Band3	5MHz	QPSK	19575	1RB#24	21.46	PASS
HTLV	Band3	5MHz	QPSK	19575	1RB#24	21.37	PASS
HTHV	Band3	5MHz	QPSK	19575	1RB#24	21.37	PASS
NTNV	Band3	5MHz	QPSK	19575	8RB#0	21.43	PASS
LTLV	Band3	5MHz	QPSK	19575	8RB#0	23.44	PASS
LTHV	Band3	5MHz	QPSK	19575	8RB#0	21.44	PASS
HTLV	Band3	5MHz	QPSK	19575	8RB#0	21.46	PASS
HTHV	Band3	5MHz	QPSK	19575	8RB#0	21.49	PASS
NTNV	Band3	5MHz	QPSK	19575	8RB#17	21.39	PASS
LTLV	Band3	5MHz	QPSK	19575	8RB#17	23.39	PASS
LTHV	Band3	5MHz	QPSK	19575	8RB#17	21.35	PASS
HTLV	Band3	5MHz	QPSK	19575	8RB#17	21.35	PASS
HTHV	Band3	5MHz	QPSK	19575	8RB#17	21.39	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	20.97	PASS
LTLV	Band3	5MHz	QPSK	19925	1RB#0	21.34	PASS
LTHV	Band3	5MHz	QPSK	19925	1RB#0	21.00	PASS
HTLV	Band3	5MHz	QPSK	19925	1RB#0	21.03	PASS
HTHV	Band3	5MHz	QPSK	19925	1RB#0	20.99	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	20.92	PASS
LTLV	Band3	5MHz	QPSK	19925	1RB#24	21.10	PASS



LTHV	Band3	5MHz	QPSK	19925	1RB#24	20.96	PASS
HTLV	Band3	5MHz	QPSK	19925	1RB#24	20.91	PASS
HTHV	Band3	5MHz	QPSK	19925	1RB#24	20.89	PASS
NTNV	Band3	5MHz	QPSK	19925	8RB#0	20.92	PASS
LTLV	Band3	5MHz	QPSK	19925	8RB#0	20.90	PASS
LTHV	Band3	5MHz	QPSK	19925	8RB#0	20.92	PASS
HTLV	Band3	5MHz	QPSK	19925	8RB#0	20.91	PASS
HTHV	Band3	5MHz	QPSK	19925	8RB#0	20.95	PASS
NTNV	Band3	5MHz	QPSK	19925	8RB#17	20.90	PASS
LTLV	Band3	5MHz	QPSK	19925	8RB#17	20.92	PASS
LTHV	Band3	5MHz	QPSK	19925	8RB#17	20.93	PASS
HTLV	Band3	5MHz	QPSK	19925	8RB#17	20.96	PASS
HTHV	Band3	5MHz	QPSK	19925	8RB#17	20.91	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	21.97	PASS
LTLV	Band3	20MHz	QPSK	19300	1RB#0	21.99	PASS
LTHV	Band3	20MHz	QPSK	19300	1RB#0	21.95	PASS
HTLV	Band3	20MHz	QPSK	19300	1RB#0	22.02	PASS
HTHV	Band3	20MHz	QPSK	19300	1RB#0	21.96	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	21.82	PASS
LTLV	Band3	20MHz	QPSK	19300	1RB#99	23.59	PASS
LTHV	Band3	20MHz	QPSK	19300	1RB#99	22.37	PASS
HTLV	Band3	20MHz	QPSK	19300	1RB#99	21.79	PASS
HTHV	Band3	20MHz	QPSK	19300	1RB#99	21.81	PASS
NTNV	Band3	20MHz	QPSK	19300	18RB#0	21.58	PASS
LTLV	Band3	20MHz	QPSK	19300	18RB#0	21.96	PASS
LTHV	Band3	20MHz	QPSK	19300	18RB#0	21.80	PASS
HTLV	Band3	20MHz	QPSK	19300	18RB#0	21.58	PASS
HTHV	Band3	20MHz	QPSK	19300	18RB#0	21.63	PASS
NTNV	Band3	20MHz	QPSK	19300	18RB#82	21.71	PASS
LTLV	Band3	20MHz	QPSK	19300	18RB#82	23.73	PASS
LTHV	Band3	20MHz	QPSK	19300	18RB#82	21.74	PASS
HTLV	Band3	20MHz	QPSK	19300	18RB#82	21.72	PASS
HTHV	Band3	20MHz	QPSK	19300	18RB#82	21.75	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	23.46	PASS
LTLV	Band3	20MHz	QPSK	19575	1RB#0	23.44	PASS
LTHV	Band3	20MHz	QPSK	19575	1RB#0	23.50	PASS
HTLV	Band3	20MHz	QPSK	19575	1RB#0	23.52	PASS
HTHV	Band3	20MHz	QPSK	19575	1RB#0	23.49	PASS

NTNV	Band3	20MHz	QPSK	19575	1RB#99	21.29	PASS
LTLV	Band3	20MHz	QPSK	19575	1RB#99	23.09	PASS
LTHV	Band3	20MHz	QPSK	19575	1RB#99	21.58	PASS
HTLV	Band3	20MHz	QPSK	19575	1RB#99	21.31	PASS
HTHV	Band3	20MHz	QPSK	19575	1RB#99	21.29	PASS
NTNV	Band3	20MHz	QPSK	19575	18RB#0	21.60	PASS
LTLV	Band3	20MHz	QPSK	19575	18RB#0	23.67	PASS
LTHV	Band3	20MHz	QPSK	19575	18RB#0	21.62	PASS
HTLV	Band3	20MHz	QPSK	19575	18RB#0	21.60	PASS
HTHV	Band3	20MHz	QPSK	19575	18RB#0	21.59	PASS
NTNV	Band3	20MHz	QPSK	19575	18RB#82	21.38	PASS
LTLV	Band3	20MHz	QPSK	19575	18RB#82	23.37	PASS
LTHV	Band3	20MHz	QPSK	19575	18RB#82	21.51	PASS
HTLV	Band3	20MHz	QPSK	19575	18RB#82	21.36	PASS
HTHV	Band3	20MHz	QPSK	19575	18RB#82	21.38	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	22.90	PASS
LTLV	Band3	20MHz	QPSK	19850	1RB#0	22.91	PASS
LTHV	Band3	20MHz	QPSK	19850	1RB#0	22.90	PASS
HTLV	Band3	20MHz	QPSK	19850	1RB#0	22.87	PASS
HTHV	Band3	20MHz	QPSK	19850	1RB#0	22.87	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	20.79	PASS
LTLV	Band3	20MHz	QPSK	19850	1RB#99	20.86	PASS
LTHV	Band3	20MHz	QPSK	19850	1RB#99	20.80	PASS
HTLV	Band3	20MHz	QPSK	19850	1RB#99	20.81	PASS
HTHV	Band3	20MHz	QPSK	19850	1RB#99	20.84	PASS
NTNV	Band3	20MHz	QPSK	19850	18RB#0	21.17	PASS
LTLV	Band3	20MHz	QPSK	19850	18RB#0	22.02	PASS
LTHV	Band3	20MHz	QPSK	19850	18RB#0	21.15	PASS
HTLV	Band3	20MHz	QPSK	19850	18RB#0	21.15	PASS
HTHV	Band3	20MHz	QPSK	19850	18RB#0	21.18	PASS
NTNV	Band3	20MHz	QPSK	19850	18RB#82	20.97	PASS
LTLV	Band3	20MHz	QPSK	19850	18RB#82	21.17	PASS
LTHV	Band3	20MHz	QPSK	19850	18RB#82	20.98	PASS
HTLV	Band3	20MHz	QPSK	19850	18RB#82	20.98	PASS
HTHV	Band3	20MHz	QPSK	19850	18RB#82	20.99	PASS

## Transmitter Minimum Output Power

### Test Result

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	Result (dBm)	Verdict
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	-50.01	PASS
LTLV	Band3	1.4MHz	QPSK	19207	6RB#0	-49.56	PASS
LTHV	Band3	1.4MHz	QPSK	19207	6RB#0	-50.08	PASS
HTLV	Band3	1.4MHz	QPSK	19207	6RB#0	-49.95	PASS
HTHV	Band3	1.4MHz	QPSK	19207	6RB#0	-49.92	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	-50.11	PASS
LTLV	Band3	1.4MHz	QPSK	19575	6RB#0	-50.33	PASS
LTHV	Band3	1.4MHz	QPSK	19575	6RB#0	-50.22	PASS
HTLV	Band3	1.4MHz	QPSK	19575	6RB#0	-50.06	PASS
HTHV	Band3	1.4MHz	QPSK	19575	6RB#0	-50.02	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	-50.29	PASS
LTLV	Band3	1.4MHz	QPSK	19943	6RB#0	-50.46	PASS
LTHV	Band3	1.4MHz	QPSK	19943	6RB#0	-50.34	PASS
HTLV	Band3	1.4MHz	QPSK	19943	6RB#0	-50.28	PASS
HTHV	Band3	1.4MHz	QPSK	19943	6RB#0	-50.24	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	-50.01	PASS
LTLV	Band3	5MHz	QPSK	19225	25RB#0	-48.32	PASS
LTHV	Band3	5MHz	QPSK	19225	25RB#0	-50.07	PASS
HTLV	Band3	5MHz	QPSK	19225	25RB#0	-49.92	PASS
HTHV	Band3	5MHz	QPSK	19225	25RB#0	-49.91	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	-50.06	PASS
LTLV	Band3	5MHz	QPSK	19575	25RB#0	-50.29	PASS
LTHV	Band3	5MHz	QPSK	19575	25RB#0	-50.12	PASS
HTLV	Band3	5MHz	QPSK	19575	25RB#0	-49.98	PASS
HTHV	Band3	5MHz	QPSK	19575	25RB#0	-49.94	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	-50.66	PASS
LTLV	Band3	5MHz	QPSK	19925	25RB#0	-50.81	PASS
LTHV	Band3	5MHz	QPSK	19925	25RB#0	-50.74	PASS
HTLV	Band3	5MHz	QPSK	19925	25RB#0	-50.63	PASS
HTHV	Band3	5MHz	QPSK	19925	25RB#0	-50.58	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	-49.69	PASS
LTLV	Band3	20MHz	QPSK	19300	100RB#0	-48.29	PASS

LTHV	Band3	20MHz	QPSK	19300	100RB#0	-49.79	PASS
HTLV	Band3	20MHz	QPSK	19300	100RB#0	-49.64	PASS
HTHV	Band3	20MHz	QPSK	19300	100RB#0	-49.59	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	-49.90	PASS
LTLV	Band3	20MHz	QPSK	19575	100RB#0	-50.13	PASS
LTHV	Band3	20MHz	QPSK	19575	100RB#0	-49.98	PASS
HTLV	Band3	20MHz	QPSK	19575	100RB#0	-49.85	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	-49.84	PASS
LTLV	Band3	20MHz	QPSK	19850	100RB#0	-50.02	PASS
LTHV	Band3	20MHz	QPSK	19850	100RB#0	-49.90	PASS
HTLV	Band3	20MHz	QPSK	19850	100RB#0	-49.78	PASS

## Transmitter Spectrum Emission Mask

### Test Result

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	Result	Verdict
NTNV	Band3	1.4MHz	QPSK	19207	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19207	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19575	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19575	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19943	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19943	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19207	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19207	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19575	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19575	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19943	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19943	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19225	8RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19225	8RB#17	See graph	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19575	8RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19575	8RB#17	See graph	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19925	8RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19925	8RB#17	See graph	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19225	8RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19225	8RB#17	See graph	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19575	8RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19575	8RB#17	See graph	PASS


NTNV	Band3	5MHz	16QAM	19575	25RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19925	8RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19925	8RB#17	See graph	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19250	12RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19250	12RB#38	See graph	PASS
NTNV	Band3	10MHz	QPSK	19250	50RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19575	12RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19575	12RB#38	See graph	PASS
NTNV	Band3	10MHz	QPSK	19575	50RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19900	12RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19900	12RB#38	See graph	PASS
NTNV	Band3	10MHz	QPSK	19900	50RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19250	12RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19250	12RB#38	See graph	PASS
NTNV	Band3	10MHz	16QAM	19250	50RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19575	12RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19575	12RB#38	See graph	PASS
NTNV	Band3	10MHz	16QAM	19575	50RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19900	12RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19900	12RB#38	See graph	PASS
NTNV	Band3	10MHz	16QAM	19900	50RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19300	18RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19300	18RB#82	See graph	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19575	18RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19575	18RB#82	See graph	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19850	18RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19850	18RB#82	See graph	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19300	18RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19300	18RB#82	See graph	PASS
NTNV	Band3	20MHz	16QAM	19300	100RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19575	18RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19575	18RB#82	See graph	PASS
NTNV	Band3	20MHz	16QAM	19575	100RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19850	18RB#0	See graph	PASS




NTNV	Band3	20MHz	16QAM	19850	18RB#82	See graph	PASS
NTNV	Band3	20MHz	16QAM	19850	100RB#0	See graph	PASS




## Test Graphs


























































## Transmitter Adjacent Channel Leakage Power Ratio(ACLR)

### Test Result


Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	Result	Verdict
NTNV	Band3	1.4MHz	QPSK	19207	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19207	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19575	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19575	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19943	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19943	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19207	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19207	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19575	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19575	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19943	5RB#0	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19943	5RB#1	See graph	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19225	8RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19225	8RB#17	See graph	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19575	8RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19575	8RB#17	See graph	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19925	8RB#0	See graph	PASS
NTNV	Band3	5MHz	QPSK	19925	8RB#17	See graph	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19225	8RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19225	8RB#17	See graph	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19575	8RB#0	See graph	PASS

NTNV	Band3	5MHz	16QAM	19575	8RB#17	See graph	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19925	8RB#0	See graph	PASS
NTNV	Band3	5MHz	16QAM	19925	8RB#17	See graph	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19250	12RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19250	12RB#38	See graph	PASS
NTNV	Band3	10MHz	QPSK	19250	50RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19575	12RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19575	12RB#38	See graph	PASS
NTNV	Band3	10MHz	QPSK	19575	50RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19900	12RB#0	See graph	PASS
NTNV	Band3	10MHz	QPSK	19900	12RB#38	See graph	PASS
NTNV	Band3	10MHz	QPSK	19900	50RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19250	12RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19250	12RB#38	See graph	PASS
NTNV	Band3	10MHz	16QAM	19250	50RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19575	12RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19575	12RB#38	See graph	PASS
NTNV	Band3	10MHz	16QAM	19575	50RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19900	12RB#0	See graph	PASS
NTNV	Band3	10MHz	16QAM	19900	12RB#38	See graph	PASS
NTNV	Band3	10MHz	16QAM	19900	50RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19300	18RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19300	18RB#82	See graph	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19575	18RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19575	18RB#82	See graph	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19850	18RB#0	See graph	PASS
NTNV	Band3	20MHz	QPSK	19850	18RB#82	See graph	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19300	18RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19300	18RB#82	See graph	PASS
NTNV	Band3	20MHz	16QAM	19300	100RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19575	18RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19575	18RB#82	See graph	PASS
NTNV	Band3	20MHz	16QAM	19575	100RB#0	See graph	PASS


NTNV	Band3	20MHz	16QAM	19850	18RB#0	See graph	PASS
NTNV	Band3	20MHz	16QAM	19850	18RB#82	See graph	PASS
NTNV	Band3	20MHz	16QAM	19850	100RB#0	See graph	PASS




## Test Graphs






















































## Transmitter Spurious Emissions

### Test Result- General

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	TestFrequency	Result (dBm)	Verdict
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	0.009~0.15	-64.05	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	0.15~30	-68.44	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	30~1000	-69.69	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	1000~1706.7	-37.12	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	1714.7~3000	-36.55	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	3000~12750	-41.21	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	0.009~0.15	-60.79	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	0.15~30	-65.72	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	30~1000	-69.76	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	1000~1706.7	-38.03	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	1714.7~3000	-36.59	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	3000~12750	-40.72	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	0.009~0.15	-62.84	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	0.15~30	-68.3	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	30~1000	-69.78	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	1000~1706.7	-37.61	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	1714.7~3000	-36.6	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	3000~12750	-43.34	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	0.009~0.15	-63.7	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	0.15~30	-66.19	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	30~1000	-69.83	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	1000~1743.5	-36.72	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	1751.5~3000	-36.6	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	3000~12750	-40.55	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	0.009~0.15	-62.28	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	0.15~30	-65.64	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	30~1000	-69.63	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	1000~1743.5	-38.04	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	1751.5~3000	-36.63	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	3000~12750	-41.27	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	0.009~0.15	-62.92	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	0.15~30	-69.66	PASS



NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	30~1000	-69.88	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	1000~1743.5	-38.03	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	1751.5~3000	-36.61	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	3000~12750	-43.31	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	0.009~0.15	-62.84	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	0.15~30	-65.7	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	30~1000	-69.86	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	1000~1780.3	-37.56	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	1788.3~3000	-36.61	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	3000~12750	-41.53	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	0.009~0.15	-63.66	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	0.15~30	-68.42	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	30~1000	-69.9	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	1000~1780.3	-38.95	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	1788.3~3000	-36.55	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	3000~12750	-43.03	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	0.009~0.15	-62.66	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	0.15~30	-67.52	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	30~1000	-69.67	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	1000~1780.3	-38.09	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	1788.3~3000	-36.59	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	3000~12750	-43.57	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	0.009~0.15	-63.22	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	0.15~30	-67.94	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	30~1000	-69.77	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	1000~1706.7	-37.35	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	1714.7~3000	-36.55	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	3000~12750	-41.83	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	0.009~0.15	-62.06	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	0.15~30	-67.78	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	30~1000	-69.78	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	1000~1706.7	-38.19	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	1714.7~3000	-36.55	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	3000~12750	-41.44	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	0.009~0.15	-63.87	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	0.15~30	-66.94	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	30~1000	-69.92	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	1000~1706.7	-38.08	PASS

NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	1714.7~3000	-36.58	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	3000~12750	-43.67	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	0.009~0.15	-64.1	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	0.15~30	-66.78	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	30~1000	-69.87	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	1000~1743.5	-37.87	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	1751.5~3000	-36.65	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	3000~12750	-43.59	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	0.009~0.15	-65.01	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	0.15~30	-68.28	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	30~1000	-69.85	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	1000~1743.5	-38.51	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	1751.5~3000	-36.59	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	3000~12750	-43.26	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	0.009~0.15	-63.74	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	0.15~30	-68.28	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	30~1000	-69.77	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	1000~1743.5	-38.57	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	1751.5~3000	-36.53	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	3000~12750	-43.52	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	0.009~0.15	-62.36	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	0.15~30	-68.15	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	30~1000	-69.8	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	1000~1780.3	-38.32	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	1788.3~3000	-36.58	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	3000~12750	-42.63	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	0.009~0.15	-63.88	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	0.15~30	-67.86	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	30~1000	-69.84	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	1000~1780.3	-39.04	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	1788.3~3000	-36.6	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	3000~12750	-42.5	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	0.009~0.15	-63.39	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	0.15~30	-67.69	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	30~1000	-69.91	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	1000~1780.3	-38.39	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	1788.3~3000	-36.56	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	3000~12750	-43.68	PASS



NTNV	Band3	5MHz	QPSK	19225	1RB#0	0.009~0.15	-62.33	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	0.15~30	-67.29	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	30~1000	-69.75	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	1000~1699.5	-39.68	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	1725.5~3000	-36.55	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	3000~12750	-41.24	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	0.009~0.15	-65.02	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	0.15~30	-66.08	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	30~1000	-69.72	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	1000~1699.5	-39.68	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	1725.5~3000	-36.52	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	3000~12750	-40.78	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	0.009~0.15	-63.15	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	0.15~30	-67.63	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	30~1000	-69.78	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	1000~1699.5	-39.73	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	1725.5~3000	-36.62	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	3000~12750	-43.56	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	0.009~0.15	-62.88	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	0.15~30	-67.34	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	30~1000	-69.62	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	1000~1734.5	-39.75	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	1760.5~3000	-36.59	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	3000~12750	-40.4	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	0.009~0.15	-61.21	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	0.15~30	-64.64	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	30~1000	-69.66	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	1000~1734.5	-39.69	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	1760.5~3000	-36.6	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	3000~12750	-39.6	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	0.009~0.15	-63.21	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	0.15~30	-65.31	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	30~1000	-69.77	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	1000~1734.5	-39.46	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	1760.5~3000	-36.57	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	3000~12750	-43.55	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	0.009~0.15	-62.86	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	0.15~30	-67.45	PASS



NTNV	Band3	5MHz	QPSK	19925	1RB#0	30~1000	-69.74	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	1000~1769.5	-39.71	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	1795.5~3000	-36.63	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	3000~12750	-41.17	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	0.009~0.15	-62.14	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	0.15~30	-69.22	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	30~1000	-69.89	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	1000~1769.5	-39.75	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	1795.5~3000	-36.66	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	3000~12750	-42.22	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	0.009~0.15	-64.15	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	0.15~30	-66.72	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	30~1000	-69.9	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	1000~1769.5	-39.17	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	1795.5~3000	-36.63	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	3000~12750	-43.6	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	0.009~0.15	-63.82	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	0.15~30	-65.23	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	30~1000	-69.73	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	1000~1699.5	-39.73	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	1725.5~3000	-36.56	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	3000~12750	-42.71	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	0.009~0.15	-61.76	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	0.15~30	-67.31	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	30~1000	-69.79	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	1000~1699.5	-39.73	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	1725.5~3000	-36.61	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	3000~12750	-41	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	0.009~0.15	-64.62	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	0.15~30	-67.87	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	30~1000	-69.79	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	1000~1699.5	-39.73	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	1725.5~3000	-36.53	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	3000~12750	-43.63	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	0.009~0.15	-60.84	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	0.15~30	-66.42	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	30~1000	-69.8	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	1000~1734.5	-39.71	PASS



NTNV	Band3	5MHz	16QAM	19575	1RB#0	1760.5~3000	-36.58	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	3000~12750	-43.51	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	0.009~0.15	-62.67	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	0.15~30	-67.08	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	30~1000	-69.87	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	1000~1734.5	-39.75	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	1760.5~3000	-36.55	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	3000~12750	-42.58	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	0.009~0.15	-65.08	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	0.15~30	-69.39	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	30~1000	-69.82	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	1000~1734.5	-39.7	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	1760.5~3000	-36.55	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	3000~12750	-43.51	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	0.009~0.15	-61.32	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	0.15~30	-66.48	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	30~1000	-69.91	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	1000~1769.5	-39.73	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	1795.5~3000	-36.54	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	3000~12750	-41.39	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	0.009~0.15	-64.69	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	0.15~30	-67.62	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	30~1000	-69.81	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	1000~1769.5	-39.79	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	1795.5~3000	-36.56	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	3000~12750	-43.25	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	0.009~0.15	-64.23	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	0.15~30	-68.85	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	30~1000	-69.84	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	1000~1769.5	-39.48	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	1795.5~3000	-36.67	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	3000~12750	-43.5	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	0.009~0.15	-64.13	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	0.15~30	-65.9	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	30~1000	-69.71	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	1000~1684.5	-39.71	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	1755.5~3000	-36.55	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	3000~12750	-40.07	PASS



NTNV	Band3	20MHz	QPSK	19300	1RB#99	0.009~0.15	-63.01	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	0.15~30	-65.96	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	30~1000	-69.7	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	1000~1684.5	-39.71	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	1755.5~3000	-36.62	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	3000~12750	-41.43	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	0.009~0.15	-62.9	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	0.15~30	-68.34	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	30~1000	-69.81	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	1000~1684.5	-39.75	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	1755.5~3000	-36.61	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	3000~12750	-43.71	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	0.009~0.15	-62.53	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	0.15~30	-67.32	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	30~1000	-69.7	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	1000~1712	-35.92	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	1783~3000	-36.59	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	3000~12750	-40.95	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	0.009~0.15	-64.48	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	0.15~30	-68	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	30~1000	-69.68	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	1000~1712	-39.75	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	1783~3000	-36.63	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	3000~12750	-39.79	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	0.009~0.15	-63.07	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	0.15~30	-68.7	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	30~1000	-69.85	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	1000~1712	-38.07	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	1783~3000	-36.6	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	3000~12750	-43.64	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	0.009~0.15	-62.52	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	0.15~30	-65.4	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	30~1000	-69.81	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	1000~1739.5	-35.14	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	1810.5~3000	-36.63	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	3000~12750	-40.41	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	0.009~0.15	-62.34	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	0.15~30	-68.39	PASS



NTNV	Band3	20MHz	QPSK	19850	1RB#99	30~1000	-69.72	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	1000~1739.5	-39.76	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	1810.5~3000	-36.62	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	3000~12750	-41.07	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	0.009~0.15	-63.49	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	0.15~30	-68.12	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	30~1000	-69.98	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	1000~1739.5	-38.38	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	1810.5~3000	-36.64	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	3000~12750	-43.64	PASS



## Test Result- Co-existence

Condition	Band	Channel Bandwidth	Modulation	Channel	RB Configure	TestFrequency	Result (dBm)	Verdict
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	462.5~467.5	-66.31	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	738~758	-66.56	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	753~783	-65.66	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	758~803	-65.41	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	791~821	-65.66	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	925~960	-65.56	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	1452~1496	-60.19	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	1805~1880	-51.38	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	2010~2025	-59.31	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	2110~2200	-62.51	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	2110~2170	-60.89	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	2300~2400	-61.88	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	2570~2620	-60.50	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	2620~2690	-60.46	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	3400~3600	-57.55	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	3510~3590	-63.72	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#0	3600~3800	-54.32	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	462.5~467.5	-65.97	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	738~758	-66.35	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	753~783	-65.65	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	758~803	-65.47	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	791~821	-65.49	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	925~960	-65.67	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	1452~1496	-59.73	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	1805~1880	-50.81	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	2010~2025	-59.40	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	2110~2200	-62.41	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	2110~2170	-60.70	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	2300~2400	-62.40	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	2570~2620	-57.80	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	2620~2690	-60.85	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	3400~3600	-56.98	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	3510~3590	-63.70	PASS
NTNV	Band3	1.4MHz	QPSK	19207	1RB#5	3600~3800	-55.27	PASS



NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	462.5~467.5	-66.99	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	738~758	-67.13	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	753~783	-66.91	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	758~803	-66.65	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	791~821	-66.53	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	925~960	-66.45	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	1452~1496	-61.15	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	1805~1880	-51.08	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	2010~2025	-60.68	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	2110~2200	-63.43	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	2110~2170	-61.72	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	2300~2400	-62.81	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	2570~2620	-61.48	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	2620~2690	-61.65	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	3400~3600	-31.74	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	3510~3590	-64.26	PASS
NTNV	Band3	1.4MHz	QPSK	19207	6RB#0	3600~3800	-54.18	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	462.5~467.5	-65.24	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	738~758	-65.93	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	753~783	-65.38	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	758~803	-65.18	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	791~821	-65.17	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	925~960	-53.77	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	1452~1496	-59.21	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	1805~1880	-59.27	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	2010~2025	-57.83	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	2110~2200	-61.89	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	2110~2170	-59.90	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	2300~2400	-61.31	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	2570~2620	-60.12	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	2620~2690	-52.87	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	3400~3600	-57.13	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	3510~3590	-63.37	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#0	3600~3800	-54.36	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	462.5~467.5	-65.78	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	738~758	-65.85	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	753~783	-65.70	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	758~803	-65.46	PASS



NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	791~821	-65.05	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	925~960	-53.35	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	1452~1496	-59.05	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	1805~1880	-59.01	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	2010~2025	-57.79	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	2110~2170	-59.84	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	2110~2200	-61.73	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	2300~2400	-61.04	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	2570~2620	-59.94	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	2620~2690	-53.54	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	3400~3600	-57.05	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	3510~3590	-63.27	PASS
NTNV	Band3	1.4MHz	QPSK	19575	1RB#5	3600~3800	-54.74	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	462.5~467.5	-67.16	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	738~758	-67.50	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	753~783	-67.38	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	758~803	-67.01	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	791~821	-66.94	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	925~960	-64.22	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	1452~1496	-61.40	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	1805~1880	-52.06	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	2010~2025	-60.21	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	2110~2200	-63.85	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	2110~2170	-61.92	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	2300~2400	-63.16	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	2570~2620	-61.88	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	2620~2690	-61.72	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	3400~3600	-34.44	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	3510~3590	-64.27	PASS
NTNV	Band3	1.4MHz	QPSK	19575	6RB#0	3600~3800	-53.81	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	462.5~467.5	-66.09	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	738~758	-66.43	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	753~783	-66.16	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	758~803	-66.07	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	791~821	-65.60	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	925~960	-65.78	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	1452~1496	-60.73	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	1805~1880	-57.13	PASS

NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	2010~2025	-58.40	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	2110~2200	-62.18	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	2110~2170	-60.13	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	2300~2400	-62.09	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	2570~2620	-60.10	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	2620~2690	-60.29	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	3400~3600	-59.19	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	3510~3590	-57.56	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#0	3600~3800	-53.56	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	462.5~467.5	-66.26	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	738~758	-65.78	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	753~783	-66.23	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	758~803	-65.99	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	791~821	-65.74	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	925~960	-65.92	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	1452~1496	-60.83	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	1805~1880	-57.44	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	2010~2025	-58.63	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	2110~2170	-60.45	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	2110~2200	-62.05	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	2300~2400	-61.71	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	2570~2620	-60.11	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	2620~2690	-60.50	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	3400~3600	-59.04	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	3510~3590	-59.00	PASS
NTNV	Band3	1.4MHz	QPSK	19943	1RB#5	3600~3800	-54.38	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	462.5~467.5	-67.20	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	738~758	-67.40	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	753~783	-67.13	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	758~803	-66.97	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	791~821	-66.89	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	925~960	-66.89	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	1452~1496	-62.21	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	1805~1880	-57.50	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	2010~2025	-59.88	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	2110~2200	-63.58	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	2110~2170	-61.90	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	2300~2400	-62.83	PASS



NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	2570~2620	-61.28	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	2620~2690	-61.29	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	3400~3600	-33.89	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	3510~3590	-33.38	PASS
NTNV	Band3	1.4MHz	QPSK	19943	6RB#0	3600~3800	-54.45	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	462.5~467.5	-66.23	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	738~758	-66.22	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	753~783	-66.03	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	758~803	-65.70	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	791~821	-65.49	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	925~960	-65.36	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	1452~1496	-60.05	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	1805~1880	-51.01	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	2010~2025	-59.64	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	2110~2170	-60.76	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	2110~2200	-62.74	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	2300~2400	-62.03	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	2570~2620	-60.85	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	2620~2690	-60.55	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	3400~3600	-57.55	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	3510~3590	-64.02	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#0	3600~3800	-54.52	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	462.5~467.5	-66.24	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	738~758	-66.54	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	753~783	-66.14	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	758~803	-65.91	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	791~821	-65.83	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	925~960	-65.91	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	1452~1496	-60.12	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	1805~1880	-51.68	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	2010~2025	-59.83	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	2110~2200	-62.42	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	2110~2170	-60.62	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	2300~2400	-62.15	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	2570~2620	-58.96	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	2620~2690	-60.60	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	3400~3600	-58.40	PASS
NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	3510~3590	-63.74	PASS

NTNV	Band3	1.4MHz	16QAM	19207	1RB#5	3600~3800	-54.97	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	462.5~467.5	-67.28	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	738~758	-67.09	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	753~783	-67.13	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	758~803	-66.86	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	791~821	-66.56	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	925~960	-66.91	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	1452~1496	-61.65	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	1805~1880	-51.02	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	2010~2025	-60.59	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	2110~2170	-62.27	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	2110~2200	-63.80	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	2300~2400	-63.32	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	2570~2620	-61.60	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	2620~2690	-61.95	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	3400~3600	-32.40	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	3510~3590	-64.38	PASS
NTNV	Band3	1.4MHz	16QAM	19207	6RB#0	3600~3800	-55.03	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	462.5~467.5	-66.30	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	738~758	-66.82	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	753~783	-66.61	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	758~803	-66.68	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	791~821	-65.97	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	925~960	-55.43	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	1452~1496	-60.29	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	1805~1880	-50.47	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	2010~2025	-58.78	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	2110~2170	-61.35	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	2110~2200	-62.54	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	2300~2400	-62.35	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	2570~2620	-60.67	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	2620~2690	-55.34	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	3400~3600	-58.43	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	3510~3590	-63.90	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#0	3600~3800	-54.96	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	462.5~467.5	-66.44	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	738~758	-66.60	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	753~783	-66.40	PASS



NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	758~803	-66.51	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	791~821	-65.76	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	925~960	-58.07	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	1452~1496	-59.78	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	1805~1880	-51.87	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	2010~2025	-58.76	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	2110~2200	-63.09	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	2110~2170	-60.96	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	2300~2400	-62.36	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	2570~2620	-60.90	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	2620~2690	-54.92	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	3400~3600	-30.38	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	3510~3590	-63.85	PASS
NTNV	Band3	1.4MHz	16QAM	19575	1RB#5	3600~3800	-54.86	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	462.5~467.5	-67.66	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	738~758	-67.76	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	753~783	-67.35	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	758~803	-67.09	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	791~821	-66.95	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	925~960	-63.95	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	1452~1496	-61.54	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	1805~1880	-52.02	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	2010~2025	-60.51	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	2110~2200	-63.91	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	2110~2170	-62.58	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	2300~2400	-63.22	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	2570~2620	-62.00	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	2620~2690	-61.64	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	3400~3600	-34.42	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	3510~3590	-64.27	PASS
NTNV	Band3	1.4MHz	16QAM	19575	6RB#0	3600~3800	-55.56	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	462.5~467.5	-66.11	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	738~758	-66.02	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	753~783	-66.45	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	758~803	-66.46	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	791~821	-65.57	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	925~960	-66.00	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	1452~1496	-60.28	PASS

NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	1805~1880	-57.30	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	2010~2025	-59.00	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	2110~2170	-60.18	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	2110~2200	-62.20	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	2300~2400	-61.83	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	2570~2620	-60.50	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	2620~2690	-60.43	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	3400~3600	-58.37	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	3510~3590	-58.27	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#0	3600~3800	-54.82	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	462.5~467.5	-66.02	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	738~758	-66.70	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	753~783	-66.05	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	758~803	-66.23	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	791~821	-65.53	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	925~960	-66.04	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	1452~1496	-60.68	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	1805~1880	-57.34	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	2010~2025	-59.01	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	2110~2170	-60.49	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	2110~2200	-62.29	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	2300~2400	-61.78	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	2570~2620	-60.09	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	2620~2690	-60.50	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	3400~3600	-59.30	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	3510~3590	-58.97	PASS
NTNV	Band3	1.4MHz	16QAM	19943	1RB#5	3600~3800	-54.57	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	462.5~467.5	-67.45	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	738~758	-67.60	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	753~783	-67.50	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	758~803	-67.16	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	791~821	-66.79	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	925~960	-67.19	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	1452~1496	-62.56	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	1805~1880	-56.63	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	2010~2025	-60.59	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	2110~2170	-62.09	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	2110~2200	-63.62	PASS



NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	2300~2400	-63.13	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	2570~2620	-61.70	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	2620~2690	-61.65	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	3400~3600	-33.14	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	3510~3590	-33.97	PASS
NTNV	Band3	1.4MHz	16QAM	19943	6RB#0	3600~3800	-54.52	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	462.5~467.5	-65.75	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	738~758	-66.27	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	753~783	-65.84	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	758~803	-65.51	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	791~821	-65.39	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	925~960	-65.14	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	1452~1496	-59.16	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	1805~1880	-59.20	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	2010~2025	-59.28	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	2110~2200	-62.47	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	2110~2170	-60.61	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	2300~2400	-62.11	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	2570~2620	-60.10	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	2620~2690	-60.14	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	3400~3600	-56.89	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	3510~3590	-63.41	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#0	3600~3800	-54.72	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	462.5~467.5	-65.73	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	738~758	-66.17	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	753~783	-66.13	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	758~803	-65.63	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	791~821	-65.29	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	925~960	-65.46	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	1452~1496	-59.30	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	1805~1880	-59.31	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	2010~2025	-58.98	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	2110~2200	-61.55	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	2110~2170	-60.81	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	2300~2400	-61.86	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	2570~2620	-56.27	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	2620~2690	-60.17	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	3400~3600	-56.77	PASS

NTNV	Band3	5MHz	QPSK	19225	1RB#24	3510~3590	-63.81	PASS
NTNV	Band3	5MHz	QPSK	19225	1RB#24	3600~3800	-53.80	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	462.5~467.5	-66.80	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	738~758	-66.65	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	753~783	-66.90	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	758~803	-66.54	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	791~821	-66.76	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	925~960	-66.34	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	1452~1496	-60.92	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	1805~1880	-59.08	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	2010~2025	-60.92	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	2110~2200	-63.27	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	2110~2170	-61.94	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	2300~2400	-63.19	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	2570~2620	-61.31	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	2620~2690	-61.27	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	3400~3600	-36.97	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	3510~3590	-64.02	PASS
NTNV	Band3	5MHz	QPSK	19225	25RB#0	3600~3800	-55.05	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	462.5~467.5	-65.40	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	738~758	-65.66	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	753~783	-65.53	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	758~803	-65.05	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	791~821	-65.10	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	925~960	-55.92	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	1452~1496	-58.97	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	1805~1880	-50.75	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	2010~2025	-57.69	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	2110~2200	-61.54	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	2110~2170	-59.89	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	2300~2400	-61.20	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	2570~2620	-59.83	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	2620~2690	-54.58	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	3400~3600	-55.73	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	3510~3590	-63.24	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#0	3600~3800	-54.09	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	462.5~467.5	-65.66	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	738~758	-65.88	PASS



NTNV	Band3	5MHz	QPSK	19575	1RB#24	753~783	-65.65	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	758~803	-65.33	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	791~821	-64.33	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	925~960	-53.34	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	1452~1496	-58.60	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	1805~1880	-58.80	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	2010~2025	-57.39	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	2110~2200	-61.63	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	2110~2170	-59.69	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	2300~2400	-61.21	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	2570~2620	-59.77	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	2620~2690	-51.20	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	3400~3600	-56.73	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	3510~3590	-63.33	PASS
NTNV	Band3	5MHz	QPSK	19575	1RB#24	3600~3800	-54.41	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	462.5~467.5	-67.14	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	738~758	-67.34	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	753~783	-67.11	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	758~803	-67.00	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	791~821	-66.73	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	925~960	-66.57	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	1452~1496	-61.61	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	1805~1880	-50.63	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	2010~2025	-60.38	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	2110~2170	-62.40	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	2110~2200	-63.91	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	2300~2400	-63.17	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	2570~2620	-61.97	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	2620~2690	-61.66	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	3400~3600	-39.13	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	3510~3590	-64.04	PASS
NTNV	Band3	5MHz	QPSK	19575	25RB#0	3600~3800	-54.51	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	462.5~467.5	-65.45	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	738~758	-64.88	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	753~783	-66.24	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	758~803	-65.58	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	791~821	-65.61	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	925~960	-65.84	PASS

NTNV	Band3	5MHz	QPSK	19925	1RB#0	1452~1496	-60.44	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	1805~1880	-55.99	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	2010~2025	-57.64	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	2110~2200	-61.59	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	2110~2170	-59.73	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	2300~2400	-61.89	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	2570~2620	-60.46	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	2620~2690	-59.31	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	3400~3600	-56.81	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	3510~3590	-57.90	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#0	3600~3800	-54.80	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	462.5~467.5	-66.16	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	738~758	-65.85	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	753~783	-65.74	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	758~803	-65.87	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	791~821	-65.28	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	925~960	-65.95	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	1452~1496	-60.70	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	1805~1880	-55.73	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	2010~2025	-58.17	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	2110~2170	-59.75	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	2110~2200	-62.27	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	2300~2400	-61.48	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	2570~2620	-60.29	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	2620~2690	-60.29	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	3400~3600	-58.78	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	3510~3590	-57.80	PASS
NTNV	Band3	5MHz	QPSK	19925	1RB#24	3600~3800	-55.11	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	462.5~467.5	-66.90	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	738~758	-67.31	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	753~783	-66.83	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	758~803	-66.62	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	791~821	-66.70	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	925~960	-67.19	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	1452~1496	-62.11	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	1805~1880	-56.47	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	2010~2025	-60.35	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	2110~2200	-63.42	PASS



NTNV	Band3	5MHz	QPSK	19925	25RB#0	2110~2170	-61.93	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	2300~2400	-62.96	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	2570~2620	-60.92	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	2620~2690	-61.50	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	3400~3600	-38.07	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	3510~3590	-38.21	PASS
NTNV	Band3	5MHz	QPSK	19925	25RB#0	3600~3800	-54.95	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	462.5~467.5	-66.13	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	738~758	-66.29	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	753~783	-65.60	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	758~803	-65.93	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	791~821	-65.13	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	925~960	-65.49	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	1452~1496	-59.98	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	1805~1880	-59.37	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	2010~2025	-59.40	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	2110~2200	-62.48	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	2110~2170	-60.73	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	2300~2400	-61.81	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	2570~2620	-60.38	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	2620~2690	-60.50	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	3400~3600	-57.17	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	3510~3590	-63.89	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#0	3600~3800	-54.57	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	462.5~467.5	-65.62	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	738~758	-66.36	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	753~783	-65.64	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	758~803	-66.06	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	791~821	-65.46	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	925~960	-65.11	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	1452~1496	-59.71	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	1805~1880	-59.18	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	2010~2025	-59.10	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	2110~2170	-59.96	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	2110~2200	-61.89	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	2300~2400	-61.78	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	2570~2620	-56.96	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	2620~2690	-60.09	PASS

NTNV	Band3	5MHz	16QAM	19225	1RB#24	3400~3600	-57.27	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	3510~3590	-63.58	PASS
NTNV	Band3	5MHz	16QAM	19225	1RB#24	3600~3800	-54.13	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	462.5~467.5	-67.44	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	738~758	-67.39	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	753~783	-66.97	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	758~803	-66.88	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	791~821	-66.74	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	925~960	-66.88	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	1452~1496	-61.67	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	1805~1880	-59.19	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	2010~2025	-61.35	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	2110~2200	-63.64	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	2110~2170	-62.39	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	2300~2400	-63.18	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	2570~2620	-61.43	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	2620~2690	-61.87	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	3400~3600	-36.98	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	3510~3590	-64.12	PASS
NTNV	Band3	5MHz	16QAM	19225	25RB#0	3600~3800	-53.88	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	462.5~467.5	-66.18	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	738~758	-67.02	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	753~783	-66.26	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	758~803	-66.30	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	791~821	-65.79	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	925~960	-60.40	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	1452~1496	-60.14	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	1805~1880	-50.73	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	2010~2025	-58.97	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	2110~2170	-61.20	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	2110~2200	-62.42	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	2300~2400	-61.96	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	2570~2620	-60.29	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	2620~2690	-60.32	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	3400~3600	-58.86	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	3510~3590	-63.96	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#0	3600~3800	-53.57	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	462.5~467.5	-65.98	PASS



NTNV	Band3	5MHz	16QAM	19575	1RB#24	738~758	-66.70	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	753~783	-66.40	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	758~803	-66.13	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	791~821	-65.43	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	925~960	-57.93	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	1452~1496	-60.16	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	1805~1880	-50.51	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	2010~2025	-58.49	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	2110~2170	-61.05	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	2110~2200	-62.91	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	2300~2400	-61.90	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	2570~2620	-60.77	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	2620~2690	-58.36	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	3400~3600	-58.95	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	3510~3590	-63.94	PASS
NTNV	Band3	5MHz	16QAM	19575	1RB#24	3600~3800	-54.57	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	462.5~467.5	-67.37	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	738~758	-67.58	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	753~783	-67.30	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	758~803	-66.94	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	791~821	-67.07	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	925~960	-66.55	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	1452~1496	-61.77	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	1805~1880	-50.75	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	2010~2025	-60.54	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	2110~2200	-64.14	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	2110~2170	-62.74	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	2300~2400	-63.56	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	2570~2620	-61.87	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	2620~2690	-62.02	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	3400~3600	-39.54	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	3510~3590	-64.18	PASS
NTNV	Band3	5MHz	16QAM	19575	25RB#0	3600~3800	-54.03	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	462.5~467.5	-66.28	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	738~758	-65.74	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	753~783	-66.28	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	758~803	-66.09	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	791~821	-65.74	PASS

NTNV	Band3	5MHz	16QAM	19925	1RB#0	925~960	-65.77	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	1452~1496	-60.40	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	1805~1880	-55.87	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	2010~2025	-58.83	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	2110~2170	-60.59	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	2110~2200	-61.78	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	2300~2400	-61.20	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	2570~2620	-60.32	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	2620~2690	-60.66	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	3400~3600	-57.71	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	3510~3590	-57.82	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#0	3600~3800	-53.45	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	462.5~467.5	-65.77	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	738~758	-66.71	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	753~783	-66.08	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	758~803	-66.10	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	791~821	-65.59	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	925~960	-65.97	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	1452~1496	-61.05	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	1805~1880	-56.42	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	2010~2025	-58.84	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	2110~2200	-61.96	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	2110~2170	-60.46	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	2300~2400	-61.95	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	2570~2620	-59.67	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	2620~2690	-60.28	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	3400~3600	-58.50	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	3510~3590	-57.61	PASS
NTNV	Band3	5MHz	16QAM	19925	1RB#24	3600~3800	-54.54	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	462.5~467.5	-67.31	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	738~758	-67.51	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	753~783	-67.14	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	758~803	-67.19	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	791~821	-66.58	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	925~960	-67.30	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	1452~1496	-62.56	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	1805~1880	-56.03	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	2010~2025	-60.53	PASS



NTNV	Band3	5MHz	16QAM	19925	25RB#0	2110~2200	-63.55	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	2110~2170	-62.29	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	2300~2400	-63.17	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	2570~2620	-61.80	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	2620~2690	-61.55	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	3400~3600	-38.63	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	3510~3590	-38.12	PASS
NTNV	Band3	5MHz	16QAM	19925	25RB#0	3600~3800	-54.86	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	462.5~467.5	-66.17	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	738~758	-66.06	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	753~783	-66.15	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	758~803	-65.50	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	791~821	-65.55	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	925~960	-65.27	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	1452~1496	-59.86	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	1805~1880	-58.05	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	2010~2025	-58.66	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	2110~2200	-62.08	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	2110~2170	-60.49	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	2300~2400	-61.98	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	2570~2620	-57.25	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	2620~2690	-60.67	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	3400~3600	-56.86	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	3510~3590	-63.53	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#0	3600~3800	-54.47	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	462.5~467.5	-65.24	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	738~758	-65.57	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	753~783	-65.12	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	758~803	-64.69	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	791~821	-64.69	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	925~960	-64.54	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	1452~1496	-58.73	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	1805~1880	-57.96	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	2010~2025	-57.60	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	2110~2200	-61.40	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	2110~2170	-59.61	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	2300~2400	-61.04	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	2570~2620	-59.67	PASS

NTNV	Band3	20MHz	QPSK	19300	1RB#99	2620~2690	-50.29	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	3400~3600	-56.29	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	3510~3590	-63.23	PASS
NTNV	Band3	20MHz	QPSK	19300	1RB#99	3600~3800	-54.34	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	462.5~467.5	-67.20	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	738~758	-67.16	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	753~783	-66.97	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	758~803	-66.79	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	791~821	-66.52	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	925~960	-66.40	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	1452~1496	-60.78	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	1805~1880	-58.25	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	2010~2025	-60.51	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	2110~2170	-61.88	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	2110~2200	-63.63	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	2300~2400	-62.95	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	2570~2620	-61.61	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	2620~2690	-61.41	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	3400~3600	-43.02	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	3510~3590	-64.13	PASS
NTNV	Band3	20MHz	QPSK	19300	100RB#0	3600~3800	-54.54	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	462.5~467.5	-64.93	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	738~758	-65.68	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	753~783	-65.58	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	758~803	-65.20	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	791~821	-64.38	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	925~960	-64.79	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	1452~1496	-58.83	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	1805~1880	-59.67	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	2010~2025	-57.67	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	2110~2170	-59.50	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	2110~2200	-61.53	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	2300~2400	-61.48	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	2570~2620	-59.70	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	2620~2690	-55.31	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	3400~3600	-56.36	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	3510~3590	-63.37	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#0	3600~3800	-54.32	PASS



NTNV	Band3	20MHz	QPSK	19575	1RB#99	462.5~467.5	-65.28	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	738~758	-65.46	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	753~783	-65.28	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	758~803	-65.01	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	791~821	-65.02	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	925~960	-57.40	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	1452~1496	-58.68	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	1805~1880	-56.38	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	2010~2025	-56.77	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	2110~2200	-61.41	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	2110~2170	-59.55	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	2300~2400	-61.01	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	2570~2620	-59.64	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	2620~2690	-58.80	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	3400~3600	-55.57	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	3510~3590	-55.05	PASS
NTNV	Band3	20MHz	QPSK	19575	1RB#99	3600~3800	-54.13	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	462.5~467.5	-67.08	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	738~758	-67.49	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	753~783	-67.08	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	758~803	-67.00	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	791~821	-66.80	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	925~960	-66.84	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	1452~1496	-61.44	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	1805~1880	-59.75	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	2010~2025	-59.75	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	2110~2200	-63.51	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	2110~2170	-62.30	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	2300~2400	-63.17	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	2570~2620	-61.60	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	2620~2690	-61.68	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	3400~3600	-44.06	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	3510~3590	-50.88	PASS
NTNV	Band3	20MHz	QPSK	19575	100RB#0	3600~3800	-53.35	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	462.5~467.5	-64.88	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	738~758	-65.53	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	753~783	-65.18	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	758~803	-64.65	PASS

NTNV	Band3	20MHz	QPSK	19850	1RB#0	791~821	-65.09	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	925~960	-64.98	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	1452~1496	-58.65	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	1805~1880	-55.83	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	2010~2025	-57.53	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	2110~2200	-50.03	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	2110~2170	-59.39	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	2300~2400	-61.09	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	2570~2620	-59.31	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	2620~2690	-59.01	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	3400~3600	-56.17	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	3510~3590	-55.36	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#0	3600~3800	-54.66	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	462.5~467.5	-66.19	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	738~758	-66.53	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	753~783	-66.02	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	758~803	-65.65	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	791~821	-65.92	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	925~960	-66.00	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	1452~1496	-61.11	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	1805~1880	-53.55	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	2010~2025	-58.73	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	2110~2200	-61.78	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	2110~2170	-60.30	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	2300~2400	-61.75	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	2570~2620	-60.66	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	2620~2690	-60.44	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	3400~3600	-58.61	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	3510~3590	-58.38	PASS
NTNV	Band3	20MHz	QPSK	19850	1RB#99	3600~3800	-53.99	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	462.5~467.5	-66.96	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	738~758	-67.39	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	753~783	-66.90	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	758~803	-67.01	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	791~821	-66.79	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	925~960	-66.92	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	1452~1496	-62.06	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	1805~1880	-53.54	PASS



NTNV	Band3	20MHz	QPSK	19850	100RB#0	2010~2025	-60.21	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	2110~2200	-63.30	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	2110~2170	-61.82	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	2300~2400	-62.89	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	2570~2620	-61.65	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	2620~2690	-61.20	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	3400~3600	-43.67	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	3510~3590	-43.47	PASS
NTNV	Band3	20MHz	QPSK	19850	100RB#0	3600~3800	-54.29	PASS

## Receiver Spurious Emissions

### Test Result

Band	Channel Bandwidth	Modulation	Channel	RB Configure	TestFrequency (MHz)	Max. Point		Limit (dBm)	Verdict
						Freq. (MHz)	Result (dBm)		
@CE_Receiver_spurious_emissions_NN@									
BandName	Bandwidth	Modulation	Channel	RBcfg	TestFrequency	Freq	Result	Limit	Verdict
Band3	20MHz	QPSK	19300	0RB	30~1000	375.72	-63.27	-57	PASS
Band3	20MHz	QPSK	19300	0RB	1000~12750	2561.40	-62.08	-47	PASS
Band3	20MHz	QPSK	19575	0RB	30~1000	736.53	-61.27	-57	PASS
Band3	20MHz	QPSK	19575	0RB	1000~12750	2367.72	-61.93	-47	PASS
Band3	20MHz	QPSK	19850	0RB	30~1000	374.72	-62.70	-57	PASS
Band3	20MHz	QPSK	19850	0RB	1000~12750	2573.08	-62.00	-47	PASS



## Receiver Adjacent Channel Selectivity (ACS)

### Test Results

The equipment **passed** the requirement of this clause.

Test Environment			NC		
Test Frequencies			Mid range		
Test Channel Bandwidths			1.4MHz, 5MHz, 20MHz		
Test Parameters for Channel Bandwidths					
	Downlink Configuration		Uplink Configuration		
Ch BW	Mod'n	RB allocation	Mod'n	RB allocation	CASE 1
		FDD		FDD	Throughput Limit
1.4MHz	QPSK	Full	QPSK	4,5,6	≥ 95 %
5 MHz	QPSK	Full	QPSK	15,20,25	≥ 95 %
20MHz	QPSK	Full	QPSK	50,75,100	≥ 95 %
Verdict	Pass				
Ch BW	Mod' n	RB allocation	Mod' n	RB allocation	CASE 2
		FDD		FDD	Throughput Limit
1.4MHz	QPSK	Full	QPSK	4,5,6	≥ 95 %
5 MHz	QPSK	Full	QPSK	15,20,25	≥ 95 %
20MHz	QPSK	Full	QPSK	50,75,100	≥ 95 %
Verdict	Pass				

## Receiver blocking characteristics

### Test Results

The equipment **passed** the requirement of this clause.

#### In-Band Blocking

Test Environment			NC		
Test Frequencies			Mid range		
Test Channel Bandwidths			1.4MHz, 5MHz, 20MHz		
Test Parameters for Channel Bandwidths					
	Downlink Configuration		Uplink Configuration		CASE1
Ch BW	Mod'n	RB allocation	Mod'n	RB allocation	Throughput Limit
		FDD		FDD	
IN-LMHz	QPSK	Full	QPSK	IN-L-RB	≥ 95 %
5MHz	QPSK	Full	QPSK	15,20,25	≥ 95 %
IN-HMHz	QPSK	Full	QPSK	IN-H-RB	≥ 95 %
Verdict	Pass				

#### In-Band Blocking

	<b>Downlink Configuration</b>		<b>Uplink Configuration</b>		CASE2
Ch BW	Mod' n	RB allocation	Mod' n	RB allocation	Throughput Limit
		FDD		FDD	
1.4MHz	QPSK	Full	QPSK	4,5,6	≥ 95 %
5 MHz	QPSK	Full	QPSK	15,20,25	≥ 95 %
20MHz	QPSK	Full	QPSK	50,75,100	≥ 95 %
<b>Verdict</b>	<b>Pass</b>				

#### Out-of Band Blocking

Test Environment			NC		
Test Frequencies			Low range for $F_{\text{Interferer}}$ below $F_{\text{DL\_low}}$ High range for $F_{\text{Interferer}}$ above $F_{\text{DL\_high}}$		
Test Channel Bandwidths			1.4MHz, 5MHz, 20MHz		
Test Parameters for Channel Bandwidths					
	Downlink Configuration		Uplink Configuration		RANGE1/RANGE2/RANGE3
Ch BW	Mod'n	RB allocation	Mod'n	RB allocation	Throughput Limit
		FDD		FDD	
1.4MHz	QPSK	Full	QPSK	4,5,6	≥ 95 %
5 MHz	QPSK	Full	QPSK	15,20,25	≥ 95 %



20MHz	QPSK	Full	QPSK	50,75,100	≥ 95 %
<b>Verdict</b>	<b>Pass</b>				

## Narrow Band

Test Environment			NC		
Test Frequencies			Mid range		
Test Channel Bandwidths			1.4MHz, 5MHz, 20MHz		
Test Parameters for Channel Bandwidths					
	Downlink Configuration		Uplink Configuration		
Ch BW	Mod'n	RB allocation	Mod'n	RB allocation	Throughput Limit
		FDD		FDD	
1.4MHz	QPSK	Full	QPSK	4,5,6	≥ 95 %
5 MHz	QPSK	Full	QPSK	15,20,25	≥ 95 %
20MHz	QPSK	Full	QPSK	50,75,100	≥ 95 %
Verdict	Pass				

## Receiver Intermodulation Characteristics

### Test Results

The equipment **passed** the requirement of this clause.

Test Band						
Test Environment			NC			
Test Frequencies			Mid range			
Test Channel Bandwidths			1.4MHz, 5MHz, 20MHz			
Test Parameters for Channel Bandwidths						
	Downlink Configuration		Uplink Configuration			
Ch BW	Mod'n	RB allocation	Mod'n	RB allocation	Meas. Throughput	Throughput Limit
		FDD		FDD		
1.4MHz	QPSK	Full	QPSK	4,5,6	99.2 %	≥ 95 %
5 MHz	QPSK	Full	QPSK	15,20,25	97.7 %	≥ 95 %
20MHz	QPSK	Full	QPSK	50,75,100	98.1 %	≥ 95 %
Verdict	Pass					



## ReceiverReference Sensitivity Level

### Test Results

The equipment **passed** the requirement of this clause.

Test Band						
Test Environment			NC			
Test Frequencies			Mid range			
Test Channel Bandwidths			1.4MHz, 5MHz, 20MHz			
Test Parameters for Channel Bandwidths						
	Downlink Configuration		Uplink Configuration			
Ch BW	Mod'n	RB allocation	Mod'n	RB allocation	Meas. Throughput	Throughput Limit
		FDD		FDD		
1.4MHz	QPSK	Full	QPSK	4,5,6	99.1 %	≥ 95 %
5 MHz	QPSK	Full	QPSK	15,20,25	98.3 %	≥ 95 %
20MHz	QPSK	Full	QPSK	50,75,100	97.3 %	≥ 95 %
Verdict	Pass					

-----END-----