

# RF Test Report

Report No.: AGC00552180402EE03

**PRODUCT DESIGNATION** : Smart Phone  
**BRAND NAME** : CUBOT  
**MODEL NAME** : J3 PRO  
**MANUFACTURER** : Shenzhen Huafurui Technology Co., Ltd.  
**DATE OF ISSUE** : May 04, 2018  
**STANDARD(S)** : EN 301 511 V12.5.1: 2017-03  
**REPORT VERSION** : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd

**CAUTION:**

This report shall not be reproduced except in full without the written permission of the test laboratory and shall not be quoted out of context.



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Report Revise Record

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	May 04, 2018	Valid	Initial release

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



## TABLE OF CONTENTS

<b>1. TEST REPORT CERTIFICATION.....</b>	<b>5</b>
<b>2. GENERAL INFORMATION .....</b>	<b>6</b>
2.1. DESCRIPTION OF EUT.....	6
2.2. TYPE OF MOBILE STATION AND ADDITIONAL INFORMATION .....	7
<b>3. IDENTIFICATION OF THE RESPONSIBLE TESTING LOCATION.....</b>	<b>8</b>
<b>4. MEASUREMENT UNCERTAINTY.....</b>	<b>10</b>
<b>5. TEST RESULT.....</b>	<b>11</b>
5.1. APPLIED REFERENCE DOCUMENTS .....	11
5.2. TEST ENVIRONMENT/CONDITIONS .....	11
5.3. ITEMS USED IN THE TEST RESULTS LIST .....	11
5.4. TEST RESULTS LIST .....	12
<b>Appendix A. Transmitter - Frequency error and phase error .....</b>	<b>20</b>
<b>Appendix B. Frequency error under multipath and interference conditions .....</b>	<b>22</b>
<b>Appendix C. Frequency error and phase error in GPRS multislot configuration .....</b>	<b>23</b>
<b>Appendix D. Transmitter output power and burst timing .....</b>	<b>25</b>
<b>Appendix E. Transmitter – Output RF spectrum .....</b>	<b>35</b>
<b>Appendix F. Transmitter output power in GPRS multislot configuration .....</b>	<b>45</b>
<b>Appendix G. Output RF spectrum in GPRS multislot configuration.....</b>	<b>55</b>
<b>Appendix H. Conducted spurious emissions - MS allocated a channel.....</b>	<b>65</b>
<b>Appendix I. Conducted spurious emissions- MS in idle mode .....</b>	<b>82</b>
<b>Appendix J. Receiver Blocking and spurious response – speech channel.....</b>	<b>91</b>
<b>Appendix K. Frequency error and Modulation accuracy in EGPRS Configuration .....</b>	<b>92</b>
<b>Appendix L. Frequency error under multipath and interference conditions in EGPRS Configuration.....</b>	<b>93</b>
<b>Appendix M.EGPRS Transmitter output power .....</b>	<b>94</b>
<b>Appendix N. Output RF spectrum in EGPRS configuration .....</b>	<b>104</b>
<b>Appendix O. Receiver Blocking and spurious response in EGPRS configuration .....</b>	<b>114</b>
<b>Appendix P .AM suppression - speech channels.....</b>	<b>115</b>
<b>Appendix Q. Intermodulation rejection - EGPRS .....</b>	<b>116</b>
<b>Adjacent R. Adjacent channel rejection – EGPRS.....</b>	<b>117</b>
<b>Appendix S .Adjacent channel rejection - speech channels (TCH/FS).....</b>	<b>118</b>
<b>Appendix T. Reference sensitivity - TCH/FS.....</b>	<b>119</b>
<b>Appendix U. Reference sensitivity - FACCH/F.....</b>	<b>120</b>
<b>Appendix V. Minimum Input level for Reference Performance – GPRS .....</b>	<b>121</b>
<b>Appendix W. Minimum Input level for Reference Performance – EGPRS.....</b>	<b>122</b>

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

<b>Appendix X. Radiated spurious emissions - MS in idle mode .....</b>	<b>123</b>
<b>Appendix Y Intermodulation rejection - speech channels.....</b>	<b>124</b>
<b>APPENDIX Z. RADIATED SPURIOUS EMISSIONS TEST RESULT .....</b>	<b>125</b>
<b>APPENDIX AA: PHOTOGRAPHS OF TEST SETUP.....</b>	<b>133</b>

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



## 1. TEST REPORT CERTIFICATION

Manufacturer	Shenzhen Huafului Technology Co., Ltd.
Address	Unit 1401 &1402, 14/F, Jin qi zhi gu mansion (No. 4 building of Chong wen Garden), Crossing of the Liu xian street and Tang ling road, Tao yuan street, Nan shan district, Shenzhen,P.R. China
Factory Name	Shenzhen Huafului Technology Co., Ltd.
Address	Unit 1401 &1402, 14/F, Jin qi zhi gu mansion (No. 4 building of Chong wen Garden), Crossing of the Liu xian street and Tang ling road, Tao yuan street, Nan shan district, Shenzhen,P.R. China
Product Designation	Smart Phone
Brand Name	CUBOT
Test Model	J3 PRO
Date of test	Apr. 19, 2018 to May 03, 2018
Deviation	None
Condition of Test Sample	Normal
Report Template	AGCRT-EC-2.5G2/RF

We, Attestation of Global Compliance (Shenzhen) Co., Ltd., for compliance with the requirements set forth in the European Standard ETSI EN 301 511 V12.5.1. The results of testing in this report apply to the product/system which was tested only. Other similar equipment will not necessarily produce the same results due to production tolerance and measurement uncertainties.

The test results of this report relate only to the tested sample identified in this report.

Tested By



Nice Xie(Xie Xiaosong)

May 03, 2018

Reviewed By



Bart Xie(Xie Xiaobin)

May 04, 2018

Approved By



 Forrest Lei(Lei Yonggang)  
 Authorized Officer

May 04, 2018

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## 2. GENERAL INFORMATION

### 2.1. DESCRIPTION OF EUT

#### 2.1.1. FINAL EQUIPMENT BUILD STATUS

Details of technical specification refer to the description in follows:

<b>Product Name</b>	Smart Phone
<b>Brand Name</b>	CUBOT
<b>Test Model</b>	J3 PRO
<b>Product Type</b>	GSM
<b>Hardware Version</b>	FD568B
<b>Software Version</b>	CUBOT_J3_PRO_8051C_V01_20180403
<b>Frequency Bands</b>	<input checked="" type="checkbox"/> GSM 900 <input checked="" type="checkbox"/> DCS 1800 (EU Frequency) <input checked="" type="checkbox"/> GSM 850 <input checked="" type="checkbox"/> PCS1900 (none EU Frequency)
<b>Modulation Mode</b>	GMSK, 8PSK
<b>Antenna Type</b>	PIFA Antenna
<b>Antenna Gain</b>	1.0dBi
<b>Power Class</b>	GSM900: 4, DCS1800: 1
<b>GSM Release Version</b>	N/A
<b>GPRS Class</b>	Class 12
<b>SIM Card Description</b>	There are dual-SIM cards for GSM/WCDMA/LTE.

#### 2.1.2. PHOTOGRAPHS OF THE EUT

Please see APPENX 1 for photographs of the EUT.

#### 2.1.3. IDENTIFICATION OF SAMPLES EUT

The EUT Identity consists of numerical and letter characters (see the table below), the first five numerical characters indicates the Type of the EUT defined by AGC, the next letter character indicates the test sample, and the following two numerical characters indicates the software version of the test sample.

##### SAMPLE A01

<b>Sample Reference Number</b>	A01
<b>Factory Name</b>	Shenzhen Huafurui Technology Co., Ltd.
<b>Test Model</b>	J3 PRO
<b>Product Type</b>	GSM
<b>Frequency Bands</b>	GSM 900: 880 -915 MHz (TX);      925 - 960 MHz (RX) DCS1800: 1710 -1785 MHz (TX);    1805-1880 MHz (RX)

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



## 2.2. TYPE OF MOBILE STATION AND ADDITIONAL INFORMATION

Table A.2: Type of Mobile Station (Re. ETSI EN 301 511 Annex A)

Item	Type of Mobile Station	Support	Mnemonic
1	HSCSD Multislot MS	NO	Type_HSCSD_Multislot
2	R-GSM MS	NO	Type_R-GSM
3	Support of GPRS Multislot class on the uplink	YES	Type_GPRS_Multislot_uplink
4	EGPRS	YES	Type_EGPRS
5	EGPRS capable of 8PSK in Uplink, of all Multislot classes	YES	Type_EGPRS_8PSK_uplink
6	ER-GSM MS	NO	Type-GSM
7	DLMC MS	NO	Type DLMC

Type A.3: Additional information (Re. ETSI EN 301 511 Annex A)

Item	Additional Information	Support	Mnemonic
1	Telephony	YES	TSPC_Serv_TS11
2	Permanent Antenna Connector	YES	TSPC_AddInfo_PermAntenna

**Note:** Telephony means make a phone call.

### 3. IDENTIFICATION OF THE RESPONSIBLE TESTING LOCATION

<b>Test Site-1</b>	Attestation of Global Compliance (Shenzhen) Co., Ltd
<b>Location 1</b>	2/F., Building 2, No.1-No.4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Bao'an District, Shenzhen, Guangdong, China
<b>Location-2</b>	B112-B113, Building 12, Baoan Building Materials Center, No.1 of Xixiang Inner Ring Road, Baoan District, Shenzhen, Guangdong, P.R.China

Note: Blocking and spurious response test within the scope of TAF approval.

### LIST OF EQUIPMENTS USED OF AGC

No.	Type	Manufacturer	S/N	Cal. Date	Cal. Due
1	H & T Chamber ETH225-40A	Test EQ	WIT-05121302	Mar. 01, 2018	Feb. 28, 2019
2	CMU200	R&S	120237	Mar. 01, 2018	Feb. 28, 2019
3	Wireless communication test set 8960	Agilent	GB46200384	July 16, 2017	July 15, 2018
4	Power Splitter 11636A	Agilent	34	Sep. 21, 2017	Sep. 20, 2018
5	Attenuator	JFW	50FHC-006-50	June 20, 2017	June 19, 2018
6	Vector Signal Generator SMU200A	R&S	104332	Sep. 21, 2017	Sep. 20, 2018
7	VECTOR ANALYZER E4440A	Agilent	MY44303916	June 29, 2017	June 28, 2018
8	MXG Vector Signal Generator N5182A	AGILENT	MY50140530	Sep. 21, 2017	Sep. 20, 2018
9	PSG Analog Signal Generator E8257D	AGILENT	MY45141029	Sep. 21, 2017	Sep. 20, 2018
10	MXA Signal Analyzer N9020A	AGILENT	W1312-60196	Mar. 01, 2018	Feb. 28, 2019
11	Universal Switch Control Unit	JS TONSCEND	N/A	---	---
12	RF SHIELD BOX	R&S	1204.7008K02- 102590-EE	Mar. 01, 2018	Feb. 28, 2019
13	Programmable Power Supply PPT-1830	GW INSTEK	EM907629	Aug. 24, 2017	Aug. 23, 2018
14	Vibration Source SCU-200	SUSHI	3000-40-07	Mar. 01, 2018	Feb. 28, 2019
15	Attenuator	JFW	50FHC-006-50	June 20, 2017	June 19, 2018
16	EMI Test Receiver ESCI	R&S	100694	Mar. 01, 2018	Feb. 28, 2019
17	Double-Ridged Waveguide Horn Antenna 3117	ETS LINDGREN	00034609	Mar. 01, 2018	Feb. 28, 2020
18	Trilog Broadband Antenna VULB 9168	SCHWARZBECK	494	Mar. 01, 2018	Feb. 28, 2020

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



No.	Type	Manufacturer	S/N	Cal. Date	Cal. Due
19	LOOP ANTENNA SAS-562B	A.H	/	Mar. 01, 2018	Feb. 28, 2020
20	Artificial Mains Network ENV4200	R&S	101116	July 16,2017	July 15,2018
21	Artificial Mains Network ENV216	R&S	101242	July 16,2017	July 15,2018
22	Filter Bank Notch 1(880-915MHz)	MICRO-TRONIC S	010	Mar. 01, 2018	Feb. 28, 2019
23	Filter Bank Notch 2(1710-1785MHz)	MICRO-TRONIC S	009	Mar. 01, 2018	Feb. 28, 2019
24	Filter Bank Notch 3(1920-1980MHz)	MICRO-TRONIC S	008	Mar. 01, 2018	Feb. 28, 2019

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

#### 4. MEASUREMENT UNCERTAINTY

The uncertainty is calculated using the methods suggested in the "Guide to the Expression of Uncertainty in Measurement" (GUM) published by ISO.

- Uncertainty of Radio Frequency,  $U_c = \pm 1 \times 10^{-5}$
- Uncertainty of total RF power, conducted,  $U_c = \pm 1.5\text{dB}$
- Uncertainty of RF power density, conducted,  $U_c = \pm 3\text{dB}$
- Uncertainty of spurious emissions, conducted,  $U_c = \pm 3\text{dB}$
- Uncertainty of spurious emissions, radiated,  $U_c = \pm 6\text{dB}$
- Uncertainty of Temperature:  $\pm 1^\circ\text{C}$
- Uncertainty of Humidity:  $\pm 5\%$
- Uncertainty of DC and low frequency voltages:  $\pm 3\%$

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



## 5. TEST RESULT

### 5.1. APPLIED REFERENCE DOCUMENTS

Leading reference documents for testing:

No.	Identity	Document Title
1	ETSI EN 301 511	Global System for Mobile communications (GSM); Mobile Stations (MS) equipment; Harmonised Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU

Specific reference documents for testing:

No.	Identity	Document Title
2	ETSI TS 151 010-1	3 <sup>rd</sup> Generation Partnership Project; Technical Specification Group GSM/EDGE Radio Access Network Digital cellular telecommunications system (Phase 2+); Mobile Station (MS) conformance specification; Part 1: Conformance specification

### 5.2. TEST ENVIRONMENT/CONDITIONS

Normal Temperature (NT)	20 ... 25 °C
Relative Humidity	30 ... 75 %
Air Pressure	980 ... 1020 kPa
Adapter Test Model Name	J3 PRO
Details of Power Supply (Rated Input)	AC100-240V, 50/60Hz, 0.15A
Details of Power Supply (Rated Output)	DC5.0V,1000mA
Extreme Temperature	Low Temperature (LT) = -20°C High Temperature (HT) = 55°C
Extreme Voltage of the EUT	Normal Voltage= DC 3.80V Limit Voltage = DC 4.35V
<b>Note:</b> The Limit Voltage 4.35V was declared by manufacturer, The EUT couldn't be operate normally with higher voltage.	

### 5.3. ITEMS USED IN THE TEST RESULTS LIST

Terms in the column "Verdict" for the test results list of the section:

Verdict	Description
PASS	EUT passed this test case
FAIL	EUT failed this test case
INC.	EUT did not pass and did not fail this test case, therefore the verdict is inconclusive
N/A	Test case not applicable for the EUT, see the column "Note" for detailed

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

#### 5.4. TEST RESULTS LIST

**Table A.1: The EN Requirements Table (EN-RT) (Re. ETSI EN 301 511 Annex A) for SIM Card 1**

Test Case (ETSI TS 151010-1)	Test Case (EN 301 511)	Parameter	GSM 900		GSM 1800		Note
			Sample	Result	Sample	Result	
12.1.1	4.2.12	Conducted spurious emissions - MS allocated a channel					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.1.2	4.2.13	Conducted spurious emissions - MS in idle mode					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.2.1	4.2.16	Radiated spurious emissions - MS allocated a channel					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.2.2	4.2.17	Radiated spurious emissions - MS in idle mode					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.1	4.2.1	Transmitter - Frequency error and phase error					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
		Vibration X-axis	A01	PASS	A01	PASS	
		Vibration Y-axis	A01	PASS	A01	PASS	
Vibration Z-axis	A01	PASS	A01	PASS			
13.2	4.2.2	Transmitter - Frequency error under multipath and interference conditions					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



13.3	4.2.5	Transmitter output power and burst timing				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT / HV	A01	PASS	A01	PASS
13.4	4.2.6	Transmitter - Output RF spectrum				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT / HV	A01	PASS	A01	PASS
13.16.1	4.2.4	Frequency error and phase error in GPRS multislot configuration				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT / HV	A01	PASS	A01	PASS
		Vibration X-axis	A01	PASS	A01	PASS
		Vibration Y-axis	A01	PASS	A01	PASS
13.16.2	4.2.10	Transmitter output power in GPRS multislot configuration				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT/HV	A01	PASS	A01	PASS
13.16.3	4.2.11	Output RF spectrum in GPRS multislot configuration				
		NT / NV	A01	PASS	A01	PASS
		LT / LV	A01	PASS	A01	PASS
		LT / HV	A01	PASS	A01	PASS
		HT / LV	A01	PASS	A01	PASS
		HT/HV	A01	PASS	A01	PASS
14.2.1	4.2.42	Reference sensitivity - TCH/FS				
		NT / NV	A01	PASS	A01	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.2.3	4.2.43	Reference sensitivity - FACCH/F					
		NT / NV	A01	PASS	A01	PASS	
14.16.1	4.2.44	Minimum Input level for Reference Performance - GPRS					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.6.1	4.2.32	Intermodulation rejection-speech channels					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.8.1	4.2.35	AM suppression-speech channels					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.5.1	4.2.38	Adjacent channel rejection-speech channels (TCH/FS)					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.7.1	4.2.20	Blocking and spurious response – speech channels					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.18.3	4.2.40	Adjacent channel rejection - EGPRS					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.18.4	4.2.34	Intermodulation rejection - EGPRS					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.17.1	4.2.26	Frequency error and Modulation accuracy in EGPRS Configuration					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



		NT / HV	A01	PASS	A01	PASS	
13.17.2	4.2.27	Frequency error under multipath and interference conditions in EGPRS Configuration					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.17.3	4.2.28	EGPRS Transmitter output power					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.17.4	4.2.29	Output RF spectrum in EGPRS configuration					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.18.1	4.2.45	Minimum Input level for Reference Performance - EGPRS					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.18.5	4.2.30	Blocking and spurious response in EGPRS configuration					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**Table A.2: The EN Requirements Table (EN-RT) (Re. ETSI EN 301 511 Annex A) for SIM Card 2**

Test Case (ETSI TS 151010-1)	Test Case (EN 301 511)	Parameter	GSM 900		GSM 1800		Note
			Sample	Result	Sample	Result	
12.1.1	4.2.12	Conducted spurious emissions - MS allocated a channel					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.1.2	4.2.13	Conducted spurious emissions - MS in idle mode					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.2.1	4.2.16	Radiated spurious emissions - MS allocated a channel					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
12.2.2	4.2.17	Radiated spurious emissions - MS in idle mode					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.1	4.2.1	Transmitter - Frequency error and phase error					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
		Vibration X-axis	A01	PASS	A01	PASS	
		Vibration Y-axis	A01	PASS	A01	PASS	
13.2	4.2.2	Transmitter - Frequency error under multipath and interference conditions					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
13.3	4.2.5	Transmitter output power and burst timing					

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
13.4	4.2.6	Transmitter - Output RF spectrum					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
13.16.1	4.2.4	Frequency error and phase error in GPRS multislot configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT / HV	A01	PASS	A01	PASS	
		Vibration X-axis	A01	PASS	A01	PASS	
		Vibration Y-axis	A01	PASS	A01	PASS	
13.16.2	4.2.10	Transmitter output power in GPRS multislot configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
13.16.3	4.2.11	Output RF spectrum in GPRS multislot configuration					
		NT / NV	A01	PASS	A01	PASS	
		LT / LV	A01	PASS	A01	PASS	
		LT / HV	A01	PASS	A01	PASS	
		HT / LV	A01	PASS	A01	PASS	
		HT/HV	A01	PASS	A01	PASS	
14.2.1	4.2.42	Reference sensitivity - TCH/FS					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

		NT / HV	A01	PASS	A01	PASS	
14.2.3	4.2.43	Reference sensitivity - FACCH/F					
		NT / NV	A01	PASS	A01	PASS	
14.16.1	4.2.44	Minimum Input level for Reference Performance - GPRS					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.6.1	4.2.32	Intermodulation rejection-speech channels					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.8.1	4.2.35	AM suppression-speech channels					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.5.1	4.2.38	Adjacent channel rejection-speech channels (TCH/FS)					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.7.1	4.2.20	Blocking and spurious response – speech channels					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.18.3	4.2.40	Adjacent channel rejection - EGPRS					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.18.4	4.2.34	Intermodulation rejection - EGPRS					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.17.1	4.2.26	Frequency error and Modulation accuracy in EGPRS Configuration					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



		NT / HV	A01	PASS	A01	PASS	
13.17.2	4.2.27	Frequency error under multipath and interference conditions in EGPRS Configuration					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.17.3	4.2.28	EGPRS Transmitter output power					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
13.17.4	4.2.29	Output RF spectrum in EGPRS configuration					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.18.1	4.2.45	Minimum Input level for Reference Performance - EGPRS					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	
14.18.5	4.2.30	Blocking and spurious response in EGPRS configuration					
		NT / NV	A01	PASS	A01	PASS	
		NT / LV	A01	PASS	A01	PASS	
		NT / HV	A01	PASS	A01	PASS	

**Note:** The worst test case is SIM Card 2.

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**Appendix A. Transmitter - Frequency error and phase error**

Note: All the modes had been tested, but only the worst data recorded in the report.

**GSM900**

RMS phase error(degree)	Power control LEVEL	Result			
		GSM900			
		ARFCN			
		LCH	MCH	HCH	Result
TH VL	5	0.4	0.5	0.4	PASS
	19	0.3	0.4	0.4	PASS
When the MS is being vibrated	5	0.4	0.4	0.4	PASS
	19	0.4	0.4	0.4	PASS

Peak phase error(degree)	Power control LEVEL	Result			
		GSM900			
		ARFCN			
		LCH	MCH	HCH	Result
TH VL	5	1.2	1.4	1.1	PASS
	19	1.0	1.2	1.2	PASS
When the MS is being vibrated	5	1.2	1.1	1.2	PASS
	19	1.1	1.1	1.2	PASS

frequency error(Hz)	Power control LEVEL	Result			
		GSM900			
		ARFCN			
		LCH	MCH	HCH	Result
TH VH	5	14	11	11	PASS
	19	14	10	12	PASS
When the MS is being vibrated	5	8	9	12	PASS
	19	11	11	14	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



**DCS1800**

RMS phase error(degree)	Power control LEVEL	Result			
		DCS1800			
		ARFCN			
		LCH	MCH	HCH	Result
TH VH	0	0.5	0.5	0.6	PASS
	15	0.5	0.5	0.5	PASS
When the MS is being vibrated	0	0.6	0.5	0.6	PASS
	15	0.5	0.5	0.5	PASS

Peak phase error(degree)	Power control LEVEL	Result			
		DCS1800			
		ARFCN			
		LCH	MCH	HCH	Result
TH VL	0	1.7	1.6	2.5	PASS
	15	1.6	1.6	1.6	PASS
When the MS is being vibrated	0	2.3	1.8	2.0	PASS
	15	1.6	1.4	1.5	PASS

frequency error(Hz)	Power control LEVEL	Result			
		DCS1800			
		ARFCN			
		LCH	MCH	HCH	Result
TL VL	0	16	13	12	PASS
	15	24	21	25	PASS
When the MS is being vibrated	0	17	13	14	PASS
	15	20	22	27	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Appendix B. Frequency error under multipath and interference conditions

Note: All the modes had been tested, but only the worst data recorded in the report.

#### GSM900

Fading set	Test conditions	Power control LEVEL	Result			
			GSM900			
			ARFCN			
			LCH	MCH	HCH	Result
RA250	TLVH	5	14	7	14	PASS
		19	14	11	11	PASS
HT100	THVH	5	16	9	10	PASS
		19	13	13	10	PASS
TU50	TLVL	5	9	8	8	PASS
		19	10	11	12	PASS
TU3	TLVH	5	13	10	13	PASS
		19	15	13	10	PASS

#### DCS1800

Fading set	Test conditions	Power control LEVEL	Result			
			DCS1800			
			ARFCN			
			LCH	MCH	HCH	Result
RA130	THVL	0	17	11	15	PASS
		15	22	20	25	PASS
HT100	TLVL	0	18	11	15	PASS
		15	20	21	26	PASS
TU50	TLVH	0	13	13	11	PASS
		15	19	24	25	PASS
TU1.5	THVH	0	11	12	15	PASS
		15	21	27	27	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



**Appendix C. Frequency error and phase error in GPRS multislot configuration**

Note: All the modes had been tested, but only the worst data recorded in the report.

**GSM900**

RMS phase error(degree)	Power control LEVEL	Result			
		GSM900			
		ARFCN			
		LCH	MCH	HCH	Result
TL VH	5	0.4	0.4	0.4	PASS
	19	0.4	0.4	0.4	PASS
When the MS is being vibrated	5	0.4	0.4	0.4	PASS
	19	0.4	0.4	0.4	PASS

Peak phase error(degree)	Power control LEVEL	Result			
		GSM900			
		ARFCN			
		LCH	MCH	HCH	Result
TL VH	5	1.1	1.1	1.1	PASS
	19	1.4	1.2	1.2	PASS
When the MS is being vibrated	5	1.2	1.4	1.2	PASS
	19	1.2	1.2	1.2	PASS

frequency error(Hz)	Power control LEVEL	Result			
		GSM900			
		ARFCN			
		LCH	MCH	HCH	Result
TL VH	5	12	11	10	PASS
	19	12	5	10	PASS
When the MS is being vibrated	5	8	7	11	PASS
	19	12	6	12	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**DCS1800**

RMS phase error(degree)	Power control LEVEL	Result			
		DCS1800			
		ARFCN			
		LCH	MCH	HCH	Result
TL VH	0	0.6	0.5	0.5	PASS
	15	0.5	0.5	0.5	PASS
When the MS is being vibrated	0	0.5	0.5	0.5	PASS
	15	0.6	0.5	0.5	PASS

Peak phase error(degree)	Power control LEVEL	Result			
		DCS1800			
		ARFCN			
		LCH	MCH	HCH	Result
TL VH	0	2.7	1.6	1.5	PASS
	15	1.4	1.4	1.6	PASS
When the MS is being vibrated	0	2.4	1.7	1.4	PASS
	15	1.7	1.4	1.5	PASS

frequency error(Hz)	Power control LEVEL	Result			
		DCS1800			
		ARFCN			
		LCH	MCH	HCH	Result
TL VH	0	14	15	20	PASS
	15	12	17	20	PASS
When the MS is being vibrated	0	15	15	22	PASS
	15	14	17	20	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Appendix D. Transmitter output power and burst timing

Note: All the modes had been tested, but only the worst data recorded in the report.

#### A. output power

Transmitter Output power(dBm)	Power level	Result			
		Traffic Channels			
GSM900		LCH	MCH	HCH	Result
TH,VH	5	33.10	33.05	33.10	PASS
	12	18.33	18.68	19.41	PASS
	19	2.68	3.73	6.01	PASS

Transmitter Output power(dBm)	Power level	Result			
		Traffic Channels			
DCS1800		LCH	MCH	HCH	Result
TH,VH	0	29.46	29.04	29.08	PASS
	8	14.00	13.35	12.73	PASS
	15	0.82	0.43	-0.51	PASS

#### B. Power VS Time

Power VS Time Graph	ACCESS BURST	Result		
		Traffic Channels		
GSM900	Power level	LCH	MCH	HCH
TH,VH	5	PASS	PASS	PASS
	12	PASS	PASS	PASS
	19	PASS	PASS	PASS

Power VS Time Graph	ACCESS BURST	Result		
		Traffic Channels		
DCS1800	Power level	LCH	MCH	HCH
TH,VH	0	PASS	PASS	PASS


The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

	8	PASS	PASS	PASS
	15	PASS	PASS	PASS


### Graphs of output power and burst timing

#### GSM 900 TH,VH

Channel LCH PCL 5




Channel MCH PCL 5




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Channel HCH PCL 5




### Channel LCH PCL 12




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Channel MCH PCL 12




### Channel HCH PCL 12




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel LCH PCL 19




Channel MCH PCL 19




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel HCH PCL 19



DCS1800 TH,VH


Channel LCH PCL 0




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel MCH PCL 0




Channel HCH PCL 0




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Channel LCH PCL 8




### Channel MCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel HCH PCL 8




Channel LCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Channel MCH PCL 15



### Channel HCH PCL 15



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Appendix E. Transmitter – Output RF spectrum

Note: All the modes had been tested, but only the worst data recorded in the report.


Modulation& switch Spectrum	Power level	Result		
		Traffic Channels		
GSM900		LCH	MCH	HCH
TL,VH	5	PASS	PASS	PASS
	12	PASS	PASS	PASS
	19	PASS	PASS	PASS

Modulation& switch Spectrum	Power level	Result		
		Traffic Channels		
DCS1800		LCH	MCH	HCH
TL,VH	0	PASS	PASS	PASS
	8	PASS	PASS	PASS
	15	PASS	PASS	PASS

### Graphs of output RF spectrum


#### GSM 900 TL,VH

Channel LCH PCL 5




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel MCH PCL 5




Channel HCH PCL 5




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel LCH PCL 12




Channel MCH PCL 12




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel HCH PCL 12




Channel LCH PCL 19




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel MCH PCL 19




Channel HCH PCL 19




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**DCS1800 TL,VH**  
**Channel LCH PCL 0**




**Channel MCH PCL 0**




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel HCH PCL 0




Channel LCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel MCH PCL 8




Channel HCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel LCH PCL 8




Channel MCH PCL 15



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel HCH PCL 15



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Appendix F. Transmitter output power in GPRS multislot configuration

Note: All the modes had been tested, but only the worst data recorded in the report.

#### A. output power

Transmitter Output power(dBm)	Power level	Result			
		Traffic Channels			
GSM900		LCH	MCH	HCH	Result
TL,VL	5	28.05	28.22	29.00	PASS
	12	17.91	18.16	18.92	PASS
	19	6.41	5.82	5.99	PASS

Transmitter Output power(dBm)	Power level	Result			
		Traffic Channels			
DCS1800		LCH	MCH	HCH	Result
TL,VL	0	26.11	25.30	24.85	PASS
	8	13.95	13.19	12.55	PASS
	15	-1.67	1.05	2.41	PASS

#### B. Power VS Time

Power VS Time Graph	ACCESS BURST	Result		
		Traffic Channels		
GSM900	Power level	LCH	MCH	HCH
TL,VL	5	PASS	PASS	PASS
	12	PASS	PASS	PASS
	19	PASS	PASS	PASS

Power VS Time Graph	ACCESS BURST	Result		
		Traffic Channels		
DCS1800	Power level	LCH	MCH	HCH
TL,VL	0	PASS	PASS	PASS
	8	PASS	PASS	PASS


The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

	15	PASS	PASS	PASS
--	----	------	------	------


### Graphs of output power in GPRS multislot configuration

#### GSM 900 TL,VL

##### Channel LCH PCL 5




##### Channel MCH PCL 5




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Channel HCH PCL 5




### Channel LCH PCL 12




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Channel MCH PCL 12




### Channel HCH PCL 12




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel LCH PCL 19




Channel MCH PCL 19




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel HCH PCL 19



DCS1800 TL,VL


Channel LCH PCL 0




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel MCH PCL 0




Channel HCH PCL 0




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Channel LCH PCL 8




### Channel MCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel HCH PCL 8




Channel LCH PCL 15




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Channel MCH PCL 15



### Channel HCH PCL 15



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Appendix G. Output RF spectrum in GPRS multislot configuration

Note: All the modes had been tested, but only the worst data recorded in the report.


Modulation& switch Spectrum	Power level	Result		
		Traffic Channels		
GSM900		LCH	MCH	HCH
TH,VH	5	PASS	PASS	PASS
	12	PASS	PASS	PASS
	19	PASS	PASS	PASS

Modulation& switch Spectrum	Power level	Result		
		Traffic Channels		
DCS1800		LCH	MCH	HCH
TH,VH	0	PASS	PASS	PASS
	8	PASS	PASS	PASS
	15	PASS	PASS	PASS

### Graphs of output RF spectrum in GPRS multislot configuration


#### GSM 900 TH,VH

Channel LCH PCL 5




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel MCH PCL 5




Channel HCH PCL 5




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel LCH PCL 12




Channel MCH PCL 12




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel HCH PCL 12




Channel LCH PCL 19




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel MCH PCL 19




Channel HCH PCL 19




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

# DCS1800 TH,VH

Channel LCH PCL 0




Channel MCH PCL 0




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel HCH PCL 0




Channel LCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel MCH PCL 8




Channel HCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel LCH PCL 15




Channel MCH PCL 15



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel HCH PCL 15



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Appendix H. Conducted spurious emissions - MS allocated a channel

Note: All the modes had been tested, but only the worst data recorded in the report.

Conducted spurious emissions		GSM900;VL		
Frequency range	RBW(Hz)	Max.Limit(dBm)	MCH(dBm)	Result
100kHz~50MHz	10k	-36	-51.74	PASS
50MHz~500MHz	100k	-36	-52.84	PASS
500MHz~850MHz	3M	-36	-42.91	PASS
850MHz~860MHz	1M	-36	-47.67	PASS
860MHz~870MHz	300k	-36	-53.01	PASS
870MHz~880MHz	100k	-36	-58.03	PASS
915MHz~925MHz	100k	-36	-57.45	PASS
960MHz~1GHz	3M	-36	-43.07	PASS
1GHz~1805MHz	3M	-30	-37.06	PASS
1880MHz~12.75GHz	3M	-30	-35.09	PASS
896.6MHz~900.8MHz	30K	-36	-62.65	PASS
904.4MHz~908.6MHz	30K	-36	-62.64	PASS
880MHz~896.6MHz	100K	-36	-57.96	PASS
908.6MHz~915MHz	100K	-36	-57.16	PASS

Conducted spurious emissions		DCS1800;VL		
Frequency range	RBW(Hz)	Max.Limit(dBm)	MCH(dBm)	Result
100kHz~50MHz	10k	-36	-50.61	PASS
50MHz~500MHz	100k	-36	-53.15	PASS
500MHz~925MHz	3M	-36	-42.22	PASS
960MHz~1GHz	3M	-36	-47.33	PASS
1GHz~1680MHz	3M	-30	-41.43	PASS
1680MHz~1690MHz	1M	-30	-46.85	PASS
1690MHz~1700MHz	300k	-30	-52.52	PASS
1700MHz~1710MHz	100k	-30	-56.39	PASS


The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

1785MHz~1795MHz	100K	-30	-57.56	PASS
1795MHz~1805MHz	300k	-30	-52.58	PASS
1880MHz~12.75GHz	3M	-30	-35.65	PASS
1741.4MHz~1745.6GHz	30K	-36	-62.86	PASS
1749.2MHz~1753.4MHz	30K	-36	-62.39	PASS
1710MHz~1741.4MHz	100K	-36	-56.80	PASS
1753.4MHz~1785MHz	100K	-36	-56.62	PASS

### Graphs of conducted spurious emission-MS allocated a channel

#### GSM900: channel MCH VL


100kHz~50MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



50MHz~500MHz




500MHz~850MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

850MHz~860MHz




860MHz~870MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



870MHz~880MHz




915MHz~925MHz



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

960MHz~1GHz



1GHz~1805MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



1880MHz~12.75GHz




896.6MHz~900.8MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

904.4MHz~908.6MHz




880MHz~896.6MHz



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.




908.6MHz~915MHz




DCS1800: channel MCH VL

9kHz~100kHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

100kHz~50MHz




50MHz~500MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



500MHz~925MHz



960MHz~1GHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

1GHz~1680MHz




1680MHz~1690MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



1690MHz~1700MHz




1700MHz~1710MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

1785MHz~1795MHz



1795MHz~1805MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



1880MHz~12.75GHz




1741.4MHz~1745.6MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

1749.2MHz~1753.4MHz




1710MHz~1741.4MHz



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



1753.4MHz~1785MHz



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Appendix I. Conducted spurious emissions- MS in idle mode

Note: All the modes had been tested, but only the worst data recorded in the report.

Conducted spurious emissions		GSM900;VH		
Frequency range	RBW(Hz)	Max.Limit(dBm)	MCH(dBm)	Result
9kHz~100kHz	1k	-57	-59.08	PASS
100kHz~50MHz	10k	-57	-60.16	PASS
50MHz~880MHz	100k	-57	-62.74	PASS
880MHz~915MHz	100k	-59	-63.68	PASS
915MHz~1000MHz	100k	-57	-61.10	PASS
1GHz~1710MHz	100k	-47	-55.71	PASS
1710MHz~1785MHz	100k	-53	-57.03	PASS
1785MHz~12.75GHz	100k	-47	-50.75	PASS

Conducted spurious emissions		DCS1800;VH		
Frequency range	RBW(Hz)	Max.Limit(dBm)	MCH(dBm)	Result
9kHz~100kHz	1k	-57	-59.27	PASS
100kHz~50MHz	10k	-57	-58.86	PASS
50MHz~880MHz	100k	-57	-62.53	PASS
880MHz~915MHz	100k	-59	-63.50	PASS
915MHz~1000MHz	100k	-57	-60.88	PASS
1GHz~1710MHz	100k	-47	-56.19	PASS
1710MHz~1785MHz	100k	-53	-55.99	PASS
1785MHz~12.75GHz	100k	-47	-50.35	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



# Graphs of conducted spurious emission-MS in idle mode

GSM900: channel MCH VH

9kHz~100kHz



100kHz~50MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

50MHz~880MHz




880MHz~915MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



915MHz~1000MHz




1GHz~1710MHz



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

1710MHz~1785MHz



1785MHz~12.75GHz



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



**DCS1800: channel MCH VH**  
9kHz~100kHz




100kHz~50MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

50MHz~880MHz




880MHz~915MHz




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



915MHz~1000MHz




1GHz~1710MHz



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

1710MHz~1785MHz



1785MHz~12.75GHz



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



## Appendix J. Receiver Blocking and spurious response – speech channel

### GSM900

FREQUENCY	Measurement Result	
	GSM900	
	Small MS	
	Interference Level in dBμVemf()	Result
FR +/- 600 kHz to FR +/- 800 kHz	70	PASS
FR +/- 800 kHz to FR +/- 1,6 MHz	70	PASS
FR +/- 1,6 MHz to FR +/- 3 MHz	80	PASS
915 MHz to FR - 3 MHz	90	PASS
FR + 3 MHz to 980 MHz	90	PASS
835 MHz to <915 MHz	113	PASS
>980 MHz to 1000 MHz	113	PASS
100 kHz to <835 MHz	90	PASS
>1000 MHz to 12,75 GHz	90	PASS

### DCS1800

FREQUENCY	Measurement Result	
	DCS1800	
	Small MS	
	Interference Level in dBμVemf()	Result
FR +/- 600 kHz to FR +/- 800 kHz	70	PASS
FR +/- 800 kHz to FR +/- 1,6 MHz	70	PASS
FR +/- 1,6 MHz to FR +/- 3 MHz	80	PASS
1785 MHz to FR - 3 MHz	87	PASS
FR + 3 MHz to 1920 MHz	87	PASS
100 kHz to 1705 MHz	113	PASS
>1705 MHz to <1785 MHz	101	PASS
>1920 MHz to 1980 MHz	101	PASS
>1980 MHz to 12,75 GHz	90	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Appendix K. Frequency error and Modulation accuracy in EGPRS Configuration

Note: All the modes had been tested, but only the worst data recorded in the report.

#### GSM900

TH,VH			≤9%	≤15%	≤30%	≤10E-7	Result
BAND	ARFCN	PCL	RMS EVM	the 95% EVM	Peak EVM	Frequency error	
GSM900	LCH	8	1.0	1.7	2.7	12	PASS
		19	1.0	1.7	2.3	14	PASS
	MCH	8	1.0	1.7	2.6	11	PASS
		19	1.0	1.8	2.4	9	PASS
	HCH	8	1.0	1.7	2.7	11	PASS
		19	1.0	1.8	2.5	14	PASS

#### DCS1800

TH,VH			≤9%	≤15%	≤30%	≤10E-7	Result
BAND	ARFCN	PCL	RMS EVM	the 95% EVM	Peak EVM	Frequency error	
DCS1800	LCH	2	1.0	1.8	2.7	8	PASS
		14	0.70	1.30	1.84	1.07	PASS
	MCH	2	1.0	1.9	3.0	14	PASS
		14	0.74	1.40	1.94	4.84	PASS
	HCH	2	1.2	2.1	3.2	13	PASS
		14	0.74	1.40	1.98	6.78	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



## Appendix L. Frequency error under multipath and interference conditions in EGPRS Configuration

Note: All the modes had been tested, but only the worst data recorded in the report.

### GSM900

Fading set	Test conditions	Result			
		GSM900			
		ARFCN			
		LCH	MCH	HCH	Result
RA250	THVL	17	16	15	PASS
HT100	TLVL	12	13	14	PASS
TU50	TLVH	11	14	17	PASS
TU3	THVH	13	12	15	PASS

### DCS1800

Fading set	Test conditions	Result			
		DCS1800			
		ARFCN			
		LCH	MCH	HCH	Result
RA130	THVL	19	21	24	PASS
HT100	TLVL	19	21	27	PASS
TU50	TLVH	18	16	27	PASS
TU1.5	THVH	21	19	25	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Appendix M. EGPRS Transmitter output power

Note: All the modes had been tested, but only the worst data recorded in the report.

#### A. output power

Transmitter Output power(dBm)	Power level	Result			
		Traffic Channels			
GSM900		LCH	MCH	HCH	Result
TL,VL	8	23.41	22.89	22.29	PASS
	12	19.31	18.85	18.27	PASS
	19	7.55	7.03	4.42	PASS

Transmitter Output power(dBm)	Power level	Result			
		Traffic Channels			
DCS1800		LCH	MCH	HCH	Result
TL,VL	2	21.41	21.33	20.24	PASS
	8	13.75	13.10	12.68	PASS
	15	-2.89	-3.05	-1.13	PASS

#### B. Power VS Time

Power VS Time Graph	ACCESS BURST	Result		
		Traffic Channels		
GSM900	Power level	LCH	MCH	HCH
TL,VL	8	PASS	PASS	PASS
	12	PASS	PASS	PASS
	19	PASS	PASS	PASS

Power VS Time Graph	ACCESS BURST	Result		
		Traffic Channels		
DCS1800	Power level	LCH	MCH	HCH
TL,VL	2	PASS	PASS	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.




	8	PASS	PASS	PASS
	15	PASS	PASS	PASS


## Graphs of EGPRS Transmitter output power

### GSM 900 TL,VL

Channel LCH PCL 8



Channel MCH PCL 8



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel HCH PCL 8



Channel LCH PCL 12



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Channel MCH PCL 12




### Channel HCH PCL 12



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel LCH PCL 19



Channel MCH PCL 19



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel HCH PCL 19



DCS1800 TL,VL

Channel LCH PCL 2



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Channel MCH PCL 2




### Channel HCH PCL 2




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Channel LCH PCL 8



### Channel MCH PCL 8



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Channel HCH PCL 8



### Channel LCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Channel MCH PCL 15



### Channel HCH PCL 15



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

## Appendix N. Output RF spectrum in EGPRS configuration

Note: All the modes had been tested, but only the worst data recorded in the report.


Modulation& switch Spectrum	Power level	Result		
		Traffic Channels		
GSM900		LCH	MCH	HCH
TH,VH	8	PASS	PASS	PASS
	12	PASS	PASS	PASS
	19	PASS	PASS	PASS

Modulation& switch Spectrum	Power level	Result		
		Traffic Channels		
DCS1800		LCH	MCH	HCH
TH,VH	2	PASS	PASS	PASS
	8	PASS	PASS	PASS
	15	PASS	PASS	PASS

## Graphs of output RF spectrum in EGPRS multislot configuration

### GSM 900 TH,VH


Channel LCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel MCH PCL 8




Channel HCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel LCH PCL 12




Channel MCH PCL 12




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel HCH PCL 12




Channel LCH PCL 19




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel MCH PCL 19



Channel HCH PCL 19




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.




## DCS1800 TH,VH

### Channel LCH PCL 2




### Channel MCH PCL 2




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel HCH PCL 2




Channel LCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel MCH PCL 8




Channel HCH PCL 8




The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

Channel LCH PCL 15




Channel MCH PCL 15



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



Channel HCH PCL 15



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**Appendix O. Receiver Blocking and spurious response in EGPRS configuration**
**GSM900**

FREQUENCY	Measurement Result	
	GSM900	
	Small MS	
	Interference Level in dBμVemf()	Result
FR +/- 600 kHz to FR +/- 800 kHz	70	PASS
FR +/- 800 kHz to FR +/- 1,6 MHz	70	PASS
FR +/- 1,6 MHz to FR +/- 3 MHz	80	PASS
915 MHz to FR - 3 MHz	90	PASS
FR + 3 MHz to 980 MHz	90	PASS
835 MHz to <915 MHz	113	PASS
>980 MHz to 1000 MHz	113	PASS
100 kHz to <835 MHz	113	PASS
>1000 MHz to 12,75 GHz	113	PASS

**DCS1800**

FREQUENCY	Measurement Result	
	DCS1800	
	Small MS	
	Interference Level in dBμVemf()	Result
FR +/- 600 kHz to FR +/- 800 kHz	70	PASS
FR +/- 800 kHz to FR +/- 1,6 MHz	70	PASS
FR +/- 1,6 MHz to FR +/- 3 MHz	80	PASS
1785 MHz to FR - 3 MHz	87	PASS
FR + 3 MHz to 1920 MHz	87	PASS
100 kHz to 1705 MHz	113	PASS
>1705 MHz to <1785 MHz	101	PASS
>1920 MHz to 1980 MHz	101	PASS
>1980 MHz to 12,75 GHz	113	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



**Appendix P .AM suppression - speech channels**
**GSM900**

Channel	Propagation conditions	Type of measurement	Test limit error rate %	Minimum No. of max-samples	Result	
TCH/FS Class II	Static	RBER	2,439	8200	0.632%	Pass

**GSM1800**

Channel	Propagation conditions	Type of measurement	Test limit error rate %	Minimum No. of max-samples	Result	
TCH/FS Class II	Static	RBER	2,439	8200	0.812%	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**Appendix Q. Intermodulation rejection - EGPRS**

Note: All the modes had been tested, but only the worst data recorded in the report.

**GSM900**

	Intermodulation Test Signal Levels	Small MS	Result
THVL	FIRST INTERFERER dBμVemf( )	64	Pass
	SECOND INTERFERER dBμVemf( )	63	Pass

**GSM1800**

	Intermodulation Test Signal Levels	Small MS	Result
THVL	FIRST INTERFERER dBμVemf( )	68	Pass
	SECOND INTERFERER dBμVemf( )	68	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



**Adjacent R. Adjacent channel rejection – EGPRS**

Note: All the modes had been tested, but only the worst data recorded in the report.

**GSM900**

	Channel types	Block per s	Channel types	Derived test limit	Target number of samples	Target test time /s	Target test time /hh:mm:ss	Result
TLVH	USF/MCS-1 to 9	50	0,01	0,01234	27958	559	00:09:19	Pass

**GSM1800**

	Channel types	Block per s	Channel types	Derived test limit	Target number of samples	Target test time /s	Target test time /hh:mm:ss	Result
TLVH	USF/MCS-1 to 9	50	0,01	0,01234	27958	559	00:09:19	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**Appendix S .Adjacent channel rejection - speech channels (TCH/FS)**

Note: All the modes had been tested, but only the worst data recorded in the report.

**GSM900**

	Channel	Interference at	Type of Measurement	Test limit error rate %	Minimum No. of samples	Result
TLVH	TCH/FS class Ib class II	200 kHz	FER RBER RBER	6,742* $\alpha$ 0,420/ $\alpha$ 8,333	8 900 1 000 000 600 000	Pass
	TCH/FS class Ib class II	400 kHz	FER RBER RBER	11,461* $\alpha$ 0,756/ $\alpha$ 9,167	8 900 1 000 000 600 000	Pass

**GSM1800**

	Channel	Interference at	Type of Measurement	Test limit error rate %	Minimum No. of samples	Result
TLVH	TCH/FS class Ib class II	200 kHz	FER RBER RBER	3,371* $\alpha$ 0,270/ $\alpha$ 8,333	17 800 2 000 000 1 200 000	Pass
	TCH/FS class Ib class II	400 kHz	FER RBER RBER	5,714* $\alpha$ 0,483/ $\alpha$ 9,167	10 500 1 200 000 720 000	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



**Appendix T. Reference sensitivity - TCH/FS**

Note: All the modes had been tested, but only the worst data recorded in the report.

**GSM900**

	Channels	Propagation conditions TUhigh		Propagation conditions RA		Propagation conditions HT		Static conditions		Result
		Test limit Error rate %	Minimum No. of samples	Test limit error rate %	Minimum No. of samples	Test limit error rate %	Minimum No. of samples	Test limit error rate %	Minimum No. of samples	
THVH	TCH/FS	1	8 900					1	164 000	Pass
	FER class Ib(RBER)	0,06	1 000000	6,55	24 000	5,49	60 000	0,07	20000000	
	class II(RBER)	4,1	120 000					6,58	8 200	

**GSM1800**

	Channels	Propagation conditions TUhigh		Propagation conditions RA		Propagation conditions HT		Static conditions		Result
		Test limit Error rate %	Minimum No. of samples	Test limit error rate %	Minimum No. of samples	Test limit error rate %	Minimum No. of samples	Test limit error rate %	Minimum No. of samples	
THVH	TCH/FS	1	13 400					1	164 000	Pass
	FER class Ib(RBER)	0,06	1500000	5,75	24 000	5,64	30 000	0,07	20000000	
	class II(RBER)	5,44	60 000					6,58	8 200	

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Appendix U. Reference sensitivity - FACCH/F

#### GSM900

Channel	Propagation	Type of Measurement	Test limit error rate %	Result	
FACCH/F	TUhigh	FER	7.728	3.246%	Pass

#### GSM1800

Channel	Propagation	Type of Measurement	Test limit error rate %	Result	
FACCH/F	TUhigh	FER	8.064	3.128%	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



**Appendix V. Minimum Input level for Reference Performance – GPRS**
**GSM900**

	Type of channel	Propagation conditions							Result
		static	TUhigh (no FH)	TUhigh (ideal FH)	RA (no FH)	HT (no FH)	BLER		
GSM 900									
THVH	PDTCH/CS-1 dBm	-104	-104	-104	-104	-103	10 %	0.1 %	PASS
	PDTCH/CS-2 dBm	-104	-100	-101	-101	-99	10 %	0.1 %	PASS
	PDTCH/CS-3 dBm	-104	-98	-99	-98	-96	10 %	0.1 %	PASS
	PDTCH/CS-4 dBm	-101	-90	-90	--		10 %	0.1 %	PASS
	USF/CS-1 dBm	< -104	<-101	<-103	<-103	<-101	1 %	0.1 %	PASS
	USF/CS-2to 4 dBm	< -104	<-103	<-104	<-104	<-104	1 %	0.1 %	PASS

**GSM1800**

	Type of channel	Propagation conditions							
		static	TUhigh (no FH)	TUhigh (ideal FH)	RA (no FH)	HT (no FH)	BLER	Result	
	GSM 1800								
TLVL	PDTCH/CS-1 dBm	-104	-104	-104	-104	-109	10 %	0.1 %	PASS
	PDTCH/CS-2 dBm	-104	-100	-100	-101	-99	10 %	0.1 %	PASS
	PDTCH/CS-3 dBm	-104	-98	-98	-98	-94	10 %	0.1 %	PASS
	PDTCH/CS-4 dBm	-101	-88	-88	--		10 %	0.1 %	PASS
	USF/CS-1 dBm	< -104	<-103	<-103	<-103	<-101	1 %	0.1 %	PASS
	USF/CS-2to 4 dBm	< -104	<-104	<-104	<-104	<-103	1 %	0.1 %	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

**Appendix W. Minimum Input level for Reference Performance – EGPRS**

Note: All the modes had been tested, but only the worst data recorded in the report.

**GSM900**

	Type of Channel	Propagation conditions					Result
		static	TUhigh (no FH)	TUhigh (ideal FH)	RA (no FH)	HT (no FH)	
TLVL	USF/MCS-5 to 9 dBm	-102	-97,5	-99	-100	-99	Pass

**GSM1800**

	Type of Channel	Propagation conditions					Result
		static	TUhigh (no FH)	TUhigh (ideal FH)	RA (no FH)	HT (no FH)	
TLVL	USF/MCS-5 to 9 dBm	-102	-97,5	-99	-100	-99	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



### Appendix X. Radiated spurious emissions - MS in idle mode

Note: All the modes had been tested, but only the worst data recorded in the report.

#### GSM900

Radiated spurious emissions	GSM900 VH			
Frequency range	RBW(Hz)	Max.Limit(dBm)	MCH(dBm)	Result
30MHz~880MHz	10k	-57	-61.21	PASS
880MHz~915MHz	10k	-59	-74.36	PASS
915MHz~1000MHz	100k	-57	-62.48	PASS
1GHz~1710MHz	100k	-47	-66.36	PASS
1710MHz~1785MHz	100k	-53	-63.74	PASS
1785MHz~4GHz	100k	-47	-57.89	PASS

#### GSM1800

Radiated spurious emissions	GSM1800 VH			
Frequency range	RBW(Hz)	Max.Limit(dBm)	MCH(dBm)	Result
30MHz~880MHz	10k	-57	-65.65	PASS
880MHz~915MHz	10k	-59	-73.37	PASS
915MHz~1000MHz	100k	-57	-63.87	PASS
1GHz~1710MHz	100k	-47	-62.31	PASS
1710MHz~1785MHz	100k	-53	-61.26	PASS
1785MHz~4GHz	100k	-47	-59.36	PASS

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

### Appendix Y Intermodulation rejection - speech channels

Note: All the modes had been tested, but only the worst data recorded in the report.

#### GSM900

THVH	Wanted Signal dBuVemf()	15	Pass
	First Interferer dBuVemf()	64	Pass
	Second Interferer dBuVemf()	63	Pass

#### GSM1800

Intermodulation Test Signal Levels			Result
THVH	Wanted Signal dBuVemf()	15	Pass
	First Interferer dBuVemf()	68	Pass
	Second Interferer dBuVemf()	68	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.




## APPENDIX Z. RADIATED SPURIOUS EMISSIONS TEST RESULT

All test modes were carried out for all operation modes

The (middle channel) was showed as the follow:

Note: The filter has been used in this test.


### RADIATED SPURIOUS EMISSIONS GSM 900 BELOW 1GHZ- HORIZONTAL



No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB		cm	degree	
1		30.0000	-93.08	21.00	-72.08	-36.00	-36.08	peak			
2		122.1500	-93.51	37.64	-55.87	-36.00	-19.87	peak			
3		194.9000	-105.20	34.02	-71.18	-36.00	-35.18	peak			
4		421.2332	-105.27	41.58	-63.69	-36.00	-27.69	peak			
5		692.8333	-105.31	46.96	-58.35	-36.00	-22.35	peak			
6	*	962.8166	-104.89	51.88	-53.01	-36.00	-17.01	peak			

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

# RADIATED SPURIOUS EMISSIONS GSM 900 BELOW 1GHZ- VERTICAL




No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB		cm	degree	
1		39.7000	-87.87	30.30	-57.57	-36.00	-21.57	peak			
2	*	130.2332	-81.41	33.13	-48.28	-36.00	-12.28	peak			
3		170.6500	-102.97	36.61	-66.36	-36.00	-30.36	peak			
4		345.2500	-105.82	40.43	-65.39	-36.00	-29.39	peak			
5		786.6000	-106.03	49.01	-57.02	-36.00	-21.02	peak			
6		915.9333	-105.00	51.05	-53.95	-36.00	-17.95	peak			

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.




RADIATED SPURIOUS EMISSIONS GSM 1800 BELOW 1GHZ- HORIZONTAL



No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB		cm	degree	
1		39.7000	-105.47	32.83	-72.64	-36.00	-36.64	peak			
2		122.1500	-93.24	37.64	-55.60	-36.00	-19.60	peak			
3		206.2167	-103.59	33.37	-70.22	-36.00	-34.22	peak			
4		481.0500	-106.38	42.94	-63.44	-36.00	-27.44	peak			
5		781.7500	-105.57	48.94	-56.63	-36.00	-20.63	peak			
6	*	946.6499	-105.11	51.91	-53.20	-36.00	-17.20	peak			

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

RADIATED SPURIOUS EMISSIONS GSM 1800 BELOW 1GHZ- VERTICAL




No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB		cm	degree	
1		39.7000	-86.78	30.30	-56.48	-36.00	-20.48	peak			
2	*	131.8499	-82.69	33.80	-48.89	-36.00	-12.89	peak			
3		172.2666	-99.47	36.52	-62.95	-36.00	-26.95	peak			
4		434.1666	-106.88	42.20	-64.68	-36.00	-28.68	peak			
5		709.0000	-104.92	47.36	-57.56	-36.00	-21.56	peak			
6		957.9666	-104.93	52.08	-52.85	-36.00	-16.85	peak			

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.




RADIATED SPURIOUS EMISSIONS GSM 900 ABOVE 1GHZ- HORIZONTAL



No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB		cm	degree	
1		1615.000	-47.54	-9.50	-57.04	-30.00	-27.04	peak			
2		2805.000	-47.57	-7.50	-55.07	-30.00	-25.07	peak			
3	*	3685.000	-49.62	-3.30	-52.92	-30.00	-22.92	peak			

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

RADIATED SPURIOUS EMISSIONS GSM 900 ABOVE 1GHZ- VERTICAL




No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB		cm	degree	
1		1375.000	-49.11	-9.50	-58.61	-30.00	-28.61	peak			
2		2555.000	-48.33	-7.50	-55.83	-30.00	-25.83	peak			
3	*	3550.000	-48.86	-3.30	-52.16	-30.00	-22.16	peak			

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.




RADIATED SPURIOUS EMISSIONS GSM 1800 ABOVE 1GHZ- HORIZONTAL



No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB		cm	degree	
1		1360.000	-48.81	-9.50	-58.31	-30.00	-28.31	peak			
2		2615.000	-47.74	-7.50	-55.24	-30.00	-25.24	peak			
3	*	3655.000	-48.26	-3.30	-51.56	-30.00	-21.56	peak			

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.

RADIATED SPURIOUS EMISSIONS GSM 1800 ABOVE 1GHZ- VERTICAL




No.	Mk	Freq.	Reading	Factor	Measurement	Limit	Over	Detector	Antenna Height	Table Degree	Comment
		MHz	dBm	dB	dBm	dBm	dB		cm	degree	
1		1690.000	-49.65	-9.50	-59.15	-30.00	-29.15	peak			
2		2930.000	-48.12	-7.50	-55.62	-30.00	-25.62	peak			
3	*	3900.000	-48.25	-3.30	-51.55	-30.00	-21.55	peak			


The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.



**APPENDIX AA: PHOTOGRAPHS OF TEST SETUP**  
**RADIATED SPURIOUS EMISSION TEST SETUP**



**RADIATED SPURIOUS EMISSION-ABOVE 1G TEST SETUP**



**---END OF REPORT---**

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.agc-cert.com>.