


Test Data


5.4.2 RF Output Power

Condition	Mode	Frequency (MHz)	Max Burst RMS Power (dBm)	Burst Number	Max EIRP (dBm)	Limit (dBm)	Verdict
NVHT	1-DH5	hopping	4.44	48	5.14	20	Pass
NVLT	1-DH5	hopping	4.4	49	5.1	20	Pass
NVNT	1-DH5	hopping	4.43	49	5.13	20	Pass
NVHT	2-DH5	hopping	1.16	48	1.86	20	Pass
NVLT	2-DH5	hopping	1.18	48	1.88	20	Pass
NVNT	2-DH5	hopping	1.18	48	1.88	20	Pass
NVHT	3-DH5	hopping	1.28	49	1.98	20	Pass
NVLT	3-DH5	hopping	0.94	48	1.64	20	Pass
NVNT	3-DH5	hopping	1.22	49	1.92	20	Pass


Power NVHT 1-DH5 2402MHz




Power NVLT 1-DH5 2402MHz




Power NVNT 1-DH5 2402MHz




Power NVHT 2-DH5 2402MHz




Power NVLT 2-DH5 2402MHz




Power NVNT 2-DH5 2402MHz




Power NVHT 3-DH5 2402MHz



Power NVLT 3-DH5 2402MHz




Power NVNT 3-DH5 2402MHz




5.4.4 Accumulated Transmit Time

Condition	Mode	Frequency (MHz)	Accumulated Transmit Time (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	207.36	400	31600	72	Pass
NVNT	1-DH5	2480	132.48	400	31600	46	Pass
NVNT	2-DH5	2402	187.85	400	31600	65	Pass
NVNT	2-DH5	2480	216.75	400	31600	75	Pass
NVNT	3-DH5	2402	184.96	400	31600	64	Pass
NVNT	3-DH5	2480	210.97	400	31600	73	Pass


Dwell NVNT 1-DH5 2402MHz




Dwell NVNT 1-DH5 2480MHz




Dwell NVNT 2-DH5 2402MHz




Dwell NVNT 2-DH5 2480MHz



Dwell NVNT 3-DH5 2402MHz




Dwell NVNT 3-DH5 2480MHz




5.4.4 Frequency Occupation

Condition	Mode	Frequency (MHz)	Frequency Occupation (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	8.64	0	910.08	3	Pass
NVNT	1-DH5	2480	5.76	0	910.08	2	Pass
NVNT	2-DH5	2402	5.78	0	913.24	2	Pass
NVNT	2-DH5	2480	5.78	0	913.24	2	Pass
NVNT	3-DH5	2402	2.89	0	913.24	1	Pass
NVNT	3-DH5	2480	2.89	0	913.24	1	Pass


Freq. Occup. NVNT 1-DH5 2402MHz




Freq. Occup. NVNT 1-DH5 2480MHz




Freq. Occup. NVNT 2-DH5 2402MHz




Freq. Occup. NVNT 2-DH5 2480MHz



Freq. Occup. NVNT 3-DH5 2402MHz




Freq. Occup. NVNT 3-DH5 2480MHz




5.4.4 Hopping Sequence

Condition	Mode	Hopping Number	Limit	Band Allocation (%)	Limit Band Allocation (%)	Verdict
NVNT	1-DH5	79	15	95.33	70	Pass
NVNT	2-DH5	79	15	95.76	70	Pass
NVNT	3-DH5	79	15	95.78	70	Pass


Hopping Seq. NVNT 1-DH5 2402MHz



Hopping Seq. NVNT 2-DH5 2402MHz




Hopping Seq. NVNT 3-DH5 2402MHz




5.4.7 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	1-DH5	2402	2402.002	0.9	2401.552	2402.452	2400 - 2483.5MHz	Pass
NVNT	1-DH5	2480	2480	0.899	2479.551	2480.449	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2402	2401.996	1.176	2401.408	2402.584	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2480	2479.995	1.176	2479.407	2480.583	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2402	2402.002	1.186	2401.408	2402.595	2400 - 2483.5MHz	Pass
NVNT	3-DH5	2480	2480	1.188	2479.406	2480.594	2400 - 2483.5MHz	Pass


OBW NVNT 1-DH5 2402MHz




OBW NVNT 1-DH5 2480MHz




OBW NVNT 2-DH5 2402MHz




OBW NVNT 2-DH5 2480MHz



OBW NVNT 3-DH5 2402MHz




OBW NVNT 3-DH5 2480MHz




5.4.8 Transmitter unwanted emissions in the out-of-band domain

Condition	Mode	Frequency (MHz)	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	2402	2399.5	-61.6	-10	Pass
NVNT	1-DH5	2402	2398.5	-61.6	-20	Pass
NVNT	1-DH5	2402	2484	-60.66	-10	Pass
NVNT	1-DH5	2402	2485	-61.43	-20	Pass
NVNT	2-DH5	2402	2399.5	-58.56	-10	Pass
NVNT	2-DH5	2402	2399.324	-61.49	-10	Pass
NVNT	2-DH5	2402	2398.324	-60.79	-20	Pass
NVNT	2-DH5	2402	2398.148	-61.67	-20	Pass
NVNT	2-DH5	2402	2484	-61.41	-10	Pass
NVNT	2-DH5	2402	2484.176	-61.11	-10	Pass
NVNT	2-DH5	2402	2485.176	-61.68	-20	Pass
NVNT	2-DH5	2402	2485.352	-61.02	-20	Pass
NVNT	3-DH5	2402	2399.5	-60.17	-10	Pass
NVNT	3-DH5	2402	2399.314	-59.53	-10	Pass
NVNT	3-DH5	2402	2398.314	-61.04	-20	Pass
NVNT	3-DH5	2402	2398.128	-60.74	-20	Pass
NVNT	3-DH5	2402	2484	-60.71	-10	Pass
NVNT	3-DH5	2402	2484.188	-60.83	-10	Pass
NVNT	3-DH5	2402	2485.188	-61.67	-20	Pass
NVNT	3-DH5	2402	2485.376	-61.18	-20	Pass


Tx. Emissions OOB NVNT 1-DH5 2402MHz



Tx. Emissions OOB NVNT 2-DH5 2402MHz




Tx. Emissions OOB NVNT 3-DH5 2402MHz




5.4.5 Hopping Frequency Separation

Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2440.9739	2441.9942	1.0203	0.1	Pass
NVNT	2-DH5	2441.0655	2441.9953	0.9298	0.1	Pass
NVNT	3-DH5	2441.1132	2442.0996	0.9864	0.1	Pass

HFS NVNT 1-DH5 2441MHz



HFS NVNT 2-DH5 2441MHz



HFS NVNT 3-DH5 2441MHz

