

**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page1 of 22

Applicant: Shenzhen Huafurui Technology Co., Ltd.

Address: Unit 1401 &1402, 14/F, Jin qi zhi gu mansion (No. 4 building of Chong wen Garden), Crossing

of the Liu xian street and Tang ling road, Tao yuan street, Nan shan district, Shenzhen, P.R.

China

Test site: 1,6/F, Building 2, No. 1-4, Chaxi Sanwei Technical Industrial Park, Gushu, Xixiang, Baoan

District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name: Smart Phone

Sample Model: R15 PRO

Brand: CUBOT

Manufacturer: Shenzhen Huafurui Technology Co., Ltd.

Address: Unit 1401 &1402, 14/F, Jin qi zhi gu mansion (No. 4 building of Chong wen Garden),

Crossing of the Liu xian street and Tang ling road, Tao yuan street, Nan shan district,

Shenzhen, P.R. China

Sample Received Date: Aug.07, 2019

Testing Period: Aug.07, 2019 to Aug.26, 2019

**Test Requested:** Please refer to following page(s).

**Test Method:** Please refer to following page(s).

**Test Result:** Please refer to following page(s).

iulinwen, Lewis

Technical Director



The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eart.com.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page2 of 22

Test Requested: Conclusion

1.As specified by client, to determine Lead(Pb), Cadmium(Cd), Mercury(Hg) content accordance with European Directive 2006/66/EC and its amendments 2013/56/EU.

2. As specified by client, to determine the Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs content in the submitted sample in accordance with Directive 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863 on XRF and Chemical Method.

3.As specified by client, to determine the DBP, BBP, DEHP, DIBP content in the submitted sample in accordance with Directive 2011/65/EU (RoHS) and its amendment directive Pass

(EU) 2015/863.

### **Test Methods:**

A: Screening by X-ray Fluorescence Spectrometry (XRF): With reference to IEC 62321-3-1:2013 Ed 1.0 Screening – Lead, mercury, cadmium, total chromium and total bromine by X-ray fluorescence spectrometry B: Chemical test:

Test Item	Test Method	Measuring Instrument	MDL
Cadmium (Cd)	IEC 62321-5:2013 Ed 1.0	ICP-OES	2 mg/kg
Lead (Pb)	IEC 62321-5:2013 Ed 1.0	ICP-OES	2 mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017 Ed 1.1	ICP-OES	2 mg/kg
Non-metal Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017 Ed 1.0	UV-Vis	1 mg/kg
Metal Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-1:2015 Ed 1.0	UV-Vis	) (8)
PBBs/PBDEs	IEC 62321-6:2015 Ed 1.0	GC-MS	5 mg/kg

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page3 of 22

### 1. Test result of Lead(Pb), Cadmium(Cd), Mercury(Hg)

Unit: %,w/w

Test item(s)	Test Method/ Equipment	MDL	Result(s)	Limit	
Lead (Pb)	Refer to	0.0005	N.D.	₽G.	
Cadmium (Cd)	IEC 62321-5:2013 ICP-OES	0.0005	N.D.	0.002	
Mercury (Hg)	Refer to IEC 62321-4: 2013+A1:2017 ICP-OES	0.0001	N.D.	0.0005	
Conclusion	300, 30	18	Pass	1	

### Note:

- N.D.=Not Detected(less than method detection limit)
- MDL = Method Detection Limit
- "-" =Not regulated
- As specified by client, only test the designated sample.

### Sample Description

51	Electric core (battery)	8		C <sub>C</sub> C	8	8	

The results shown if this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-centr.com.

No.18 C



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page4 of 22

### **Test Results:**

A, EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Seq.	Total D. 46		Re	sults(mg/l	kg)	
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br
1 ®	Touch screen(Display screen)	BL ®	BL	BL	BL	BL
2	FPC(Display screen)	BL	BL	BL	BL	BL
3	Polarizer(Display screen)	BL	BL	BL	BL	BL
4	Lower diffusion(Display screen)	BL	BL	BL	BL	BL
5	White reflector(Display screen)	BL	BL	BL	BL	BL
6	Light guide plate(Display screen)	BL	BL	BL	BL	BL
7	White plastic box(Display screen)	BL	BL	BL	BL	BL
8	Silver metal plate(Display screen)	BL	BL	BL	X*	-
9	Gun-coloured plastic border(Outer shell)	BL®	BL	BL	BL	BL
10	Camera lens(Outer shell)	BL	BL	BL	BL	BL
11	Black plastic frame(Outer shell)	BL	BL	BL	BL	BL
12	Silver metal frame(Outer shell)	BL	BL	BL	BL	9-
13	Black plastic rear case(Outer shell)	BL	BL	BL	BL	BL
14	Copper nut(Outer shell)	BL	BL	BL	BL	<i>-</i>
15	Silver metal shell(Receiver)	BL	BL	BL	BL	-
16	Black plastic frame(Receiver)	BL	BL	BL	X*	BL
17	Silver magnet(Receiver)	BL®	BL	BL	BL	NG
18	Black plastic frame(Speaker)	BL	BL	BL	BL	BL
19	Black plastic shell(Speaker)	BL	BL	BL	BL	BL
20	Silver metal shell(Speaker)	BL	BL	BL	BL	-
21	Silver metal shell(Motor)	BL	BL	BL	BL	® <u>-</u>
22	Red wire jacket(Motor)	BL	BL	BL	X*	BL
23	Blue wire jacket(Motor)	BL	BL	BL	BL ®	BL
24	FPC(fingerprint lock)	BL	BL	BL	BL	BL

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (sc., this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page5 of 22

Seq.	Tested Part(s)	Results(mg/kg)						
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br		
25	Black fingerprint lock(fingerprint lock)	BL	BL	BL	BL®	BL		
26	Silver metal sheet(fingerprint lock)	BL	BL	BL	X*			
27	FPC connection board	BL	BL	BL	BL	BL		
28	Silver metal shell(Camera)	BL	BL	BL	BL	<u> </u>		
29	Camera lens(Camera)	BL	BL	BL	BL	BL		
30	Black plastic shell(Camera)	BL	BL	BL	BL	<sub>®</sub> BL		
31	Shielding cover(Main board)	BL	BL	BL	BL	<b>G</b> -		
32	Gray tape(Main board)	BL	BL	BL	BL	BL		
33	Chip IC(Main board)	BL	BL	BL	BL	BL		
34	Black plastic audio holder(Main board)	BL ®	BL	BL	BL	BL		
35	Black plastic battery holder(Battery holder) (Main board)	BL	BL	BL	BL	BL		
36	Copper contact piece(Battery holder) (Main board)	BL	BL	BL	BL	_		
37	Silver metal shell(Memory card holder) (Main board)	BL	BL	BL	X*	0-		
38	White plastic seat(Memory card holder) (Main board)	BL	BL	BL	BL	BL		
39	Black plastic seat(Connecting seat) (Main board)	BL	BL	BL	BL	BL		
40	Copper contact piece(Connecting seat) (Main board)	BL	BL	BL	X*	-1		
41	PCB(Main board)	BL	BL	BL	BL	X*		
42	Tin solder(Main board)	BL ®	BL	BL	BL	~ [		
43	Black wire jacket(antenna)	BL	BL	BL	BL	BL		
44	Black screw	BL	BL	BL	BL			
45	PCB(Green joint plate)	BL	BL®	BL	BL	X*		
46	Tin solder(Green joint plate)	BL	BL	BL	BL	® <b>-</b>		
47	Chip microphone(Green joint plate)	BL	BL	BL	BL	BL		
48	TYPE-C Silver Metal Joint(Green joint plate)	BL	BL	BL	X*	-1		
49	TYPE-C black plastic joint(Green joint plate)	BL	BL	BL	X*	BL		
50	Chip diode(Green joint plate)	BL ®	BL	BL	BL	BL		

The results shown iff this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (sc, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed an http://www.agc-cent.com.

No.18 C



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page6 of 22

Seq.		Results(mg/kg)						
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br		
52	Black plastic shell(Battery)	BL	BL	BL	BL ®	BL		
53	Black rubber strip(Battery)	BL	BL	BL	BL	BL		
54	IC body(Battery)	BL	BL	BL	BL	BL		
55	Tin plating(Battery)	BL	BL	BL	BL	<u></u> ®		
56	PCB(Battery)	BL	BL	BL	BL	X*		
Adapt	er 💮 🔞		GG	(8)		@		
57	White plastic shell(Outer shell)	BL	BL	BL	BL	BL		
58	Silvery metal plug(Outer shell)	BL	BL	BL	BL	-		
59	Black sleeving(Color ring resistance)	BL	BL	BL	BL	BL		
60	Color ring resistance(Color ring resistance)	BL ®	BL	BL	BL	BL		
61	Brown sleeve(Electrolytic capacitor)	BL	BL	BL	X*	BL		
62	Green sleeving(Electrolytic capacitor)	BL	BL	BL	BL	BL		
63	Blue sleeving(Electrolytic capacitor)	BL	BL	BL	X*	BL		
64	Black plastic skeleton(Transformer)	BL	BL	BL	BL	BL		
65	Green tape(Transformer)	BL	BL	BL	BL	BL		
66	Blue Ceramic Capacitor	BL	BL	BL	BL	BL		
67	Glass diode	BL	OL	BL	BL	BL		
68	IC body	BL ®	BL	BL	BL	BL		
69	Chip diode	BL	OL	BL	BL	X*		
70	PCB	BL	BL	BL	BL	X*		
71	Tin solder	BL	BL	BL	BL	0-		
72	Black plastic sheet	BL	BL	BL	X*	®BL		
73	USB Silver Metal Connector(USB joint)	BL	BL	BL	BL	<b>U</b> .		
74	USB white plastic connector(USB joint)	BL	BL	BL	BL	X*		
USB I	ine	10		30	a.C			
75	White handle(USB plug)	BL ®	BL	BL	BL	BL		

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 15°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



Report No.: AGC-00552-19-08-01-001 Date: Aug.28, 2019 Page7 of 22

Seq.	Tosted Pout(s)	®	Re	esults(mg/	kg)	
No.	Tested Part(s)	Cd	Pb	Hg	Cr	Br
76	White inner glue(USB plug)	BL	BL	BL	BL ®	BL
77	Tin solder(USB plug)	BL	BL	BL	BL	. (1
78	USB Silver Metal Plug(USB plug)	BL	BL	BL	BL	-
79	Tin solder(TYPE-C plug)	BL	BL	BL	BL	®
80	PCB(TYPE-C plug)	BL	BL	BL	BL	X*
81	TYPE-C Grey Plastic Plug(TYPE-C plug)	BL	BL	BL	BL	® BL
82	TYPE-C White Plastic Plug(TYPE-C plug)	® BL	BL	BL	BL	BL
83	TYPE-C Silver Metal Plug(TYPE-C plug)	BL	BL	BL	X*	-
84	White outer wire jacket(Wire rod)	BL	BL	BL	BL	BL
85	Black wire jacket(Wire rod)	BL ®	BL	BL	BL	BL
86	Red wire jacket(Wire rod)	BL	BL	BL	X*	BL
87	Green wire jacket(Wire rod)	BL	BL	BL	BL	BL
88	White wire jacket(Wire rod)	BL	BL	BL	BL	BL

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by KC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page8 of 22

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Нд	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
© Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>100 - CC</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	100 - CC	BL≤250-3σ <x< td=""></x<>

Note: BL= Below Limit

OL= Over limited

X= Inconclusive

"-"= Not regulated

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attr://www.agc-cept.com.

<sup>\*=</sup> Scanning by XRF and detected by chemical method. The test results of chemical method please refer to next pages.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page9 of 22

### Remark:

Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value according to IEC 62321-3-1:2013 Ed 1.0.

ii The XRF scanning test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

iii The maximum permissible limit is quoted from RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	0 100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	◎ 1000
Polybrominated biphenyls (PBBs)	1000
Polybrominateddiphenylethers (PBDEs)	1000

### Disclaimers:

This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page10 of 22

### **B.** The Test Results of Chemical Method:

1) The Test Results of non-metal Cr<sup>6+</sup>

T (T)	<b>T</b> I •4		Result(s)		
Test Item(s)	Unit	16	22	49	Limit
Hexavalent Chromium(Cr <sup>6+</sup> )	mg/kg	N.D.	N.D.	N.D.	1000

T (T)	T1 *4		Resu	ılt(s)		
Test Item(s)	Unit	61	63	72	86	Limit
Hexavalent Chromium(Cr <sup>6+</sup> )	mg/kg	N.D.	N.D.	N.D.	N.D.	1000

Note: N.D. = Not Detected or less than MDL

mg/kg = parts per million

MDL = Method Detection Limit

The results shown in this sest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed of http://www.agc-centr.com.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page11 of 22

2)The Test Results of metalCr<sup>6+</sup>

Test Items(s)	MDL Result(s)						T ::4	
Test Item(s)	MIDL	8	26	37	40	48	83	Limit
Hexavalent Chromium (Cr <sup>6+</sup> )	See note	Negative	Negative	Negative	Negative	Negative	Negative	#

#### Note

- Negative = Absence of Cr(VI) on the tested areas
- MDL = Method Detection Limit
- Boiling-water-extraction:

Number	Colorimetric result (Cr(VI) concentration)	Qualitative result
		The sample is negative for Cr(VI) – The Cr(VI)
® 1	The sample solution is <the 0,10="" cm<sup="" μg="">2</the>	concentration is below the limit ofquantification.
	equivalent comparison standard solution	The coating is considered a non-Cr(VI) based
< 0	9	coating.
@	The sample solution is $\geq$ the 0,10 µg/cm <sup>2</sup>	The result is considered to be inconclusive –
2	and $\leq$ the0,13 µg/cm <sup>2</sup> equivalent	Unavoidable coating variations may influence
-C	comparison standard solutions	thedetermination.
		The sample is positive for Cr(VI) – The Cr(VI)
2	The sample solution is $>$ the 0,13 $\mu$ g/cm <sup>2</sup>	concentration is above the limit of quantification
3 @	equivalent comparison standard solution	andthe statistical margin of error. The sample
- 60	0	coating isconsidered to contain Cr(VI).

- # =Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areasunavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification andthe statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent status of the sample at the time of testing.

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page12 of 22

3) The Test Results of PBBs & PBDEs

Unit:mg/kg

[6]	MDI		Res	ult(s)	8	T-14
Item(s)	MDL	<b>41</b>	45	56	69	Limit
Polybrominated Biphenyls (Pl	BBs)					
Monobromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	
Dibromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	8
Tribromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	GO CO
Tetrabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	
Pentabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	© T. 1 DDD
Hexabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	Total PBBs Content <1000
Heptabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	
Octabromobiphenyl	5	N.D.	N.D.	N.D.	N.D.	8
Nonabromodiphenyl	5	N.D.	N.D.	N.D.	N.D.	PGC PC
Decabromodiphenyl	5	N.D.	N.D.	N.D.	N.D.	
Total content	1	N.D.	N.D.	N.D.	N.D.	
PolybrominatedDiphenylether	rs (PBDEs)					
Monobromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	-C
Dibromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	1 10
Tribromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	@
Tetrabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	-C
Pentabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	T. A. I. D.D.D.E.
Hexabromodiphenyl ether	® 5	N.D.	N.D.	N.D.	N.D.	Total PBDEs Content <1000
Heptabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	
Octabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	
Nonabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	
Decabromodiphenyl ether	5	N.D.	N.D.	N.D.	N.D.	-G
Total content	A.C.	N.D.	N.D.	N.D.	N.D.	CC
Conclusion		Pass	Pass	Pass	Pass	1

The results shown if this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed with the confirmed of the complex of the confirmed of the complex of the comple

No.18 C



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page13 of 22

Unit:mg/kg

Item(s)	MDL	Result(s)		8	Limit		
item(s)	MDL	70	74	80	© Limit		
Polybrominated Biphenyls (PBI	Bs)						
Monobromobiphenyl	5	N.D.	N.D.	N.D.			
Dibromobiphenyl	5	N.D.	N.D.	N.D.			
Tribromobiphenyl	5 @	N.D.	N.D.	N.D.			
Tetrabromobiphenyl	5	N.D.	N.D.	N.D.	CO CC		
Pentabromobiphenyl	5	N.D.	N.D.	N.D.	T o I PPP G		
Hexabromobiphenyl	5	N.D.	N.D.	N.D.	Total PBBs Content <1000		
Heptabromobiphenyl	5	N.D.	N.D.	N.D.	1000		
Octabromobiphenyl	5	N.D.	N.D.	N.D.			
Nonabromodiphenyl	® 5	N.D.	N.D.	N.D.	8		
Decabromodiphenyl	5	N.D.	N.D.	N.D.	60		
Total content	1.0	N.D.	N.D.	N.D.	100		
PolybrominatedDiphenylethers	(PBDEs)						
Monobromodiphenyl ether	5 8	N.D.	N.D.	N.D.	c.C		
Dibromodiphenyl ether	5	N.D.	N.D.	N.D.	20		
Tribromodiphenyl ether	5	N.D.	N.D.	N.D.			
Tetrabromodiphenyl ether	5	N.D.	N.D.	N.D.	8		
Pentabromodiphenyl ether	5	N.D.	N.D.	N.D.	T. I PROFE CO.		
Hexabromodiphenyl ether	5	N.D.	N.D.	N.D.	Total PBDEs Content <1000		
Heptabromodiphenyl ether	® 5	N.D.	N.D.	N.D.	8 1000		
Octabromodiphenyl ether	5	N.D.	N.D.	N.D.	o CC		
Nonabromodiphenyl ether	5	N.D.	N.D.	o N.D.	30		
Decabromodiphenyl ether	5	N.D.	N.D.	N.D.	8		
Total content	1	N.D.	N.D.	N.D.	CC a		
Conclusion		Pass	Pass ®	Pass			

Note: N.D. = Not Detected or less than MDL

mg/kg = parts per million

MDL = Method Detection Limit

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page14 of 22

### 3.Test result of DBP, BBP, DEHP, DIBP content

Test Method: IEC 62321-8:2017; Equipment: GC-MS

NGC -C	Substance	MDL	Limit
DIBP	Di-iso-butyl phthalate	50 mg/kg	1000 mg/kg
DBP	Dibutyl phthalate	50 mg/kg	1000 mg/kg
BBP	Butylbenzyl phthalate	50 mg/kg	1000 mg/kg
DEHP	Di-(2-ethylhexyl) Phthalate	50 mg/kg	1000 mg/kg

Unit: mg/kg

Test item	6				Offit. Hig/K
Seq. No.	DIBP	DBP	BBP	DEHP	Conclusion
10	N.D.	N.D.	N.D.	N.D.	Pass
© 2 <sub>®</sub>	N.D.	N.D.	N.D.	N.D.	Pass
3	N.D.	N.D.	N.D.	N.D.	Pass
4	N.D.	N.D.	N.D.	N.D.	Pass
© <b>5</b>	N.D.	N.D.	N.D.	N.D.	Pass
6	N.D.	N.D.	N.D.	N.D.	Pass
7	N.D.	N.D.	N.D.	N.D.	Pass
8 9	N.D.	N.D.	N.D.	N.D.	Pass
10	N.D.	N.D.	N.D.	N.D.	Pass
11	N.D.	N.D.	N.D.	N.D.	Pass
® 13 <sub>®</sub>	N.D.	N.D.	N.D.	N.D.	Pass
16	N.D.	N.D.	N.D.	N.D.	Pass
18	N.D.	N.D.	N.D.	N.D.	Pass
@19	N.D.	N.D.	N.D.	N.D.	Pass
©22 ®	N.D.	N.D.	N.D.	N.D.	Pass
23	N.D.	N.D.	N.D.	N.D.	Pass
© 24	N.D.	N.D.	N.D.	N.D.	Pass
25	N.D.	N.D.	N.D.	N.D.	Pass
27	N.D.	N.D.	N.D.	N.D.	Pass
® 29	N.D.	N.D.	N.D.	N.D.	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page15 of 22

Test iten	n DIBP	DBP	BBP	DEHP	Conclusion
Seq. No.	Dibi	DDI		8	Conclusion
30	N.D.	N.D.	N.D.	N.D.	Pass
32	N.D.	N.D.	N.D.	N.D.	Pass
33 <sup>®</sup>	N.D.	N.D.	N.D.	N.D.	Pass
34	N.D.®	N.D.	N.D.	N.D.	Pass
35	N.D.	N.D.	o N.D.	N.D.	Pass
38	® N.D.	N.D.	N.D.	N.D.	Pass
39	N.D.	N.D.	N.D.	N.D.	Pass
41	N.D.	N.D.	N.D.	N.D.	Pass
43 8	N.D.	N.D.	N.D.	N.D.	Pass
45	N.D.	N.D.	N.D.	N.D.	Pass
47	N.D.	N.D.	N.D.	N.D.	Pass
49 ®	N.D.	N.D.	N.D.	N.D.	Pass
50	N.D.®	N.D.	N.D.	N.D.	Pass
52	N.D.	N.D.	⊚ N.D.	N.D.	Pass
53	® N.D.	N.D.	N.D.	N.D.	Pass
54	N.D.	N.D.	N.D.	N.D.	Pass
56	N.D.	N.D.	N.D.	N.D.	Pass
57 ®	N.D.	N.D.	N.D.	N.D.	Pass
59	N.D.	N.D.	N.D.	N.D.	Pass
60	N.D.	N.D.	N.D.	N.D.	Pass
61.8	N.D.	N.D.	N.D.	N.D.	Pass
62	N.D.	N.D.	N.D.	N.D.	Pass
63	N.D.	N.D.	N.D.	N.D.	Pass
64	N.D.	N.D.	N.D.	N.D.	Pass
65	N.D.	N.D.	N.D.	N.D.	Pass
66	N.D.	N.D.	N.D.	N.D.	Pass
67	N.D.	N.D.	N.D.	N.D.	Pass
68	N.D.	N.D.	N.D.	N.D.	Pass
69	N.D.	N.D.	N.D.	N.D.	Pass

The results shown if this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (\$\circ{\circ}{\circ}\$, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page16 of 22

Test it	em	(8)	(6)		60
8	DIBP	DBP	BBP	DEHP	Conclusion
Seq. No.				(8)	(2)
70	N.D.	N.D.	N.D.	N.D.	Pass
72	N.D.	N.D.	N.D.	N.D.	Pass
74 ®	N.D.	N.D.	N.D.	N.D.	Pass
75	N.D.®	N.D.	N.D.	N.D.	Pass
9 76	N.D.	N.D.	o N.D.	N.D.	Pass
80	N.D.	N.D.	N.D.	N.D.	Pass
81	N.D.	N.D.	N.D.	N.D.	Pass
82	N.D.	N.D.	N.D.	N.D.	Pass
84	N.D.	N.D.	N.D.	N.D.	Pass
85	N.D.	N.D.	N.D.	N.D.	Pass
86	N.D.	N.D.	N.D.	N.D.	Pass
87 8	N.D.	N.D.	N.D.	N.D.	Pass
88	N.D.®	N.D.	N.D.	N.D.	Pass

Note:

1. MDL=Method Detection Limit

2. N.D.=Not Detected(less than method detection limit)

### Remark:

Exemption

Seq. No	<b>Exemption clause</b>	Content
67 69	7(c)-I	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound


The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attr://www.agc-cept.com.

No.18 C



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page17 of 22

### **Test Flow Chart**



Test result on specimen No.79 was resubmitted on Aug.21, 2019


The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatcom.

No.18 C



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page18 of 22

### The photo of the sample






1





3





(8)

The results shown if this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at an authenticity of the report will be confirmed at a true.

No.18 C

Attestation of Global Compliance Std. & Tech.




Report No.: AGC-00552-19-08-01-001 Date: Aug.28, 2019 Page19 of 22






22 23







The results spown if this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-centr.com.

Tel: +86-755 8358 3833 Fax: +86-755 2531 6612 E-mail: agc01@agc-cert.com @ 400 089 2118


AGC Attestation of Global Compliance Std. & Tech.

Add: Building 2, No.171, Meihua Road, Shangmeilin, Futian District, Shenzhen, Guangdong China





**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page20 of 22






13





15





17

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 15°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

Attestation of Global Compliance Std. & Tech.




Report No.: AGC-00552-19-08-01-001

Date: Aug.28, 2019


Page21 of 22






19

20






21

22






The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 15°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.


No.18 C

Attestation of Global Compliance Std. & Tech.



**Report No.: AGC-00552-19-08-01-001** Date: Aug.28, 2019 Page22 of 22






25 36







AGC-00552-19-08-01-001

AGC authenticate the photo only on original report

\*\*\* End of Report \*\*\*

The results shown if this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.

Attestation of Global Compliance Std. & Tech.