

# TEST REPORT

**Applicant:** Shenzhen Huafurui Technology Co., Ltd  
**Address:** Unit 1401 &1402, 14/F, Jinqi Zhigu Mansion (No. 4 Building of Chongwen Garden), Crossing of the Liuxian Street and Tangling Road, Taoyuan Street, Nanshan District, Shenzhen, P.R. China

**The following sample(s) was/were submitted and identified on behalf of the client as:**

Product name: Smartphone  
Model: NOTE 21  
Trade mark: CUBOT  
Manufacturer: Shenzhen Huafurui Technology Co., Ltd  
Address: Unit 1401 &1402, 14/F, Jinqi Zhigu Mansion (No. 4 Building of Chongwen Garden), Crossing of the Liuxian Street and Tangling Road, Taoyuan Street, Nanshan District, Shenzhen, P.R. China

Sample Received Date: Jun. 12, 2023  
Testing Period: Jun. 12, 2023~ Jul. 19, 2023

**Test Requirement:**

As specified by client, to screen the 235 substances of very high concern(SVHC) under Regulation(EC) No 1907/2006 of REACH in the submitted sample(s).

**Summary:**

According to the specified scope and evaluation screening, the concentrations of Lead and 1,3-propanesultone are >0.1%(w/w) in certain component(s), the concentrations of each other SVHCs is ≤ 0.1% (w/w) in the component(s) of submitted sample(s).

**Test Method:** Please refer to the following page(s);

**Test Result(s):** Please refer to the following page(s);

Compiled by: Pure

Reviewed by: Y. Blmar

Approved by: May

Date: 2023-07-20

**Sample Description:**

No.	Sample name	Description
1	Shell	Black plastic back cover
2		Silvery/grey metal shell
3		Black plastic of silvery/grey metal shell
4		Golden metal nut of silvery/grey metal shell
5		Black plastic frame
6		Black foam glue of black plastic frame
7		Transparent plastic lamp guide body of black plastic frame
8		Yellow FPC of black plastic frame
9		Silvery metal plate of black plastic frame
10		Black FPC of black plastic frame
11		Transparent glass with black border
12		Black plastic sheet of transparent glass with black border
13		Black double-sided adhesive of transparent glass with black border
14		Black metal of deck
15	Black plastic of deck	
16	Silvery metal frame of deck	
17	Shell screw	Silvery metal screw(large)
18		Black metal screw(large)
19		Silvery metal screw(small)
20		Black metal screw(small)
21	Keystroke FPC	Yellow FPC
22		Silvery metal shrapnel of keystroke
23		Black plastic of keystroke
24		Silvery metal plate
25		Transparent double-sided adhesive of Silvery metal plate
26	Connect FPC	Yellow FPC
27		Silvery/grey double-sided tape of yellow FPC
28		Black plastic of black interface
29		Metal plug pin of black interface
30		Black foam glue
31	Screen	Silvery metal plate
32		Black LCD screen
33		Silvery plastic sheet
34		White translucent plastic sheet
35		Silvery translucent plastic sheet
36		Transparent plastic sheet
37	Silvery/white plastic sheet	

No.	Sample name	Description	
38	Screen	Silvery metal plate	
39		White plastic frame of silvery metal plate	
40		Black tape of silvery metal plate	
41		Silvery/grey foam glue of silvery metal plate	
42	Screen FPC	Silvery/grey tape	
43		Black FPC	
44		Black tape	
45		Yellow/ Transparent tape	
46	Speaker	Black plastic shell	
47		Silvery/grey tape	
48		Black rubber plug	
49		Black plastic frame	
50		Tin solder of black plastic frame	
51		Silvery metal shell	
52		Magnet of silvery metal shell	
53		Cupreous metal of voice coil	
54		Silvery/black metal of sound basin	
55		Red wire jacket	
56		Black wire jacket	
57		Silvery metal wire core	
58		Rear camera	Silvery metal shell
59			Magnet of silvery metal shell
60	Black plastic shell		
61	Lens		
62	Coil		
63	Black FPC		
64	Grey plastic		
65	Grey plastic of grey interface		
66	Metal plug pin of grey interface		
67	Silvery/grey tape		
68	Front camera	Silvery metal plate	
69		Black plastic shell	
70		Lens	
71	Yellow FPC		
72	Vibrating motor	Silvery metal shell	
73		Black foam glue of silvery metal shell	
74		Silvery/grey double-sided tape	
75		Magnet	

No.	Sample name	Description
76	Vibrating motor	Silvery metal block
77		White plastic
78		Coil
79		Cupreous metal ring
80		Green PCBA(mixed test)
81		Red wire jacket
82		Blue wire jacket
83		Silvery metal wire core
84		Receiver
85	Metal contact pin	
86	Silvery metal shell	
87	Magnet	
88	Silvery metal frame	
89	Cupreous metal of voice coil	
90	White plastic of sound basin	
91	Red wire jacket	
92	Black wire jacket	
93	Silvery metal wire core	
94	Motherboard PCBA	Silvery/black tape
95		Yellow/ Transparent tape
96		Silvery metal cover
97		Grey colloid
98		Black PCBA(mixed test)
99		Silvery metal shell of SIM card slot
100		Grey plastic of SIM card slot
101		Metal plug pin of SIM card slot
102		Black rubber sleeve of infrared sensor
103		Grey plastic shell of infrared sensor
104		Black body of infrared sensor
105		Silvery metal contact pin
106		Grey plastic of grey interface
107		Metal plug pin of grey interface
108		Silvery body of antenna interface
109	Small board PCBA	Black PCBA(mixed test)
110		Silvery/grey tape
111		Yellow/ Transparent tape
112		Golden metal plug pin
113		Gold body of antenna interface

No.	Sample name	Description
114	Small board PCBA	Silvery metal head of antenna
115		Black wire jacket of antenna
116		Transparent wire jacket of antenna
117		Silvery metal wire core of antenna
118		Silvery metal shell of Type-C interface
119		Black plastic of Type-C interface
120		Metal plug pin of Type-C interface
121	Adapter shell	White plastic shell with lettering
122		Silvery metal plug pin
123	Adapter PCBA	Yellow-green PCBA(mixed test)
124		White colloid
125		Black plastic sheet
126		Yellow tape with lettering of transformer
127		Magnet core of transformer
128		Black plastic sketch of transformer
129		Cupreous metal coil of transformer
130		Transparent casing tube of transformer
131		Varnished wire of transformer
132		Silvery metal sheet
133		Aluminum shell of C1 electrolytic capacitor
134		Cathode foil of C1 electrolytic capacitor
135		Anode foil of C1 electrolytic capacitor
136		Electrolytic paper of C1 electrolytic capacitor
137		Rubber blanket of C1 electrolytic capacitor
138		Electrode pin of C1 electrolytic capacitor
139		Brown plastic jacket (with glue) of C1 electrolytic capacitor
140		Green body of L1 color ring inductor
141		Metal pin of L1 color ring inductor
142		Blue body of CY1 capacitor
143	Aluminum shell of C8 electrolytic capacitor	
144	Cathode foil of C8 electrolytic capacitor	
145	Anode foil of C8 electrolytic capacitor	
146	Electrolytic paper of C8 electrolytic capacitor	
147	Rubber blanket of C8 electrolytic capacitor	
148	Electrode pin of C8 electrolytic capacitor	
149	Silvery metal shell of USB interface	
150	White plastic of USB interface	
151	Metal plug pin of USB interface	

No.	Sample name	Description
152	Adapter PCBA	Aluminum shell of C7 electrolytic capacitor
153		Cathode foil of C7 electrolytic capacitor
154		Anode foil of C7 electrolytic capacitor
155		Electrolytic paper of C7 electrolytic capacitor
156		Rubber blanket of C7 electrolytic capacitor
157		Electrode pin of C7 electrolytic capacitor
158		Green plastic jacket of C7 electrolytic capacitor
159		Aluminum shell of C4 electrolytic capacitor
160		Cathode foil of C4 electrolytic capacitor
161		Anode foil of C4 electrolytic capacitor
162		Electrolytic paper of C4 electrolytic capacitor
163		Rubber blanket of C4 electrolytic capacitor
164		Electrode pin of C4 electrolytic capacitor
165		Black plastic jacket of C4 electrolytic capacitor
166		Black casing tube of FR1 color ring resistance
167		Black body of FR1 color ring resistance
168		Metal pin of FR1 color ring resistance
169		USB-Type-C data cable
170	Yellow QR code label of USB interface	
171	Silvery metal shell of USB interface	
172	White translucent plastic of USB interface	
173	White plastic of USB interface	
174	Metal plug pin of USB interface	
175	White encapsulation of Type-C interface	
176	White translucent plastic of Type-C interface	
177	Silvery metal shell of Type-C interface	
178	Beige plastic of Type-C interface	
179	Grey plastic of Type-C interface	
180	Metal plug pin of Type-C interface	
181	Blue PCBA(mixed test) of Type-C interface	
182	Tin solder of Type-C interface	
183	White exterior wire jacket	
184	Black wire jacket	
185	Green wire jacket	
186	Light pink wire jacket	
187	White wire jacket	
188	Silvery metal wire core	
189	Earphone	White plastic shell

No.	Sample name	Description
190	Earphone	Green cloth mesh with glue of white plastic shell
191		White double-sided adhesive
192		White colloid
193		Silvery metal shell
194		Black/white tape of silvery metal shell
195		Magnet of silvery metal shell
196		Silvery metal of sound basin
197		Cupreous metal of voice coil
198		Green PCBA(mixed test)
199		Tin solder of green PCBA(mixed test)
200		White plastic shell of Type-C interface
201		Grey encapsulation of Type-C interface
202		Silvery metal shell of Type-C interface
203		Black plastic of Type-C interface
204		Grey plastic of Type-C interface
205		Metal plug pin of Type-C interface
206		Blue PCBA(mixed test) of Type-C interface
207		Tin solder of Type-C interface
208		White plastic shell with silk lettering of control switch
209		Grey rubber plug of control switch
210		Blue PCBA(mixed test) of control switch
211		Microphone body of control switch
212		Yellow/ Transparent tape of control switch
213		Silvery metal shrapnel of control switch
214		Grey rubber snap
215		White exterior wire jacket
216		Cupreous fiber wire jacket
217	Red fiber wire jacket	
218	Cupreous/green fiber wire jacket	
219	Green fiber wire jacket	
220	Blue fiber wire jacket	
221	White fiber core	
222	Battery	Transparent double-sided adhesive
223		Black tape
224		Transparent plastic jacket (with glue)
225		Yellow/ Transparent tape
226		Black PCBA(mixed test) of battery PCBA
227		Red colloid of battery PCBA

No.	Sample name	Description
228	Battery	Silvery metal sheet of battery PCBA
229	Cell	Cell(mixed test)

**Group Description:**

Group	No.
T1	2+9+14+16+17+18+19+20+22+24+29+31+38+50+51+52+53+54+57
T2	58+59+62+66+68+72+75+76+78+79+83+85+86+87+88+89+93+96+99+101
T3	105+107+108+113+114+117+118+120+122+127+129+132+133+134+135+138+141+143+144
T4	145+148+149+151+152+153+154+157+159+160+161+164+168+171+174+177+180+182+188+193
T5	195+196+197+199+202+205+207+213+228
T6	1+3+5+7+8+10+12+15+21+23+26+28+33+34+35+36+37+39+43+46+49
T7	6+13+25+27+30+40+41+42+44+45+47+67+73+74+94+95+110+111+126+170
T8	11+32+61+70
T9	48+102+137+147+156+163+209+214
T10	55+56+81+82+91+92+115+116+169+175+183+184+185+186+187+201+215
T11	60+63+64+65+69+71+77+84+90+97+100+103+106+119+121+124+125+128+130+131
T12	136+139+146+150+155+158+162+165+166+172+173+176+178+179+189+192+200+203+204+208
T13	190+191+194+212+222+223+225
T14	216+217+218+219+220+221
T15	224+227
T16	80+98+104+109+123+140+142+167+181+198+206+210+211+226
T17	229
T18	4
T19	112



**Test Result(s):**

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T1	T2	T3	T4	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T5	T6	T7	T8	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T9	T10	T11	T12	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T13	T14	T15	T16	
/	/	All tested SVHC in candidate list	/	N.D.	N.D.	N.D.	N.D.	/

Batch	No.	Test item(s)	CAS No.	Result(s),%				RL (%)
				T17				
XIV	164	1,3-propanesultone	1120-71-4	0.439				0.050
/	/	Other tested SVHC in candidate list	/	N.D.				/

Batch	No.	Test item(s)	CAS No.	Result(s),%		RL (%)
				T18	T19	
XIX	189	Lead	7439-92-1	2.825	3.308	0.010
/	/	Other tested SVHC in candidate list	/	N.D.	N.D.	/

**All tested SVHC in candidate list:**

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
I	1	Anthracene	120-12-7	204-371-1	0.050
I	2	4,4'- Diaminodiphenylmethane	101-77-9	202-974-4	0.050
I	3	Dibutyl phthalate(DBP)	84-74-2	201-557-4	0.050
I	4	Cobalt dichloride*	7646-79-9	231-589-4	0.010
I	5	Diarsenic pentaoxide*	1303-28-2	215-116-9	0.010
I	6	Diarsenic trioxide*	1327-53-3	215-481-4	0.010
I	7	Sodium dichromate*	7789-12-0/ 10588-01-9	234-190-3	0.010
I	8	Musk xylene	81-15-2	201-329-4	0.050
I	9	Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	204-211-0	0.050
I	10	Hexabromocyclododecane (HBCDD)	25637-99-4/ 3194-55-6	247-148-4/ 221-695-9	0.050
I	11	ShortChain ChlorinatedParaffins(SCCPs)	85535-84-8	287-476-5	0.050
I	12	Bis(tributyltin)oxide (TBTO)*	56-35-9	200-268-0	0.050
I	13	Lead hydrogen arsenate*	7784-40-9	232-064-2	0.010
I	14	Benzyl butyl phthalate(BBP)	85-68-7	201-622-7	0.050
I	15	Triethyl arsenate*	15606-95-8	427-700-2	0.010
II	16	<sup>①</sup> Anthracene oil	90640-80-5	292-602-7	0.050
II	17	<sup>①</sup> Anthracene oil, anthracene paste, distn. Lights	91995-17-4	295-278-5	0.050
II	18	<sup>①</sup> Anthracene oil, anthracene paste, anthracene fraction	91995-15-2	295-275-9	0.050
II	19	<sup>①</sup> Anthracene oil, anthracene-low	90640-82-7	292-604-8	0.050
II	20	<sup>①</sup> Anthracene oil, anthracene paste	90640-81-6	292-603-2	0.050
II	21	<sup>①</sup> Coal tar pitch, high temperature	65996-93-2	266-028-2	0.050
II	22	Acrylamide	79-06-1	201-173-7	0.050
II	23	2,4-Dinitrotoluene	121-14-2	204-450-0	0.050
II	24	Diisobutyl phthalate (DIBP)	84-69-5	201-553-2	0.050
II	25	<sup>②</sup> Lead chromate	7758-97-6	231-846-0	0.010
II	26	<sup>②</sup> Lead chromate molybdate sulphateRed (C.I. Pigment Red 104)	12656-85-8	235-759-9	0.010
II	27	<sup>②</sup> Lead sulfochromate yellow(C.I. Pigment Yellow 34)	1344-37-2	215-693-7	0.010
II	28	Tris(2-chloroethyl)phosphate (TCEP)	115-96-8	204-118-5	0.050
III	29	Trichloroethylene	79-01-6	201-167-4	0.050
III	30	<sup>③</sup> Boric acid*	10043-35-3/ 11113-50-1	233-139-2/ 234-343-4	0.010

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
III	31	<sup>③</sup> Disodium tetraborate, anhydrous*	1330-43-4/ 12179-04-3/ 1303-96-4	215-540-4	0.010
III	32	<sup>③</sup> Tetraboron disodium heptaoxide, hydrate*	12267-73-1	235-541-3	0.010
III	33	Sodium chromate*	7775-11-3	231-889-5	0.010
III	34	Potassium chromate*	7789-00-6	232-140-5	0.010
III	35	Ammonium dichromate*	7789-09-5	232-143-1	0.010
III	36	Potassium dichromate*	7778-50-9	231-906-6	0.010
IV	37	Cobalt( II ) sulphate*	10124-43-3	233-334-2	0.010
IV	38	Cobalt( II ) dinitrate*	10141-05-6	233-402-1	0.010
IV	39	Cobalt( II ) carbonate*	513-79-1	208-169-4	0.010
IV	40	Cobalt( II ) diacetate*	71-48-7	200-755-8	0.010
IV	41	2-Methoxyethanol	109-86-4	203-713-7	0.050
IV	42	2-Ethoxyethanol	110-80-5	203-804-1	0.050
IV	43	Chromium trioxide*	1333-82-0	215-607-8	0.010
IV	44	Acids generated from chromium trioxide and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid*	7738-94-5/ 13530-68-2	231-801-5/ 236-881-5	0.010
V	45	2-ethoxyethyl acetate	111-15-9	203-839-2	0.050
V	46	Strontium chromate*	7789-6-2	232-142-6	0.010
V	47	<sup>①</sup> 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters	68515-42-4	271-084-6	0.050
V	48	Hydrazine	7803-57-8/ 302-01-2	206-114-9	0.050
V	49	1-methyl-2-pyrrolidone	872-50-4	212-828-1	0.050
V	50	1,2,3-trichloropropane	96-18-4	202-486-1	0.050
V	51	<sup>①</sup> 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich	71888-89-6	276-158-1	0.050
VI	52	Dichromium tris(chromate)*	24613-89-6	246-356-2	0.010
VI	53	Potassium hydroxyoctaoxodizincatedichromate*	11103-86-9	234-329-8	0.010
VI	54	Pentazinc chromate octahydroxide*	49663-84-5	256-418-0	0.010
VI	55	<sup>②</sup> Aluminosilicate Refractory Ceramic Fibres (RCF) **	/	/	0.010
VI	56	<sup>②</sup> Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) **	/	/	0.010

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VI	57	<sup>①</sup> Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	500-036-1	0.050
VI	58	Bis(2-methoxyethyl) phthalate	117-82-8	204-212-6	0.050
VI	59	2-Methoxyaniline (o-Anisidine)	90-04-0	201-963-1	0.050
VI	60	4-(1,1,3,3-tetramethylbutyl)phenol (4-tert-Octylphenol)	140-66-9	205-426-2	0.050
VI	61	1,2-Dichloroethane	107-06-2	203-458-1	0.050
VI	62	Bis(2-methoxyethyl) ether	111-96-6	203-924-4	0.050
VI	63	Arsenic acid*	7778-39-4	231-901-9	0.010
VI	64	Calcium arsenate*	7778-44-1	231-904-5	0.010
VI	65	Trilead diarsenate*	3687-31-8	222-979-5	0.010
VI	66	N,N-dimethylacetamide (DMAC)	127-19-5	204-826-4	0.050
VI	67	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	202-918-9	0.050
VI	68	Phenolphthalein	77-09-8	201-004-7	0.050
VI	69	Lead diazide*	13424-46-9	236-542-1	0.010
VI	70	Lead 2,4,6-trinitro-m-phenylene dioxide (Lead styphnate)*	15245-44-0	239-290-0	0.010
VI	71	Lead dipicrate*	6477-64-1	229-335-2	0.010
VII	72	1,2-bis(2-methoxyethoxy) ethane (TEGDME; triglyme)	112-49-2	203-977-3	0.050
VII	73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	203-794-9	0.050
VII	74	<sup>③</sup> Diboron trioxide*	1303-86-2	215-125-8	0.010
VII	75	Formamide	75-12-7	200-842-0	0.050
VII	76	Lead(II) bis methanesulfonate*	17570-76-2	401-750-5	0.010
VII	77	TGIC(1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	219-514-3	0.050
VII	78	$\beta$ -TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	423-400-0	0.050
VII	79	4,4'-bis(dimethylamino) benzophenone (Michler's ketone)	90-94-8	202-027-5	0.050
VII	80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	202-959-2	0.050
VII	81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride(C.I. Basic Violet 3)	548-62-9	208-953-6	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VII	82	[4-[[4-anilino-1-naphthyl] [4-(dimethylamino)phenyl]methylene]cycl ohexa-2,5- dien-1-ylidene] dimethylammonium chloride(C.I. Basic Blue 26)	2580-56-5	219-943-6	0.050
VII	83	$\alpha,\alpha$ -Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C .I. Solvent Blue 4)	6786-83-0	229-851-8	0.050
VII	84	4,4'-bis(dimethylamino)-4''-(methylamino)t rityl alcohol	561-41-1	209-218-2	0.050
VIII	85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	214-604-9	0.050
VIII	86	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	/	/	0.050
VIII	87	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	204-650-8	0.050
VIII	88	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	/	/	0.050
VIII	89	Henicosafuoroundecanoic acid	2058-94-8	218-165-4	0.050
VIII	90	Pentacosafuorotridecanoic acid	72629-94-8	276-745-2	0.050
VIII	91	Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane- 1,2- dicarboxylic anhydride, trans- cyclohexane-1,2-dicarboxylic anhydride	85-42-7/ 13149-00-3/ 14166-21-3	201-604-9/ 236-086-3/ 238-009-9	0.050
VIII	92	Hexahydromethylphthalic anhydride, Hexahydro-4-methylphthalic anhydride, Hexahydro-1-methylphthalic anhydride, Hexahydro-3-methylphthalic anhydride	25550-51-0/ 19438-60-9/ 48122-14-1/ 57110-29-9	247-094-1/ 243-072-0/ 256-356-4/ 260-566-1	0.050
VIII	93	Heptacosafuorotetradecanoic acid	376-06-7	206-803-4	0.050
VIII	94	Diisopentylphthalate(DIPP)	605-50-5	210-088-4	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VIII	95	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	284-032-2	0.050
VIII	96	N-pentyl-isopentylphthalate	776297-69-9	/	0.050
VIII	97	Methoxyacetic acid	625-45-6	210-894-6	0.050
VIII	98	Tricosafuorododecanoic acid	307-55-1	206-203-2	0.050
VIII	99	1,2-Diethoxyethane	629-14-1	211-076-1	0.050
VIII	100	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	421-150-7	0.050
VIII	101	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	202-453-1	0.050
VIII	102	N-methylacetamide	79-16-3	201-182-6	0.050
VIII	103	Pentalead tetraoxide sulphate*	12065-90-6	235-067-7	0.010
VIII	104	Biphenyl-4-ylamine	92-67-1	202-177-1	0.050
VIII	105	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	201-861-7	0.050
VIII	106	Dioxobis(stearato)trilead*	12578-12-0	235-702-8	0.010
VIII	107	Lead dinitrate*	10099-74-8	233-245-9	0.010
VIII	108	Tetralead trioxide sulphate*	12202-17-4	235-380-9	0.010
VIII	109	Lead monoxide (lead oxide)*	1317-36-8	215-267-0	0.010
VIII	110	Lead titanium trioxide*	12060-00-3	235-038-9	0.010
VIII	111	4,4'-methylenedi-o-toluidine	838-88-0	212-658-8	0.050
VIII	112	Acetic acid, lead salt, basic*	51404-69-4	257-175-3	0.010
VIII	113	Dimethyl sulphate	77-78-1	201-058-1	0.050
VIII	114	Furan	110-00-9	203-727-3	0.050
VIII	115	Pyrochlore, antimony lead yellow*	8012-00-8	232-382-1	0.010
VIII	116	Tetraethyllead*	78-00-2	201-075-4	0.010
VIII	117	[Phthalato(2-)]dioxotrilead*	69011-06-9	273-688-5	0.010
VIII	118	Diethyl sulphate	64-67-5	200-589-6	0.050
VIII	119	Lead cyanamidate*	20837-86-9	244-073-9	0.010
VIII	120	Silicic acid (H <sub>2</sub> Si <sub>2</sub> O <sub>5</sub> ), barium salt (1:1), lead-doped*	68784-75-8	272-271-5	0.010
VIII	121	Trilead dioxide phosphonate*	12141-20-7	235-252-2	0.010
VIII	122	o-Toluidine	95-53-4	202-429-0	0.050
VIII	123	o-aminoazotoluene	97-56-3	202-591-2	0.050
VIII	124	4-aminoazobenzene	60-09-3	200-453-6	0.050
VIII	125	6-methoxy-m-toluidine (p-cresidine)	120-71-8	204-419-1	0.050
VIII	126	Dibutyltin dichloride (DBTC)	683-18-1	211-670-0	0.050
VIII	127	Lead titanium zirconium oxide*	12626-81-2	235-727-4	0.010
VIII	128	Methyloxirane (Propylene oxide)	75-56-9	200-879-2	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
VIII	129	1-bromopropane (n-propyl bromide)	106-94-5	203-445-0	0.050
VIII	130	Trilead bis(carbonate)dihydroxide*	1319-46-6	215-290-6	0.010
VIII	131	Fatty acids, C16-18, lead salts*	91031-62-8	292-966-7	0.010
VIII	132	Orange lead (lead tetroxide)*	1314-41-6	215-235-6	0.010
VIII	133	Sulfurous acid, lead salt, dibasic*	62229-08-7	263-467-1	0.010
VIII	134	4,4'-oxydianiline and its salts	101-80-4	202-977-0	0.050
VIII	135	Lead oxide sulfate*	12036-76-9	234-853-7	0.010
VIII	136	Lead bis(tetrafluoroborate)*	13814-96-5	237-486-0	0.010
VIII	137	Silicic acid, lead salt*	11120-22-2	234-363-3	0.010
VIII	138	N,N-dimethylformamide	68-12-2	200-679-5	0.050
IX	139	Cadmium	7440-43-9	231-152-8	0.010
IX	140	Cadmium oxide*	1306-19-0	215-146-2	0.010
IX	141	Dipentyl phthalate (DPP)	131-18-0	205-017-9	0.050
IX	142	4-Nonylphenol, branched and linear, ethoxylated[substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	/	/	0.050
IX	143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	223-320-4	0.050
IX	144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	206-397-9	0.050
X	145	<sup>①</sup> Trixylyl phosphate	25155-23-1	246-677-8	0.050
X	146	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	217-710-3	0.050
X	147	Dihexyl phthalate	84-75-3	201-559-5	0.050
X	148	Cadmium sulphide*	1306-23-6	215-147-8	0.010
X	149	Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	209-358-4	0.050
X	150	Lead di(acetate)*	301-04-2	206-104-4	0.010
X	151	Imidazolidine-2-thione; 2-imidazoline-2-thiol	96-45-7	202-506-9	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XI	152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	271-093-5	0.050
XI	153	Cadmium chloride	10108-64-2	233-296-7	0.010
XI	154	<sup>®</sup> Sodium peroxometaborate perboric acid, sodium salt*	/	239-172-9/ 234-390-0	0.010
XI	155	<sup>®</sup> Sodium peroxometaborate*	7632-04-4	231-556-4	0.010
XII	156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	247-384-8	0.050
XII	157	2-(2'-Hydroxy-3',5'-di-tert-butylphenyl)benzotriazole (UV-320)	3846-71-7	223-346-6	0.050
XII	158	Cadmium fluoride*	7790-79-6	232-222-0	0.010
XII	159	Cadmium sulphate*	10124-36-4/ 31119-53-6	233-331-6	0.010
XII	160	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate; DOTE	15571-58-1	239-622-4	0.050
XII	161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyloxy)-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	/	/	0.050
XIII	162	1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with $\geq$ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5/ 68648-93-1	271-094-0/ 272-013-1	0.050
XIII	163	5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual stereoisomers of [1] and [2] or any combination thereof]	/	/	0.050
XIV	164	1,3-propanesultone	1120-71-4	214-317-9	0.050
XIV	165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327)	3864-99-1	223-383-8	0.050



Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XIV	166	2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	253-037-1	0.050
XIV	167	Nitrobenzene	98-95-3	202-716-0	0.050
XIV	168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1/ 21049-39-8/ 4149-60-4	206-801-3	0.050
XV	169	Benzo[def]chrysene	50-32-8	200-028-5	0.050
XVI	170	Bisphenol(BPA)	80-05-7	201-245-8	0.050
XVI	171	4-Heptylphenol, branched and linear (substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof)	/	/	0.050
XVI	172	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts	3108-42-7/ 335-76-2/ 3830-45-3	206-400-3/ 221-470-5	0.050
XVI	173	4-tert-amylphenol	80-46-6	201-280-9	0.050
XVII	174	Perfluorohexane-1-sulphonic acid and its salts (PFHxS)	/	/	0.050
XVIII	175	Dechlorane plus (including any of its individual anti- and syn-isomers or any combination thereof)	13560-89-9/ 135821-74-8/ 135821-03-3	/	0.050
XVIII	176	Benzo[a]anthracene	56-55-3	200-280-6	0.050
XVIII	177	Cadmium nitrate*	10325-94-7	233-710-6	0.010
XVIII	178	Cadmium carbonate*	513-78-0	208-168-9	0.010
XVIII	179	Cadmium hydroxide*	21041-95-2	244-168-5	0.010
XVIII	180	Chrysene	218-01-9	205-923-4	0.050
XVIII	181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, branched and linear]	/	/	0.050
XIX	182	Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA)	552-30-7	209-008-0	0.050
XIX	183	Dicyclohexyl phthalate (DCHP)	84-61-7	201-545-9	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XIX	184	Benzo[ghi]perylene	191-24-2	205-883-8	0.050
XIX	185	Decamethylcyclopentasiloxane (D5)	541-02-6	208-764-9	0.050
XIX	186	<sup>®</sup> Disodium octaborate*	12008-41-2	234-541-0	0.010
XIX	187	Dodecamethylcyclohexasiloxane (D6)	540-97-6	208-762-8	0.050
XIX	188	Ethylenediamine (EDA)	107-15-3	203-468-6	0.050
XIX	189	Lead	7439-92-1	231-100-4	0.010
XIX	190	Octamethylcyclotetrasiloxane (D4)	556-67-2	209-136-7	0.050
XIX	191	Terphenyl, hydrogenated	61788-32-7	262-967-7	0.050
XX	192	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	239-139-9	0.050
XX	193	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	401-720-1	0.050
XX	194	Benzo[k]fluoranthene	207-08-9	205-916-6	0.050
XX	195	Fluoranthene	206-44-0	205-912-4	0.050
XX	196	Phenanthrene	85-01-8	201-581-5	0.050
XX	197	Pyrene	129-00-0	204-927-3	0.050
XXI	198	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)	/	/	0.050
XXI	199	4-tert-butylphenol	98-54-4	202-679-0	0.050
XXI	200	2-methoxyethyl acetate	110-49-6	203-772-9	0.050
XXI	201	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy) propionic acid, its salts and its acyl halides(covering any of their individual isomers and combinations thereof)	/	/	0.050
XXII	202	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	404-360-3	0.050
XXII	203	2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.050
XXII	204	Diisohexyl phthalate	71850-09-4	276-090-2	0.050
XXII	205	Perfluorobutane sulfonic acid (PFBS) and its salts	/	/	0.050
XXIII	206	1-vinylimidazole	1072-63-5	214-012-0	0.050
XXIII	207	2-methylimidazole	693-98-1	211-765-7	0.050
XXIII	208	Butyl 4-hydroxybenzoate	94-26-8	202-318-7	0.050
XXIII	209	Dibutylbis(pentane-2,4-dionato-O,O')tin	22673-19-4	245-152-0	0.050
XXIV	210	Bis(2-(2-methoxyethoxy)ethyl) ether	143-24-8	205-594-7	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXIV	211	Diocetyl tin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety	/	/	0.050
XXV	212	1,4-dioxane	123-91-1	204-661-8	0.050
XXV	213	2,2-bis(bromomethyl)propane 1,3-diol (BMP); 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA); 2,3-dibromo-1-propanol (2,3-DBPA)	3296-90-0/ 36483-57-5, 1522-92-5/ 96-13-9	221-967-7/ 253-057-0/ 202-480-9	0.050
XXV	214	2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers	/	/	0.050
XXV	215	4,4'-(1-methylpropylidene) bisphenol (bisphenol B)	77-40-7	201-025-1	0.050
XXV	216	Glutaral	111-30-8	203-856-5	0.050
XXV	217	Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17]	/	/	0.050
XXV	218	<sup>®</sup> Orthoboric acid, sodium salt (Group) *	/	/	0.010
XXV	219	Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/or combinations thereof (PDDP)	/	/	0.050
XXVI	220	(±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC)	/	/	0.050
XXVI	221	6,6'-di-tert-butyl-2,2'-methylene di-p-cresol	119-47-1	204-327-1	0.050
XXVI	222	S-(tricyclo[5.2.1.0 <sup>2,6</sup> ]deca-3-en-8(or 9)-yl) O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate	255881-94-8	401-850-9	0.050
XXVI	223	Tris(2-methoxyethoxy)vinylsilane	1067-53-4	213-934-0	0.050
XXVII	224	N-(hydroxymethyl)acrylamide	924-42-5	213-103-2	0.050

Batch	No.	Substance Name(s)	CAS No.	EC No.	RL (%)
XXVIII	225	1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene]	37853-59-1	253-692-3	0.050
XXVIII	226	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol	79-94-7	201-236-9	0.050
XXVIII	227	4,4'-sulphonyldiphenol	80-09-1	201-250-5	0.050
XXVIII	228	® Barium diboron tetraoxide*	13701-59-2	237-222-4	0.010
XXVIII	229	Bis(2-ethylhexyl) tetrabromophthalate covering any of the individual isomers and/or combinations thereof	/	/	0.050
XXVIII	230	Isobutyl 4-hydroxybenzoate	4247-02-3	224-208-8	0.050
XXVIII	231	Melamine	108-78-1	203-615-4	0.050
XXVIII	232	Perfluoroheptanoic acid and its salts	/	/	0.050
XXVIII	233	Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropyl)morpholine and 2,2,3,3,5,5,6,6-octafluoro-4-(heptafluoropropyl)morpholine	/	473-390-7	0.050
XXIX	234	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	75980-60-8	278-355-8	0.050
XXIX	235	Bis(4-chlorophenyl) sulphone	80-07-9	201-247-9	0.050

**Test Method:**

With reference to NTEK in-house method, Analysis is performed by Liquid Chromatography Mass Spectrometry/ Mass Spectrometry (LC-MS/MS), Gas Chromatography and Mass Spectrometry (GC-MS), headspace GC-MS, Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES), UV-Vis spectrophotometer.

**Note:**

1. “%” =percent by weight, 0.1% = 1000 mg/kg =1000 ppm
2. RL = Report Limit, N.D. = Not Detected (<RL), / = Not Regulated or Not Applicable
3. \*: Concentration value of the substance by the conversion from the test results of certain elements.  
Concentration value of Bis(tributyltin)oxide by the conversion from the test results of Tributyl Tins.
4. \*\*: All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation (EC) No 1272/2008).
5. ①: In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances.
6. ②: In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of therepresentative compounds are calculated based on the result of specified heavy metal elements.
7. ③: Concentration value of Boric acid; Disodium tetraborate, anhydrous; Tetraboron disodium heptaoxide, hydrate; Diboron trioxide; Sodium perborate; perboric acid, sodium salt; Sodium peroxometaborate; Disodium octaborate; Orthoboric acid, sodium salt (Group) ; Barium diboron tetraoxide is calculated by the conversion from the test results of certain elements and confirmed by appropriate solvent extraction, meanwhile the book of materials is suggested to be checked for further confirmation.
8. REACH regulations related to obligations
  - (a) The chemical analysis of SVHC is performed by means of currently available analytical Techniques against the list published by ECHA, and shall refer to <http://echa.europa.eu/web/guest/candidate-list-table>. This list is under evaluation by ECHA and may subject to change in the future;
  - (b) Concerning article(s):

Notification: In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if ( i ) the substance is present in those articles in quantities totaling over one tonne per producer or importer per year; and ( ii ) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w);

Inform: Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with

sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance;

(c) Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article.

If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No. 1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

(d) Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006.

**Sample photo(s):**



Fig.1



Fig.2



Fig.3




Fig.4





Fig.5




Fig.6



Fig.7




Fig.8



Fig.9




Fig.10



Fig.11



Fig.12




Fig.13



Fig.14



Fig.15



Fig.16




Fig.17



Fig.18



Fig.19




Fig.20






Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27



Fig.28




Fig.29




Fig.30




Fig.31



Fig.32



Fig.33




Fig.34



Fig.35




Fig.36





Fig.37



Fig.38



Fig.39

\*\*\*\*End of Report\*\*\*\*

The test results or data in this report will be used only for education, scientific research, enterprise product development and internal quality control or other purposes.

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of NTEK, this report can't be reproduced except in full.