# Test Report



**Applicant:** **Shenzhen Huafurui Technology Co., Ltd.**

**Address:** **Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993 Jiaxian Road, Xiangjiaotang Community, Bantian Street, Longgang District, Shenzhen, P.R. China**

**The following sample was submitted and identified by/on behalf of the client as:**

| | |
|---|---|
| Sample Name: | CUBOT |
| Model No.: | TAB KINGKONG 2 |
| Trade Mark: | CUBOT |
| Sample Received Date: | 2024.07.23 |
| Testing Period: | 2024.07.23—2024.08.05 |
| Test Requested: | As specified by client, to screen the 240 substances of very high concern (SVHC) under Regulation (EC) No. 1907/2006 of REACH in the submitted sample(s). |
| Test Method: | Please refer to the following page(s). |
| Test Result(s): | Please refer to the following page(s). |

Summary:

| | |
|---|---|
| According to the ruling of the Court of Justice the European Union the definition of an article under REACH, and the specified scope and evaluation screening, the test result of SVHC are > 0.1% (w/w) in the articles of the submitted sample. | See remark for obligation under REACH |

Checked by

Evan Fang

Approved by

Ryan Zhang

Technical Manager

Remark:

1. The chemical analysis of Specified SVHC is performed by means of currently available analytical techniques against the list published by ECHA. This list is under evaluation by ECHA and may subject to change in the future.

2. REACH regulations related to obligations

(a) The chemical analysis of SVHC is performed by means of currently available analytical Techniques against the list published by ECHA, and shall refer to http://echa.europa.eu/web/guest/candidate-list-table. This list is under evaluation by ECHA and may subject to change in the future;

(b) Concerning article(s):

Notification: In accordance with Regulation (EC) No 1907/2006, any producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (ⅰ) the substance is present in those articles in quantities totaling over one ton ne per producer or importer per year; and (ⅱ) the substance is present in those articles above a concentration of 0.1% weight by weight (w/w);

Inform: Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance;

(c) Concerning material(s):

Test results in this report are based on the tested sample. This report refers to testing result of tested sample submitted as homogenous material(s). In case such material is being used to compose an article, the results indicated in this report may not represent SVHC concentration in such article. If this report refers to testing result of composite material group by equal weight proportion, the material in each composite test group may come from more than one article. If the sample is a substance or mixture, and it directly exports to EU, client has the obligation to comply with the supply chain communication obligation under Article 31 of Regulation (EC) No.1907/2006 and the conditions of Authorization of substance of very high concern included in the Annex XIV of the Regulation (EC) No. 1907/2006.

(d)Concerning substance and preparation:

If a SVHC is found over 0.1% (w/w) and/or the specific concentration limit which is set in Regulation (EC) No 1272/2008 and No 790/2009, client is suggested to prepare a Safety Data Sheet (SDS) against the SVHC to comply with the supply chain communication obligation under Regulation (EC) No 1907/2006.

3. If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

Test Method: With reference to US EPA3052:1996, US EPA3050B:1996, US EPA3060A:1996, US EPA3550C:2007, US EPA3540C:1996, ISO17353:2004(E); Analysis was performed by GC-MS, ICP-OES, UV-Vis, HPLC-MS etc.

**Test Result:**

| No. | Substance Name | CAS No. | Results (%) |
|---|---|---|---|
| 001 | All tested SVHC in candidate list | - | N.D. |
| 002 | All tested SVHC in candidate list | - | N.D. |
| 003 | All tested SVHC in candidate list | - | N.D. |
| 004 | All tested SVHC in candidate list | - | N.D. |
| 005 | All tested SVHC in candidate list | - | N.D. |
| 006 | All tested SVHC in candidate list | - | N.D. |
| 007 | 1,3-propanesultone | 1120-71-4 | 0.254 |
| | Other tested SVHC in candidate list | - | N.D. |
| 008 | Lead | 7439-92-1 | 4.17 |
| | Other tested SVHC in candidate list | - | N.D. |
| 009 | All tested SVHC in candidate list | - | N.D. |
| 010 | All tested SVHC in candidate list | - | N.D. |
| 011 | All tested SVHC in candidate list | - | N.D. |

**Material group:**

001. Nonmetal group

002. Nonmetal group

003. Nonmetal group

004. Nonmetal group

005. Nonmetal group

006. Nonmetal group

007. Battery

008. Metal group

009. Metal group

010. Metal group

011. Glass

| Group No. | Sample No. | Description |
|---|---|---|
| 001 | 1 | Black soft plastic |
| | 2 | Black plastic with multi color coating |
| | 3 | Transparent plastic |
| | 4 | Black dry glue |

| | | |
|---|---|---|
| | 5 | Black soft plastic |
| | 6 | Black adhesive plastic tape |
| | 7 | Silvery color sponge |
| | 8 | Yellow transparent adhesive plastic tape |
| | 9 | Yellow FPC |
| | 10 | Black adhesive plastic tape |
| | 11 | Silvery color translucent plastic |
| | 12 | Silvery color translucent plastic |
| | 13 | White translucent plastic |
| | 14 | Transparent plastic |
| | 15 | White plastic |
| | 16 | LT.grey plastic |
| | 17 | Grey plastic |
| | 18 | White FPC |
| | 19 | Pink dry glue |
| | 20 | Black double-side tape |
| 002 | 21 | Black plastic |
| | 22 | Transparent plastic |
| | 23 | Black foam |
| | 24 | Black FPC |
| | 25 | Silvery color sponge |
| | 26 | Black textile tape |
| | 27 | Transparent adhesive plastic tape |
| | 28 | Transparent double-side tape |
| | 29 | White dry glue |
| | 30 | Black plastic |
| | 31 | Black textile fabric |
| | 32 | Black soft plastic |
| | 33 | Black double-side tape |
| | 34 | Transparent adhesive plastic tape |
| | 35 | Black plastic |
| | 36 | Yellow FPC |
| | 37 | Black plastic |
| | 38 | Black FPC |
| | 39 | Yellow FPC |
| | 40 | Black plastic |

| | | |
|---|---|---|
| 003 | 41 | Transparent plastic |
| | 42 | Grey plastic |
| | 43 | Black FPC |
| | 44 | Yellow FPC |
| | 45 | Black soft plastic |
| | 46 | Black plastic |
| | 47 | Black plastic jacket |
| | 48 | Red plastic jacket |
| | 49 | White plastic |
| | 50 | Black plastic |
| | 51 | Silvery color plastic |
| | 52 | Copper color electronic component |
| | 53 | Black soft plastic |
| | 54 | Blue plastic jacket |
| | 55 | Black soft plastic |
| | 56 | Green PCB |
| | 57 | White plastic |
| | 58 | Yellow FPC |
| | 59 | Black plastic cable jacket |
| | 60 | White plastic jacket |
| 004 | 61 | Black plastic |
| | 62 | Black PCB |
| | 63 | Black PCB |
| | 64 | Black adhesive plastic tape |
| | 65 | Yellow transparent adhesive plastic tape |
| | 66 | Silvery color plastic label with black printing |
| | 67 | Transparent plastic |
| | 68 | Green paper |
| | 69 | Black FPC |
| | 70 | Black PCB |
| | 71 | White plastic |
| | 72 | Black plastic |
| | 73 | White translucent double-side tape |
| | 74 | DK.grey dry glue |
| | 75 | Green PCB |
| | 76 | Green PCB |

| | | |
|---|---|---|
| | 77 | White plastic |
| | 78 | White soft plastic |
| | 79 | White plastic jacket |
| | 80 | Green enamelled wire |
| 005 | 81 | Blue enamelled wire |
| | 82 | Copper color enamelled wire |
| | 83 | Red enamelled wire |
| | 84 | Red-copper enamelled wire |
| | 85 | Grey plastic |
| | 86 | Blue PCB |
| | 87 | White soft plastic |
| | 88 | White plastic |
| | 89 | Blue PCB |
| | 90 | Blue textile fabric |
| | 91 | White plastic |
| | 92 | White soft plastic |
| | 93 | White double-side tape |
| | 94 | Transparent plastic film |
| | 95 | White textile fabric |
| | 96 | Green PCB |
| | 97 | White dry glue |
| | 98 | White soft plastic |
| | 99 | White plastic cable jacket |
| | 100 | Pink plastic jacket |
| 006 | 101 | Black plastic jacket |
| | 102 | Yellow plastic jacket |
| | 103 | Green plastic jacket |
| | 104 | White plastic jacket |
| | 105 | White plastic |
| | 106 | Grey plastic |
| | 107 | Blue PCB |
| | 108 | White translucent dry glue |
| | 109 | White soft plastic |
| | 110 | White plastic cable jacket |
| | 111 | White soft plastic |
| | 112 | Green plastic jacket |

| | | |
|---|---|---|
| | 113 | Black plastic jacket |
| | 114 | White plastic jacket |
| | 115 | Red plastic jacket |
| | 116 | White plastic |
| | 117 | White translucent dry glue |
| | 118 | Blue PCB |
| 007 | 119 | Battery |
| 008 | 120 | Black surfaced metal |
| | 121 | Copper color metal nut |
| | 122 | Grey surfaced metal |
| | 123 | Silvery color metal screw with black coating |
| | 124 | Grey surfaced metal |
| | 125 | Copper color metal with black coating |
| | 126 | Silvery color metal |
| | 127 | Silvery color metal screw |
| | 128 | Silvery color metal |
| | 129 | Copper color metal |
| | 130 | Silvery color metal |
| | 131 | Copper color metal nut |
| | 132 | Silvery color metal |
| | 133 | Silvery color metal |
| | 134 | Silvery color metal |
| | 135 | Copper color enamelled wire |
| | 136 | Silvery color magnet |
| | 137 | Silvery color metal wire core |
| | 138 | Silvery color metal |
| | 139 | Silvery color magnet |
| 009 | 140 | Silvery color metal |
| | 141 | Copper color enamelled wire |
| | 142 | Silvery color metal |
| | 143 | Silvery color metal |
| | 144 | Silvery color magnet |
| | 145 | Silvery color metal |
| | 146 | Copper color enamelled wire |
| | 147 | Copper color metal |
| | 148 | Silvery color metal |

| | | |
|---|---|---|
| | 149 | Copper color metal |
| | 150 | Grey surfaced metal |
| | 151 | Silvery color metal |
| | 152 | Silvery color metal |
| | 153 | Silvery color metal |
| | 154 | Silvery color metal |
| | 155 | Silvery color metal |
| | 156 | Silvery color metal |
| | 157 | Silvery color metal |
| | 158 | Silvery color metal |
| | 159 | Silvery color magnet |
| 010 | 160 | Silvery color metal |
| | 161 | Copper color enamelled wire |
| | 162 | Copper color metal wire core |
| | 163 | Silvery color metal |
| | 164 | Silvery color metal |
| | 165 | Silvery color metal pin |
| | 166 | Silvery color metal |
| | 167 | Silvery color metal |
| | 168 | Silvery color metal pin |
| 011 | 169 | Transparent glass with black coating |
| | 170 | Black glass screen |
| | 171 | Blue transparent glass |

Note: 1.- RL = Report Limit

2. -N.D. = Not Detected (<report limit)

3. -0.1%= 1000 mg/kg =1000 ppm

4. -*: Concentration value of the substance by the conversion from the test results of certain elements. Concentration value of Bis(tributyltin)oxide by the conversion from the test results of Tributyl Tins.

5. -**:All refractory ceramic fibres are covered by index number 650-017-00-8 in Annex VI of the Regulation on Classification, Labeling and Packaging of chemical substances and mixtures, the so called CLP Regulation (Regulation (EC) No 1272/2008).

6. -***: C.I.: Colour Index

7. -****:Light fractions from distillation

8. -*****:Concentration value of Disodium tetraborate, anhydrous and Tetraboron disodium heptaoxide, hydrate is evaluated by Disodium tetraborate, with no consider of the hydrate.

9. -①:In view of the substances are established as UVCB substances (substances of unknown or variable composition, complex reaction products or biological materials) consisting of different and variable constituents, the test results are calculated based on the main constituents of the representative compounds for substances.

10. -②:In view of the substance contain variable substances, the test results are calculated based on main constituents of the representative compounds for the substances, and the test results of the representative compounds are calculated based on the result of specified heavy metal elements.

11. -③:Concentration value of Boric acid; Disodium tetraborate, anhydrous; Tetraboron disodium heptaoxide, hydrate; Diboron trioxide; Sodium peroxometaborate; Sodium perborate; perboric acid, sodium salt are calculated by the conversion from the test results of certain elements and confirmed by appropriate solvent extraction, meanwhile the book of materials is suggested to be checked for further confirmation.

12. As specified by client, the submitted sample were weight equal proportion mixed to test, the test results are calculated based on the minimum sample weight.

## Photo(s) of the sample(s)




4


5


6
7


8
9


10
11
12
13
14
15
16


17


18


19


20


21
22


24
23
WCL_LCD_FPC


25
26
27


29
30
28


31


32


33


34
35


36


37
38


39


40
41
42


43


44


45
46
47
48
49


50
51


52


53


54


55
56
57
58


59
60


61


62


63


64
66
65


67


68


69


70


71


72


73


74


75


76


77
78
79
80
81
82
83
84


85
86


87


88


89


90
91
92


93
94
95
96


97
98
99
100
101
102
103
104


105
106
107
108


109
110
111


112
113
114
115


116
117


118


119


120
122
121
CUBOT


124
123


126
125


127
128
129
130


131


132


133


134
135
136


137


138
139
140
141
142


143
144
145
146
147
148


149


150
151


152


153


154


155
156


157
158
159
160
161


162


163
164
165


166
167
168


169
CUBOT


170


171

**Analytical flow chart of SVHC**



**Appendix - Full list of tested SVHC**

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| I | 1 | Anthracene | 120-12-7 | 204-371-1 | 0.05% |
| I | 2 | 4,4'- Diaminodiphenylmethane(MDA) | 101-77-9 | 202-974-4 | 0.05% |
| I | 3 | Dibutyl phthalate(DBP) | 84-74-2 | 201-557-4 | 0.05% |
| I | 4 | Cobalt dichloride* | 7646-79-9 | 231-589-4 | 0.01% |
| I | 5 | Diarsenic pentaoxide* | 1303-28-2 | 215-116-9 | 0.01% |
| I | 6 | Diarsenic trioxide* | 1327-53-3 | 215-481-4 | 0.01% |
| I | 7 | Sodium dichromate* | 7789-12-0/ 10588-01-9 | 234-190-3 | 0.01% |
| I | 8 | Musk xylene | 81-15-2 | 201-329-4 | 0.05% |
| I | 9 | Bis(2-ethyl(hexyl)phthalate)(DEHP) | 117-81-7 | 204-211-0 | 0.05% |
| I | 10 | Hexabromocyclododecane (HBCDD) | 25637-99-4/ 3194-55-6 | 247-148-4/ 221-695-9 | 0.05% |
| I | 11 | Short Chain Chlorinated Paraffins(SCCPs) | 85535-84-8 | 287-476-5 | 0.05% |
| I | 12 | Bis(tributyltin)oxide (TBTO)* | 56-35-9 | 200-268-0 | 0.05% |
| I | 13 | Lead hydrogen arsenate* | 7784-40-9 | 232-064-2 | 0.01% |
| I | 14 | Benzyl butyl phthalate(BBP) | 85-68-7 | 201-622-7 | 0.05% |
| I | 15 | Triethyl arsenate* | 15606-95-8 | 427-700-2 | 0.01% |
| II | 16 | ①Anthracene oil | 90640-80-5 | 292-602-7 | 0.05% |
| II | 17 | ①Anthracene oil,anthracene paste, distn. Lights**** | 91995-17-4 | 295-278-5 | 0.05% |
| II | 18 | ①Anthracene oil, anthracene paste, anthracene fraction | 91995-15-2 | 295-275-9 | 0.05% |
| II | 19 | ①Anthracene oil, anthracene-low | 90640-82-7 | 292-604-8 | 0.05% |
| II | 20 | ①Anthracene oil, anthracene paste | 90640-81-6 | 292-603-2 | 0.05% |
| II | 21 | ①Coal tar pitch, high temperature | 65996-93-2 | 266-028-2 | 0.05% |
| II | 22 | Acrylamide | 79-06-1 | 201-173-7 | 0.05% |
| II | 23 | 2,4-Dinitrotoluene | 121-14-2 | 204-450-0 | 0.05% |
| II | 24 | Diisobutyl phthalate (DIBP) | 84-69-5 | 201-553-2 | 0.05% |
| II | 25 | ②Lead chromate | 7758-97-6 | 231-846-0 | 0.01% |
| II | 26 | ②Lead chromate molybdate sulphate red(C.I. Pigment Red 104)*** | 12656-85-8 | 235-759-9 | 0.01% |
| II | 27 | ②Lead sulfochromate yellow(C.I. Pigment Yellow 34)*** | 1344-37-2 | 215-693-7 | 0.01% |
| II | 28 | Tris(2-chloroethyl)phosphate (TCEP) | 115-96-8 | 204-118-5 | 0.05% |
| III | 29 | Trichloroethylene | 79-01-6 | 201-167-4 | 0.05% |
| III | 30 | ③Boric acid | 10043-35-3 11113-50-1 | 233-139-2 234-343-4 | 0.01% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| III | 31 | ③Disodium tetraborate, anhydrous**** | 1330-43-4<br>12179-04-3<br>1303-96-4 | 215-540-4 | 0.01% |
| III | 32 | ③Tetraboron disodium heptaoxide, hydrous**** | 12267-73-1 | 235-541-3 | 0.01% |
| III | 33 | Sodium chromate* | 7775-11-3 | 231-889-5 | 0.01% |
| III | 34 | Potassium chromate* | 7789-00-6 | 232-140-5 | 0.01% |
| III | 35 | Ammonium dichromate* | 7789-09-5 | 232-143-1 | 0.01% |
| III | 36 | Potassium dichromate* | 7778-50-9 | 231-906-6 | 0.01% |
| IV | 37 | Cobalt(Ⅱ) sulphate* | 10124-43-3 | 233-334-2 | 0.01% |
| IV | 38 | Cobalt(Ⅱ) dinitrate* | 10141-05-6 | 233-402-1 | 0.01% |
| IV | 39 | Cobalt(Ⅱ) carbonate* | 513-79-1 | 208-169-4 | 0.01% |
| IV | 40 | Cobalt(Ⅱ) diacetate* | 71-48-7 | 200-755-8 | 0.01% |
| IV | 41 | 2-Methoxyethanol | 109-86-4 | 203-713-7 | 0.05% |
| IV | 42 | 2-Ethoxyethanol | 110-80-5 | 203-804-1 | 0.05% |
| IV | 43 | Chromium trioxide* | 1333-82-0 | 215-607-8 | 0.01% |
| IV | 44 | ①Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid* | 7738-94-5<br>13530-68-2 | 231-801-5<br>236-881-5 | 0.01% |
| V | 45 | 2-ethoxyethyl acetate | 111-15-9 | 203-839-2 | 0.01% |
| V | 46 | Strontium chromate* | 7789-06-2 | 232-142-6 | 0.01% |
| V | 47 | ①1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters | 68515-42-4 | 271-084-6 | 0.01% |
| V | 48 | Hydrazine | 7803-57-8<br>302-01-2 | 206-114-9 | 0.05% |
| V | 49 | 1-methyl-2-pyrrolidone | 872-50-4 | 212-828-1 | 0.05% |
| V | 50 | 1,2,3-trichloropropane | 96-18-4 | 202-486-1 | 0.05% |
| V | 51 | ①1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich | 71888-89-6 | 276-158-1 | 0.05% |
| VI | 52 | Dichromium tris(chromate)* | 24613-89-6 | 246-356-2 | 0.01% |
| VI | 53 | Potassium hydroxyoctaoxodizincatedichromate* | 11103-86-9 | 234-329-8 | 0.01% |
| VI | 54 | Pentazinc chromate octahydroxide* | 49663-84-5 | 256-418-0 | 0.01% |
| VI | 55 | ②Aluminosilicate Refractory Ceramic Fibres (RCF)** | - | - | 0.05% |
| VI | 56 | ②Zirconia Aluminosilicate Refractory Ceramic Fibres(Zr-RCF)** | - | - | 0.05% |
| VI | 57 | ②Formaldehyde, oligomeric reaction products with aniline | 25214-70-4 | 500-036-1 | 0.05% |
| VI | 58 | Bis(2-methoxyethyl) phthalate | 117-82-8 | 204-212-6 | 0.05% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| VI | 59 | 2-Methoxyaniline; o-Anisidine | 90-04-0 | 201-963-1 | 0.05% |
| VI | 60 | 4-(1,1,3,3-tetramethylbutyl)phenol (4-tert-Octylphenol) | 140-66-9 | 205-426-2 | 0.05% |
| VI | 61 | 1,2-Dichloroethane | 107-06-2 | 203-458-1 | 0.05% |
| VI | 62 | Bis(2-methoxyethyl) ether | 111-96-6 | 203-924-4 | 0.05% |
| VI | 63 | Arsenic acid* | 7778-39-4 | 231-901-9 | 0.01% |
| VI | 64 | Calcium arsenate* | 7778-44-1 | 231-904-5 | 0.01% |
| VI | 65 | Trilead diarsenate* | 3687-31-8 | 222-979-5 | 0.01% |
| VI | 66 | N,N-dimethylacetamide | 127-19-5 | 204-826-4 | 0.05% |
| VI | 67 | Phenolphthalein | 77-09-8 | 201-004-7 | 0.05% |
| VI | 68 | 2,2'-dichloro-4,4'-methylenedianiline (MOCA) | 101-14-4 | 202-918-9 | 0.05% |
| VI | 69 | Lead diazide* | 13424-46-9 | 236-542-1 | 0.01% |
| VI | 70 | Lead styphnate* | 15245-44-0 | 239-290-0 | 0.01% |
| VI | 71 | Lead dipicrate* | 6477-64-1 | 229-335-2 | 0.01% |
| VII | 72 | 1,2-bis(2-methoxyethoxy)ethane | 112-49-2 | 203-977-3 | 0.05% |
| VII | 73 | 1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 203-794-9 | 0.05% |
| VII | 74 | ③Diboron trioxide | 1303-86-2 | 215-125-8 | 0.01% |
| VII | 75 | Formamide | 75-12-7 | 200-842-0 | 0.05% |
| VII | 76 | Lead(II) bis(methanesulfonate)* | 17570-76-2 | 401-750-5 | 0.01% |
| VII | 77 | TGIC(1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione) | 2451-62-9 | 219-514-3 | 0.05% |
| VII | 78 | β-TGIC (1,3,5-tris[(2S and2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione) | 59653-74-6 | 423-400-0 | 0.05% |
| VII | 79 | 4,4'-bis(dimethylamino) benzophenone (Michler's ketone) | 90-94-8 | 202-027-5 | 0.05% |
| VII | 80 | N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base) | 101-61-1 | 202-959-2 | 0.05% |
| VII | 81 | C.I. Basic Violet 3 | 548-62-9 | 208-953-6 | 0.05% |
| VII | 82 | C.I. Basic Blue 26 | 2580-56-5 | 219-943-6 | 0.05% |
| VII | 83 | C.I. Solvent Blue 4 | 6786-83-0 | 229-851-8 | 0.05% |
| VII | 84 | 4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol | 561-41-1 | 209-218-2 | 0.05% |
| VIII | 85 | [Phthalato(2-)]dioxotrilead* | 69011-06-9 | 273-688-5 | 0.01% |
| VIII | 86 | ①1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | 84777-06-0 | 284-032-2 | 0.05% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| VIII | 87 | 1,2-Diethoxyethane | 629-14-1 | 211-076-1 | 0.05% |
| VIII | 88 | 1-Bromopropane | 106-94-5 | 203-445-0 | 0.05% |
| VIII | 89 | 3-Ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 143860-04-2 | 421-150-7 | 0.05% |
| VIII | 90 | 4-(1,1,3,3- Tetramethylbutyl)phenol, ethoxylated | - | - | 0.05% |
| VIII | 91 | 4,4'-Methylenedi-o-toluidine | 838-88-0 | 212-658-8 | 0.05% |
| VIII | 92 | 4,4'-Oxydianiline and its salts | 101-80-4 | 202-977-0 | 0.05% |
| VIII | 93 | 4-Aminoazobenzene | 60-09-3 | 200-453-6 | 0.05% |
| VIII | 94 | 4-Methyl-m-phenylenediamine | 95-80-7 | 202-453-1 | 0.05% |
| VIII | 95 | ①4-Nonylphenol, branched and linear | -- | -- | 0.05% |
| VIII | 96 | 6-Methoxy-m-toluidine | 120-71-8 | 204-419-1 | 0.05% |
| VIII | 97 | Acetic acid, lead salt, basic* | 51404-69-4 | 257-175-3 | 0.01% |
| VIII | 98 | Biphenyl-4-ylamine | 92-67-1 | 202-177-1 | 0.05% |
| VIII | 99 | Bis(pentabromophenyl) ether (DecaBDE) | 1163-19-5 | 214-604-9 | 0.05% |
| VIII | 100 | C,C'-azodi(formamide) | 123-77-3 | 204-650-8 | 0.05% |
| VIII | 101 | Dibutyltin dichloride | 683-18-1 | 211-670-0 | 0.05% |
| VIII | 102 | Diethyl sulphate | 64-67-5 | 200-589-6 | 0.05% |
| VIII | 103 | Diisopentyl phthalate (DIPP) | 605-50-5 | 210-088-4 | 0.05% |
| VIII | 104 | Dimethyl sulphate | 77-78-1 | 201-058-1 | 0.05% |
| VIII | 105 | Dinoseb | 88-85-7 | 201-861-7 | 0.05% |
| VIII | 106 | Dioxobis(stearato)trilead* | 12578-12-0 | 235-702-8 | 0.01% |
| VIII | 107 | Fatty acids, C16-18, lead salts* | 91031-62-8 | 292-966-7 | 0.01% |
| VIII | 108 | Furan | 110-00-9 | 203-727-3 | 0.05% |
| VIII | 109 | Henicosafluoroundecanoic acid | 2058-94-8 | 218-165-4 | 0.05% |
| VIII | 110 | Heptacosafluorotetradecanoic acid | 376-06-7 | 206-803-4 | 0.05% |
| VIII | 111 | Cyclohexane-1,2-dicarboxylic anhydride, cis-cyclohexane-1,2-dicarboxylic anhydride,trans-cyclohexane-1,2-dicarboxylic anhydride | 85-42-7<br>13149-00-3<br>14166-21-3 | 201-604-9<br>236-086-3<br>238-009-9 | 0.05% |
| VIII | 112 | Hexahydromethylphthalic anhydride, Hexahydro-4- methylphthalic anhydride, Hexahydro-1- methylphthalic anhydride, Hexahydro-3- methylphthalic anhydride | 25550-51-0<br>19438-60-9<br>48122-14-1<br>57110-29-9 | 247-094-1<br>243-072-0<br>256-356-4<br>260-566-1 | 0.05% |
| VIII | 113 | Lead bis(tetrafluoroborate)* | 13814-96-5 | 237-486-0 | 0.01% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| VIII | 114 | Lead cyanamidate* | 20837-86-9 | 244-073-9 | 0.01% |
| VIII | 115 | Lead dinitrate* | 10099-74-8 | 233-245-9 | 0.01% |
| VIII | 116 | Lead monoxide* | 1317-36-8 | 215-267-0 | 0.01% |
| VIII | 117 | Lead oxide sulphate* | 12036-76-9 | 234-853-7 | 0.01% |
| VIII | 118 | Lead tetroxide* | 1314-41-6 | 215-235-6 | 0.01% |
| VIII | 119 | Lead titanium trioxide* | 12060-00-3 | 235-038-9 | 0.01% |
| VIII | 120 | Lead Titanium Zirconium Oxide* | 12626-81-2 | 235-727-4 | 0.01% |
| VIII | 121 | Methoxyacetic acid | 625-45-6 | 210-894-6 | 0.05% |
| VIII | 122 | N,N-dimethylformamide | 68-12-2 | 200-679-5 | 0.05% |
| VIII | 123 | N-methylacetamide | 79-16-3 | 201-182-6 | 0.05% |
| VIII | 124 | N-pentyl-isopentyl phthalate | 776297-69-9 | - | 0.05% |
| VIII | 125 | o-Aminoazotoluene | 97-56-3 | 202-591-2 | 0.05% |
| VIII | 126 | o-Toluidine | 95-53-4 | 202-429-0 | 0.05% |
| VIII | 127 | Pentacosafluorotridecanoic acid | 72629-94-8 | 276-745-2 | 0.05% |
| VIII | 128 | Pentalead tetraoxide sulphate* | 12065-90-6 | 235-067-7 | 0.01% |
| VIII | 129 | Propylene oxide | 75-56-9 | 200-879-2 | 0.05% |
| VIII | 130 | Pyrochlore, antimony lead yellow* | 8012-00-8 | 232-382-1 | 0.01% |
| VIII | 131 | Silicic acid, barium salt, lead-doped* | 68784-75-8 | 272-271-5 | 0.01% |
| VIII | 132 | Silicic acid, lead salt* | 11120-22-2 | 234-363-3 | 0.01% |
| VIII | 133 | Sulfurous acid, lead salt, dibasic* | 62229-08-7 | 263-467-1 | 0.01% |
| VIII | 134 | Tetraethyllead* | 78-00-2 | 201-075-4 | 0.01% |
| VIII | 135 | Tetralead trioxide sulphate* | 12202-17-4 | 235-380-9 | 0.01% |
| VIII | 136 | Tricosafluorododecanoic acid | 307-55-1 | 206-203-2 | 0.05% |
| VIII | 137 | Trilead bis(carbonate)dihydroxide* | 1319-46-6 | 215-290-6 | 0.01% |
| VIII | 138 | Trilead dioxide phosphonate* | 12141-20-7 | 235-252-2 | 0.01% |
| IX | 139 | Cadmium | 7440-43-9 | 231-152-8 | 0.01% |
| IX | 140 | Cadmium oxide* | 1306-19-0 | 215-146-2 | 0.01% |
| IX | 141 | Ammonium pentadecafluorooctanoate(APFO) | 3825-26-1 | 223-320-4 | 0.05% |
| IX | 142 | Pentadecafluorootanoic acid(PFOA) | 335-67-1 | 206-397-9 | 0.05% |
| IX | 143 | Dipentyl phthalate(DPP) | 131-18-0 | 205-017-9 | 0.05% |
| IX | 144 | ①4-Nonlphenol, branched and linear, ethoxylated | - | - | 0.05% |
| X | 145 | Cadmium sulphide* | 1306-23-6 | 215-147-8 | 0.01% |
| X | 146 | Dihexyl phthalate | 84-75-3 | 201-559-5 | 0.05% |
| X | 147 | C.I. Direct Red 28 | 573-58-0 | 209-358-4 | 0.05% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| X | 148 | C.I. Direct Black 38 | 1937-37-7 | 217-710-3 | 0.05% |
| X | 149 | Imidazolidine-2-thione; 2-imidazoline-2-thiol | 96-45-7 | 202-506-9 | 0.05% |
| X | 150 | Lead di(acetate)* | 301-04-2 | 206-104-4 | 0.01% |
| X | 151 | ①Trixylyl phosphate | 25155-23-1 | 246-677-8 | 0.05% |
| XI | 152 | Cadmium chloride* | 10108-64-2 | 233-296-7 | 0.01% |
| XI | 153 | 1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear | 68515-50-4 | 271-093-5 | 0.05% |
| XI | 154 | ③Sodium peroxometaborate | 7632-04-4 | 231-556-4 | 0.01% |
| XI | 155 | ③Sodium perborate; perboric acid, sodium salt | - | 239-172-9<br>234-390-0 | 0.01% |
| XII | 156 | 2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) | 25973-55-1 | 247-384-8 | 0.05% |
| XII | 157 | 2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) | 3846-71-7 | 223-346-6 | 0.05% |
| XII | 158 | Cadmium fluoride* | 7790-79-6 | 232-222-0 | 0.01% |
| XII | 159 | Cadmium sulphate* | 10124-36-4<br>31119-53-6 | 233-331-6 | 0.01% |
| XII | 160 | 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) | 15571-58-1 | 239-622-4 | 0.05% |
| XII | 161 | Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) | - | - | 0.05% |
| XIII | 162 | 1,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5) | 68515-51-5<br>68648-93-1 | 271-094-0<br>272-013-1 | 0.05% |
| XIII | 163 | 5-sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof] | - | - | 0.05% |
| XIV | 164 | 1,3-propanesultone | 1120-71-4 | 214-317-9 | 0.05% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| XIV | 165 | 2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) | 3864-99-1 | 223-383-8 | 0.05% |
| XIV | 166 | 2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350) | 36437-37-3 | 253-037-1 | 0.05% |
| XIV | 167 | Nitrobenzene | 98-95-3 | 202-716-0 | 0.05% |
| XIV | 168 | Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9,9-heptadecafluorononanoic acid and its sodium and ammonium salts) | 375-95-1<br>21049-39-8<br>4149-60-4 | 206-801-3 | 0.05% |
| XV | 169 | Benzo[def]chrysene | 50-32-8 | 200-028-5 | 0.05% |
| XVI | 170 | 4,4'-Isopropylidenediphenol (Bisphenol A) | 80-05-7 | 201-245-8 | 0.05% |
| XVI | 171 | 4-Heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] | 1987-50-4<br>72624-02-3 | 217-862-0 | 0.05% |
| XVI | 172 | p-(1,1-dimethylpropyl)phenol | 80-46-6 | 201-280-9 | 0.05% |
| XVI | 173 | Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts | 3108-42-7<br>335-76-2<br>3830-45-3 | -<br>206-400-3<br>221-470-5 | 0.05% |
| XVII | 174 | Perfluorohexane-1-sulphonic acid and its salts (PFHxS) | 70225-16-0<br>3871-99-6<br>355-46-4<br>68259-08-5 | 274-462-9<br>223-393-2<br>206-587-1<br>269-511-6 | 0.05% |
| XVIII | 175 | benz[a]anthracene | 56-55-3 | 200-280-6 | 0.05% |
| XVIII | 176 | Cadmium nitrate | 10325-94-7 | 233-710-6 | 0.01% |
| XVIII | 177 | Cadmium carbonate | 513-78-0 | 244-168-5 | 0.01% |
| XVIII | 178 | Cadmium hydroxide | 21041-95-2 | 208-168-9 | 0.01% |
| XVIII | 179 | Chrysene | 218-01-9 | 205-923-4 | 0.05% |
| XVIII | 180 | Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) | 939-00-9 | 300-298-5<br>939-460-0 | 0.05% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| XVIII | 181 | 1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene (“Dechlorane Plus”™)(including any of its individual anti- and syn-isomers or any combination thereof) | - | - | 0.05% |
| XIX | 182 | Terphenyl, hydrogenated | 61788-32-7 | 262-967-7 | 0.05% |
| XIX | 183 | Octamethylcyclotetrasiloxane(D4) | 556-67-2 | 209-136-7 | 0.05% |
| XIX | 184 | Lead* | 7439-92-1 | 231-100-4 | 0.01% |
| XIX | 185 | Ethylenediamine(EDA) | 107-15-3 | 203-468-6 | 0.05% |
| XIX | 186 | Dodecamethylcyclohexasiloxane(D6) | 540-97-6 | 208-762-8 | 0.05% |
| XIX | 187 | Disodium octaborate | 12008-41-2 | 234-541-0 | 0.05% |
| XIX | 188 | Dicyclohexyl phthalate(DCHP) | 84-61-7 | 201-545-9 | 0.05% |
| XIX | 189 | Decamethylcyclopentasiloxane(D5) | 541-02-6 | 208-764-9 | 0.05% |
| XIX | 190 | Benzo[ghi]perylene | 191-24-2 | 205-883-8 | 0.05% |
| XIX | 191 | Benzene-1,2,4-tricarboxylic acid 1,2 anhydride(TMA) | 552-30-7 | 209-008-0 | 0.05% |
| XX | 192 | Pyrene | 129-00-0 | 204-927-3 | 0.05% |
| XX | 193 | Phenanthrene | 85-01-8 | 201-581-5 | 0.05% |
| XX | 194 | Fluoranthene | 206-44-0<br>93951-69-0 | 205-912-4 | 0.05% |
| XX | 195 | Benzo[k]fluoranthene | 207-08-9 | 205-916-6 | 0.05% |
| XX | 196 | 2,2-bis(4'-hydroxyphenyl)-4-methylpentane | 6807-17-6 | 401-720-1 | 0.05% |
| XX | 197 | 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one | 15087-24-8 | 239-139-9 | 0.05% |
| XXI | 198 | 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides | - | - | 0.05% |
| XXI | 199 | 2-methoxyethyl acetate | 110-49-6 | 203-772-9 | 0.05% |
| XXI | 200 | 4-tert-butylphenol | 98-54-4 | 202-679-0 | 0.05% |
| XXI | 201 | Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4-nonylphenol, branched and linear (4-NP) | 26523-78-4<br>3050-88-2 | 247-759-6<br>608-492-4<br>701-028-2 | 0.05% |
| XXII | 202 | Perfluorobutane sulfonic acid (PFBS) and its salts | - | - | 0.05% |
| XXII | 203 | Diisohexyl phthalate | 71850-09-4 | 276-090-2 | 0.05% |
| XXII | 204 | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one | 71868-10-5 | 400-600-6 | 0.05% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| XXII | 205 | 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone | 119313-12-1 | 404-360-3 | 0.05% |
| XXIII | 206 | 1-vinylimidazole | 1072-63-5 | 214-012-0 | 0.05% |
| XXIII | 207 | 2-methylimidazole | 693-98-1 | 211-765-7 | 0.05% |
| XXIII | 208 | butyl 4-hydroxybenzoate | 94-26-8 | 202-318-7 | 0.05% |
| XXIII | 209 | Dibutylbis(pentane-2,4-dionato-O,O')tin | 22673-19-4 | 245-152-0 | 0.05% |
| XXIV | 210 | bis(2-(2-methoxyethoxy)ethyl) ether | 143-24-8 | 205-594-7 | 0.05% |
| XXIV | 211 | Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety | - | - | 0.05% |
| XXV | 212 | 1,4-dioxane | 123-91-1 | 204-661-8 | 0.05% |
| XXV | 213 | 2,2-bis(bromomethyl)propane1,3-diol (BMP)2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol(TBNPA)2,3-dibromo-1-propanol (2,3-DBPA) | 3296-90-0<br>36483-57-5<br>1522-92-5<br>96-13-9 | 221-967-7<br>253-057-0<br>-<br>202-480-9 | 0.05% |
| XXV | 214 | 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | - | - | 0.05% |
| XXV | 215 | 4,4'-(1-methylpropylidene) bisphenol (bisphenol B) | 77-40-7 | 201-025-1 | 0.05% |
| XXV | 216 | Glutaral | 111-30-8 | 203-856--5 | 0.05% |
| XXV | 217 | Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17] | - | - | 0.05% |
| XXV | 218 | Orthoboric acid, sodium salt | 13840-56-7 | 237-560-2 | 0.01% |
| XXV | 219 | Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) | - | - | 0.05% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| XXVI | 220 | (±)-1.7.7-trimethyl-3-[(4-methylphenyl)methylene] bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof(4-MBC) | - | - | 0.05% |
| XXVI | 221 | 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol (DBMC) | 119-47-1 | 204-327-1 | 0.05% |
| XXVI | 222 | S-(tricyclo[5.2.1.0'2.6]deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 255882-94-8 | 401-850-9 | 0.05% |
| XXVI | 223 | tris(2-methoxyethoxy)vinysilane | 1067-53-4 | 213-934-0 | 0.05% |
| XXVII | 224 | N-(hydroxymethyl)acrylamide | 924-42-5 | 213-103-2 | 0.05% |
| XXVIII | 225 | 1,1'-[ethane-1,2-diylbisoxy]bis[2,4,6-tribromobenzene] (BTBPE) | 37853-59-1 | 253-692-3 | 0.05% |
| XXVIII | 226 | 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol (TBBPA) | 79-94-7 | 201-236-9 | 0.05% |
| XXVIII | 227 | 4,4'-sulphonyldiphenol (BPS) | 80-09-1 | 201-250-5 | 0.05% |
| XXVIII | 228 | Barium diboron tetraoxide* | 13701-59-2 | 237-222-4 | 0.01% |
| XXVIII | 229 | Bis(2-ethylhexyl) Tetrabromophthalate covering any of the individual isomers and/or combinations thereof (TBPH) | - | - | 0.05% |
| XXVIII | 230 | Isobutyl 4-hydroxybenzoate | 4247-02-3 | 224-208-8 | 0.05% |
| XXVIII | 231 | Melamine | 108-78-1 | 203-615-4 | 0.05% |
| XXVIII | 232 | Perfluoroheptanoic acid (PFHpA) and its salts | - | - | 0.05% |
| XXVIII | 233 | Reaction mass of 2,2,3,3,5,5,6,6-octafluoro-4-(1,1,1,2,3,3,3-heptafluoropropan-2-yl)morpholine and -octafluoro-4-(heptafluoropropyl)morpholine | - | 473-390-7 | 0.05% |
| XXIX | 234 | Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 75980-60-8 | 278-355-8 | 0.05% |
| XXIX | 235 | Bis(4-chlorophenyl) sulphone | 80-07-9 | 201-247-9 | 0.05% |
| XXIX | 235 | Bis(4-chlorophenyl) sulphone | 80-07-9 | 201-247-9 | 0.05% |
| XXX | 236 | 2,4,6-tri-tert-butylphenol | 732-26-3 | 211-989-5 | 0.05% |

| Batch | No. | Substance Name(s) | CAS No. | EC No. | RL |
|---|---|---|---|---|---|
| XXX | 237 | 2-(2H-benzotriazol-2-yl)-4-(1,1,3,3tetramethylbutyl)phenol | 3147-75-9 | 221-573-5 | 0.05% |
| XXX | 238 | 2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one | 119344-86-4 | 438-340-0 | 0.05% |
| XXX | 239 | Bumetrizole | 3896-11-5 | 223-445-4 | 0.05% |
| XXX | 240 | Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol | - | 700-960-7 | 0.05% |

***** End of Report *****

*Remark：This report is considered invalidated without the Special Seal for Inspection of the TCT. This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of TCT, this test report shall not be copied except in full and published as advertisement.*