

Report No.: S25052400911001 page 1 of 11

TEST REPORT

| Applicant: | Shenzhen Huafurui Technology Co., Ltd. |
|------------|--|
|------------|--|

Address: Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No.

993 Jiaxian Road, Xiangjiaotang Community, Bantian Street, Longgang

District, Shenzhen, P.R. China

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample name: Tablet

Model: TAB KINGKONG MINI

Trade mark: CUBOT

Manufacturer: Shenzhen Huafurui Technology Co., Ltd.

Address: Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No.

993 Jiaxian Road, Xiangjiaotang Community, Bantian Street, Longgang

District, Shenzhen, P.R. China

Sample No.: S250524009004

Sample Received Date: 2025-05-28

Testing Period: 2025-05-28~ 2025-06-03

Test Requirement:

As specified by client, to assess the reuse/recycle/recovery of the submitted sample under article 11 and Annex V of Directive 2012/19/EU.

Test Result(s): Please refer to the following page(s);

| Compiled by: | | Reviewed by: | Luetta Mo | |
|--------------|--------|--------------|------------|--|
| Approved by: | May Li | Date: | 2025-06-04 | |



Report No.: S25052400911001 page 2 of 11

1. Product Description

| Product Weight, g | 930.9 | |
|-----------------------------------|-----------------|---|
| Category under the WEEE directive | Small equipment | × |

2. Product Result of Reuse/Recycling/Recovery Assessments

| Reuse/Recycling/Recovery | Reuse/Recycling Rate (%) | Recovery Rate (%) |
|--|--------------------------|-------------------|
| Reuse/Recycling/Recovery Target of Products Under WEEE Directive | 55 | 75 |
| Result of Assessment | 82.9 | 84.9 |
| WEEE Compliance | Pass | Pass |

3. Appearance of the Product

| Item name | | Photo | | |
|--------------|----------------------|----------|--|--|
| Product name | Tablet | C const. | | |
| Model | TAB KINGKONG MINI | | | |

ATTEK JEN

ANTER TIME



Report No.: S25052400911001 page 3 of 11

4. Disassembly Assessment

4.1 Disassembly Procedure

The product is disassembled into different parts and grouped by the type of material sharing common characteristic (such as plastic, metal, glass) based on the treatment requirements as set out in the WEEE Directive, followed by the current state of the art of recycling and recovery technology. In addition, the recycling is subject to the economic feasibility, disassembly tools, only bigger parts that can be easily separated are included in the recycling and reuse calculation. Other parts, respectively materials that cannot be separated by e.g. standard tools are classified as either unspecified materials or distributed to the relative waste fraction is expected with recovery rate.

4.2 Disassembly Time

3 hours

4.3 Disassembly tool


The disassembly tools used for this product show as following:


| Disassembly Tool | Pictures |
|-------------------------|----------|
| Screw driver tool set | |
| Cross screwdriver(s) | |
| Straight screwdriver(s) | |
| Scissor(s) | |



Report No.: S25052400911001 page 4 of 11


4.4 Disassembly Tree







Report No.: S25052400911001 page 5 of 11




Shenzhen NTEK Testing Technology Co., Ltd. | Address: Building 1/2/11/12,No. 24 Xinfa East Road, Xiangshan Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, China | Tel: +86-0755-2320 0050 | http://www.ntek.org.cn Complaint Tel: +86-0755-23218370 | Complaint E-mail: complaint@ntek.org.cn

D1

D2



Report No.: S25052400911001 page 6 of 11



5. Selective Treatment for Materials and Components

According to Article 8(2) and the Annex VII of the WEEE Directive, this product contains components and materials items are described in the following table.

| Component/Material | Photo No. | Size/Model | Quantity | Weight (g) |
|---|-----------|--------------|----------|------------|
| Printed circuit board assembly | A6 | 2.4cm×1.6cm | 1.0 | 0.4 |
| Printed circuit board assembly | A7 | 4cm×2.2cm | 1.0 | 3.4 |
| Printed circuit board assembly | A8 | 12.4cm×4.3cm | 1.0 | 24.6 |
| Printed circuit board assembly of adapter | B2 | 3.8cm×3.2cm | 1.0 | 32.8 |
| Printed circuit board assembly of adapter | C2 | 4.6cm×3.3cm | 1.0 | 43.7 |
| Printed circuit board assembly of adapter | D2 | 3.7cm×3.1cm | 1.0 | 34.2 |
| Printed circuit board assembly of adapter | E2 | 4.6cm×4.3cm | 1.0 | 44.3 |

ATEK TIM



Report No.: S25052400911001 page 7 of 11

6. Material and Recycling Information

6.1 Material Reuse/Recycling and Recovery Table

| Photo No. | Component / Material Composition | Weight (g) | Percent Weight (%) | Reuse / Recycling Rate(%) | Energy Recovery Rate(%) | Recovery Rate(%) |
|--------------|--|---------------|-----------------------|---------------------------------|-------------------------------|---------------------|
| A1 | Plastic parts | 217.0 | 33.0 | 28.8 | 1 | 29.4 |
| A2 | Metal parts | 101.0 | 15.3 | 13.8 | 1 | 14.1 |
| A3 | Flexible printed circuit board | 7.2 | 1.1 | 0.6 | 1 | 0.7 |
| A4 | Speaker | 11.1 | 1.7 | 1.2 | 1 | 1.3 |
| A5 | Camera | 1.8 | 0.3 | 0.2 | 1 | 0.2 |
| A6 | Printed circuit board assembly | 0.4 | 0.1 | 0.1 | 1 | 0.1 |
| A7 | Printed circuit board assembly | 3.9 | 0.6 | 0.4 | 1 | 0.4 |
| A8 | Printed circuit board assembly | 24.6 | 3.7 | 2.8 | 1 | 2.9 |
| B1 | Plastic parts of adapter | 24.4 | 3.7 | 3.2 | 1 | 3.3 |
| B2 | PCB of adapter | 32.8 | 5.0 | 3.6 | 1 | 3.7 |
| C1 | Plastic parts of adapter | 29.6 | 4.5 | 3.9 | 1 | 4.0 |
| C2 | PCB of adapter | 43.7 | 6.6 | 4.8 | 1 | 4.9 |
| D1 | Plastic parts of adapter | 20.0 | 3.0 | 2.6 | 1 | 2.7 |
| D2 | PCB of adapter | 34.2 | 5.2 | 4.5 | 1 | 4.6 |
| E1 | Plastic parts of adapter | 26.8 | 4.1 | 3.6 | 1 | 3.6 |
| E2 | PCB of adapter | 44.3 | 6.7 | 4.9 | 1 | 5.0 |
| F1 | Data cable | 24.3 | 3.7 | 2.7 🍨 | 1 | 2.7 |
| G1 | Earphone wire | 11.2 | 1.7 | 1.2 | 1 | 1.3 |
| | Total | 658.3 | 100.0 | 82.9 | 1 | 84.9 |

Note: Plastic containing brominated flame retardants is not assessed in the list



Report No.: S25052400911001 page 8 of 11

6.2 Reuse/Recycling and Recovery Rate Calculation

| Calculation Method | | |
|--|------------------|------|
| Product total weight | a (g) | Ą. |
| Weight of components, sub-assemblies and consumables | Yill hard | 4 |
| which are reused for their original purpose or recycled. | b (g) | |
| Weight of materials or components where energy is | c (a) | |
| recovered through incineration. | c (g) | |
| Reuse / Recycling Rate | b/a*100 (%) | |
| Recovery Rate | (b+c)/a *100 (%) | . Et |

7. Requirement of WEEE Directive (2012/19/EU)

7.1 ANNEX VII of WEEE Directive

Selective treatment for materials and components of waste electrical and electronic equipment referred to in Article 8(2)

As a minimum the following substances, mixtures and components have to be removed from any separately collected WEEE

- —polychlorinated biphenyls (PCB) containing capacitors in accordance with Council Directive 96/59/EC of 16 September 1996 on the disposal of polychlorinated biphenyls and polychlorinated terphenyls (PCB/PCT),
- —mercury containing components, such as switches or backlighting lamps,
- —batteries,
- —printed circuit boards of mobile phones generally, and of other devices if the surface of the printed circuit board is greater than 10 square centimetres,
- —toner cartridges, liquid and paste, as well as colour toner,
- —plastic containing brominated flame retardants,
- -asbestos waste and components which contain asbestos,
- —cathode ray tubes,
- —chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HCFC) or hydrofluorocarbons (HFC), hydrocarbons (HC),
- -gas discharge lamps,
- —liquid crystal displays (together with their casing where appropriate) of a surface greater than 100 square centimeters and all those back-lighted with gas discharge lamps,
- —external electric cables,



Report No.: S25052400911001 page 9 of 11

—components containing refractory ceramic fibres as described in Commission Directive 97/69/EC of 5 December 1997 adapting to technical progress for the 23rd time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances,

- —components containing radioactive substances with the exception of components that are below the exemption thresholds set in Article 3 of and Annex I to Council Directive 96/29/Euratom of 13 May 1996 laying down basic safety standards for the protection of the health of workers and the general public against the dangers arising from ionizing radiation,
- —electrolyte capacitors containing substances of concern (height > 25 mm, diameter > 25 mm or proportionately similar volume). These substances, mixtures and components shall be disposed of or recovered in compliance with Directive 2008/98/EC.

Fried His Street His S



Report No.: S25052400911001 page 10 of 11

7.2 Requirement of Reuse / Recycling Rate and Recovery Rate

According to article 11 and Annex V part 3 Minimum targets applicable by category from 15 August 2018 with reference to the categories listed in Annex III:

| | Categories of WEEE | Minimum Reuse / Recycling Rate | Minimum Recovery Rate |
|-------------|---|-----------------------------------|--------------------------|
| | Temperature exchange equipment | 80% | 85% |
| , , , | 2. Screens, monitors, and equipment containing screens having a surface greater than 100 cm ² | 70% | 80% |
| | 3. Lamps | 80% | 1 |
| , A | 4. Large equipment (any external dimension more than 50 cm) including, but not limited to: Household appliances; IT and telecommunication equipment; consumer equipment; luminaires; equipment reproducing sound or images, musical equipment; electrical and electronic tools; toys, leisure and sports equipment; medical devices; monitoring and control instruments; automatic dispensers; equipment for the generation of electric currents. This category does not include equipment included in categories 1 to 3. | 80% | S5% |
| , A | 5. Small equipment (no external dimension more than 50 cm) including, but not limited to: Household appliances; consumer equipment; luminaires; equipment reproducing sound or images, musical equipment; electrical and electronic tools; toys, leisure and sports equipment; medical devices; monitoring and control instruments; automatic dispensers; equipment for the generation of electric currents. This category does not include equipment included in categories 1 to 3 and 6. | 55% | ziritk irin |
| | 6. Small IT and telecommunication equipment (no external dimension more than 50 cm) | 55% | 75% |

Shenzhen NTEK Testing Technology Co., Ltd. | Address: Building 1/2/11/12,No. 24 Xinfa East Road, Xiangshan Community,



Report No.: S25052400911001 page 11 of 11

8. Recommendations for WEEE Directive Compliance

- (1) To make the product comply with the reuse/recycling/recovery target required under WEEE Directive (2012/19/EU) and other EU waste regulation, the applicant company should consider the product they design can be easily reused and recycled by selecting recyclable materials and components.
- (2) To make the product easily dismantled, less the disassembling time, the applicant company should design the product for easy disassembly by choosing easy separate techniques, avoiding the utilizing embedded components, designing the separable procedure.
- (3) The product should be subjected to the RoHS Directive (2011/65/EU), restricting using hazardous substance. In addition, the materials selected to design should consider the dangerous substance regulated or list under other environmental specifications, as Regulation (EC) 1907/2006(REACH), 67/548/EEC, etc.
- (4) In case that a product have new design, or employ materials or components, then the product should need to be reassessed and retested in accordance with the WEEE Directive for reuse/recycle/recycling target and RoHS for restricted substances requirement.
- (5) The applicant company should take attention to the future possible update concerning the WEEE Directive and related requirement.

****End of Report****

The test results or data in this report will be used only for education, scientific research, enterprise product development and internal quality control or other purposes.

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of NTEK, this report can't be reproduced except in full.

STEEL HIM

ATTEK TEN