



# TEST REPORT

**Applicant** : Shenzhen Huafurui Technology Co., Ltd.  
**Address** : Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993  
Jiaxian Road, Xiangjiaotang Community, Bantian Street, Longgang  
District, Shenzhen, P.R. China

## Report on the submitted samples said to be:

**Sample Name(s)** : Smartphone  
**Trade Mark** : CUBOT  
**Tested Model No.** : NOTE 60  
**Sample Received Date** : May 07, 2025  
**Testing Period** : May 07, 2025 ~ May 13, 2025  
**Date of Report** : May 14, 2025  
**Testing Location** : 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community,  
Matian Street, Guangming District, Shenzhen, Guangdong, China  
**Results** : Please refer to next page(s).

| TEST REQUEST                                                                                                                                                                                                                                                                                                                                                                           | CONCLUSION  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| As specified by client, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863. | <b>PASS</b> |

Signed for and on behalf of LCS

Terry Luo

TRF-4-R-027 A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District,  
Shenzhen, Guangdong, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity

**A. EU RoHS Directive 2011/65/EU and its amendment directives**

Test method: Refer to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF).

Test result(s):

| Sample No. | Sample Description                       | Screening Result(s) |    |    |     |      |       | Date of sample submission/<br>Resubmission |
|------------|------------------------------------------|---------------------|----|----|-----|------|-------|--------------------------------------------|
|            |                                          | Cd                  | Pb | Hg | Cr▼ | Br▼  |       |                                            |
|            |                                          |                     |    |    |     | PBBs | PBDEs |                                            |
| 1          | Black semi transparent plastic screen    | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 2          | Black plastic shell                      | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 3          | Colorless transparent glass lens         | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 4          | Colorless and transparent plastic lenses | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 5          | Black foam with adhesive                 | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 6          | Black plated silver metal screw          | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 7          | Black FPC                                | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 8          | Black plastic shell                      | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 9          | Yellow body (LED)                        | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 10         | Yellow FPC                               | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 11         | Silver metal sheet                       | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 12         | Black soft plastic button                | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 13         | Red soft plastic gasket                  | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 14         | Black plated silver metal button         | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 15         | Silver metal frame                       | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 16         | Black plastic frame                      | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 17         | Colorless transparent plastic film       | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 18         | Black plastic label with adhesive        | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 19         | Copper colored metal film                | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 20         | Silver metal shell                       | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 21         | Colorless and transparent plastic lenses | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 22         | Black plastic shell                      | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 23         | Black PCB board                          | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 24         | Black plastic slot                       | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |

TRF-4-R-027 A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Sample No. | Sample Description                 | Screening Result(s) |    |    |     |      |       | Date of sample submission/<br>Resubmission |
|------------|------------------------------------|---------------------|----|----|-----|------|-------|--------------------------------------------|
|            |                                    | Cd                  | Pb | Hg | Cr▼ | Br▼  |       |                                            |
|            |                                    |                     |    |    |     | PBBs | PBDEs |                                            |
| 25         | Golden metal pin                   | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 26         | Black translucent glass lens       | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 27         | Black plastic shell                | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 28         | Black FPC                          | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 29         | Grey cloth adhesive                | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 30         | Blue heat dissipation pad          | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 31         | Silver metal cover                 | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 32         | Silver metal cover                 | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 33         | Silver metal pins                  | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 34         | Grey magnetic core (inductor)      | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 35         | Black glass body                   | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 36         | Brown body (patch capacitor)       | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 37         | Black body (IC)                    | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 38         | Solder                             | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 39         | Silver crystal oscillator          | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 40         | Black body (IC)                    | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 41         | Black body (IC)                    | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 42         | White body (patch resistor)        | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 43         | Black body (IC)                    | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 44         | Black body (sensor)                | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 45         | Black PCB board                    | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 46         | Black plastic fastener (card slot) | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 47         | Silver metal pin (card slot)       | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 48         | Silver metal cover (card slot)     | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 49         | Silver metal rod (card slot)       | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 50         | Silver metal shell                 | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 51         | Copper colored metal wire          | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 52         | Red plastic wire cover             | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 53         | Silver metal wire core             | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |

TRF-4-R-027 A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Sample No. | Sample Description               | Screening Result(s) |    |    |     |      |       | Date of sample submission/<br>Resubmission |
|------------|----------------------------------|---------------------|----|----|-----|------|-------|--------------------------------------------|
|            |                                  | Cd                  | Pb | Hg | Cr▼ | Br▼  |       |                                            |
|            |                                  |                     |    |    |     | PBBs | PBDEs |                                            |
| 54         | Black plastic wire cover         | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 55         | Silver metal magnet              | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 56         | Black dustproof net              | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 57         | Black FPC                        | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 58         | Silver metal aluminum shell      | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 59         | Golden metal nut                 | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 60         | Golden metal plug housing        | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 61         | Black plastic wire cover         | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 62         | Silver metal shrapnel            | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 63         | Black film                       | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 64         | Silver metal shell               | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 65         | Blue plastic wire cover          | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 66         | Silver crystal oscillator        | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 67         | Black plastic port shell         | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 68         | Black PCB board                  | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 69         | White plastic wire cover (outer) | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 70         | White plastic plug housing       | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 71         | Silver metal plug housing        | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 72         | Blue PCB board                   | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 73         | Silver metal pin                 | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 74         | Black plastic sheet              | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 75         | Beige plastic shell              | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 76         | White plastic wire cover         | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 77         | White plastic shell              | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 78         | Green PCB board                  | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 79         | Green dustproof net              | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |
| 80         | Silver metal shell               | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 81         | Green enameled wire              | BL                  | BL | BL | BL  | /    | /     | 2025-05-07                                 |
| 82         | Blue PCB board                   | BL                  | BL | BL | BL  | BL   | BL    | 2025-05-07                                 |

TRF-4-R-027 A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

| Element | Polymers                                             | Metals                                               | Composite material                                   |
|---------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|
| Cd      | $BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$   | $BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$   | $LOD < X < (150+3\sigma) \leq OL$                    |
| Pb      | $BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$ | $BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$ | $BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$ |
| Hg      | $BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$ | $BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$ | $BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$ |
| Cr      | $BL \leq (700-3\sigma) < X$                          | $BL \leq (700-3\sigma) < X$                          | $BL \leq (500-3\sigma) < X$                          |
| Br      | $BL \leq (300-3\sigma) < X$                          | N/A                                                  | $BL \leq (250-3\sigma) < X$                          |

## Remark:

- BL= Below Limit
  - OL= Over Limit
  - X= The range of needing to do further testing
  - $3\sigma$ = The reproducibility of analytical instruments
  - N/A= Not applicable
  - LOD= Detection limit
2. The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
  3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
  4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.





| RoHS Restricted Substances           | Maximum Concentration Value (mg/kg)<br>(by weight in homogenous materials) |
|--------------------------------------|----------------------------------------------------------------------------|
| Cadmium(Cd)                          | 100                                                                        |
| Lead(Pb)                             | 1000                                                                       |
| Mercury(Hg)                          | 1000                                                                       |
| Hexavalent Chromium(Cr(VI))          | 1000                                                                       |
| Polybrominated biphenyls(PBBs)       | 1000                                                                       |
| Polybrominated diphenylethers(PBDEs) | 1000                                                                       |
| Dibutyl Phthalate(DBP)               | 1000                                                                       |
| Butylbenzyl Phthalate(BBP)           | 1000                                                                       |
| Di-(2-ethylhexyl) Phthalate(DEHP)    | 1000                                                                       |
| Diisobutyl phthalate(DIBP)           | 1000                                                                       |

**Disclaimers:**

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

**B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on DBP, BBP, DEHP & DIBP content****Test method:**

Phthalates(DBP, BBP, DEHP & DIBP) Content:

Refer to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatography-mass spectrometer (GC-MS).

**Test result(s):****1) Phthalates(DBP, BBP, DEHP & DIBP)**

| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 69                        |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |





| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 1+2+3+4+5+7               |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |

| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 8+9+10+12+13+16           |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |

| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 17+18+21+22+23+24         |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |

| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 26+27+28+29+30+35         |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |

TRF-4-R-027 A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District,  
Shenzhen, Guangdong, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 36+37+40+41+42+43         |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |

| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 44+45+46+52+54+56         |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |

| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 57+61+63+65+67+68         |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |

| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 70+72+74+75+76+77         |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |

TRF-4-R-027 A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District,  
Shenzhen, Guangdong, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



| Tested Item(s)                            | MDL<br>(mg/kg) | Test Result(s)<br>(mg/kg) | Limit<br>(mg/kg) |
|-------------------------------------------|----------------|---------------------------|------------------|
|                                           |                | 78+79+82                  |                  |
| Dibutyl Phthalate(DBP) Content            | 50             | N.D.                      | 1000             |
| Butylbenzyl Phthalate(BBP) Content        | 50             | N.D.                      | 1000             |
| Di-(2-ethylhexyl) Phthalate(DEHP) Content | 50             | N.D.                      | 1000             |
| Diisobutyl phthalate(DIBP) Content        | 50             | N.D.                      | 1000             |

## Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg= milligram per kilogram=ppm
- According to customer's requirement, only the appointed materials have been tested.






## Test Process

### 1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013




### 2. Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV




### 3. Hexavalent Chromium(Cr(VI))

#### 1) IEC 62321-7-2:2017







## 2) IEC 62321-7-1:2015



## 4. Polybrominated Biphenyls(PBBs) &amp; Polybrominated Diphenyl Ethers(PBDEs) : IEC 62321-6:2015




## 5. Phthalates(DBP, BBP, DEHP &amp; DIBP) : IEC 62321-8:2017





## The photo(s) of the sample



TRF-4-R-027 A/0




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



TRF-4-R-027 A/0




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



TRF-4-R-027 A/0




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




TRF-4-R-027 A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






TRF-4-R-027 A/0



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District,  
Shenzhen, Guangdong, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



**Statement:**

1. The test report is invalid without the signature of the approver and the special seal for the company's report;
2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
3. The test results in this report are only responsible for the tested samples;
4. Without written approval of LCS, this report can't be reproduced except in full;
5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

\*\*\* End of Report \*\*\*

