



中国认可
检验
INSPECTION
CNAS IB0078

锂电池

符合相关包装说明第II部分

航空运输危险性鉴别报告

Identification and Classification Report for Air Transport of Goods

此报告本年度有效
有效期至2026年12月31日

报告编号:

PEKQD202606254329QL760001

Issued No.:

生效日期:

2026. 06. 25

Effective Date:

委托单位:

深圳市骅福瑞科技有限公司

Applicant:

Shenzhen Huafurui Technology Co., Ltd

物品名称:

可充电锂聚合物电池C67 3.7V 4850mAh 17.945Wh(与手机KINGKONG Dura包装在一起)

Name of Goods:

Rechargeable Li-polymer battery C67 3.7V 4850mAh 17.945Wh (Packed With Smartphone KINGKONG Dura)

北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Development Co.,Ltd.



报告书使用约定

Terms of the Using of the Report

1. 本公司依据本年度国际航协《危险品规则》以及委托人（托运人或其代理人）提供的物品及其运输信息，确定物品的航空运输危险性并出具此报告书。

The report is issued by DGM China according to IATA ***Dangerous Goods Regulations*** published in the current year and the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

2. 依据鉴别的需要，本公司要求委托人提供真实、完整的样品及资料。

According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the goods.

3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。

The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.

4. 本公司仅对委托方所提供样品的鉴别结果负责。

DGM China is only responsible for the identification and classification of the sample provided by the applicant.

5. 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。

This report will be effective only after it is signed by the inspector, checker and approver, and stamped by DGM China.

6. 未经本公司书面批准，不得复制本报告书。

The duplicating of this report is prohibited without the written approval of DGM China.

7. 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。

The report is invalid when anything of the following happens - illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.

8. 为适应国际航协《危险品规则》的年度变化，报告书仅在本年度内有效。

This report is only valid within the year in which the IATA ***Dangerous Goods Regulations*** is effective.

地址：北京首都国际机场货运北路天竺综合保税区BGS货运楼249室

邮编：101300

电话：010-69479673

传真：010-69479621

网址：www.dgmchina.com.cn

E-mail: test@dgmchina.com.cn

本报告验证码4176，仅用于航司或货站报告电子信息对接

This report has a verification code 4176 and is intended solely for electronic information exchange reporting by airlines or cargo terminals.





项目编号 Item No.		PEKQD202606254329			
物品名称 Name of Goods	中文 Chinese	可充电锂聚合物电池C67 3.7V 4850mAh 17.945Wh(与手机KINGKONG Dura包装在一起)			
	英文 English	Rechargeable Li-polymer battery C67 3.7V 4850mAh 17.945Wh (Packed With Smartphone KINGKONG Dura)			
鉴别结论 Conclusions		该物品为锂离子/聚合物电池，和设备包装在一起。额定瓦特小时为17.945Wh。已通过 UN38.3 测试，已通过包装件1.2米跌落试验，每个包装件上均有电池标记。 根据IATA DGR，锂离子电池符合包装说明966第II部分。 This goods is lithium ion/polymer battery,packed with equipment.Watt-hour rating is 17.945Wh.Each battery is of a type proved to meet the Requirements of each test in the UN MANUAL OF TESTS AND CRITERIA, Part III, sub-section 38.3,Each package is capable of withstanding a 1.2m drop test in any orientation without damage to the cells contained therein, without shifting of the contents so as to allow cell to cell contact and without release of contents,Each package is marked with battery mark. According to IATA DGR,lithium ion batteries in compliance with Section II of PI 966.			
运输危险性建议 Suggestion for Transport	UN/ID 编号 UN/ID No.	运输专用名称 Proper Shipping Name		类或项 Class or Div. (次要危险性) (Subsidiary Risk)	包装等级 Packing Group
	/	/		/	/
	包装说明 Packing Inst.	客货机 Passenger and Cargo Aircraft	/		
		仅限货机 Cargo Aircraft only	/		
	注意事项 Remarks	每一单电池必须做好防短路措施，并装入坚固外包装内。 each single battery must be packed in such a way as to prevent short circuits under the normal conditions and packed in strong outer packagings.			
主检员 Prepared by: 刘振振 审核人 Checked by: 孙术龙 批准人 Approved by: 宋学文 报告单位 (盖章) Stamp					

制单： 刘振振



可充电锂聚合物电池 C67 3.7V 4850mAh 17.945Wh(与手机
KINGKONG Dura 包装在一起)

PEKQD202606254329



MODEL : C67

11CP6/63/80

Rechargeable Li-polymer battery

Rated Capacity : 4850mAh/17.945Wh

Typical Capacity: 5000mAh/18.50Wh

Nominal Voltage: 3.7V


Charging Limit Voltage: 4.45V

Shenzhen Huafurui Technology Co., Ltd.

Zhongshanshi Jiuliyuan New Energy Technology Co., Ltd.

锂电池/钠离子电池 UN38.3 试验概要 Test Summary

项目编号: PEKQD202606254329

单位信息 Company Information					
委托单位 Consignor	深圳市骅福瑞科技有限公司 Shenzhen Huafurui Technology Co., Ltd				
制造商 Manufacturer	中山市玖利源新能源科技有限公司 Zhongshanshi Jiuliyuan New Energy Technology Co., Ltd. 中山市南朗街道翠亨新区北辰路 20 号 4 栋 2-3 层、5 栋 2-4 层 2nd-4th Floor, Building 5, 2nd-3th Floor, Building 4. No. 20 Beichen Road, Cuiheng New District.Nanlang Subdistrict, Zhongshan 电话/Tel: 0760-86629888 邮箱/Mail: szjlydz168@163.com				
测试单位 Test Lab	深圳市方略检测有限公司 Shenzhen STE Testing Laboratory Co., Ltd. 深圳市龙华区观澜街道牛湖社区裕昌路 63 号宏德厂厂房 9 栋 3 楼 3/F, Building 9, Hongde Factory Building, No. 63 Yuchang Road, Nihu Community, Guanlan Street, Longhua District, Shenzhen, China 电话/Tel: +86-755-2373 0717 邮箱/Mail: stekf01@163.com 网址/Website: http://www.stecert.com				
电池信息 Battery Information					
名称 Name	可充电锂聚合物电池 Rechargeable Li-polymer battery	电池/电芯类别 Battery/Cell Classification	单电芯锂离子电池 Single Cell Li-ion Battery		
型号 Type	C67	商标 Trademark	/		
额定电压 Normal Voltage	3.7V	额定容量 Rated Capacity	4850mAh		
额定能量 Watt-hour rating	17.945Wh	外观/Appearance	黑色长方体 Black cuboid		
质量/Mass	88.40g	锂含量/Li Content	不适用 N/A		
测试信息 Test Information					
测试报告编号 Test Report Number	STE04222628S		测试报告签发日期 Date of Test Report	2026-06-23	
测试标准 Edition of UN Manual of Tests and Criteria Used	联合国《试验和标准手册》(第 8 版) 38.3 节 UN "Manual of Tests and Criteria" ST/SG/AC.10/11/Rev.8/Subsection 38.3				
T.1: 高度模拟 Altitude Simulation	通过 Pass	T.2: 温度试验 Thermal Test	通过 Pass	T.3: 振动 Vibration	通过 Pass
T.4: 冲击 Shock	通过 Pass	T.5: 外部短路 External Short Circuit	通过 Pass	T.6: 撞击/挤压 Impact/Crush	通过 Pass
T.7: 过度充电 Overcharge	通过 Pass	T.8: 强制放电 Forced Discharge	通过 Pass	/	
UN38.3.3.1(f)或/or UN38.3.3.2(d)	不适用 N/A		UN38.3.3.1(g)或/or UN38.3.3.2(e)	不适用 N/A	
签名 Signatory 职务 Title	 刘振振 检验员		签发日期 Issued Date	 2026-06-25	