

Appendix A

All test items involving normal and extreme(vibration) conditions have been tested, with the worst cases as follows:


4.2.12 Conducted spurious emissions – MS allocated a channel


Band	Channel	Center_Frequency (MHz)	Frequency_Range	SE_Frequency (MHz)	SE_Power (dBm)	Limit(dBm)	Result
EGSM 900	60	902.0	100.0kHz-50.0MHz	0.15	-67.22	-36	PASS
EGSM 900	60	902.0	50.0MHz-500.0MHz	383.68	-58.69	-36	PASS
EGSM 900	60	902.0	500.0MHz-850.0MHz	792.37	-43.89	-36	PASS
EGSM 900	60	902.0	850.0MHz-860.0MHz	852.525	-47.45	-36	PASS
EGSM 900	60	902.0	860.0MHz-870.0MHz	864.721	-52.2	-36	PASS
EGSM 900	60	902.0	870.0MHz-880.0MHz	878.573	-58.2	-36	PASS
EGSM 900	60	902.0	880.0MHz-896.0MHz	892.663	-48.09	-36	PASS
EGSM 900	60	902.0	896.0MHz-900.2MHz	896.7671	-52.88	-36	PASS
EGSM 900	60	902.0	903.8MHz-908.0MHz	907.9036	-53.61	-36	PASS
EGSM 900	60	902.0	908.0MHz-915.0MHz	909.656	-47.69	-36	PASS
EGSM 900	60	902.0	915.0MHz-925.0MHz	924.032	-68.37	-36	PASS
EGSM 900	60	902.0	960.0MHz-1.0GHz	992.136	-42.76	-36	PASS
EGSM 900	60	902.0	1.0GHz-1.805GHz	1298.10	-43.92	-30	PASS
EGSM 900	60	902.0	1.880GHz-12.75GHz	6946.0	-38.64	-30	PASS
DCS 1800	700	1747.8	100.0kHz-50.0MHz	0.15	-67.40	-36	PASS
DCS 1800	700	1747.8	50.0MHz-500.0MHz	454.64	-58.04	-36	PASS
DCS 1800	700	1747.8	500.0MHz-925.0MHz	886.4	-43.59	-36	PASS
DCS 1800	700	1747.8	960.0MHz-1.0GHz	992.854	-42.97	-36	PASS
DCS 1800	700	1747.8	1.0GHz-1.68GHz	1140.5	-44.38	-30	PASS
DCS 1800	700	1747.8	1.68GHz-1.69GHz	1686.417	-47.03	-30	PASS
DCS 1800	700	1747.8	1.69GHz-1.7GHz	1691.687	-63.02	-30	PASS
DCS 1800	700	1747.8	1.7GHz-1.71GHz	1704.162	-68.45	-30	PASS
DCS 1800	700	1747.8	1.71GHz-1.7418GHz	1729.074	-48.98	-36	PASS
DCS 1800	700	1747.8	1.7418GHz-1.746GHz	1742.9359	-54.13	-36	PASS
DCS 1800	700	1747.8	1.7496GHz-1.7538GHz	1751.2976	-53.61	-36	PASS
DCS 1800	700	1747.8	1.7538GHz-1.785GHz	1782.2910	-48.43	-36	PASS
DCS 1800	700	1747.8	1.785GHz-1.795GHz	1787.006	-58.98	-30	PASS
DCS 1800	700	1747.8	1.795GHz-1.805GHz	1796.008	-53.05	-30	PASS
DCS 1800	700	1747.8	1.88GHz-12.75GHz	6968.00	-38.86	-30	PASS














4.2.13 Conducted spurious emissions - MS in idle mode

Band	Channel	Center_Frequency (MHz)	Frequency_Range	SE_Frequency (MHz)	SE_Power (dBm)	Limit(dBm)	Result
EGSM 900	60	902.0	100.0kHz-50MHz	0.15	-81.36	-57	PASS
EGSM 900	60	902.0	50.0MHz-880.0MHz	879.2	-73.37	-57	PASS
EGSM 900	60	902.0	880.0MHz-915.0MHz	905.604	-76.84	-59	PASS
EGSM 900	60	902.0	915.0MHz-1.0GHz	937.48	-76.10	-57	PASS
EGSM 900	60	902.0	1.0GHz-1.71GHz	1617.2	-73.87	-47	PASS
EGSM 900	60	902.0	1.71GHz-1.785GHz	1742.59	-77.11	-53	PASS
EGSM 900	60	902.0	1.785GHz-12.75GHz	6983	-65.92	-47	PASS
DCS 1800	700	1747.8	100.0kHz -50.0MHz	0.15	-81.98	-57	PASS
DCS 1800	700	1747.8	50.0MHz-880.0MHz	879.2	-73.35	-57	PASS
DCS 1800	700	1747.8	880.0MHz-915.0MHz	894.706	-77.10	-59	PASS
DCS 1800	700	1747.8	915.0MHz-1.0GHz	957.67	-76.22	-57	PASS
DCS 1800	700	1747.8	1.0GHz-1.71GHz	1675.3	-73.92	-47	PASS
DCS 1800	700	1747.8	1.71GHz-1.785GHz	1712.32	-76.82	-53	PASS
DCS 1800	700	1747.8	1.785GHz-12.75GHz	5779	-65.49	-47	PASS








4.2.1 Transmitter Frequency error and phase error

Band	Channel	PCL	Freq_Error (Hz)	Freq_Error (ppm)	Limit (ppm)	Phase Error Rms(deg)	Limit (deg)	Phase Error Peak(deg)	Limit (deg)	Result
EGSM 900	60	5	8.36	0.009	0.1	0.97	5.0	3.83	20.0	PASS
EGSM 900	60	19	16.98	0.019	0.1	0.89	5.0	2.66	20.0	PASS
DCS 1800	700	0	3.71	0.002	0.1	3.05	5.0	8.15	20.0	PASS
DCS 1800	700	15	15.34	0.009	0.1	3.27	5.0	8.38	20.0	PASS



4.2.2 Transmitter - Frequency error under multi path and interference conditions

MS under maximum power control level

Band	Channel	Center_Freq (MHz)	Propagation	Burst	Type	FreqError (Hz)	Permitted FreqError (Hz)	Result
EGSM 900	60	902.0	RA250	1	access burst	-0.13	300	PASS
EGSM 900	60	902.0	RA250	1	normal burst	7.2	300	PASS
EGSM 900	60	902.0	RA250	2	normal burst	2.52	300	PASS
EGSM 900	60	902.0	RA250	3	normal burst	7.72	300	PASS
EGSM 900	60	902.0	RA250	4	normal burst	4.39	300	PASS
EGSM 900	60	902.0	RA250	5	normal burst	7.91	300	PASS
EGSM 900	60	902.0	H100	1	access burst	7.55	180	PASS
EGSM 900	60	902.0	H100	1	normal burst	4.84	180	PASS
EGSM 900	60	902.0	H100	2	normal burst	10.56	180	PASS
EGSM 900	60	902.0	H100	3	normal burst	4.26	180	PASS
EGSM 900	60	902.0	H100	4	normal burst	1.84	180	PASS
EGSM 900	60	902.0	H100	5	normal burst	5.33	180	PASS
EGSM 900	60	902.0	TU50	1	access burst	6.36	160	PASS
EGSM 900	60	902.0	TU50	1	normal burst	3.52	160	PASS
EGSM 900	60	902.0	TU50	2	normal burst	5.81	160	PASS
EGSM 900	60	902.0	TU50	3	normal burst	12.82	160	PASS
EGSM 900	60	902.0	TU50	4	normal burst	12.3	160	PASS
EGSM 900	60	902.0	TU50	5	normal burst	4.94	160	PASS
EGSM 900	60	902.0	TU3	1	access burst	5.39	230	PASS
EGSM 900	60	902.0	TU3	1	normal burst	7.68	230	PASS
EGSM 900	60	902.0	TU3	2	normal burst	2.49	230	PASS
EGSM 900	60	902.0	TU3	3	normal burst	-2.45	230	PASS
EGSM 900	60	902.0	TU3	4	normal burst	-3.29	230	PASS
EGSM 900	60	902.0	TU3	5	normal burst	9.88	230	PASS
EGSM 900	60	902.0	TU3	6	normal burst	5.1	230	PASS
EGSM 900	60	902.0	TU3	7	normal burst	6.13	230	PASS
EGSM 900	60	902.0	TU3	8	normal burst	4.46	230	PASS
EGSM 900	60	902.0	TU3	9	normal burst	-0.9	230	PASS
EGSM 900	60	902.0	TU3	10	normal burst	1.71	230	PASS
EGSM 900	60	902.0	TU3	11	normal burst	5.49	230	PASS
EGSM 900	60	902.0	TU3	12	normal burst	9.23	230	PASS
EGSM 900	60	902.0	TU3	13	normal burst	1.87	230	PASS
EGSM 900	60	902.0	TU3	14	normal burst	5.52	230	PASS
EGSM 900	60	902.0	TU3	15	normal burst	5.0	230	PASS
EGSM 900	60	902.0	TU3	16	normal burst	1.97	230	PASS
EGSM 900	60	902.0	TU3	17	normal burst	6.94	230	PASS
EGSM 900	60	902.0	TU3	18	normal burst	4.16	230	PASS
EGSM 900	60	902.0	TU3	19	normal burst	9.88	230	PASS
EGSM 900	60	902.0	TU3	20	normal burst	6.88	230	PASS
DCS 1800	700	1747.8	RA130	1	access burst	-5.26	400	PASS
DCS 1800	700	1747.8	RA130	1	normal burst	18.73	400	PASS
DCS 1800	700	1747.8	RA130	2	normal burst	6.65	400	PASS
DCS 1800	700	1747.8	RA130	3	normal burst	12.37	400	PASS
DCS 1800	700	1747.8	RA130	4	normal burst	14.43	400	PASS
DCS 1800	700	1747.8	RA130	5	normal burst	19.37	400	PASS
DCS 1800	700	1747.8	H100	1	access burst	-2.13	350	PASS
DCS 1800	700	1747.8	H100	1	normal burst	1.45	350	PASS
DCS 1800	700	1747.8	H100	2	normal burst	3.52	350	PASS
DCS 1800	700	1747.8	H100	3	normal burst	10.85	350	PASS
DCS 1800	700	1747.8	H100	4	normal burst	4.58	350	PASS
DCS 1800	700	1747.8	H100	5	normal burst	2.97	350	PASS
DCS 1800	700	1747.8	TU50	1	access burst	3.39	260	PASS
DCS 1800	700	1747.8	TU50	1	normal burst	11.98	260	PASS
DCS 1800	700	1747.8	TU50	2	normal burst	7.52	260	PASS
DCS 1800	700	1747.8	TU50	3	normal burst	-3.52	260	PASS
DCS 1800	700	1747.8	TU50	4	normal burst	-6.2	260	PASS
DCS 1800	700	1747.8	TU50	5	normal burst	2.39	260	PASS
DCS 1800	700	1747.8	TU1.5	1	access burst	9.14	320	PASS
DCS 1800	700	1747.8	TU1.5	1	normal burst	-0.9	320	PASS
DCS 1800	700	1747.8	TU1.5	2	normal burst	1.68	320	PASS
DCS 1800	700	1747.8	TU1.5	3	normal burst	7.72	320	PASS
DCS 1800	700	1747.8	TU1.5	4	normal burst	7.81	320	PASS
DCS 1800	700	1747.8	TU1.5	5	normal burst	11.59	320	PASS


MS under minimum power control level


Band	Channel	Center_Freq (MHz)	Propagation	Burst	Type	FreqError (Hz)	Permitted FreqError (Hz)	Result
EGSM 900	60	902.0	RA250	1	access burst	0.07	300	PASS
EGSM 900	60	902.0	RA250	1	normal burst	7.30	300	PASS
EGSM 900	60	902.0	RA250	2	normal burst	2.68	300	PASS
EGSM 900	60	902.0	RA250	3	normal burst	7.86	300	PASS
EGSM 900	60	902.0	RA250	4	normal burst	4.71	300	PASS
EGSM 900	60	902.0	RA250	5	normal burst	7.92	300	PASS
EGSM 900	60	902.0	H100	1	access burst	7.68	180	PASS
EGSM 900	60	902.0	H100	1	normal burst	4.65	180	PASS
EGSM 900	60	902.0	H100	2	normal burst	10.59	180	PASS
EGSM 900	60	902.0	H100	3	normal burst	4.04	180	PASS
EGSM 900	60	902.0	H100	4	normal burst	1.76	180	PASS
EGSM 900	60	902.0	H100	5	normal burst	5.38	180	PASS
EGSM 900	60	902.0	TU50	1	access burst	5.99	160	PASS
EGSM 900	60	902.0	TU50	1	normal burst	3.56	160	PASS
EGSM 900	60	902.0	TU50	2	normal burst	5.57	160	PASS
EGSM 900	60	902.0	TU50	3	normal burst	12.75	160	PASS
EGSM 900	60	902.0	TU50	4	normal burst	12.34	160	PASS
EGSM 900	60	902.0	TU50	5	normal burst	4.99	160	PASS
EGSM 900	60	902.0	TU3	1	access burst	5.38	230	PASS
EGSM 900	60	902.0	TU3	1	normal burst	7.62	230	PASS
EGSM 900	60	902.0	TU3	2	normal burst	2.35	230	PASS
EGSM 900	60	902.0	TU3	3	normal burst	-2.38	230	PASS
EGSM 900	60	902.0	TU3	4	normal burst	-3.27	230	PASS
EGSM 900	60	902.0	TU3	5	normal burst	9.96	230	PASS
EGSM 900	60	902.0	TU3	6	normal burst	4.90	230	PASS
EGSM 900	60	902.0	TU3	7	normal burst	6.08	230	PASS
EGSM 900	60	902.0	TU3	8	normal burst	4.88	230	PASS
EGSM 900	60	902.0	TU3	9	normal burst	-1.15	230	PASS
EGSM 900	60	902.0	TU3	10	normal burst	1.55	230	PASS
EGSM 900	60	902.0	TU3	11	normal burst	5.54	230	PASS
EGSM 900	60	902.0	TU3	12	normal burst	8.82	230	PASS
EGSM 900	60	902.0	TU3	13	normal burst	1.38	230	PASS
EGSM 900	60	902.0	TU3	14	normal burst	5.31	230	PASS
EGSM 900	60	902.0	TU3	15	normal burst	5.35	230	PASS
EGSM 900	60	902.0	TU3	16	normal burst	2.19	230	PASS
EGSM 900	60	902.0	TU3	17	normal burst	6.81	230	PASS
EGSM 900	60	902.0	TU3	18	normal burst	4.48	230	PASS
EGSM 900	60	902.0	TU3	19	normal burst	10.17	230	PASS
EGSM 900	60	902.0	TU3	20	normal burst	6.68	230	PASS
DCS 1800	700	1747.8	RA130	1	access burst	-5.45	400	PASS
DCS 1800	700	1747.8	RA130	1	normal burst	18.64	400	PASS
DCS 1800	700	1747.8	RA130	2	normal burst	6.41	400	PASS
DCS 1800	700	1747.8	RA130	3	normal burst	12.13	400	PASS
DCS 1800	700	1747.8	RA130	4	normal burst	14.45	400	PASS
DCS 1800	700	1747.8	RA130	5	normal burst	19.22	400	PASS
DCS 1800	700	1747.8	H100	1	access burst	-2.15	350	PASS
DCS 1800	700	1747.8	H100	1	normal burst	1.65	350	PASS
DCS 1800	700	1747.8	H100	2	normal burst	3.26	350	PASS
DCS 1800	700	1747.8	H100	3	normal burst	10.59	350	PASS
DCS 1800	700	1747.8	H100	4	normal burst	4.72	350	PASS
DCS 1800	700	1747.8	H100	5	normal burst	2.86	350	PASS
DCS 1800	700	1747.8	TU50	1	access burst	3.42	260	PASS
DCS 1800	700	1747.8	TU50	1	normal burst	12.37	260	PASS
DCS 1800	700	1747.8	TU50	2	normal burst	7.25	260	PASS
DCS 1800	700	1747.8	TU50	3	normal burst	-3.28	260	PASS
DCS 1800	700	1747.8	TU50	4	normal burst	-6.03	260	PASS
DCS 1800	700	1747.8	TU50	5	normal burst	2.65	260	PASS
DCS 1800	700	1747.8	TU1.5	1	access burst	8.98	320	PASS
DCS 1800	700	1747.8	TU1.5	1	normal burst	-1.10	320	PASS
DCS 1800	700	1747.8	TU1.5	2	normal burst	1.74	320	PASS
DCS 1800	700	1747.8	TU1.5	3	normal burst	7.72	320	PASS
DCS 1800	700	1747.8	TU1.5	4	normal burst	7.79	320	PASS
DCS 1800	700	1747.8	TU1.5	5	normal burst	11.59	320	PASS

4.2.5 Transmitter output power and burst timing


Band	Channel	PCL	Type	Channel_Power (dBm)	Channel_Power_Min (dBm)	Channel_Power_Max (dBm)	Result
EGSM 900	124	5	Power	33.14	30.0	36.0	PASS
EGSM 900	124	6	Power	31.13	28.0	34.0	PASS
EGSM 900	124	7	Power	29.23	26.0	32.0	PASS
EGSM 900	124	8	Power	27.29	24.0	30.0	PASS
EGSM 900	124	9	Power	25.33	22.0	28.0	PASS
EGSM 900	124	10	Power	23.34	20.0	26.0	PASS
EGSM 900	124	11	Power	21.39	18.0	24.0	PASS
EGSM 900	124	12	Power	19.31	16.0	22.0	PASS
EGSM 900	124	13	Power	17.27	14.0	20.0	PASS
EGSM 900	124	14	Power	15.2	12.0	18.0	PASS
EGSM 900	124	15	Power	13.13	10.0	16.0	PASS
EGSM 900	124	16	Power	11.13	6.0	16.0	PASS
EGSM 900	124	17	Power	9.12	4.0	14.0	PASS
EGSM 900	124	18	Power	7.14	2.0	12.0	PASS
EGSM 900	124	19	Power	5.44	0.0	10.0	PASS
EGSM 900	60	5	Power	33.13	30.0	36.0	PASS
EGSM 900	60	6	Power	31.06	28.0	34.0	PASS
EGSM 900	60	7	Power	29.01	26.0	32.0	PASS
EGSM 900	60	8	Power	27.11	24.0	30.0	PASS
EGSM 900	60	9	Power	25.09	22.0	28.0	PASS
EGSM 900	60	10	Power	23.09	20.0	26.0	PASS
EGSM 900	60	11	Power	21.19	18.0	24.0	PASS
EGSM 900	60	12	Power	19.29	16.0	22.0	PASS
EGSM 900	60	13	Power	17.2	14.0	20.0	PASS
EGSM 900	60	14	Power	15.16	12.0	18.0	PASS
EGSM 900	60	15	Power	13.08	10.0	16.0	PASS
EGSM 900	60	16	Power	11.12	6.0	16.0	PASS
EGSM 900	60	17	Power	9.03	4.0	14.0	PASS
EGSM 900	60	18	Power	7.01	2.0	12.0	PASS
EGSM 900	60	19	Power	5.44	0.0	10.0	PASS
EGSM 900	975	5	Power	32.85	30.0	36.0	PASS
EGSM 900	975	6	Power	30.83	28.0	34.0	PASS
EGSM 900	975	7	Power	28.89	26.0	32.0	PASS
EGSM 900	975	8	Power	26.82	24.0	30.0	PASS
EGSM 900	975	9	Power	24.81	22.0	28.0	PASS
EGSM 900	975	10	Power	22.77	20.0	26.0	PASS
EGSM 900	975	11	Power	20.78	18.0	24.0	PASS
EGSM 900	975	12	Power	18.77	16.0	22.0	PASS
EGSM 900	975	13	Power	16.79	14.0	20.0	PASS
EGSM 900	975	14	Power	14.83	12.0	18.0	PASS
EGSM 900	975	15	Power	12.74	10.0	16.0	PASS
EGSM 900	975	16	Power	10.77	6.0	16.0	PASS
EGSM 900	975	17	Power	8.74	4.0	14.0	PASS
EGSM 900	975	18	Power	6.78	2.0	12.0	PASS
EGSM 900	975	19	Power	5.31	0.0	10.0	PASS
DCS 1800	884	0	Power	29.04	27.0	33.0	PASS
DCS 1800	884	1	Power	27.85	25.0	31.0	PASS
DCS 1800	884	2	Power	25.83	23.0	29.0	PASS
DCS 1800	884	3	Power	23.81	21.0	27.0	PASS
DCS 1800	884	4	Power	21.77	19.0	25.0	PASS
DCS 1800	884	5	Power	19.68	17.0	23.0	PASS
DCS 1800	884	6	Power	17.73	15.0	21.0	PASS
DCS 1800	884	7	Power	15.69	13.0	19.0	PASS
DCS 1800	884	8	Power	13.67	11.0	17.0	PASS
DCS 1800	884	9	Power	11.64	8.0	16.0	PASS
DCS 1800	884	10	Power	9.58	6.0	14.0	PASS
DCS 1800	884	11	Power	7.65	4.0	12.0	PASS
DCS 1800	884	12	Power	5.7	2.0	10.0	PASS
DCS 1800	884	13	Power	3.68	0.0	8.0	PASS
DCS 1800	884	14	Power	1.7	-3.0	7.0	PASS
DCS 1800	884	15	Power	1.04	-5.0	5.0	PASS
DCS 1800	700	0	Power	29.56	27.0	33.0	PASS
DCS 1800	700	1	Power	28.26	25.0	31.0	PASS
DCS 1800	700	2	Power	26.24	23.0	29.0	PASS
DCS 1800	700	3	Power	24.16	21.0	27.0	PASS
DCS 1800	700	4	Power	22.07	19.0	25.0	PASS
DCS 1800	700	5	Power	20.06	17.0	23.0	PASS
DCS 1800	700	6	Power	18.1	15.0	21.0	PASS
DCS 1800	700	7	Power	16.19	13.0	19.0	PASS


DCS 1800	700	8	Power	14.1	11.0	17.0	PASS
DCS 1800	700	9	Power	12.17	8.0	16.0	PASS
DCS 1800	700	10	Power	10.1	6.0	14.0	PASS
DCS 1800	700	11	Power	8.12	4.0	12.0	PASS
DCS 1800	700	12	Power	6.12	2.0	10.0	PASS
DCS 1800	700	13	Power	4.09	0.0	8.0	PASS
DCS 1800	700	14	Power	2.05	-3.0	7.0	PASS
DCS 1800	700	15	Power	1.31	-5.0	5.0	PASS
DCS 1800	513	0	Power	30.34	27.0	33.0	PASS
DCS 1800	513	1	Power	29.23	25.0	31.0	PASS
DCS 1800	513	2	Power	27.32	23.0	29.0	PASS
DCS 1800	513	3	Power	25.28	21.0	27.0	PASS
DCS 1800	513	4	Power	23.26	19.0	25.0	PASS
DCS 1800	513	5	Power	21.35	17.0	23.0	PASS
DCS 1800	513	6	Power	19.28	15.0	21.0	PASS
DCS 1800	513	7	Power	17.24	13.0	19.0	PASS
DCS 1800	513	8	Power	15.21	11.0	17.0	PASS
DCS 1800	513	9	Power	13.12	8.0	16.0	PASS
DCS 1800	513	10	Power	11.08	6.0	14.0	PASS
DCS 1800	513	11	Power	9.17	4.0	12.0	PASS
DCS 1800	513	12	Power	7.19	2.0	10.0	PASS
DCS 1800	513	13	Power	5.1	0.0	8.0	PASS
DCS 1800	513	14	Power	3.01	-3.0	7.0	PASS
DCS 1800	513	15	Power	1.47	-5.0	5.0	PASS





4.2.6 Transmitter Output RF spectrum modulation and switching






4.2.6 Transmitter Output RF spectrum spurious emissions

Band	Channel	Center_Frequency (MHz)	Frequency _Range	SE_Frequency (MHz)	SE_Power (dBm)	Limit(dBm)	Result
EGSM 900	60	902.0	925MHz-935MHz	930.64	-74.73	-67	PASS
EGSM 900	60	902.0	935MHz-960MHz	935.27	-84.65	-79	PASS
EGSM 900	60	902.0	935MHz-960MHz	950.49	-82.91	-79	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1817.44	-74.28	-71	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1832.81	-73.74	-71	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1854.81	-75.20	-71	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1876.25	-74.12	-71	PASS

4.2.4 Frequency error and phase error in GPRS multi slot configuration


Band	Channel	Gamma	Freq_Error (Hz)	Freq_Error (ppm)	Limit (ppm)	Rms (deg)	RmsLimit (deg)	Peak (deg)	PeakLimit (deg)	Result
EGSM 900	60	3	12.98	0.014	0.1	1.58	5.0	4.26	20.0	PASS
EGSM 900	60	17	17.08	0.019	0.1	1.57	5.0	4.29	20.0	PASS
DCS 1800	700	3	6.65	0.004	0.1	3.13	5.0	8.3	20.0	PASS
DCS 1800	700	18	7.23	0.004	0.1	3.31	5.0	8.63	20.0	PASS



4.2.10 Transmitter output power in GPRS multi slot configuration


Band	Channel	Gamma	Uplink slot	Channel_Power (dBm)	Channel_Power_Min (dBm)	Channel_Power_Max (dBm)	Result
EGSM 900	124	3	1	33.12	30.0	36.0	PASS
EGSM 900	124	4	1	31.21	28.0	34.0	PASS
EGSM 900	124	5	1	29.29	26.0	32.0	PASS
EGSM 900	124	6	1	27.29	24.0	30.0	PASS
EGSM 900	124	7	1	25.37	22.0	28.0	PASS
EGSM 900	124	8	1	23.46	20.0	26.0	PASS
EGSM 900	124	9	1	21.51	18.0	24.0	PASS
EGSM 900	124	10	1	19.46	16.0	22.0	PASS
EGSM 900	124	11	1	17.55	14.0	20.0	PASS
EGSM 900	124	12	1	15.49	12.0	18.0	PASS
EGSM 900	124	13	1	13.48	10.0	16.0	PASS
EGSM 900	124	14	1	11.58	6.0	16.0	PASS
EGSM 900	124	15	1	9.58	4.0	14.0	PASS
EGSM 900	124	16	1	7.61	2.0	12.0	PASS
EGSM 900	124	17	1	5.51	0.0	10.0	PASS
EGSM 900	124	3	2	31.08	27.0	36.0	PASS
EGSM 900	124	17	2	5.59	0.0	10.0	PASS
EGSM 900	124	3	3	29.15	25.2	34.2	PASS
EGSM 900	124	17	3	5.70	0.0	10.0	PASS
EGSM 900	124	3	4	27.33	24.0	33.0	PASS
EGSM 900	124	17	4	5.75	0.0	10.0	PASS
EGSM 900	60	3	1	33.16	30.0	36.0	PASS
EGSM 900	60	4	1	31.14	28.0	34.0	PASS
EGSM 900	60	5	1	29.11	26.0	32.0	PASS
EGSM 900	60	6	1	27.06	24.0	30.0	PASS
EGSM 900	60	7	1	24.96	22.0	28.0	PASS
EGSM 900	60	8	1	23.03	20.0	26.0	PASS
EGSM 900	60	9	1	20.96	18.0	24.0	PASS
EGSM 900	60	10	1	19.02	16.0	22.0	PASS
EGSM 900	60	11	1	17.02	14.0	20.0	PASS
EGSM 900	60	12	1	15.02	12.0	18.0	PASS
EGSM 900	60	13	1	13.04	10.0	16.0	PASS
EGSM 900	60	14	1	11.06	6.0	16.0	PASS
EGSM 900	60	15	1	9.14	4.0	14.0	PASS
EGSM 900	60	16	1	7.08	2.0	12.0	PASS
EGSM 900	60	17	1	5.46	0.0	10.0	PASS
EGSM 900	60	3	2	31.04	27.0	36.0	PASS
EGSM 900	60	17	2	5.57	0.0	10.0	PASS
EGSM 900	60	3	3	29.17	25.2	34.2	PASS
EGSM 900	60	17	3	5.67	0.0	10.0	PASS
EGSM 900	60	3	4	27.33	24.0	33.0	PASS
EGSM 900	60	17	4	5.69	0.0	10.0	PASS
EGSM 900	975	3	1	32.88	30.0	36.0	PASS
EGSM 900	975	4	1	30.97	28.0	34.0	PASS
EGSM 900	975	5	1	28.97	26.0	32.0	PASS
EGSM 900	975	6	1	27.03	24.0	30.0	PASS
EGSM 900	975	7	1	24.97	22.0	28.0	PASS
EGSM 900	975	8	1	22.89	20.0	26.0	PASS
EGSM 900	975	9	1	20.90	18.0	24.0	PASS
EGSM 900	975	10	1	18.89	16.0	22.0	PASS
EGSM 900	975	11	1	16.93	14.0	20.0	PASS
EGSM 900	975	12	1	14.90	12.0	18.0	PASS
EGSM 900	975	13	1	12.96	10.0	16.0	PASS
EGSM 900	975	14	1	10.99	6.0	16.0	PASS
EGSM 900	975	15	1	9.07	4.0	14.0	PASS
EGSM 900	975	16	1	7.12	2.0	12.0	PASS
EGSM 900	975	17	1	5.35	0.0	10.0	PASS
EGSM 900	975	3	2	31.04	27.0	36.0	PASS
EGSM 900	975	17	2	5.46	0.0	10.0	PASS
EGSM 900	975	3	3	29.17	25.2	34.2	PASS
EGSM 900	975	17	3	5.54	0.0	10.0	PASS
EGSM 900	975	3	4	27.12	24.0	33.0	PASS
EGSM 900	975	17	4	5.55	0.0	10.0	PASS
DCS 1800	884	3	1	29.02	27.0	33.0	PASS
DCS 1800	884	4	1	27.99	25.0	31.0	PASS
DCS 1800	884	5	1	25.93	23.0	29.0	PASS
DCS 1800	884	6	1	23.91	21.0	27.0	PASS
DCS 1800	884	7	1	21.81	19.0	25.0	PASS
DCS 1800	884	8	1	19.86	17.0	23.0	PASS


DCS 1800	884	9	1	17.89	15.0	21.0	PASS
DCS 1800	884	10	1	15.97	13.0	19.0	PASS
DCS 1800	884	11	1	14.00	11.0	17.0	PASS
DCS 1800	884	12	1	11.96	8.0	16.0	PASS
DCS 1800	884	13	1	9.96	6.0	14.0	PASS
DCS 1800	884	14	1	8.04	4.0	12.0	PASS
DCS 1800	884	15	1	6.00	2.0	10.0	PASS
DCS 1800	884	16	1	4.05	0.0	8.0	PASS
DCS 1800	884	17	1	2.11	-3.0	7.0	PASS
DCS 1800	884	18	1	1.00	-5.0	5.0	PASS
DCS 1800	884	3	2	27.00	24.0	33.0	PASS
DCS 1800	884	18	2	1.15	-5.0	5.0	PASS
DCS 1800	884	3	3	25.48	22.2	31.2	PASS
DCS 1800	884	18	3	1.36	-5.0	5.0	PASS
DCS 1800	884	3	4	23.57	21.0	30.0	PASS
DCS 1800	884	18	4	1.41	-5.0	5.0	PASS
DCS 1800	700	3	1	29.50	27.0	33.0	PASS
DCS 1800	700	4	1	28.47	25.0	31.0	PASS
DCS 1800	700	5	1	26.45	23.0	29.0	PASS
DCS 1800	700	6	1	24.42	21.0	27.0	PASS
DCS 1800	700	7	1	22.34	19.0	25.0	PASS
DCS 1800	700	8	1	20.43	17.0	23.0	PASS
DCS 1800	700	9	1	18.52	15.0	21.0	PASS
DCS 1800	700	10	1	16.58	13.0	19.0	PASS
DCS 1800	700	11	1	14.56	11.0	17.0	PASS
DCS 1800	700	12	1	12.48	8.0	16.0	PASS
DCS 1800	700	13	1	10.41	6.0	14.0	PASS
DCS 1800	700	14	1	8.41	4.0	12.0	PASS
DCS 1800	700	15	1	6.32	2.0	10.0	PASS
DCS 1800	700	16	1	4.31	0.0	8.0	PASS
DCS 1800	700	17	1	2.38	-3.0	7.0	PASS
DCS 1800	700	18	1	1.22	-5.0	5.0	PASS
DCS 1800	700	3	2	27.24	24.0	33.0	PASS
DCS 1800	700	18	2	1.38	-5.0	5.0	PASS
DCS 1800	700	3	3	25.77	22.2	31.2	PASS
DCS 1800	700	18	3	1.53	-5.0	5.0	PASS
DCS 1800	700	3	4	23.84	21.0	30.0	PASS
DCS 1800	700	18	4	1.71	-5.0	5.0	PASS
DCS 1800	513	3	1	30.21	27.0	33.0	PASS
DCS 1800	513	4	1	29.05	25.0	31.0	PASS
DCS 1800	513	5	1	27.07	23.0	29.0	PASS
DCS 1800	513	6	1	25.10	21.0	27.0	PASS
DCS 1800	513	7	1	23.06	19.0	25.0	PASS
DCS 1800	513	8	1	21.07	17.0	23.0	PASS
DCS 1800	513	9	1	18.98	15.0	21.0	PASS
DCS 1800	513	10	1	17.05	13.0	19.0	PASS
DCS 1800	513	11	1	15.12	11.0	17.0	PASS
DCS 1800	513	12	1	13.16	8.0	16.0	PASS
DCS 1800	513	13	1	11.11	6.0	14.0	PASS
DCS 1800	513	14	1	9.03	4.0	12.0	PASS
DCS 1800	513	15	1	7.00	2.0	10.0	PASS
DCS 1800	513	16	1	4.93	0.0	8.0	PASS
DCS 1800	513	17	1	2.95	-3.0	7.0	PASS
DCS 1800	513	18	1	1.32	-5.0	5.0	PASS
DCS 1800	513	3	2	27.69	24.0	33.0	PASS
DCS 1800	513	18	2	1.60	-5.0	5.0	PASS
DCS 1800	513	3	3	26.19	22.2	31.2	PASS
DCS 1800	513	18	3	1.69	-5.0	5.0	PASS
DCS 1800	513	3	4	24.37	21.0	30.0	PASS
DCS 1800	513	18	4	1.93	-5.0	5.0	PASS




















4.2.11 Output RF spectrum/switching in GPRS multi slot configuration






4.2.11 Output RF spectrum spurious emissions in GPRS multislot configuration

Band	Channel	Center_Frequency (MHz)	Frequency _Range	SE_Frequency (MHz)	SE_Power (dBm)	Limit(dBm)	Result
EGSM 900	60	902.0	925MHz-935MHz	930	-79	-67	PASS
EGSM 900	60	902.0	935MHz-960MHz	940	-83	-79	PASS
EGSM 900	60	902.0	935MHz-960MHz	950	-85	-79	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1820	-74	-71	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1830	-78	-71	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1850	-77	-71	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1860	-78	-71	PASS

4.2.26 Frequency error and modulation accuracy in EGPRS configuration

Band	Channel	Gamma	Freq_Error (Hz)	FreqError (ppm)	Limit	Rms (%)	Rms Limit (%)	Peak (%)	Peak Limit (%)	95thPerc (%)	95thPerc Limit(%)	OOS (dB)	OOS_Limit (dB)	Result
EGSM 900	60	6	1.16	0.001	0.1	2.64	9.0	7.19	30.0	4.7	15.0	42.34	30.0	PASS
EGSM 900	60	17	9.3	0.01	0.1	1.24	9.0	3.3	30.0	2.5	15.0	48.67	30.0	PASS
DCS 1800	700	5	0.45	0.0003	0.1	5.31	9.0	14.06	30.0	9.3	15.0	41.96	30.0	PASS
DCS 1800	700	18	-8.75	-0.005	0.1	1.89	9.0	5.28	30.0	3.9	15.0	48.25	30.0	PASS



4.2.27 Frequency error under multi path and interference conditions in EGPRS configuration

MS under maximum power control level

Band	Channel	CenterFreq	Gamma	Propagation	Burst	Type	Freq_Error (Hz)	Per_Freq_Error (Hz)	Result
EGSM 900	60	902.0	6	RAA/noFH	1	access burst	5.46	300	PASS
EGSM 900	60	902.0	6	RAA/noFH	1	normal burst	14.72	300	PASS
EGSM 900	60	902.0	6	RAA/noFH	2	normal burst	11.69	300	PASS
EGSM 900	60	902.0	6	RAA/noFH	3	normal burst	20.95	300	PASS
EGSM 900	60	902.0	6	RAA/noFH	4	normal burst	17.08	300	PASS
EGSM 900	60	902.0	6	RAA/noFH	5	normal burst	14.14	300	PASS
EGSM 900	60	902.0	6	HT/noFH	1	access burst	10.2	180	PASS
EGSM 900	60	902.0	6	HT/noFH	1	normal burst	11.91	180	PASS
EGSM 900	60	902.0	6	HT/noFH	2	normal burst	14.5	180	PASS
EGSM 900	60	902.0	6	HT/noFH	3	normal burst	10.33	180	PASS
EGSM 900	60	902.0	6	HT/noFH	4	normal burst	3.68	180	PASS
EGSM 900	60	902.0	6	HT/noFH	5	normal burst	12.62	180	PASS
EGSM 900	60	902.0	6	TUhigh/noFH	1	access burst	14.88	160	PASS
EGSM 900	60	902.0	6	TUhigh/noFH	1	normal burst	10.85	160	PASS
EGSM 900	60	902.0	6	TUhigh/noFH	2	normal burst	9.91	160	PASS
EGSM 900	60	902.0	6	TUhigh/noFH	3	normal burst	9.91	160	PASS
EGSM 900	60	902.0	6	TUhigh/noFH	4	normal burst	8.59	160	PASS
EGSM 900	60	902.0	6	TUhigh/noFH	5	normal burst	12.56	160	PASS
EGSM 900	60	902.0	6	TUlow	1	access burst	13.92	230	PASS
EGSM 900	60	902.0	6	TUlow	1	normal burst	14.37	230	PASS
EGSM 900	60	902.0	6	TUlow	2	normal burst	10.11	230	PASS
EGSM 900	60	902.0	6	TUlow	3	normal burst	17.05	230	PASS
EGSM 900	60	902.0	6	TUlow	4	normal burst	17.76	230	PASS
EGSM 900	60	902.0	6	TUlow	5	normal burst	12.88	230	PASS
EGSM 900	60	902.0	6	TUlow	6	normal burst	8.85	230	PASS
EGSM 900	60	902.0	6	TUlow	7	normal burst	10.17	230	PASS
EGSM 900	60	902.0	6	TUlow	8	normal burst	8.07	230	PASS
EGSM 900	60	902.0	6	TUlow	9	normal burst	2.07	230	PASS
EGSM 900	60	902.0	6	TUlow	10	normal burst	10.69	230	PASS
EGSM 900	60	902.0	6	TUlow	11	normal burst	15.82	230	PASS
EGSM 900	60	902.0	6	TUlow	12	normal burst	15.43	230	PASS
EGSM 900	60	902.0	6	TUlow	13	normal burst	10.94	230	PASS
EGSM 900	60	902.0	6	TUlow	14	normal burst	15.01	230	PASS
EGSM 900	60	902.0	6	TUlow	15	normal burst	15.98	230	PASS
EGSM 900	60	902.0	6	TUlow	16	normal burst	15.05	230	PASS
EGSM 900	60	902.0	6	TUlow	17	normal burst	11.66	230	PASS
EGSM 900	60	902.0	6	TUlow	18	normal burst	14.56	230	PASS
EGSM 900	60	902.0	6	TUlow	19	normal burst	11.72	230	PASS
EGSM 900	60	902.0	6	TUlow	20	normal burst	10.85	230	PASS
DCS 1800	700	1747.8	5	RAA/noFH	1	access burst	4.39	400	PASS
DCS 1800	700	1747.8	5	RAA/noFH	1	normal burst	15.59	400	PASS
DCS 1800	700	1747.8	5	RAA/noFH	2	normal burst	7.65	400	PASS
DCS 1800	700	1747.8	5	RAA/noFH	3	normal burst	22.99	400	PASS
DCS 1800	700	1747.8	5	RAA/noFH	4	normal burst	20.53	400	PASS
DCS 1800	700	1747.8	5	RAA/noFH	5	normal burst	25.57	400	PASS
DCS 1800	700	1747.8	5	HT/noFH	1	access burst	12.62	350	PASS
DCS 1800	700	1747.8	5	HT/noFH	1	normal burst	11.53	350	PASS
DCS 1800	700	1747.8	5	HT/noFH	2	normal burst	16.4	350	PASS
DCS 1800	700	1747.8	5	HT/noFH	3	normal burst	18.56	350	PASS
DCS 1800	700	1747.8	5	HT/noFH	4	normal burst	22.31	350	PASS
DCS 1800	700	1747.8	5	HT/noFH	5	normal burst	13.62	350	PASS
DCS 1800	700	1747.8	5	TUhigh/noFH	1	access burst	13.98	260	PASS
DCS 1800	700	1747.8	5	TUhigh/noFH	1	normal burst	28.99	260	PASS
DCS 1800	700	1747.8	5	TUhigh/noFH	2	normal burst	21.86	260	PASS
DCS 1800	700	1747.8	5	TUhigh/noFH	3	normal burst	12.75	260	PASS
DCS 1800	700	1747.8	5	TUhigh/noFH	4	normal burst	5.84	260	PASS
DCS 1800	700	1747.8	5	TUhigh/noFH	5	normal burst	13.01	260	PASS
DCS 1800	700	1747.8	5	TUlow	1	access burst	13.92	320	PASS
DCS 1800	700	1747.8	5	TUlow	1	normal burst	12.69	320	PASS
DCS 1800	700	1747.8	5	TUlow	2	normal burst	7.62	320	PASS
DCS 1800	700	1747.8	5	TUlow	3	normal burst	15.3	320	PASS
DCS 1800	700	1747.8	5	TUlow	4	normal burst	13.88	320	PASS
DCS 1800	700	1747.8	5	TUlow	5	normal burst	6.39	320	PASS
DCS 1800	700	1747.8	5	TUlow	6	normal burst	6.07	320	PASS
DCS 1800	700	1747.8	5	TUlow	7	normal burst	9.23	320	PASS
DCS 1800	700	1747.8	5	TUlow	8	normal burst	6.3	320	PASS

DCS 1800	700	1747.8	5	TUlow	9	normal burst	17.92	320	PASS
DCS 1800	700	1747.8	5	TUlow	10	normal burst	6.81	320	PASS
DCS 1800	700	1747.8	5	TUlow	11	normal burst	13.72	320	PASS
DCS 1800	700	1747.8	5	TUlow	12	normal burst	10.91	320	PASS
DCS 1800	700	1747.8	5	TUlow	13	normal burst	24.18	320	PASS
DCS 1800	700	1747.8	5	TUlow	14	normal burst	20.44	320	PASS
DCS 1800	700	1747.8	5	TUlow	15	normal burst	14.14	320	PASS
DCS 1800	700	1747.8	5	TUlow	16	normal burst	19.21	320	PASS
DCS 1800	700	1747.8	5	TUlow	17	normal burst	22.99	320	PASS
DCS 1800	700	1747.8	5	TUlow	18	normal burst	22.6	320	PASS
DCS 1800	700	1747.8	5	TUlow	19	normal burst	30.61	320	PASS
DCS 1800	700	1747.8	5	TUlow	20	normal burst	26.05	320	PASS

MS under minimum power control level


Band	Channel	CenterFreq	Gamma	Propagation	Burst	Type	Freq_Error (Hz)	Per_Freq_Error (Hz)	Result
EGSM 900	60	902.0	17	RAA/noFH	1	access burst	5.39	300	PASS
EGSM 900	60	902.0	17	RAA/noFH	1	normal burst	15.02	300	PASS
EGSM 900	60	902.0	17	RAA/noFH	2	normal burst	12.02	300	PASS
EGSM 900	60	902.0	17	RAA/noFH	3	normal burst	21.00	300	PASS
EGSM 900	60	902.0	17	RAA/noFH	4	normal burst	17.08	300	PASS
EGSM 900	60	902.0	17	RAA/noFH	5	normal burst	13.76	300	PASS
EGSM 900	60	902.0	17	HT/noFH	1	access burst	10.29	180	PASS
EGSM 900	60	902.0	17	HT/noFH	1	normal burst	11.86	180	PASS
EGSM 900	60	902.0	17	HT/noFH	2	normal burst	14.74	180	PASS
EGSM 900	60	902.0	17	HT/noFH	3	normal burst	10.11	180	PASS
EGSM 900	60	902.0	17	HT/noFH	4	normal burst	3.87	180	PASS
EGSM 900	60	902.0	17	HT/noFH	5	normal burst	12.53	180	PASS
EGSM 900	60	902.0	17	TUhigh/noFH	1	access burst	14.81	160	PASS
EGSM 900	60	902.0	17	TUhigh/noFH	1	normal burst	11.10	160	PASS
EGSM 900	60	902.0	17	TUhigh/noFH	2	normal burst	9.77	160	PASS
EGSM 900	60	902.0	17	TUhigh/noFH	3	normal burst	9.73	160	PASS
EGSM 900	60	902.0	17	TUhigh/noFH	4	normal burst	8.66	160	PASS
EGSM 900	60	902.0	17	TUhigh/noFH	5	normal burst	12.30	160	PASS
EGSM 900	60	902.0	17	TUlow	1	access burst	13.83	230	PASS
EGSM 900	60	902.0	17	TUlow	1	normal burst	13.94	230	PASS
EGSM 900	60	902.0	17	TUlow	2	normal burst	10.33	230	PASS
EGSM 900	60	902.0	17	TUlow	3	normal burst	17.08	230	PASS
EGSM 900	60	902.0	17	TUlow	4	normal burst	17.50	230	PASS
EGSM 900	60	902.0	17	TUlow	5	normal burst	13.11	230	PASS
EGSM 900	60	902.0	17	TUlow	6	normal burst	8.94	230	PASS
EGSM 900	60	902.0	17	TUlow	7	normal burst	10.21	230	PASS
EGSM 900	60	902.0	17	TUlow	8	normal burst	7.74	230	PASS
EGSM 900	60	902.0	17	TUlow	9	normal burst	2.25	230	PASS
EGSM 900	60	902.0	17	TUlow	10	normal burst	10.52	230	PASS
EGSM 900	60	902.0	17	TUlow	11	normal burst	15.87	230	PASS
EGSM 900	60	902.0	17	TUlow	12	normal burst	15.69	230	PASS
EGSM 900	60	902.0	17	TUlow	13	normal burst	11.09	230	PASS
EGSM 900	60	902.0	17	TUlow	14	normal burst	15.33	230	PASS
EGSM 900	60	902.0	17	TUlow	15	normal burst	16.19	230	PASS
EGSM 900	60	902.0	17	TUlow	16	normal burst	15.13	230	PASS
EGSM 900	60	902.0	17	TUlow	17	normal burst	11.99	230	PASS
EGSM 900	60	902.0	17	TUlow	18	normal burst	14.44	230	PASS
EGSM 900	60	902.0	17	TUlow	19	normal burst	11.54	230	PASS
EGSM 900	60	902.0	17	TUlow	20	normal burst	10.77	230	PASS
DCS 1800	700	1747.8	18	RAA/noFH	1	access burst	3.99	400	PASS
DCS 1800	700	1747.8	18	RAA/noFH	1	normal burst	15.42	400	PASS
DCS 1800	700	1747.8	18	RAA/noFH	2	normal burst	7.67	400	PASS
DCS 1800	700	1747.8	18	RAA/noFH	3	normal burst	23.04	400	PASS
DCS 1800	700	1747.8	18	RAA/noFH	4	normal burst	20.77	400	PASS
DCS 1800	700	1747.8	18	RAA/noFH	5	normal burst	25.82	400	PASS
DCS 1800	700	1747.8	18	HT/noFH	1	access burst	12.95	350	PASS
DCS 1800	700	1747.8	18	HT/noFH	1	normal burst	11.89	350	PASS
DCS 1800	700	1747.8	18	HT/noFH	2	normal burst	16.27	350	PASS
DCS 1800	700	1747.8	18	HT/noFH	3	normal burst	18.61	350	PASS
DCS 1800	700	1747.8	18	HT/noFH	4	normal burst	22.06	350	PASS
DCS 1800	700	1747.8	18	HT/noFH	5	normal burst	13.92	350	PASS
DCS 1800	700	1747.8	18	TUhigh/noFH	1	access burst	14.08	260	PASS
DCS 1800	700	1747.8	18	TUhigh/noFH	1	normal burst	29.12	260	PASS
DCS 1800	700	1747.8	18	TUhigh/noFH	2	normal burst	22.09	260	PASS
DCS 1800	700	1747.8	18	TUhigh/noFH	3	normal burst	12.73	260	PASS
DCS 1800	700	1747.8	18	TUhigh/noFH	4	normal burst	6.14	260	PASS
DCS 1800	700	1747.8	18	TUhigh/noFH	5	normal burst	12.97	260	PASS
DCS 1800	700	1747.8	18	TUlow	1	access burst	13.97	320	PASS
DCS 1800	700	1747.8	18	TUlow	1	normal burst	12.56	320	PASS

DCS 1800	700	1747.8	18	TUlow	2	normal burst	7.57	320	PASS
DCS 1800	700	1747.8	18	TUlow	3	normal burst	15.71	320	PASS
DCS 1800	700	1747.8	18	TUlow	4	normal burst	13.96	320	PASS
DCS 1800	700	1747.8	18	TUlow	5	normal burst	6.50	320	PASS
DCS 1800	700	1747.8	18	TUlow	6	normal burst	6.18	320	PASS
DCS 1800	700	1747.8	18	TUlow	7	normal burst	9.01	320	PASS
DCS 1800	700	1747.8	18	TUlow	8	normal burst	5.89	320	PASS
DCS 1800	700	1747.8	18	TUlow	9	normal burst	17.46	320	PASS
DCS 1800	700	1747.8	18	TUlow	10	normal burst	6.70	320	PASS
DCS 1800	700	1747.8	18	TUlow	11	normal burst	13.57	320	PASS
DCS 1800	700	1747.8	18	TUlow	12	normal burst	10.56	320	PASS
DCS 1800	700	1747.8	18	TUlow	13	normal burst	24.09	320	PASS
DCS 1800	700	1747.8	18	TUlow	14	normal burst	20.35	320	PASS
DCS 1800	700	1747.8	18	TUlow	15	normal burst	14.05	320	PASS
DCS 1800	700	1747.8	18	TUlow	16	normal burst	19.07	320	PASS
DCS 1800	700	1747.8	18	TUlow	17	normal burst	23.03	320	PASS
DCS 1800	700	1747.8	18	TUlow	18	normal burst	23.00	320	PASS
DCS 1800	700	1747.8	18	TUlow	19	normal burst	30.61	320	PASS
DCS 1800	700	1747.8	18	TUlow	20	normal burst	26.28	320	PASS

4.2.28 EGPRS Transmitter output power


Band	Channel	Gamma	Uplink slot	Channel_Power (dBm)	Channel_Power_Min (dBm)	Channel_Power_Max (dBm)	Result
EGSM 900	124	6	1	26.40	24.0	30.0	PASS
EGSM 900	124	7	1	24.47	22.0	28.0	PASS
EGSM 900	124	8	1	22.52	20.0	26.0	PASS
EGSM 900	124	9	1	20.44	18.0	24.0	PASS
EGSM 900	124	10	1	18.44	16.0	22.0	PASS
EGSM 900	124	11	1	16.51	14.0	20.0	PASS
EGSM 900	124	12	1	14.41	12.0	18.0	PASS
EGSM 900	124	13	1	12.49	10.0	16.0	PASS
EGSM 900	124	14	1	10.55	6.0	16.0	PASS
EGSM 900	124	15	1	8.62	4.0	14.0	PASS
EGSM 900	124	16	1	6.66	2.0	12.0	PASS
EGSM 900	124	17	1	5.51	0.0	10.0	PASS
EGSM 900	124	6	2	25.56	21.0	30.0	PASS
EGSM 900	124	17	2	5.36	0.0	10.0	PASS
EGSM 900	124	6	3	23.65	19.2	28.2	PASS
EGSM 900	124	17	3	4.76	0.0	10.0	PASS
EGSM 900	124	6	4	21.62	18.0	27.0	PASS
EGSM 900	124	17	4	4.55	0.0	10.0	PASS
EGSM 900	60	6	1	26.51	24.0	30.0	PASS
EGSM 900	60	7	1	24.57	22.0	28.0	PASS
EGSM 900	60	8	1	22.63	20.0	26.0	PASS
EGSM 900	60	9	1	20.70	18.0	24.0	PASS
EGSM 900	60	10	1	18.65	16.0	22.0	PASS
EGSM 900	60	11	1	16.61	14.0	20.0	PASS
EGSM 900	60	12	1	14.54	12.0	18.0	PASS
EGSM 900	60	13	1	12.49	10.0	16.0	PASS
EGSM 900	60	14	1	10.42	6.0	16.0	PASS
EGSM 900	60	15	1	8.36	4.0	14.0	PASS
EGSM 900	60	16	1	6.45	2.0	12.0	PASS
EGSM 900	60	17	1	5.36	0.0	10.0	PASS
EGSM 900	60	6	2	25.29	21.0	30.0	PASS
EGSM 900	60	17	2	5.00	0.0	10.0	PASS
EGSM 900	60	6	3	23.19	19.2	28.2	PASS
EGSM 900	60	17	3	4.62	0.0	10.0	PASS
EGSM 900	60	6	4	21.69	18.0	27.0	PASS
EGSM 900	60	17	4	4.19	0.0	10.0	PASS
EGSM 900	975	6	1	25.91	24.0	30.0	PASS
EGSM 900	975	7	1	23.99	22.0	28.0	PASS
EGSM 900	975	8	1	21.95	20.0	26.0	PASS
EGSM 900	975	9	1	19.93	18.0	24.0	PASS
EGSM 900	975	10	1	18.03	16.0	22.0	PASS
EGSM 900	975	11	1	16.12	14.0	20.0	PASS
EGSM 900	975	12	1	14.18	12.0	18.0	PASS
EGSM 900	975	13	1	12.19	10.0	16.0	PASS
EGSM 900	975	14	1	10.28	6.0	16.0	PASS
EGSM 900	975	15	1	8.22	4.0	14.0	PASS
EGSM 900	975	16	1	6.31	2.0	12.0	PASS
EGSM 900	975	17	1	4.84	0.0	10.0	PASS
EGSM 900	975	6	2	24.61	21.0	30.0	PASS
EGSM 900	975	17	2	4.44	0.0	10.0	PASS
EGSM 900	975	6	3	22.73	19.2	28.2	PASS
EGSM 900	975	17	3	4.20	0.0	10.0	PASS
EGSM 900	975	6	4	20.83	18.0	27.0	PASS
EGSM 900	975	17	4	3.67	0.0	10.0	PASS
DCS 1800	884	5	1	27.59	23.0	29.0	PASS
DCS 1800	884	6	1	26.37	21.0	27.0	PASS
DCS 1800	884	7	1	24.28	19.0	25.0	PASS
DCS 1800	884	8	1	22.36	17.0	23.0	PASS
DCS 1800	884	9	1	20.33	15.0	21.0	PASS
DCS 1800	884	10	1	18.26	13.0	19.0	PASS
DCS 1800	884	11	1	16.20	10.0	18.0	PASS
DCS 1800	884	12	1	14.22	8.0	16.0	PASS
DCS 1800	884	13	1	12.15	6.0	14.0	PASS
DCS 1800	884	14	1	10.23	4.0	12.0	PASS
DCS 1800	884	15	1	8.29	2.0	10.0	PASS
DCS 1800	884	16	1	6.23	-1.0	9.0	PASS

DCS 1800	884	17	1	4.22	-3.0	7.0	PASS
DCS 1800	884	18	1	2.65	-5.0	5.0	PASS
DCS 1800	884	5	2	26.29	20.0	29.0	PASS
DCS 1800	884	18	2	2.53	-5.0	5.0	PASS
DCS 1800	884	5	3	24.19	18.2	27.2	PASS
DCS 1800	884	18	3	1.75	-5.0	5.0	PASS
DCS 1800	884	5	4	22.19	17.0	26.0	PASS
DCS 1800	884	18	4	1.44	-5.0	5.0	PASS
DCS 1800	700	5	1	27.56	23.0	29.0	PASS
DCS 1800	700	6	1	26.54	21.0	27.0	PASS
DCS 1800	700	7	1	24.64	19.0	25.0	PASS
DCS 1800	700	8	1	22.54	17.0	23.0	PASS
DCS 1800	700	9	1	20.50	15.0	21.0	PASS
DCS 1800	700	10	1	18.58	13.0	19.0	PASS
DCS 1800	700	11	1	16.62	10.0	18.0	PASS
DCS 1800	700	12	1	14.52	8.0	16.0	PASS
DCS 1800	700	13	1	12.57	6.0	14.0	PASS
DCS 1800	700	14	1	10.53	4.0	12.0	PASS
DCS 1800	700	15	1	8.58	2.0	10.0	PASS
DCS 1800	700	16	1	6.50	-1.0	9.0	PASS
DCS 1800	700	17	1	4.55	-3.0	7.0	PASS
DCS 1800	700	18	1	2.75	-5.0	5.0	PASS
DCS 1800	700	5	2	26.07	20.0	29.0	PASS
DCS 1800	700	18	2	2.39	-5.0	5.0	PASS
DCS 1800	700	5	3	24.15	18.2	27.2	PASS
DCS 1800	700	18	3	1.84	-5.0	5.0	PASS
DCS 1800	700	5	4	21.88	17.0	26.0	PASS
DCS 1800	700	18	4	1.37	-5.0	5.0	PASS
DCS 1800	513	5	1	27.42	23.0	29.0	PASS
DCS 1800	513	6	1	26.18	21.0	27.0	PASS
DCS 1800	513	7	1	24.13	19.0	25.0	PASS
DCS 1800	513	8	1	22.04	17.0	23.0	PASS
DCS 1800	513	9	1	19.98	15.0	21.0	PASS
DCS 1800	513	10	1	17.98	13.0	19.0	PASS
DCS 1800	513	11	1	16.07	10.0	18.0	PASS
DCS 1800	513	12	1	14.08	8.0	16.0	PASS
DCS 1800	513	13	1	12.00	6.0	14.0	PASS
DCS 1800	513	14	1	10.09	4.0	12.0	PASS
DCS 1800	513	15	1	8.00	2.0	10.0	PASS
DCS 1800	513	16	1	6.03	-1.0	9.0	PASS
DCS 1800	513	17	1	3.93	-3.0	7.0	PASS
DCS 1800	513	18	1	2.34	-5.0	5.0	PASS
DCS 1800	513	5	2	25.79	20.0	29.0	PASS
DCS 1800	513	18	2	1.69	-5.0	5.0	PASS
DCS 1800	513	5	3	23.91	18.2	27.2	PASS
DCS 1800	513	18	3	1.40	-5.0	5.0	PASS
DCS 1800	513	5	4	21.52	17.0	26.0	PASS
DCS 1800	513	18	4	0.95	-5.0	5.0	PASS



















4.2.29 Output RF spectrum/switching in EGPRS configuration





4.2.29 Output RF spectrum spurious emissions in EGPRS configuration

Band	Channel	Center_Frequency (MHz)	Frequency_Range	SE_Frequency (MHz)	SE_Power (dBm)	Limit(dBm)	Result
EGSM 900	60	902.0	925MHz-935MHz	934.65	-68	-67	PASS
EGSM 900	60	902.0	935MHz-960MHz	937.79	-88	-79	PASS
EGSM 900	60	902.0	935MHz-960MHz	955.94	-83	-79	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1811.54	-82	-71	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1836.99	-78	-71	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1853.95	-73	-71	PASS
DCS 1800	700	1747.8	1805MHz-1880MHz	1874.63	-78	-71	PASS

4.2.42 Reference sensitivity - TCH/FS

Band	Channel	Fading Profile	Type of channel	Number of Samples	Power_level (dBm)	BER(%)	Limit(%)	Result
EGSM 900	60	TUhigh	fer	8900	-102.0	0.0	6.742	PASS
EGSM 900	60	TUhigh	class1b	1000000	-102.0	0.0	0.42	PASS
EGSM 900	60	TUhigh	class2	120000	-102.0	0.0	8.333	PASS
EGSM 900	60	RA	class2	24000	-102.0	0.0	7.5	PASS
EGSM 900	60	HT	class2	60000	-102.0	0.0	9.333	PASS
EGSM 900	Hopping	Static	fer	164000	-102.0	0.0	0.122	PASS
EGSM 900	Hopping	Static	class1b	20000000	-102.0	0.0	0.41	PASS
EGSM 900	Hopping	Static	class2	8200	-102.0	0.0	2.439	PASS
DCS 1800	700	TUhigh	fer	13400	-102.0	0.0	4.478	PASS
DCS 1800	700	TUhigh	class1b	1500000	-102.0	0.0	0.32	PASS
DCS 1800	700	TUhigh	class2	60000	-102.0	0.0	8.333	PASS
DCS 1800	700	RA	class2	24000	-102.0	0.0	7.5	PASS
DCS 1800	700	HT	class2	30000	-102.0	0.0	9.333	PASS
DCS 1800	Hopping	Static	fer	164000	-102.0	0.0	0.122	PASS
DCS 1800	Hopping	Static	class1b	20000000	-102.0	0.0	0.41	PASS
DCS 1800	Hopping	Static	class2	8200	-102.0	0.0	2.439	PASS

4.2.43 Reference sensitivity - FACCH/F

Band	Channel	Power_level(dBm)	FER(%)	Limit(%)	Result
EGSM 900	60	-102.0	0.82	8.961	PASS
DCS 1800	700	-102.0	0.56	4.368	PASS

4.2.38 Adjacent channel rejection - speech cannels(TCH/FS)

Band	Channel	Power_Level (dBm)	Center_Freq (MHz)	Offset (kHz)	Power (dBm)	Type of channel	Number of Samples	BER(%)	Limit (%)	Result
EGSM 900	60	-98.0	947.0	200.0	-89.0	fer	8900	1.97	6.742	PASS
EGSM 900	60	-98.0	947.0	200.0	-89.0	class1b	1000000	0.18	0.42	PASS
EGSM 900	60	-98.0	947.0	200.0	-89.0	class2	600000	2.12	8.333	PASS
EGSM 900	60	-98.0	947.0	-200.0	-89.0	fer	8900	0.96	6.742	PASS
EGSM 900	60	-98.0	947.0	-200.0	-89.0	class1b	1000000	0.04	0.42	PASS
EGSM 900	60	-98.0	947.0	-200.0	-89.0	class2	600000	2.44	8.333	PASS
EGSM 900	60	-98.0	947.0	400.0	-57.0	fer	8900	0.93	6.742	PASS
EGSM 900	60	-98.0	947.0	400.0	-57.0	class1b	1000000	0.16	0.42	PASS
EGSM 900	60	-98.0	947.0	400.0	-57.0	class2	600000	2.35	8.333	PASS
EGSM 900	60	-98.0	947.0	-400.0	-57.0	fer	8900	1.69	6.742	PASS
EGSM 900	60	-98.0	947.0	-400.0	-57.0	class1b	1000000	0.15	0.42	PASS
EGSM 900	60	-98.0	947.0	-400.0	-57.0	class2	600000	1.65	8.333	PASS
DCS 1800	700	-98.0	1842.8	200.0	-89.0	fer	17800	1.83	3.371	PASS
DCS 1800	700	-98.0	1842.8	200.0	-89.0	class1b	2000000	0.03	0.27	PASS
DCS 1800	700	-98.0	1842.8	200.0	-89.0	class2	1200000	1.59	8.333	PASS
DCS 1800	700	-98.0	1842.8	-200.0	-89.0	fer	17800	1.38	3.371	PASS
DCS 1800	700	-98.0	1842.8	-200.0	-89.0	class1b	2000000	0.08	0.27	PASS
DCS 1800	700	-98.0	1842.8	-200.0	-89.0	class2	1200000	2.41	8.333	PASS
DCS 1800	700	-98.0	1842.8	400.0	-57.0	fer	17800	1.97	3.371	PASS
DCS 1800	700	-98.0	1842.8	400.0	-57.0	class1b	2000000	0.18	0.27	PASS
DCS 1800	700	-98.0	1842.8	400.0	-57.0	class2	1200000	2.12	8.333	PASS
DCS 1800	700	-98.0	1842.8	-400.0	-57.0	fer	17800	0.96	3.371	PASS
DCS 1800	700	-98.0	1842.8	-400.0	-57.0	class1b	2000000	0.04	0.27	PASS
DCS 1800	700	-98.0	1842.8	-400.0	-57.0	class2	1200000	2.44	8.333	PASS

4.2.32 Inter-modulation rejection – speech channels

Band	Channel	Power_Level (dBm)	Frequency_CW (MHz)	Power_CW (dBm)	Frequency (MHz)	Power (dBm)	BER (%)	Limit (%)	Result
EGSM 900	60	-98.0	946.2	-49.0	945.4	-50.0	0.0	2.439	PASS
EGSM 900	60	-98.0	947.8	-49.0	948.6	-50.0	0.0	2.439	PASS
DCS 1800	700	-98.0	1842.0	-49.0	1841.2	-49.0	0.0	2.439	PASS
DCS 1800	700	-98.0	1843.6	-49.0	1844.4	-49.0	0.0	2.439	PASS

4.2.20 Receiver blocking and spurious responses – speech channels

Inband Blocking

Band	Channel	Power_Level (dBm)	Center_Freq (MHz)	Interferer_Frequency (MHz)	Interferer_Power (dBm)	BER (%)	Limit (%)	Result
EGSM 900	60	-102.0	947.0	915.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	915.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	915.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	915.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	915.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	916.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	916.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	916.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	916.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	916.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	917.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	917.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	917.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	917.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	917.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	918.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	918.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	918.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	918.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	918.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	919.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	919.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	919.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	919.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	919.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	920.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	920.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	920.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	920.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	920.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	921.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	921.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	921.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	921.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	921.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	922.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	922.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	922.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	922.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	922.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	923.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	923.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	923.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	923.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	923.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	924.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	924.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	924.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	924.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	924.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	925.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	925.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	925.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	925.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	925.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	926.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	926.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	926.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	926.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	926.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	927.0	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	927.2	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	927.4	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	927.6	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	927.8	-23	1.18	2.439	PASS
EGSM 900	60	-102.0	947.0	928.0	-23	1.18	2.439	PASS

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Page 67 of 131

DCS 1800	700	-102.0	1842.8	1915.2	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1915.4	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1915.6	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1915.8	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1916.0	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1916.2	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1916.4	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1916.6	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1916.8	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1917.0	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1917.2	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1917.4	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1917.6	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1917.8	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1918.0	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1918.2	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1918.4	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1918.6	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1918.8	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1919.0	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1919.2	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1919.4	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1919.6	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1919.8	-26	1.09	2.439	PASS
DCS 1800	700	-102.0	1842.8	1920.0	-26	1.09	2.439	PASS

4.2.20 Receiver blocking and spurious responses – speech channels

Out of band Blocking

Band	Channel	Power_Level (dBm)	Range	Interferer_Frequency (MHz)	Interferer_Power (dBm)	BER(%)	Limit (%)	Result
EGSM 900	60	-102.0	1	0.1	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	2	0.2	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	2	200.2	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	2	400.2	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	2	600.2	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	2	800.2	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	3	835.0	0.0	0.0	2.439	PASS
EGSM 900	60	-102.0	4	980.0	0.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	1000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	1200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	1400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	1600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	1800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	2000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	2200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	2400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	2600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	2800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	3000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	3200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	3400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	3600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	3800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	4000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	4200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	4400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	4600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	4800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	5000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	5200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	5400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	5600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	5800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	6000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	6200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	6400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	6600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	6800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	7000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	7200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	7400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	7600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	7800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	8000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	8200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	8400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	8600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	8800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	9000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	9200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	9400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	9600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	9800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	10000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	10200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	10400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	10600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	10800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	11000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	11200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	11400.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	11600.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	11800.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	12000.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	12200.0	-23.0	0.0	2.439	PASS
EGSM 900	60	-102.0	5	12400.0	-23.0	0.0	2.439	PASS

EGSM 900	60	-102.0	5	12600.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	1	0.1	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	2	0.2	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	2	200.2	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	2	400.2	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	2	600.2	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	2	800.2	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	2	1000.2	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	2	1200.2	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	2	1400.2	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	2	1600.2	0.0	0.0	2.439	PASS
DCS 1800	700	-102.0	3	1705.0	-12.0	0.0	2.439	PASS
DCS 1800	700	-102.0	4	1920.0	-12.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	1980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	2180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	2380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	2580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	2780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	2980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	3180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	3380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	3580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	3780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	3980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	4180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	4380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	4580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	4780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	4980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	5180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	5380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	5580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	5780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	5980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	6180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	6380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	6580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	6780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	6980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	7180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	7380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	7580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	7780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	7980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	8180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	8380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	8580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	8780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	8980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	9180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	9380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	9580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	9780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	9980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	10180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	10380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	10580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	10780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	10980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	11180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	11380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	11580.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	11780.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	11980.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	12180.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	12380.0	-23.0	0.0	2.439	PASS
DCS 1800	700	-102.0	5	12580.0	-23.0	0.0	2.439	PASS

4.2.35 AM suppression - speech channels

Band	Channel	Power_Level (dBm)	Center_Freq (MHz)	Interferer_Frequency (MHz)	Interferer_Power (dBm)	BER (%)	Limit (%)	Result
EGSM 900	60	-102.0	947.0	953.0	-31	0.49	2.439	PASS
DCS 1800	700	-102.0	1842.8	1848.8	-31	0.87	2.439	PASS

4.2.44 Minimum Input level for Reference Performance - GPRS

Band	Channel	Fading Profile	Hopping	Type of channel	BCCH Power (dBm)	TCH Power (dBm)	Number of Blocks	BLER (%)	Limit (%)	Result
EGSM 900	Hopping	static	ON	PDTCH/CS-3	-101	-101	100	1.77	10	PASS
EGSM 900	60	TUhigh/noFH	OFF	PDTCH/CS-3	-95	-95	10	1.77	10	PASS
EGSM 900	Hopping	TUhigh/FH	ON	PDTCH/CS-3	-96	-96	10	1.77	10	PASS
EGSM 900	60	HT/noFH	OFF	PDTCH/CS-3	-93	-93	10	1.77	10	PASS
EGSM 900	60	RA/noFH	OFF	PDTCH/CS-3	-95	-95	10	1.77	10	PASS
EGSM 900	Hopping	static	ON	PDTCH/CS-4	-79	-98	10	1.77	10	PASS
EGSM 900	60	TUhigh/noFH	OFF	PDTCH/CS-4	-87	-87	10	1.77	10	PASS
EGSM 900	Hopping	TUhigh/FH	ON	PDTCH/CS-4	-87	-87	10	1.77	10	PASS
EGSM 900	60	HT/noFH	OFF	USF/CS-1	-98	-98	10	0.15	1	PASS
EGSM 900	60	HT/noFH	OFF	USF/CS-2	-101	-101	10	0.15	1	PASS
EGSM 900	60	HT/noFH	OFF	USF/CS-3	-101	-101	10	0.15	1	PASS
EGSM 900	60	HT/noFH	OFF	USF/CS-4	-101	-101	10	0.15	1	PASS
EGSM 900	Hopping	static	OFF	USF/CS-1	-105	-105	10	0.15	1	PASS
DCS 1800	Hopping	static	ON	PDTCH/CS-3	-101	-101	100	2.59	10	PASS
DCS 1800	700	TUhigh/noFH	OFF	PDTCH/CS-3	-95	-95	10	2.59	10	PASS
DCS 1800	Hopping	TUhigh/FH	ON	PDTCH/CS-3	-95	-95	10	2.59	10	PASS
DCS 1800	700	HT/noFH	OFF	PDTCH/CS-3	-91	-91	10	2.59	10	PASS
DCS 1800	700	RA/noFH	OFF	PDTCH/CS-3	-95	-95	10	2.59	10	PASS
DCS 1800	Hopping	static	ON	PDTCH/CS-4	-79	-98	10	2.59	10	PASS
DCS 1800	700	TUhigh/noFH	OFF	PDTCH/CS-4	-85	-85	10	2.59	10	PASS
DCS 1800	Hopping	TUhigh/FH	ON	PDTCH/CS-4	-85	-85	10	2.59	10	PASS
DCS 1800	700	HT/noFH	OFF	USF/CS-1	-98	-98	10	0.12	1	PASS
DCS 1800	700	HT/noFH	OFF	USF/CS-2	-100	-100	10	0.12	1	PASS
DCS 1800	700	HT/noFH	OFF	USF/CS-3	-100	-100	10	0.12	1	PASS
DCS 1800	700	HT/noFH	OFF	USF/CS-4	-100	-100	10	0.12	1	PASS
DCS 1800	Hopping	static	OFF	USF/CS-1	-105	-105	10	0.12	1	PASS

4.2.45-Minimum Input level for Reference Performance - EGPRS

Band	Channel	Fading Profile	Hopping	Type of channel	BCCH Power (dBm)	TCH Power (dBm)	Number of Blocks	BLER (%)	Limit (%)	Result
EGSM 900	Hopping	static	ON	PDTCH/MCS-4	-79.5	-98.5	10	0.0	10	PASS
EGSM 900	60	TUhigh/noFH	OFF	PDTCH/MCS-4	-88.0	-88.0	10	0.0	10	PASS
EGSM 900	Hopping	TUhigh/FH	ON	PDTCH/MCS-4	-88.0	-88.0	10	0.0	10	PASS
EGSM 900	Hopping	static	ON	PDTCH/MCS-8	-68.5	-87.5	10	0.0	10	PASS
EGSM 900	60	TUhigh/noFH	OFF	PDTCH/MCS-8	-80.0	-80.0	10	0.0	10	PASS
EGSM 900	Hopping	TUhigh/FH	ON	PDTCH/MCS-8	-80.0	-80.0	10	0.0	10	PASS
EGSM 900	60	RA/noFH	OFF	PDTCH/MCS-3	-89.5	-89.5	10	0.0	10	PASS
EGSM 900	60	HT/noFH	OFF	PDTCH/MCS-2	-97.0	-97.0	10	0.0	10	PASS
EGSM 900	60	TUhigh/noFH	OFF	PDTCH/MCS-1	-99.5	-99.5	10	0.0	10	PASS
EGSM 900	Hopping	static	ON	PDTCH/MCS-9	-64.0	-83.0	10	0.0	10	PASS
EGSM 900	Hopping	TUhigh/FH	ON	PDTCH/MCS-7	-81.0	-81.0	10	0.0	10	PASS
EGSM 900	60	HT/noFH	OFF	PDTCH/MCS-6	-86.0	-86.0	10	0.0	10	PASS
EGSM 900	60	RA/noFH	OFF	PDTCH/MCS-5	-90.0	-90.0	10	0.0	10	PASS
EGSM 900	60	HT/noFH	OFF	USF/MCS-1	-99.5	-99.5	10	0.0	1	PASS
EGSM 900	60	HT/noFH	OFF	USF/MCS-5	-96.0	-96.0	10	0.0	1	PASS
EGSM 900	Hopping	static	OFF	USF/MCS-4	-105.0	-105.0	10	0.0	1	PASS
EGSM 900	Hopping	static	OFF	USF/MCS-5	-103.0	-103.0	10	0.0	1	PASS
DCS 1800	Hopping	static	ON	PDTCH/MCS-4	-79.5	-98.5	10	0.0	10	PASS
DCS 1800	700	TUhigh/noFH	OFF	PDTCH/MCS-4	-87.5	-87.5	10	0.0	10	PASS
DCS 1800	Hopping	TUhigh/FH	ON	PDTCH/MCS-4	-87.5	-87.5	10	0.0	10	PASS
DCS 1800	Hopping	static	ON	PDTCH/MCS-8	-68.5	-87.5	10	0.0	10	PASS
DCS 1800	700	TUhigh/noFH	OFF	PDTCH/MCS-8	-77.0	-77.0	10	0.0	10	PASS
DCS 1800	Hopping	TUhigh/FH	ON	PDTCH/MCS-8	-77.0	-77.0	10	0.0	10	PASS
DCS 1800	700	RA/noFH	OFF	PDTCH/MCS-3	-89.5	-89.5	10	0.0	10	PASS
DCS 1800	700	HT/noFH	OFF	PDTCH/MCS-2	-96.5	-96.5	10	0.0	10	PASS
DCS 1800	700	TUhigh/noFH	OFF	PDTCH/MCS-1	-99.5	-99.5	10	0.0	10	PASS
DCS 1800	Hopping	static	ON	PDTCH/MCS-9	-64.0	-83.0	10	0.0	10	PASS
DCS 1800	Hopping	TUhigh/FH	ON	PDTCH/MCS-7	-77.5	-77.5	10	0.0	10	PASS
DCS 1800	700	HT/noFH	OFF	PDTCH/MCS-6	-80.5	-80.5	10	0.0	10	PASS
DCS 1800	700	RA/noFH	OFF	PDTCH/MCS-5	-90.0	-90.0	10	0.0	10	PASS
DCS 1800	700	HT/noFH	OFF	USF/MCS-1	-99.5	-99.5	10	0.0	1	PASS
DCS 1800	700	HT/noFH	OFF	USF/MCS-5	-96.0	-96.0	10	0.0	1	PASS
DCS 1800	Hopping	static	OFF	USF/MCS-4	-105.0	-105.0	10	0.0	1	PASS
DCS 1800	Hopping	static	OFF	USF/MCS-5	-103.0	-103.0	10	0.0	1	PASS

4.2.40 Adjacent channel rejection - EGPRS

Band	Channel	Fading Profile	Type Of Channel	Downlink center Frequency (MHz)	Offset (MHz)	Interferenc Frequency (MHz)	Interferenc level(dBm)	BLER (%)	Limit (%)	Result
EGSM 900	60	TU50	PDTCH/MCS-1	947.0	200	947.2	-74.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-1	947.0	-200	946.8	-74.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-1	947.0	400	947.4	-42.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-1	947.0	-400	946.6	-42.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-2	947.0	200	947.2	-74.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-2	947.0	-200	946.8	-74.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-2	947.0	400	947.4	-42.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-2	947.0	-400	946.6	-42.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-3	947.0	200	947.2	-74.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-3	947.0	-200	946.8	-74.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-3	947.0	400	947.4	-42.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-3	947.0	-400	946.6	-42.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-4	947.0	200	947.2	-74.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-4	947.0	-200	946.8	-74.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-4	947.0	400	947.4	-42.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-4	947.0	-400	946.6	-42.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-5	947.0	200	947.2	-77.5	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-5	947.0	-200	946.8	-77.5	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-5	947.0	400	947.4	-44.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-5	947.0	-400	946.6	-44.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-6	947.0	200	947.2	-78.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-6	947.0	-200	946.8	-78.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-6	947.0	400	947.4	-44.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-6	947.0	-400	946.6	-44.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-7	947.0	200	947.2	-79.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-7	947.0	-200	946.8	-79.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-7	947.0	400	947.4	-44.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-7	947.0	-400	946.6	-44.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-8	947.0	200	947.2	-79.5	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-8	947.0	-200	946.8	-79.5	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-8	947.0	400	947.4	-44.0	2.23	10	PASS
EGSM 900	60	TU50	PDTCH/MCS-8	947.0	-400	946.6	-44.0	2.23	10	PASS
EGSM 900	60	TU1P5	PDTCH/MCS-9	947.0	200	947.2	-78.5	2.23	10	PASS
EGSM 900	60	TU1P5	PDTCH/MCS-9	947.0	-200	946.8	-78.5	2.23	10	PASS
EGSM 900	60	TU1P5	PDTCH/MCS-9	947.0	400	947.4	-44.0	2.23	10	PASS
EGSM 900	60	TU1P5	PDTCH/MCS-9	947.0	-400	946.6	-44.0	2.23	10	PASS
EGSM 900	60	TU50	USF/MCS-1	947.0	200	947.2	-74.0	2.23	1	PASS
EGSM 900	60	TU50	USF/MCS-1	947.0	-200	946.8	-74.0	2.23	1	PASS
EGSM 900	60	TU50	USF/MCS-1	947.0	400	947.4	-42.0	2.23	1	PASS
EGSM 900	60	TU50	USF/MCS-1	947.0	-400	946.6	-42.0	2.23	1	PASS
EGSM 900	60	TU50	USF/MCS-5	947.0	200	947.2	-74.5	2.23	1	PASS
EGSM 900	60	TU50	USF/MCS-5	947.0	-200	946.8	-74.5	2.23	1	PASS
EGSM 900	60	TU50	USF/MCS-5	947.0	400	947.4	-44.0	2.23	1	PASS
EGSM 900	60	TU50	USF/MCS-5	947.0	-400	946.6	-44.0	2.23	1	PASS
DCS 1800	700	TU50	PDTCH/MCS-1	1842.8	200	1843.0	-74.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-1	1842.8	-200	1842.6	-74.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-1	1842.8	400	1843.2	-42.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-1	1842.8	-400	1842.4	-42.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-2	1842.8	200	1843.0	-74.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-2	1842.8	-200	1842.6	-74.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-2	1842.8	400	1843.2	-42.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-2	1842.8	-400	1842.4	-42.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-3	1842.8	200	1843.0	-74.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-3	1842.8	-200	1842.6	-74.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-3	1842.8	400	1843.2	-42.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-3	1842.8	-400	1842.4	-42.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-4	1842.8	200	1843.0	-74.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-4	1842.8	-200	1842.6	-74.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-4	1842.8	400	1843.2	-42.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-4	1842.8	-400	1842.4	-42.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-5	1842.8	200	1843.0	-77.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-5	1842.8	-200	1842.6	-77.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-5	1842.8	400	1843.2	-44.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-5	1842.8	-400	1842.4	-44.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-6	1842.8	200	1843.0	-77.5	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-6	1842.8	-200	1842.6	-77.5	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-6	1842.8	400	1843.2	-44.0	1.93	10	PASS

DCS 1800	700	TU50	PDTCH/MCS-6	1842.8	-400	1842.4	-44.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-7	1842.8	200	1843.0	-79.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-7	1842.8	400	1843.2	-44.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-7	1842.8	-400	1842.4	-44.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-8	1842.8	200	1843.0	-80.5	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-8	1842.8	-200	1842.6	-80.5	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-8	1842.8	400	1843.2	-44.0	1.93	10	PASS
DCS 1800	700	TU50	PDTCH/MCS-8	1842.8	-400	1842.4	-44.0	1.93	10	PASS
DCS 1800	700	TU1P5	PDTCH/MCS-9	1842.8	200	1843.0	-78.5	1.93	10	PASS
DCS 1800	700	TU1P5	PDTCH/MCS-9	1842.8	-200	1842.6	-78.5	1.93	10	PASS
DCS 1800	700	TU1P5	PDTCH/MCS-9	1842.8	400	1843.2	-44.0	1.93	10	PASS
DCS 1800	700	TU1P5	PDTCH/MCS-9	1842.8	-400	1842.4	-44.0	1.93	10	PASS
DCS 1800	700	TU50	USF/MCS-1	1842.8	200	1843.0	-74.0	1.93	1	PASS
DCS 1800	700	TU50	USF/MCS-1	1842.8	-200	1842.6	-74.0	1.93	1	PASS
DCS 1800	700	TU50	USF/MCS-1	1842.8	400	1843.2	-42.0	1.93	1	PASS
DCS 1800	700	TU50	USF/MCS-1	1842.8	-400	1842.4	-42.0	1.93	1	PASS
DCS 1800	700	TU50	USF/MCS-5	1842.8	200	1843.0	-75.0	1.93	1	PASS
DCS 1800	700	TU50	USF/MCS-5	1842.8	-200	1842.6	-75.0	1.93	1	PASS
DCS 1800	700	TU50	USF/MCS-5	1842.8	400	1843.2	-44.0	1.93	1	PASS
DCS 1800	700	TU50	USF/MCS-5	1842.8	-400	1842.4	-44.0	1.93	1	PASS

4.2.34 Intermodulation rejection - EGPRS

Band	Channel	Fading Profile	Type Of Channel	Center Frequency (MHz)	CW Interference Offset1 (MHz)	Interference Offset2 (MHz)	CW Interference 1(MHz)	Interferer1 Level (dBm)	Interfer2 (MHz)	Interfer2 Level (dBm)	BLER (%)	Limit (%)	Result
EGSM 900	60	static	PDTCH/MCS-4	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-4	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-1	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-1	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-2	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-2	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-3	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-3	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-9	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-9	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-5	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-5	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-6	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-6	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-7	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-7	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-8	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	PDTCH/MCS-8	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	USF/MCS-4	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	USF/MCS-4	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
EGSM 900	60	static	USF/MCS-9	947.0	0.8	1.6	947.8	-49	948.6	-50	2.66	10	PASS
EGSM 900	60	static	USF/MCS-9	947.0	-0.8	-1.6	946.2	-49	945.4	-50	2.66	10	PASS
DCS 1800	700	static	PDTCH/MCS-4	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-4	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-1	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-1	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-2	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-2	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-3	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-3	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-9	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-9	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-5	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-5	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-6	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-6	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-7	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-7	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-8	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	PDTCH/MCS-8	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	USF/MCS-4	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	USF/MCS-4	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS
DCS 1800	700	static	USF/MCS-9	1842.8	0.8	1.6	1843.6	-49	1844.4	-49	3.12	10	PASS
DCS 1800	700	static	USF/MCS-9	1842.8	-0.8	-1.6	1842.0	-49	1841.2	-49	3.12	10	PASS

4.2.30 Blocking and spurious response in EGPRS configuration

Inband Blocking

Band	Channel	Fading Profile	Power_Level (dBm)	Center_Frequency (MHz)	Measure Mode	MCS	Interferer_Frequency (MHz)	Interferer_Power (dBm)	BER (%)	Limit (%)	Result
EGSM 900	60	static	-100	947.0	PDTCH	1	915.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	915.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	915.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	915.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	915.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	916.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	916.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	916.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	916.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	916.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	917.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	917.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	917.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	917.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	917.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	918.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	918.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	918.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	918.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	918.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	919.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	919.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	919.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	919.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	919.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	920.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	920.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	920.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	920.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	920.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	921.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	921.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	921.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	921.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	921.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	922.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	922.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	922.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	922.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	922.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	923.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	923.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	923.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	923.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	923.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	924.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	924.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	924.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	924.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	924.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	925.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	925.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	925.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	925.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	925.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	926.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	926.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	926.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	926.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	926.8	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	927.0	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	927.2	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	927.4	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	927.6	-23	3.44	10	PASS
EGSM 900	60	static	-100	947.0	PDTCH	1	927.8	-23	3.44	10	PASS

Page 78 of 131

Page 79 of 131

[illegible]

Page 81 of 131

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Page 90 of 131

[illegible]

Page 92 of 131

Page 93 of 131

Page 94 of 131

[illegible]

[illegible]

Page 97 of 131

[illegible]

[illegible]

[illegible]

[illegible]

Page 102 of 131

Page 103 of 131

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Page 109 of 131

[illegible]

[illegible]

Page 112 of 131

Page 113 of 131

Page 114 of 131

[illegible]

[illegible]

Page 117 of 131

Page 118 of 131

Page 119 of 131

Page 120 of 131

[illegible]

[illegible]

[illegible]

Page 124 of 131

Page 125 of 131

Page 126 of 131

Page 127 of 131

[illegible]

[illegible]

4.2.30 Blocking and spurious response in EGPRS configuration

Out of band Blocking

Band	Channel	Fading Profile	Power_Level (dBm)	Range	Measure Mode	MCS	Interferer_Frequency (MHz)	Interferer_Power (dBm)	BER (%)	Limit (%)	Result
EGSM 900	60	static	-97.5	1	PDTCH	4	0.1	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	2	PDTCH	4	0.2	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	2	PDTCH	4	200.2	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	2	PDTCH	4	400.2	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	2	PDTCH	4	600.2	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	2	PDTCH	4	800.2	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	3	PDTCH	4	835.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	4	PDTCH	4	980.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	1000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	1200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	1400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	1600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	1800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	2000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	2200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	2400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	2600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	2800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	3000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	3200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	3400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	3600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	3800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	4000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	4200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	4400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	4600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	4800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	5000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	5200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	5400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	5600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	5800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	6000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	6200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	6400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	6600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	6800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	7000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	7200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	7400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	7600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	7800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	8000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	8200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	8400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	8600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	8800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	9000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	9200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	9400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	9600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	9800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	10000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	10200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	10400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	10600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	10800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	11000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	11200.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	11400.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	11600.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	11800.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	12000.0	0.0	2.66	10	PASS
EGSM 900	60	static	-97.5	5	PDTCH	4	12200.0	0.0	2.66	10	PASS

[illegible]