

Appendix E for BT Test Data

Product Name: Wireless Earphone

Test Model: Vibe R3

Environmental Conditions

Temperature:	22.5° C
Relative Humidity:	51.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Peng Dong
Supervised by:	Zom Zhang



E.1 RF Output Power

Condition	Mode	Frequency (MHz)	Antenna	Max EIRP (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	hopping	Ant1	4.33	20	Pass
NVNT	1-DH5	hopping	Ant1	4.51	20	Pass
NVNT	1-DH5	hopping	Ant1	4.16	20	Pass
NVNT	2-DH5	hopping	Ant1	4.37	20	Pass
NVNT	2-DH5	hopping	Ant1	4.01	20	Pass
NVNT	2-DH5	hopping	Ant1	3.07	20	Pass

Condition	Mode	Frequency (MHz)	Antenna	Max EIRP (dBm)	Limit (dBm)	Verdict
NVLT	1-DH5	hopping	Ant1	4.22	20	Pass
NVLT	1-DH5	hopping	Ant1	4.27	20	Pass
NVLT	1-DH5	hopping	Ant1	4.11	20	Pass
NVLT	2-DH5	hopping	Ant1	4.27	20	Pass
NVLT	2-DH5	hopping	Ant1	3.91	20	Pass
NVLT	2-DH5	hopping	Ant1	2.94	20	Pass


Condition	Mode	Frequency (MHz)	Antenna	Max EIRP (dBm)	Limit (dBm)	Verdict
NVHT	1-DH5	hopping	Ant1	4.18	20	Pass
NVHT	1-DH5	hopping	Ant1	4.13	20	Pass
NVHT	1-DH5	hopping	Ant1	4.06	20	Pass
NVHT	2-DH5	hopping	Ant1	4.04	20	Pass
NVHT	2-DH5	hopping	Ant1	3.78	20	Pass
NVHT	2-DH5	hopping	Ant1	2.87	20	Pass

Note: 20 bursts had been captured for power measurement.


E.2 Accumulated Transmit Time

Condition	Mode	Frequency (MHz)	Antenna	Accumulated Transmit Time (ms)	Limit (ms)	Sweep Time (ms)	Burst Number	Verdict
NVNT	1-DH5	2402	Ant1	288.8	400	31600	100	Pass
NVNT	1-DH5	2441	Ant1	294.474	400	31600	102	Pass
NVNT	1-DH5	2480	Ant1	305.916	400	31600	106	Pass
NVNT	2-DH5	2402	Ant1	318.01	400	31600	110	Pass
NVNT	2-DH5	2441	Ant1	318.12	400	31600	110	Pass
NVNT	2-DH5	2480	Ant1	329.688	400	31600	114	Pass







Dwell NVNT 1-DH5 2402MHz Ant1




Dwell NVNT 1-DH5 2441MHz Ant1




Dwell NVNT 1-DH5 2480MHz Ant1



Dwell NVNT 2-DH5 2402MHz Ant1



Dwell NVNT 2-DH5 2441MHz Ant1




Dwell NVNT 2-DH5 2480MHz Ant1


E.3 Frequency Occupation

Condition	Mode	Frequency (MHz)	Antenna	Burst Number	Limit	Sweep Time (ms)	Verdict
NVNT	1-DH5	2402	Ant1	3	1	912.608	Pass
NVNT	1-DH5	2441	Ant1	4	1	912.292	Pass
NVNT	1-DH5	2480	Ant1	4	1	911.976	Pass
NVNT	2-DH5	2402	Ant1	5	1	913.556	Pass
NVNT	2-DH5	2441	Ant1	4	1	913.872	Pass
NVNT	2-DH5	2480	Ant1	3	1	913.872	Pass







Freq. Occup. NVNT 1-DH5 2402MHz Ant1




Freq. Occup. NVNT 1-DH5 2441MHz Ant1




Freq. Occup. NVNT 1-DH5 2480MHz Ant1



Freq. Occup. NVNT 2-DH5 2402MHz Ant1



Freq. Occup. NVNT 2-DH5 2441MHz Ant1




Freq. Occup. NVNT 2-DH5 2480MHz Ant1


E.4 Hopping Sequence

Condition	Mode	Antenna	Hopping Number	Limit	Band Allocation (%)	Limit Band Allocation (%)	Verdict
NVNT	1-DH5	Ant1	79	15	95.4	70	Pass
NVNT	1-DH5	Ant1	79	15	95.4	70	Pass
NVNT	1-DH5	Ant1	79	15	95.4	70	Pass
NVNT	2-DH5	Ant1	79	15	95.8	70	Pass
NVNT	2-DH5	Ant1	79	15	95.8	70	Pass
NVNT	2-DH5	Ant1	79	15	95.8	70	Pass







Hopping Seq. NVNT 1-DH5 2402MHz Ant1




Hopping Seq. NVNT 1-DH5 2441MHz Ant1




Hopping Seq. NVNT 1-DH5 2480MHz Ant1



Hopping Seq. NVNT 2-DH5 2402MHz Ant1



Hopping Seq. NVNT 2-DH5 2441MHz Ant1




Hopping Seq. NVNT 2-DH5 2480MHz Ant1


E.5 Hopping Frequency Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.013	2402.976	0.963	0.1	Pass
NVNT	1-DH5	Ant1	2441.003	2441.981	0.978	0.1	Pass
NVNT	1-DH5	Ant1	2478.977	2479.999	1.022	0.1	Pass
NVNT	2-DH5	Ant1	2401.988	2402.834	0.846	0.1	Pass
NVNT	2-DH5	Ant1	2440.987	2441.987	1	0.1	Pass
NVNT	2-DH5	Ant1	2478.991	2479.984	0.993	0.1	Pass







HFS NVNT 1-DH5 2402MHz Ant1




HFS NVNT 1-DH5 2441MHz Ant1




HFS NVNT 1-DH5 2480MHz Ant1



HFS NVNT 2-DH5 2402MHz Ant1



HFS NVNT 2-DH5 2441MHz Ant1




HFS NVNT 2-DH5 2480MHz Ant1


E.6 Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	Center Frequency (MHz)	OBW (MHz)	Lower Edge (MHz)	Upper Edge (MHz)	Limit OBW (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	2401.98627	0.91452	2401.52901	2402.44353	2400 - 2483.5MHz	Pass
NVNT	1-DH5	2441	Ant1	2440.98537	0.90818	2440.53128	2441.43946	2400 - 2483.5MHz	Pass
NVNT	1-DH5	2480	Ant1	2479.98424	0.90288	2479.5328	2480.43568	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2402	Ant1	2401.9878	1.207	2401.3843	2402.5913	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2441	Ant1	2440.9871	1.2051	2440.38455	2441.58965	2400 - 2483.5MHz	Pass
NVNT	2-DH5	2480	Ant1	2479.9861	1.202	2479.3851	2480.5871	2400 - 2483.5MHz	Pass







OBW NVNT 1-DH5 2402MHz Ant1




OBW NVNT 1-DH5 2441MHz Ant1




OBW NVNT 1-DH5 2480MHz Ant1



OBW NVNT 2-DH5 2402MHz Ant1




OBW NVNT 2-DH5 2441MHz Ant1




OBW NVNT 2-DH5 2480MHz Ant1

E.7 Transmitter unwanted emissions in the out-of-band domain


Condition	Mode	Frequency (MHz)	Antenna	OOB Frequency (MHz)	Level (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	1-DH5	Hopping	Ant1	2399.5	-55.74	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2398.5	-57.54	-20	Pass
NVNT	1-DH5	Hopping	Ant1	2484	-57.71	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2485	-57.94	-20	Pass
NVNT	1-DH5	Hopping	Ant1	2399.5	-56.17	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2398.5	-57.78	-20	Pass
NVNT	1-DH5	Hopping	Ant1	2484	-57.72	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2485	-57.96	-20	Pass
NVNT	1-DH5	Hopping	Ant1	2399.5	-55.63	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2398.5	-57.88	-20	Pass
NVNT	1-DH5	Hopping	Ant1	2484	-58.03	-10	Pass
NVNT	1-DH5	Hopping	Ant1	2485	-57.67	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2399.5	-57.66	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2398.5	-57.76	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2484	-58.07	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2485	-57.81	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2399.5	-57.21	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2398.5	-58.2	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2484	-58.06	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2485	-57.89	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2399.5	-57.31	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2398.5	-57.73	-20	Pass
NVNT	2-DH5	Hopping	Ant1	2484	-57.99	-10	Pass
NVNT	2-DH5	Hopping	Ant1	2485	-58	-20	Pass




Tx. Emissions OOB NVNT 1-DH5 2402MHz Ant1




Tx. Emissions OOB NVNT 1-DH5 2441MHz Ant1




Tx. Emissions OOB NVNT 1-DH5 2480MHz Ant1



Tx. Emissions OOB NVNT 2-DH5 2402MHz Ant1



Tx. Emissions OOB NVNT 2-DH5 2441MHz Ant1




Tx. Emissions OOB NVNT 2-DH5 2480MHz Ant1


E.8 Transmitter unwanted emissions in the spurious domain

Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Spur Freq (MHz)	Peak (dBm)	RMS (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	30 -47	37.45	-71.50	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	47 -74	71.85	-70.18	NA	-54	Pass
NVNT	1-DH5	2402	Ant1	74 -87.5	75.85	-70.28	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	87.5 -118	102.40	-70.58	NA	-54	Pass
NVNT	1-DH5	2402	Ant1	118 -174	167.80	-70.07	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	174 -230	209.50	-69.24	NA	-54	Pass
NVNT	1-DH5	2402	Ant1	230 -470	247.45	-68.33	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	470 -694	635.00	-69.05	NA	-54	Pass
NVNT	1-DH5	2402	Ant1	694 -1000	945.20	-67.54	NA	-36	Pass
NVNT	1-DH5	2402	Ant1	1000 -2398	2210.00	-48.72	NA	-30	Pass
NVNT	1-DH5	2402	Ant1	2485.5 -12750	4804.00	-43.54	NA	-30	Pass
NVNT	1-DH5	2441	Ant1	30 -47	40.35	-70.44	NA	-36	Pass
NVNT	1-DH5	2441	Ant1	47 -74	63.95	-70.06	NA	-54	Pass
NVNT	1-DH5	2441	Ant1	74 -87.5	81.25	-71.45	NA	-36	Pass
NVNT	1-DH5	2441	Ant1	87.5 -118	104.80	-70.30	NA	-54	Pass
NVNT	1-DH5	2441	Ant1	118 -174	173.30	-69.49	NA	-36	Pass
NVNT	1-DH5	2441	Ant1	174 -230	205.50	-68.85	NA	-54	Pass
NVNT	1-DH5	2441	Ant1	230 -470	442.35	-68.96	NA	-36	Pass
NVNT	1-DH5	2441	Ant1	470 -694	681.35	-68.77	NA	-54	Pass
NVNT	1-DH5	2441	Ant1	694 -1000	950.25	-67.15	NA	-36	Pass
NVNT	1-DH5	2441	Ant1	1000 -2398	2249.00	-47.22	NA	-30	Pass
NVNT	1-DH5	2441	Ant1	2485.5 -12750	5748.50	-34.20	-49	-30	Pass
NVNT	1-DH5	2480	Ant1	30 -47	36.20	-71.31	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	47 -74	58.10	-71.03	NA	-54	Pass
NVNT	1-DH5	2480	Ant1	74 -87.5	78.40	-70.85	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	87.5 -118	90.40	-69.35	NA	-54	Pass
NVNT	1-DH5	2480	Ant1	118 -174	173.85	-69.82	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	174 -230	210.25	-69.62	NA	-54	Pass
NVNT	1-DH5	2480	Ant1	230 -470	392.00	-68.37	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	470 -694	485.65	-68.80	NA	-54	Pass
NVNT	1-DH5	2480	Ant1	694 -1000	777.70	-67.88	NA	-36	Pass
NVNT	1-DH5	2480	Ant1	1000 -2398	2288.00	-46.20	NA	-30	Pass
NVNT	1-DH5	2480	Ant1	2485.5 -12750	4960.00	-43.10	NA	-30	Pass
NVNT	2-DH5	2402	Ant1	30 -47	41.20	-71.24	NA	-36	Pass
NVNT	2-DH5	2402	Ant1	47 -74	57.10	-70.98	NA	-54	Pass
NVNT	2-DH5	2402	Ant1	74 -87.5	81.85	-70.84	NA	-36	Pass
NVNT	2-DH5	2402	Ant1	87.5 -118	103.70	-70.68	NA	-54	Pass
NVNT	2-DH5	2402	Ant1	118 -174	161.25	-69.65	NA	-36	Pass


NVNT	2-DH5	2402	Ant1	174 -230	226.00	-69.70	NA	-54	Pass
NVNT	2-DH5	2402	Ant1	230 -470	346.80	-69.11	NA	-36	Pass
NVNT	2-DH5	2402	Ant1	470 -694	633.00	-68.74	NA	-54	Pass
NVNT	2-DH5	2402	Ant1	694 -1000	810.65	-67.26	NA	-36	Pass
NVNT	2-DH5	2402	Ant1	1000 -2398	2209.50	-48.58	NA	-30	Pass
NVNT	2-DH5	2402	Ant1	2485.5 -12750	4804.00	-43.52	NA	-30	Pass
NVNT	2-DH5	2441	Ant1	30 -47	46.85	-71.65	NA	-36	Pass
NVNT	2-DH5	2441	Ant1	47 -74	63.90	-71.17	NA	-54	Pass
NVNT	2-DH5	2441	Ant1	74 -87.5	76.70	-70.85	NA	-36	Pass
NVNT	2-DH5	2441	Ant1	87.5 -118	91.15	-70.23	NA	-54	Pass
NVNT	2-DH5	2441	Ant1	118 -174	167.20	-70.02	NA	-36	Pass
NVNT	2-DH5	2441	Ant1	174 -230	196.20	-69.10	NA	-54	Pass
NVNT	2-DH5	2441	Ant1	230 -470	277.95	-68.40	NA	-36	Pass
NVNT	2-DH5	2441	Ant1	470 -694	500.40	-68.72	NA	-54	Pass
NVNT	2-DH5	2441	Ant1	694 -1000	885.45	-67.43	NA	-36	Pass
NVNT	2-DH5	2441	Ant1	1000 -2398	2249.00	-47.36	NA	-30	Pass
NVNT	2-DH5	2441	Ant1	2485.5 -12750	5748.50	-41.34	NA	-30	Pass
NVNT	2-DH5	2480	Ant1	30 -47	30.30	-71.05	NA	-36	Pass
NVNT	2-DH5	2480	Ant1	47 -74	56.75	-71.01	NA	-54	Pass
NVNT	2-DH5	2480	Ant1	74 -87.5	85.45	-71.25	NA	-36	Pass
NVNT	2-DH5	2480	Ant1	87.5 -118	97.70	-70.18	NA	-54	Pass
NVNT	2-DH5	2480	Ant1	118 -174	173.00	-69.64	NA	-36	Pass
NVNT	2-DH5	2480	Ant1	174 -230	217.25	-68.87	NA	-54	Pass
NVNT	2-DH5	2480	Ant1	230 -470	452.90	-68.05	NA	-36	Pass
NVNT	2-DH5	2480	Ant1	470 -694	649.70	-68.65	NA	-54	Pass
NVNT	2-DH5	2480	Ant1	694 -1000	904.00	-68.03	NA	-36	Pass
NVNT	2-DH5	2480	Ant1	1000 -2398	2288.00	-46.93	NA	-30	Pass
NVNT	2-DH5	2480	Ant1	2485.5 -12750	4960.00	-42.66	NA	-30	Pass




Tx. Spurious NVNT 1-DH5 2402MHz Ant1




Tx. Spurious NVNT 1-DH5 2441MHz Ant1




Tx. Spurious NVNT 1-DH5 2480MHz Ant1



Tx. Spurious NVNT 2-DH5 2402MHz Ant1



Tx. Spurious NVNT 2-DH5 2441MHz Ant1



Tx. Spurious NVNT 2-DH5 2480MHz Ant1

Tx. Spurious NVNT 1-DH5


Frequency (MHz)	Polarization (H/V)	Measure Level (dBm)	Limit (dBm)	Margin (dB)	Detector
Channel 0 (2402MHz)					
32.34	H	-40.52	-36.00	-4.52	PK
46.22	V	-40.48	-36.00	-4.48	PK
217.41	H	-65.66	-54.00	-11.66	PK
277.35	V	-48.17	-36.00	-12.17	PK
4805.95	H	-38.34	-30.00	-8.34	PK
4802.31	V	-42.93	-30.00	-12.93	PK
7204.42	H	-36.89	-30.00	-6.89	PK
7205.43	V	-44.14	-30.00	-14.14	PK
Channel 78 (2480MHz)					
53.16	H	-64.17	-54.00	-10.17	PK
125.35	V	-49.60	-36.00	-13.60	PK
715.37	H	-39.70	-36.00	-3.70	PK
936.95	V	-39.13	-36.00	-3.13	PK
4960.68	H	-42.20	-30.00	-12.20	PK
4962.96	V	-41.58	-30.00	-11.58	PK
7441.59	H	-37.23	-30.00	-7.23	PK
7442.68	V	-36.54	-30.00	-6.54	PK

Tx. Spurious NVNT 2-DH5


Frequency (MHz)	Polarization (H/V)	Measure Level (dBm)	Limit (dBm)	Margin (dB)	Detector
Channel 0 (2402MHz)					
92.68	H	-66.62	-54.00	-12.62	PK
74.36	V	-49.42	-36.00	-13.42	PK
632.16	H	-64.23	-54.00	-10.23	PK
762.99	V	-47.16	-36.00	-11.16	PK
4803.04	H	-37.40	-30.00	-7.40	PK
4802.82	V	-36.99	-30.00	-6.99	PK
7203.73	H	-44.75	-30.00	-14.75	PK
7205.21	V	-37.63	-30.00	-7.63	PK
Channel 78 (2480MHz)					
31.46	H	-49.45	-36.00	-13.45	PK
132.76	V	-42.19	-36.00	-6.19	PK
684.50	H	-62.77	-54.00	-8.77	PK
942.81	V	-45.42	-36.00	-9.42	PK
4960.89	H	-43.05	-30.00	-13.05	PK
4962.52	V	-35.29	-30.00	-5.29	PK
7443.06	H	-44.78	-30.00	-14.78	PK
7443.36	V	-43.84	-30.00	-13.84	PK

E.9 Receiver spurious emissions


Condition	Mode	Frequency (MHz)	Antenna	Range (MHz)	Spur Freq (MHz)	Peak (dBm)	RMS (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	30 -1000	768.15	-78.02	NA	-57	Pass
NVNT	1-DH5	2402	Ant1	1000 -12750	8275	-63.00	NA	-47	Pass
NVNT	1-DH5	2441	Ant1	30 -1000	836.05	-78.58	NA	-57	Pass
NVNT	1-DH5	2441	Ant1	1000 -12750	8429.5	-62.83	NA	-47	Pass
NVNT	1-DH5	2480	Ant1	30 -1000	855.1	-78.07	NA	-57	Pass
NVNT	1-DH5	2480	Ant1	1000 -12750	8201	-62.02	NA	-47	Pass
NVNT	2-DH5	2402	Ant1	30 -1000	870.4	-78.70	NA	-57	Pass
NVNT	2-DH5	2402	Ant1	1000 -12750	6476.5	-62.45	NA	-47	Pass
NVNT	2-DH5	2441	Ant1	30 -1000	770.05	-78.08	NA	-57	Pass
NVNT	2-DH5	2441	Ant1	1000 -12750	12736	-62.46	NA	-47	Pass
NVNT	2-DH5	2480	Ant1	30 -1000	951.75	-78.43	NA	-57	Pass
NVNT	2-DH5	2480	Ant1	1000 -12750	6386.5	-62.43	NA	-47	Pass




Rx. Spurious NVNT 1-DH5 2402MHz Ant1




Rx. Spurious NVNT 1-DH5 2441MHz Ant1




Rx. Spurious NVNT 1-DH5 2480MHz Ant1



Rx. Spurious NVNT 2-DH5 2402MHz Ant1



Rx. Spurious NVNT 2-DH5 2441MHz Ant1



Rx. Spurious NVNT 2-DH5 2480MHz Ant1

Rx. Spurious NVNT 1-DH5

Frequency (MHz)	Polarization (H/V)	Measure Level (dBm)	Limit (dBm)	Margin (dB)	Detector
Channel 0 (2402MHz)					
427.84	H	-68.82	-57.00	-11.82	PK
490.42	V	-64.92	-57.00	-7.92	PK
902.20	H	-62.93	-57.00	-5.93	PK
871.06	V	-61.14	-57.00	-4.14	PK
1454.33	H	-69.08	-47.00	-22.08	PK
1284.55	V	-55.02	-47.00	-8.02	PK
2864.17	H	-60.93	-47.00	-13.93	PK
2849.74	V	-59.76	-47.00	-12.76	PK
Channel 78 (2480MHz)					
70.47	H	-72.48	-57.00	-15.48	PK
474.28	V	-65.46	-57.00	-8.46	PK
943.87	H	-67.20	-57.00	-10.20	PK
675.98	V	-74.00	-57.00	-17.00	PK
1943.22	H	-55.47	-47.00	-8.47	PK
1411.37	V	-63.57	-47.00	-16.57	PK
2902.42	H	-53.46	-47.00	-6.46	PK
2005.36	V	-54.04	-47.00	-7.04	PK

Rx. Spurious NVNT 2-DH5

Frequency (MHz)	Polarization (H/V)	Measure Level (dBm)	Limit (dBm)	Margin (dB)	Detector
Channel 0 (2402MHz)					
383.76	H	-66.26	-57.00	-9.26	PK
291.97	V	-72.98	-57.00	-15.98	PK
562.38	H	-67.84	-57.00	-10.84	PK
509.24	V	-72.02	-57.00	-15.02	PK
1052.98	H	-58.39	-47.00	-11.39	PK
1411.81	V	-61.91	-47.00	-14.91	PK
2596.80	H	-72.86	-47.00	-25.86	PK
2449.94	V	-59.77	-47.00	-12.77	PK
Channel 78 (2480MHz)					
398.30	H	-71.63	-57.00	-14.63	PK
142.64	V	-62.04	-57.00	-5.04	PK
744.43	H	-74.18	-57.00	-17.18	PK
665.65	V	-74.12	-57.00	-17.12	PK
1306.54	H	-66.04	-47.00	-19.04	PK
1671.66	V	-50.07	-47.00	-3.07	PK
2385.46	H	-70.53	-47.00	-23.53	PK
2665.00	V	-65.90	-47.00	-18.90	PK

E.10 Receiver Blocking

Test Mode	Test Channel (MHz)	Wanted Signal Mean Power from Companion Device (dBm)	Blocking Signal Frequency (MHz)	Blocking Signal Power (dBm)		Type of Blocking Signal	PER(%)		Test Result
				Test Value	Limit		Test Value	Limit	
DH5	2402	-70	2380	-24	≥-34	CW	6.54	10	Pass
			2504	-20	≥-34	CW	4.70	10	Pass
			2300	-27	≥-34	CW	3.03	10	Pass
			2584	-17	≥-34	CW	5.71	10	Pass
	2480	-70	2380	-25	≥-34	CW	3.33	10	Pass
			2504	-30	≥-34	CW	3.19	10	Pass
			2300	-31	≥-34	CW	6.98	10	Pass
			2584	-31	≥-34	CW	4.67	10	Pass
2DH5	2402	-68	2380	-23	≥-34	CW	6.40	10	Pass
			2504	-24	≥-34	CW	5.94	10	Pass
			2300	-33	≥-34	CW	6.79	10	Pass
			2584	-22	≥-34	CW	4.60	10	Pass
	2480	-68	2380	-24	≥-34	CW	4.61	10	Pass
			2504	-25	≥-34	CW	3.48	10	Pass
			2300	-25	≥-34	CW	5.91	10	Pass
			2584	-24	≥-34	CW	6.54	10	Pass

