

DECLARATION OF CONFORMITY

I hereby declare that the product

Product:

Product Name: Smartphone

Model: P90

Brand Name: CUBOT

Hardware Version: 3368D-MC-V1.1

Software Version: CUBOT_P90_F021C_V01

Accessories:

Adapter 1 Information:

Model: HJ-PD18W-EU

Input: 100-240V~ 50/60Hz 0.6A

Output: 5.0V = 3.0A 15.0W OR 9.0V = 2.0A 18.0W OR 12.0V = 1.5A 18.0W MAX

Manufacturer: Shenzhen Huajin Electronics Co.,Ltd

USB Cable Information:

Model: HJ-PD18W-EU

Length: 1.2M

Manufacturer: Shenzhen Flypower Technology Co.,Ltd

Adapter 2 Information:

Model: TPD-203A120167VF01

Input: 100-240V~ 50/60Hz 0.6A

Output: 5.0V = 3.0A 15.0W or 9.0V = 2.22A 19.98W or 12.0V = 1.67A 20.04W

Manufacturer: SHENZHEN TIANYIN ELECTRONICS CO., LTD

USB Cable Information:

Model: TPD-203A120167VF01

Length: 1.2M

Manufacturer: Shenzhen Flypower Technology Co.,Ltd

Battery information

Model: C58

Specification: 3.87V, 5100mAh, 19.737Wh

Manufacturer: Shenzhenshi jiuliyuan electronic technology co.,LTD

satisfies all the technical regulations applicable to the product within the scope of Council Directives 2014/53/EU, 2014/35/EU and 2014/30/EU:and declare that the same application has not been lodged with any other notified body.

EN 62479:2010

ETSI EN 301 489-1 V2.2.3 (2019-11)

ETSI EN 301 489-3 V2.3.2 (2023-01)

ETSI EN 301 489-17 V3.2.4 (2020-09)

ETSI EN 301 489-19 V2.2.1 (2022-09)

ETSI EN 301 489-52 V1.2.1 (2021-11)

ETSI EN 303 413 V1.2.1 (2021-04)

ETSI EN 301 511 V12.5.1 (2017-03)

ETSI EN 301 908-1 V15.1.1 (2021-09)

ETSI EN 301 908-2 V13.1.1 (2020-06)

ETSI EN 301 908-13 V13.2.1 (2022-02)

ETSI EN 300 328 V2.2.2 (2019-07)

ETSI EN 301 893 V2.1.1 (2017-05)
ETSI EN 300 440 V2.2.1 (2018-07)
ETSI EN 300 330 V2.1.1 (2017-02)
EN 55032:2015+A11:2020+A1:2020
EN 55035:2017+A11:2020
EN 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019
EN 62368-1:2020+A11:2020
EN 50360:2017+A1:2023
EN 50566:2017+A1:2023
EN IEC/IEEE 62209-1528:2021
EN 50663:2017

All essential radio test suites have been carried out.

NOTIFIED BODY: MiCOM Labs Inc

– **Address:**

575 Boulder Court,
Pleasanton, California94566
USA
Identification Number: 2280

MANUFACTURER or AUTHORISED REPRESENTATIVE: Shenzhen Huafurui Technology Co., Ltd.

– **Address:**

Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993 Jiaxian Road,
Xiangjiaotang Community, Bantian Street, Longgang District, Shenzhen, P.R. China

This declaration is issued under the sole responsibility of the manufacturer and, if applicable, his authorised representative.


Point of contact:

(Name, telephone and fax number)

Unit 601-03, 6/F, Block A, Building 1,
Ganfeng Technology Building, No. 993
Jiaxian Road, Xiangjiaotang Community,
Bantian Street, Longgang District,
Shenzhen, P.R. China

(Place, date of issue)

2025/6/3



(Signature)

Paul Liu / Manager

(Name and title in block letters)


Herby, [Shenzhen Huafului Technology Co., Ltd.](#) declares that this

[Smartphone](#) , P90 is in compliance with the essential requirements and other relevant

provisions of Directive 2014/53/EU.

In accordance with Article 10(2) and Article 10(10), this product allowed to be used in all EU member states.

Use the Smartphone in the environment with the temperature between [-20°C](#) and [40°C](#)

Use careful with the earphone maybe possible excess and pressure from earphones and headphones can cause hearing loss. 

Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.

The product shall only be connected to a USB interface of version USB2.0

Adapter shall be installed near the equipment and shall be easily accessible.

The plug considered as disconnect device of adapter

[SAR: The device complies with RF specifications when the device used at 5mm from your body. The SAR value for this device when tested 1.326 W/](#)

[Kg \(10g\) for body \(5mm \) ,simultaneous is 1.468W/Kg \(10g \) for body \(5mm \) ; 3.098W/Kg \(10g\) for Limbs worn\(0mm\), Highest simultaneous SAR Limb is 3.825W/Kg \(10g\).1.243W/Kg \(10g\) for Head, Highest simultaneous SAR Head is 1.5W/Kg \(10g\).](#)

Adapter 1 Information:

Model: HJ-PD18W-EU

Input: 100-240V~ 50/60Hz 0.6A


Output: 5.0V 3.0A 15.0W OR 9.0V 2.0A 18.0W OR 12.0V 1.5A 18.0W MAX

Adapter 2 Information:

Model: TPD-203A120167VF01

Input: 100-240V~ 50/60Hz 0.6A

Output: 5.0V 3.0A 15.0W or 9.0V 2.22A 19.98W or 12.0V 1.67A 20.04W

				
BE	BG	CZ	DK	DE
EE	IE	EL	ES	FR
HR	IT	CY	LV	LT
LU	HU	MT	NL	AT
PL	PT	RO	SI	SK
FI	SE			

Operation Frequency:

BT/BLE:2402MHz~2480MHz

2.4G Wifi: 2412MHz~2472MHz

(802.11b/802.11g/802.11n(HT20))

2422MHz~2462MHz (802.11n(HT40)) NFC:13.56MHz

5G Wifi: Band 1: 5180 MHz -5240 MHz Band 3: 5745 MHz -5825 MHz

GPS:1.57542GHz NFC:13.56MHz

GSM 900/GPRS 900/EGPRS 900:TX: 880MHz~915MHz; RX:

925MHz~960MHz GSM 1800/GPRS 1800/EGPRS 1800:TX:

1710MHz~1785MHz; RX: 1805MHz~1880MHz

UTRA Band I:

TX:1920MHz~1980MHz; RX: 2110MHz~2170MHz

UTRA Band VIII:

TX: 880MHz~915MHz; RX: 925MHz~960MHz

For LTE:

LTE Band 1: (UL)1920MHz~1980MHz,(DL)2110MHz~2170MHz

LTE Band 3: (UL)1710MHz~1785MHz,(DL)1805MHz~1880MHz

LTE Band 7: (UL)2500MHz~2570MHz,(DL)2620MHz~2690MHz

LTE Band 8: (UL)880MHz~915MHz,(DL)925MHz~960MHz

LTE Band 20: (UL)832MHz~862MHz,DL: 791MHz~821MHz

LTE Band 28: (UL)703MHz~748MHz,DL: 758MHz~803MHz

LTE Band 38:UL:2570MHz-2620MHz;DL:2570MHz-2620MHz

LTE Band 40:UL: 2300MHz-2400MHz;DL:2300MHz-2400MHz

Max. RF output power:	Bluetooth(BDR+EDR):	2.51 dBm
	Bluetooth(BLE):	-0.42 dBm
	WIFI(2.4GHz) :	12.12 dBm
	WIFI(5.1GHz):	11.67 dBm
	WIFI(5.8GHz):	9.70 dBm
	GSM/GPRS/EGPRS 900:	32.82 dBm
	GSM/GPRS/EGPRS 1800:	29.88 dBm
	WCDMA Band I:	23.94 dBm
	WCDMA Band VIII:	22.82 dBm
	LTE Band 1:	24.28 dBm
	LTE Band 3:	23.62 dBm
	LTE Band 7:	22.77 dBm
	LTE Band 8:	23.04 dBm
	LTE Band 20:	24.09 dBm
	LTE Band 28:	23.60 dBm
	LTE Band 38:	24.44 dBm
	LTE Band 40:	22.48 dBm

Manufacturer: [Shenzhen Huafurui Technology Co., Ltd.](#)

Address: Unit 601-03, 6/F, Block A, Building 1, Ganfeng Technology Building, No. 993 Jiaxian Road, Xiangjiaotang Community, Bantian Street, Longgang District, Shenzhen, P.R. China

E-mail: support@cubot.net